

Index

- Adaptive Belief System (ABS), **133**, 159, 168
 four types, 176–179
 many types, 190–195
 three types, 173–176
 two types, 169–172
 without information costs, 173, 176
- adaptive learning, 7, 9, 18–19, 22–25, 155–158, 225
- Adaptive Rational Equilibrium Dynamics (ARED), 133
- agent-based computational economics (ACE), 8
- agent-based model (ABM), 8, 35
- aperiodic point, **46**
- attracting set, **73**
- attractor, 71, **73**
 coexisting, 82–85, 146–148, 179–190
 quasi-periodic, 78
 strange, 72, **73**
 strange attractor theorem, 93
- basin boundary, 146
- basin of attraction, 82, 146
- BDS test, 5
- behavioral rationality, 8–10, 22–25, 36, 113, 121, 129, 131, 158
- beliefs, *see* expectations 5
- Bernanke, B., 1
- bifurcation, 13, **46**
 Chenciner, 82–85
 co-dimension one, 82
 co-dimension two, 82
 diagram, 13, **48**
 global, 92
 Hopf, **76**, 81
 degenerate, 82
 subcritical, 83
 supercritical, 82
 local, 92
 Neimark–Sacker, 76
 period-doubling, **47**, 75, 81
 period-halving, 78
 pitchfork, **52**, 81
 saddle-node, **75**, 81
 of invariant curves, 183
 tangent, **49**, 51
 transcritical, **52**, 77, 81
- bifurcation route to chaos
 breaking of an invariant circle, **78**
 period-doubling, **48**
- bounded rationality, 7–9, 22, 36, 213–214
 wilderness of, 8
- bubble, 30
 amplified by technical trading, 30
 dot-com, 5
 rational, 162
 temporary, 172, 178, 188
 tulip, 5
- business cycle models, 2
 chaos, 4
 Dynamic Stochastic General Equilibrium (DSGE), 3
 endogenous, 2
 exogenous shocks, 2
 Keynesian, 3
 New Classical, 3
 New Keynesian, 3
 nonlinear, 3
 real business cycle (RBC), 3
- butterfly effect, 3, 44
- Cantor set, **59**
 chaotic invariant, 61, 87
- chaos, **54**
 deterministic, 4, 54
 intermittent, 186
 nearest neighbor forecasting, 178
 numerical definition, **66**
 topological, **54**, 88
 transient, **44**, 58
 true, **58**
 (un-)predictability, 178
- chaos theory, 3
- chartist, 25, 159
- cobweb model, 10, **95**
 cost function, 96
 demand curve, 11, 96
 hog cycle model, 10, 95
 supply curve, 11, 96
 backward-bending, 99, 117, 122

252 **Index**

- nonlinear, increasing, 11, 96
- cobweb theorem, 97
- complex system, 1, 7–10, 25, 35–36
- complexity model
 - simple, 9, 10, 35–36
- critical point, **43**
- critical transition, 1, 13
- cycle, **40**
- dynamical system
 - nonlinear
 - one-dimensional (1-D), **39**
 - two-dimensional (2-D), **69**
- equilibrium, **40**
 - bioeconomic equilibrium, 122
 - consistent expectations (CEE), 113, **114**
 - chaotic, **116**, 117
 - steady state, 117
 - two-cycle, 117
 - learning, 8
 - rational expectations, 11
- evolutionary selection, 9, 16, 22, 31–35, **132**, 130–134, 155–158, 164–165, 224–226
 - asynchronous updating, **134**, 149, 225
 - discrete choice model, 27, **133**, 133–134, 164–165
 - fitness measure, 26, 132, 166–167
 - multinomial logit model, 27, **133**, 133–134, 164–165
 - performance measure, 132
 - synchronous updating, **134**
- excess volatility, 8, 22, 25, 218
- expectations, 5
 - adaptive, 12, **101**
 - consistent, 113, **114**
 - coordination, 224, 230
 - distributed lag, 105
 - heterogeneity, 230
 - heterogeneous, 2, 8, 14, 22, 163, 224
 - homogeneous, 95
 - in nonlinear cobweb model, 95–129
 - hypothesis, 97
 - learning by sample average, 222
 - linear backward-looking (LBE), **105**
 - many lags, 109
 - two lags, 105
 - naive, 11, **97**, 123, 222
 - rational, 3, 11, 27, **98**, 161–163, 198, 221
 - self-confirming, 228
 - self-fulfilling, 6, 98
 - systematically wrong, 3, 11
- expectations feedback, 228
 - negative, 214, 228, 229
 - positive, 214, 228, 229
- system, 6
- experimental macroeconomics, 31, 213
- fixed point, **40**, 70
- forecasting errors
 - chaotic, 13, 101, 103, 124
 - systematic, 20, 98, 217
- along 2-cycle, 13
- forecasting heuristic, 9, 33, 225
 - adaptive rule, 9, 33, 225
 - anchor and adjustment rule, 9, 33, 225
 - trend extrapolation rule, 9, 33, 225
- forecasting rule
 - anchor and adjustment rule, 222
- contrarian, 180
- fundamentalist, 201
 - mean-reversion, 201, 204
- heterogeneous, 163, 167–168
- linear, 27
- linear AR(1), 18, 113–114
- trend follower, 180, 201, 204
 - conditional, 180–181
- trend-following AR(2) rule, 222
- fractal dimension, 73
 - correlation dimension, 5
- fractal structure, 59
 - strange attractor, 72
- Friedman hypothesis, 8, 25
 - counterexample, 172, 173, 179
- fundamental price, 161, 199
- fundamentalist, 25, 159, 180
- fundamentalists versus chartists, 25–30
 - model estimation, 28
- fundamentalists versus trend follower, 201–206
- Hénon map, 70
- heterogeneous agent model
 - 4-type example, 26
- heterogeneous expectations, 27, 36, 131–134, 163–164
 - competing AR(1) rules, 148–154
 - contrarian versus naive, 152–154
 - costly fundamentalist versus trend follower, 169–172
 - fundamentalist versus conditional trend follower, 180–190
 - fundamentalist versus naive, 150–152
 - fundamentalist versus optimist and pessimist, 173–176
 - fundamentalist versus trend and bias, 176–179
 - rational versus naive, 14–18, 134–138
 - SAC learning versus naive, 22–25, 155–158
- heuristics, 9
- heuristics switching, 31, 224–228
- homoclinic bifurcation, 91
- homoclinic orbit, 88–93
 - in asset pricing model, 172, 188
 - in cobweb model with heterogeneous expectations, 18
 - in cobweb model with rational versus naive expectations, 140
- homoclinic point, 4, **89**, 143
- horseshoe, 86
- information-gathering costs, 9, 15, 135–136
- initial state, **39**
- intensity of choice, **133**, 201
- invariant circle
 - attracting, 78

- breaking of an invariant circle, 78, 81
 - repelling, 83
- invariant set
 - chaotic, 61, 88
- laboratory experiments, 211, 213–234
 - asset pricing model, 30–35, 220–228
 - cobweb model, 19–22, 25, 215–220
 - positive/negative feedback, 228–234
- Large Type Limit (LTL), 190
- law of motion, 6, 7, 35
 - implied actual law of motion, 114
 - perceived law of motion, 18
- learning, 22
 - adaptive learning, 7
 - by sample average, 217
 - error correction learning, 101
 - reinforcement learning, 9, 16, 22, 33, **132**, 130–134, 164–165, 224–226
 - sample autocorrelation (SAC) learning, 19, **116**, 125
 - statistical learning, 7, 18, 115
 - to be contrarian, 23, 155
 - to believe in chaos, 120–129
 - to have rational expectations, 217
- Learning-to-forecast experiments (LtFEs), 19, 30–35, 212
- Li–Yorke theorem, 57
 - period 3 implies chaos, **56**
 - period 3 implies chaos, 4
- Lorenz, E.N., 3
- LTL theorem, 192
- Lucas, R.E., 3, 6, **212**
- Lyapunov exponent, 5, 63, **64**, 93
 - largest, 94
- Lyapunov spectrum, 94
- manifold
 - center manifold, 83
 - stable, 89
 - unstable, 89
- map
 - chaotic tent map, **67**
 - monotonic, **40**
 - non-monotonic, **43**
 - quadratic, 1-D, **43**
- market sentiment
 - average, 30, 204
- Muth, J., 3, 6, 95, **230**
- nonlinearity test, 5
- orbit, **39**, 69
 - periodic, **40**
 - stable, **46**
- overreaction, 209
 - and mean-reversion, 209
 - caused by trend followers, 209
- path dependence, 179, 224
- periodic point, **40**
- phase portrait, 74
- Poincaré, H., 4, 7, 143
- quasi-periodic dynamics, 78
- rational expectations hypothesis (REH), 6, 8
- rational route to randomness, 16, 23, 27, **142**, 139–146, 172, 178
 - with many trader types, 192
- sample autocorrelation, 114
 - first-order, 19, 115
- sample average, 19, 114, 115
- self-fulfilling mistake, 113
- sensitive dependence on initial conditions, 3, 44, **54**, 59, 72
- Simon, H., 2, 7
- steady state, **40**, 70
 - globally stable, **40**
 - locally stable, **40**
 - unstable, **40**
- stochastic model
 - deterministic skeleton, 36
 - nonlinear, 35
- strange attractor, 4, **73**
- strategy updating
 - asynchronous, 34, **134**, 225
- symbolic dynamics, 63
- symbolic sequence, 61
- technical analyst, *see* chartist25
- time path, **39**
- Trichet, J.-C., 1
- volatility clustering
 - coexisting attractors, 188
 - endogenous mechanism, 188
 - intermittent chaos, 188