

Index

- acceleration, gravitational, 75
- activity, biologic, 55
- analysis
 - limit, 247, 313–325, 328–331, 369–370
 - slope stability, 24
- angle
 - contact friction, 253
 - friction, 64, 251
 - internal friction, 21, 247, 252
 - mobilized friction, 314
- area
 - partial, 52
 - particle surface, 77
 - variable source, 52
- attraction, van der Waals, 76
- bands, shear, 247
- barrier efficiency of capillary, 111
- barriers
 - capillary, 106
 - dipping capillary, 110
 - flat capillary, 106
 - hydraulic, 112–114
- behavior
 - brittle, 251
 - ductile, 251
 - hysteretic, 282
 - internal frictional, 251
 - non-linear, 248
- Bishop’s effective stress, 215
- bluffs, 21, 351
 - Puget Sound, 30
 - Seattle, 62
- bonding, physical-chemical, 256
- bubbles, occluded, 88
- calcium carbonate, 65
- capacity
 - diversion, 110
 - infiltration, 49, 52
 - specific moisture, 119, 120, 121
 - storage, 117
- capillary barriers
 - dipping, 110–112
 - flat, 106–110
- capillary rise
 - height of, 90–91
 - rate of, 91–92
- catchments, 56
- cell
 - Hadley, 27
 - Tempe, 283
- cementation, 256, 259
- chemical potential, *see* pressure
- circle, Mohr, 165
- circulation
 - atmospheric, 32
 - global atmospheric, 27
- classification
 - climate, 29
 - landslide, 4, 9
 - soil, 43, 45–46
 - soil-AASHTO, 45
 - soil-ASTM, 45
 - soil-International, 45
 - soil-USCS, 45
 - soil-USDA, 45
- clay, size of, 45
- climate, classification, 29
- coefficient
 - free vapor diffusion, 93
 - vapor diffusion, 93
- cohesion, 64, 251, 258
 - apparent, 253–254, 261
 - capillary, 256, 260–261
 - cementation, 259–260
 - definition of, 256
 - drained, 256–259
 - interlocking, 253
 - root, 256
 - soil, 21
- colluvium, 40
- column, sand, 86
- compressibility
 - of bulk soil, 118
 - water, 118
- concentration, solute, 78
- conditions
 - displacement boundary, 170
 - drained, 271
 - hydrostatic, 83
 - K_o , 273

- mixed boundary, 171
- stress boundary, 170
- undrained, 271
- conductivity
 - electrical, 79
 - hydraulic, 86–87, 121
 - unsaturated hydraulic, 92
- conjugate shear stresses theorem, 161
- conservation of mass, 117
- consolidated, 273
 - normally, 250
 - overly, 250, 251
- constant
 - Lamé elastic, 164
 - universal gas, 78
- constant flow, 284–285
- constant head, 284–285
- content, moisture, 21, 23
- control, suction, 282
- coordinates, Cartesian, 122, 161
- costs
 - of landslide, direct, 14
 - of landslide, indirect, 14
 - of landslide, private, 14
 - of landslide, public, 14
 - types of landslide, 14
- cracking, tensile, 66
- creep, 9, 57, 65
 - soil, 65
- crown of landslide body, 5
- cycle, hydrologic, 27
- cyclone, tropical, 35, 39
- Darcy’s law, *see* laws, Darcy’s
- death by landslide, 12–13
- debris, 6
- debris avalanches, 9
- debris flow, 9, 41
- degree of saturation, 279
- density
 - relative, 254
 - relative dry, 254
 - saturated vapor, 81
 - vapor, 81
 - water, 75
- deposition, colluvial, 40
- depressions, bedrock, 55
- diffusivity
 - effective water, 125
 - hydraulic, 119
 - water, 119, 121
- digital elevation models, 43
- dilation, local, 253
- direction
 - flow, 133–137
 - lateral flow, 147
- discharge
 - specific, 86
 - stream, 51
- dissolution, mineral, 64–65
- distance
 - diversion, 110
 - threshold, 49
- distribution
 - moisture, 159
 - root mass, 268
- double-layer, electrical, 79
- drained, 273
 - consolidated-, 273
- drying, 77
 - state of, 136
- earth, 6
- earthflow at Mission Peak, 15
- earthflows, 9
- effective stress, 21, 24, 59, 61, 271, *see also* suction stress
 - Bishop’s, 217
 - generalized, 59, 314
 - Lu *et al.*’s, 219, 224
 - unified, 260
 - validation of, 227, 230
- El Niño, 35–36, 40
- El Niño Southern Oscillation, 15, 35
- elastic, 249
- energy
 - kinetic, 73
 - total, 84
- equations
 - August–Roche–Magnus, 38
 - Beltrami–Michell field, 172
 - Clausius–Clapeyron, 38, 80
 - compatibility, 174
 - force equilibrium, 169
 - geometric, 170
 - Kelvin, 83
 - Laplace, 107
 - Navier, 171
 - Navier field, 171
 - of motion, 168
 - Richards, 119–122
 - Tetens, 80, 93
 - van’t Hoff, 78
- equilibrium
 - chemical potential, 81
 - thermodynamic, 82, 84
- erosion, 57, 66
 - soil, 66
- eruptions, volcanic, 10
- evaporation, 27, 29
 - rate of, 96, 105, 233
 - steady, 97

- evapo-transpiration, 46
- experiments
 - Darcy's, 85–86
 - ponding, 127
- factor of safety, 21, 313, 336
 - infinite slope, 316
 - local, 366, 369, 371
- failure
 - earth materials, 3
 - modes, 57, 364
 - post-, 249
 - pre-, 249
 - shallow, 23
 - tensile, 247
- failure surface, translational, 67
- falls, 7
- field
 - effective stress, 66, 368, 399
 - local factor of safety, 371
 - of moisture content, 384
 - of suction stress, 384
 - of total stress, 365, 387, 399
 - scalar, 75
 - stress, 24
 - total stress, 175–176
- flank, 4
 - of landslide body, 5
- flow, 5, 7
 - debris, 3, 7, 10, 17, 41
 - directions of, 54
 - downslope, 134–136, 147
 - fluid, 86
 - gravity-driven, 74
 - groundwater, 27
 - horizontal, 123
 - Hortonian overland, 49
 - lateral, 134
 - one-dimensional transient, 122
 - overland, 46, 48–49, 51–52
 - pipe, 52
 - preferential, 52
 - regimes, 137, 152
 - return, 52
 - stem, 49
 - stream, 49, 51–52
 - subsurface, 50–52
 - subsurface storm, 53
 - surface water, 40
 - transient saturated, 119
 - transient water, 117
 - unsaturated, 23
 - upslope, 134, 135–136, 147
 - vapor, 92–93
 - variably saturated, 23
 - vertical, 134, 147
 - vertical downward, 123
 - vertical upward, 123
 - vertical water, 93
 - wetting and drying, 137–138
- foot of landslide body, 5
- forces
 - adsorptive, 77
 - body, 159
 - hydration, 77
 - inertial, 160
 - particle-scale, 61
 - repulsive, 65
 - surface, 159, 160
 - van der Waals, 79
- friction angle
 - of sand, 254
 - residual, 65
- fringe, capillary, 54
- front, wetting, 91
- geomorphology
 - hillslope, 27
 - slope, 24
- global climate patterns, 27–31
- gradient
 - hydraulic, 285
 - of head, 86
 - of matric suction, 93
 - of moisture, 134
 - of potential, 87
 - of soil suction, 125
 - of total potential, 94
 - topographic, 177
- gravel, size of, 45
- gravity, 75, 133, 159
- head, *see also* potential
 - air-entry, 91, 109
 - landslide body, 5
 - total, 84
 - water-entry, 110
- heterogeneity of soil, 112
- hollow, 40, 41
 - of hillslope, 41
 - topographic, 40–41
- horizon, low-permeability, 56
- Horton equation, 49
- humidity
 - absolute, 81
 - relative, 81, 83
- humidity chamber, 284
- humidity index map, 29–30
- hurricanes, 35
 - Francis, 35
 - Ivan, 35
 - Mitch, 15
- hydration surface, 76
- hydraulic conductivity function, 89, 95

- hydraulic properties
 - drying, 293–294
 - wetting, 294–295
- hygrometer, 284
- hysteresis, 88
 - of soil water retention, 88
 - stress-strain, 249, 250
 - suction stress, 219
- index of global humidity, 29
- infiltration, 23, 27, 46–50, 52
 - horizontal, 124, 134
 - rainfall, 23
 - steady, 24, 73, 96, 103
 - transient, 24, 117, 123–128
 - transient vertical, 128–131
 - vertical, 93, 127
- instantaneous profiles, 284, 286
- insurance, landslide, 14
- internal stress, *see* suction stress
- invariant, stress, 168
- La Niña, 35–36
- Lahars, 10
- landscapes, digital, 42
- landslide analysis by digital elevation model, 43
- landslide losses
 - Italy, 14
 - Japan, 14
 - United States, 14
- landslides, 3
 - active, 6
 - classification, 4–6
 - costs, 14–15
 - earthquake-induced, 12, 14
 - extremely rapid, 7
 - extremely slow, 6
 - fossil, 6
 - frequency, 11–12
 - historic example, 15
 - illustration, 9
 - impacts, 12
 - inactive, 6
 - in unsaturated zone, 19–22
 - infiltration-induced, 325
 - initiation, 32, 56, 66
 - introduction, 3–4
 - magnitude, 11–12
 - North America, 15
 - precipitation-induced, 22
 - Puget Sound, 19, 30
 - rainfall-induced, 16–19, 24, 387
 - rotational, 4, 9
 - San Francisco bay region, 15
 - Serra do Mar, 19
 - shallow, 19, 22–23, 40, 41, 68
 - snowmelt-induced, 356, 395
 - socio-economic impacts, 12–14
 - stormflow-induced, 55–56
 - submarine, 12
 - transient infiltration-induced, 341
 - translational, 9
 - triggering mechanisms, 9–11
 - velocity, 6–7
 - very rapid, 7
 - very slow, 6
- latent heat of vaporization, 93
- lateral spreads, 9
- laws
 - Coulomb friction, 252, 255, 261
 - Darcy's, 85, 86–87, 94, 118, 120, 124
 - Fick's, 92
 - Hooke's, 163–165, 169, 172, 174
 - ideal gas, 80, 93
 - Newton's second, 56
- leaching, 65
- limit-equilibrium method, 370
 - Bishop's, 370
 - Janbu, 370
 - Morgenstern–Price, 370
 - ordinary, 370
- liquefaction of soil, 59
- loading, external, 56
- loam, 46
- losses
 - direct landslide, 16
 - landslide, 16
- macropores, 55, 56
- matric suction, 87, 93
- measurement
 - hydraulic conductivity, 284
 - suction, 282
 - suction stress characteristic curve, 305
 - water content, 282
- mechanics, continuum, 159
- mechanisms
 - interlocking, 253
 - shallow landslide, 19
 - water movement, 73–75
 - water potential, 73
- membrane, semi-permeable, 78
- menisci, water, 77
- method
 - Bishop's factor of safety, 323
 - Fellenius' factor of safety, 321
 - filter paper, 284
 - humidity, 284
 - limit equilibrium, 313, 365, 370
 - of slices, 321
 - pressure plate, 283
 - Tempe cell, 283
 - transient release and imbibitions, 287

- models
 - Culmann, 317
 - digital elevation, 42
 - fiber bundle, 266
 - finite slope, 317
 - Gardner, 128
 - Green–Ampt, 123
 - Horton, 52
 - infinite slope, 315
 - Lu *et al.*, 229
 - modified Green–Ampt, 127
 - Mualem, 293, 294
 - saturated finite slope, 317–320
 - saturated infinite slope, 315
 - unsaturated finite slope, 320
 - unsaturated infinite slope, 325–328
 - van Genuchten, 140, 229
- modulus
 - bulk, 165
 - shear, 164
 - Young’s, 163, 249
- Mohr circle, 165
 - failure, 252
- Mohr–Coulomb criterion, 64, 259, 265, 277
- moisture
 - antecedent, 23
 - soil, 54
- molar volume of water, 75
- molecular mass of water, 75
- momentum balance, 169
- Monsoons, 33–35
 - Asian, 34, 39
 - North American, 33
- morphology, 4
 - hillslope, 40
- movement
 - type, 5, 6
 - vapor, 74
- mudslides, 9
- noses of hillslope, 40
- outflow, 284–285
- patterns
 - evaporation, 27
 - flow, 143, 146, 150
 - precipitation, 27
 - wind, 27
- perched water, 19
- permeability, saturated, 91
- piezometer, 84
- Pineapple Express, 33
- pipes, soil, 55–56
- plane, failure, 247
- Poisson’s ratio, 164, 175
- pore structure, 77
- potential
 - chemical, 74–75, 82
 - equilibrium of, 81–83
 - gravitational, 75, 93
 - osmotic, 78–79
 - pressure, 74, 76–77, 82
 - total, 53, 73–74, 78, 81, 94
 - vapor, 80–81
 - water, 73
 - water vapor, 80
- precipitation, 27, 48
 - and landslide, 22–23
 - annual, 27
 - antecedent, 51
 - characteristics, 22–23, 51
 - dependence of, 27
 - extreme, 36–40
 - global annual, 27
 - heavy, 10
 - maxima, 27
 - mineral, 64–65
 - minima, 27
 - net, 29
 - orographic, 32
 - topographically induced, 32
- pressure, 74
 - air-entry, 44, 84, 87–88
 - capillary, 76
 - compressive pore, 21
 - diffusion, 59
 - maximum vapor, 80
 - negative pore, 21
 - osmotic, 79
 - pore, 21
 - positive pore, 41, 55
 - prevailing vapor, 80
 - saturated vapor, 38, 80
 - vapor, 93
 - water-entry, 44, 89
- processes
 - hydrologic, 27
 - mechanical, 56–57
 - pore pressure diffusion, 59–61
 - suction diffusion, 61–64
- profiles
 - hillslope, 50
 - hydrostatic pressure, 83–85
 - in clays, 98
 - in clay–sand layer, 103
 - in clay–silt layer, 104
 - in layered soils, 98
 - in sand–clay layer, 101
 - in sands, 96
 - in sand–silt layer, 99
 - in silt–clay layer, 102

- in silts, 97
- in silt–sand layer, 103
- of soil moisture, 96, 103
- of soil suction, 96, 99, 103
- of suction stress, 234, 331
- pressures, 83
- saturation, 84
- suction, 95, 102
- suction stress in soils, 233
- transient suction stress, 238
- water content, 95, 102
- psychrometer, 284
- radius of curvature, 82
- rainfall
 - antecedent, 22–23, 132
 - heavy, 18
 - Puget Sound, 30
 - storm, 22
- rainfall excess, *see* flow, overland
- reloading, 249–250
- representative elementary volume, 118
- resistance
 - frictional, 251
 - root shear, 264
 - shear, 251–252
- ridging, groundwater, 52
- rise
 - capillary, 64–65, 74, 90
 - height of capillary, 90
 - rate of capillary, 91
- rivers, atmospheric, 32–33
- rock, 6
- rockfall, 9
- roots
 - decay, 65
 - growth, 65
 - strength, 267
 - structures, 263
- runoff, 27, 46–50, 51–52
 - generation of, 50–52
 - source of, 52
 - storm, 52
- sand, size of, 45
- saturation, 279
- scarp
 - main, 5
 - minor, 5
- seeder-feeder mechanism, 32
- shaking, seismic, 57–58
- shallow landslide, rainfall-induced, 351
- shrinkage, 67
- shrink–swell, 57
- silt, size of, 45
- slickensides, 57, 65, 68
- slides, 7
 - block, 9
 - flow, 7
 - translational, 5, 7, 9
- slope stability, vertical cuts, 373
- slopes
 - cut, 375
 - finite, 175
 - infinite, 315, 326
 - local, 42
- socio-economic impacts, 12–14
- soil, 6
- soil horizons, 43–45
 - A, 44
 - B, 45
 - C, 45
 - O, 43
- soil mechanics
 - critical state, 247
 - unsaturated, 218
- soil suction, *see* matric suction
- soil water characteristic curve, 87, 95, 121
 - drying path, 88
 - wetting path, 88
- solutions
 - finite element, 179
 - Richards equation, 128
 - Savage, 174
 - Srivastava–Yeh, 128
- sorptivity, 125
- spread, 5, 7
- stability
 - sand slope, 346–347
 - silt slope, 349
 - slope, 313
- stone
 - ceramic, 283
 - high air-entry, 287
- storage, specific, 118
- stormflow, 56
 - subsurface, 53–55, 56
- strain
 - definition of, 159, 162
 - normal, 162–163
 - plane, 171–173, 255
 - plastic, 249
 - shear, 162
 - uniaxial, 163
 - unrecoverable, 249
 - volumetric, 164
- stratigraphy, soil, 43–45
- streamflow, 56
 - generation, 56

- strength
 - definition of, 247
 - hillslope materials, 3, 64, 247
 - isotropic tensile, 256
 - materials, 24, 57
 - mechanisms, 64
 - mobilized shear, 257
 - mobilized tensile, 265
 - of rooted soil, 278–279
 - peak, 249, 251
 - peak shear, 254
 - residual, 249–251
 - root, 65, 261
 - root tensile, 264, 266–267
 - tensile, 247, 256
 - understory root, 270
 - uniaxial, 247
 - uniaxial tensile, 256
 - unified shear, 278
- stress, 58, *see also* suction stress
 - Bishop’s effective, 215
 - compressional, 247
 - definition of, 159
 - effective, 215
 - internal, 248
 - invariant, 168
 - Lu *et al.*’s effective, 218
 - normal, 161, 163, 176
 - plane, 171–172, 174
 - principal, 248
 - shear, 161, 165, 176
 - tensile, 178, 247, 251
 - Terzaghi’s effective, 215
 - total, 159, 160
 - volumetric, 164
- stress-strain relation 163, 249
- suction, 81
 - in clays, 62
 - in sands, 61
 - matric, 87, 93
 - osmotic, 78
 - silts, 62
 - soil, 59
- suction stress, 21, 60–61, 67, 219
 - components of, 260
 - definition of, 221
 - determination of, 224
 - equation for, 228
 - in clays, 62
 - in clay–sand layer, 236
 - in clay–silt layer, 237
 - in sand–clay layer, 235
 - in sands, 61
 - in sand–silt layer, 235
 - in silt–clay layer, 236
 - in silts, 62
 - in silt–sand layer, 236
 - Lu *et al.*’s, 218
 - validation of, 227
- surface
 - rupture, 4–5, 9
 - specific, 77
- swelling, 67
- tensile cracking, 57
- tensile strength
 - of soil, 271
 - root, 65
- tensiometers, 284
 - measurement range of, 284
- tensor
 - hydraulic conductivity, 86
 - strain, 164
 - stress, 161, 164
- test
 - consolidated-drained, 274
 - consolidated-undrained, 275
 - conventional triaxial, 273
 - direct shear, 273
 - shear strength, *see* direct shear test
 - triaxial, 273
 - unconfined-compression, 278
 - unconsolidated-undrained, 276
 - uniaxial compression, 247
- theory
 - Coleman’s, 216–217
 - linear elasticity, 163, 169
- thermodynamics, second law of, 73, 81–82, 85, 90, 108
- threshold
 - intensity-duration, 22
 - landslide, 22
 - rainfall, 22
- toe
 - of landslide body, 5
 - of rupture surface, 5
- topography, 40–41
 - divergent, 40
 - planar, 40
- topples, 5, 7, 9
- transformations
 - Boltzmann, 125
 - coordinate, 122
 - Kirchhoff, 95
- transient release and imbibitions method (TRIM), 287
- transpiration, 27
- triggers, landslide, 3, 9, 10, 22
- Typhoon Herb, 35

undrained, 273	saturated, 89, 228
consolidated-, 275	volumetric, 87
unconsolidated-, 276	water table, 49, 61
unit weight	rise of, 61
dry, 254	weathering, 64
maximum, 254	wetness, soil, 44
minimum, 254	wetting, 77
moist, 326, 387	state of, 136
of water, 75	wetting front, 124
unloading, 249	arrival time of, 126
	progression of, 125
vadose zone, 59, 61, 64, 68, 131, 358	
vector	zones
force, 160	arid, 29
stress, 160, 165	dry–semihumid, 29
void ratio, 254	humid, 29
volume	hyper-arid, 29
landslide, 4	perched saturated, 56
representative elementary, 117	semi-arid, 29
	unsaturated, 19
water content	vadose, 59, 61, 64, 68, 131,
residual, 87–88	358