

Index

A-norm, 101	bracketing, 182
absolute norm, 37	Broyden–Fletcher–Goldfarb–Shanno, 188
Adams–Bashforth methods, 284	Cauchy convergence criterion, 153
Adams–Moulton methods, 284	Cauchy sequence, 153
adaptive	ceiling function, 167, 318
hp, 291	characteristic equation, 365
multistep methods, 289	chasing the bulge, 77
one-step methods, 288	Chebyshev interpolation, 347
Simpson’s rule integration, 257	Chebyshev polynomial, 101, 150, 300, 497
additive noise, 302	Cholesky decomposition, 49
adjoint, 116	Clenshaw’s method, 347
Aitken’s Δ^2 method, 179, 257	code example
amplification factor, 6	AdaptiveMS-test.cpp, 434
amplitude error, 546	AdaptiveMS.H, 430
anticipatory, 307	AdaptiveMS.cpp, 431
non-, 307	AdaptiveSS-test.cpp, 430
approximation error, 1, 13	AdaptiveSS.H, 428
Archimedes’ method, 462	AdaptiveSS.cpp, 429
artificial variables	AdaptiveSimpson-test.cpp, 428
linear programming, 195	AdaptiveSimpson.H, 426
associated Legendre polynomial, 300, 543	AdaptiveSimpson.cpp, 427
asymptotic regime, 161, 256, 266	CG-test.cpp, 402
autocorrelation, 152	CG.H, 400
B-spline, 235, 538	CG.cpp, 401
back substitution, 23, 44, 215	Cholesky-test.cpp, 387
backward error, 17, 40, 49, 52, 81	Cholesky.H, 386
backward Euler method, 284	Cholesky.cpp, 386
Bairstow’s method, 175	ConvexQP-test.cpp, 426
banana	ConvexQP.H, 420
Rosenbrock’s, 190	ConvexQP.cpp, 421
banded matrix, 228	FFT-test.cpp, 407
basic variables	FFT.H, 405
linear programming, 192	FFT.cpp, 406
basis vector, 45	GE-test.cpp, 379
Bernoulli	GE.H, 375
numbers, 253	GE.cpp, 376
polynomials, 253	Givens.H, 388
bisection, 155	GoldenSection.H, 408
Björck pivoting, 49	GoldenSection.cpp, 408
Black–Scholes equation, 152, 302, 325	HFropt.cpp, 442
Boole’s rule, 244	HQsort.H, 384
bottom solver, 122	HQsort.cpp, 385
Box–Muller transform, 305	Householder-test.cpp, 385

- Householder .H, 380
- Householder .cpp, 381
- Matrix .H, 373
- QR-test .cpp, 393
- QR .H, 389
- QR .cpp, 389
- RCP .H, 371
- Rysfit .cpp, 438
- SDEintegrate .cpp, 434
- SVD-test .cpp, 400
- SVD .H, 393
- SVD .cpp, 393
- Simplex-test .cpp, 419
- Simplex .H, 413
- Simplex .cpp, 414
- VMM-test .cpp, 413
- VMM .H, 409
- VMM .cpp, 410
- Vcycle-example .cpp, 402
- conjugate gradient, 490
- data fitting in Mahalanobis norm, 520
- FFT autocorrelation, 507
- FFT convolution, 496
- multigrid, 490
- multigrid preconditioned conjugate gradient, 490
- Newton interpolation, 498
- cofactor, 364
- colored noise, 303
- column space, 72
- companion matrix, 169, 367
- complete pivoting, 30
- complex numbers, 369
 - Euler's formula, 370
- composite rule, 249
- condition number, 6, 38, 501
- conjugate, 94
- conjugate gradients, 93
- conservative polynomial, 282, 542
- consistent
 - norm, 36
- continuous
 - uniformly, 353
- continuous function, 353
- convergence
 - Cauchy, 153
- convolution, 148
- Cooley–Tukey algorithm, 141
- Coulomb matrix, 332
- covariance, 219, 303
 - matrix, 220
- damped Jacobi, 118
- damping, 226, 336
- Davidon–Fletcher–Powell, 188
- defective matrix, 57
- deflation, 170
- determinant, 30, 363
- deviate, 305
- diagonal matrix, 361
- diagonalizable matrix, 56
- discrete convolution, 148
- discrete Fourier transform, 138
- divided difference, 21, 131, 159, 242
- divided differences, 132
- do not use this, 24, 82, 95, 118, 125, 143, 213, 214, 230, 246, 261, 278
- dot product, 361
- dual, 202, 221
- eigenvalue, 365
 - Gerschgorin's theorem, 57
 - inverse vector iteration, 62
 - power method, 62
 - QR algorithm, 70
 - shifting, 63, 80
 - spectrum, 57
 - vector iteration, 62
- eigenvector, 365
 - inverse iteration, 62
 - iteration, 62
 - power method, 62
 - QR algorithm, 70
- elementary operation, 4, 8
- equilibrate, 34
- error
 - amplitude error, 546
 - approximation, 1, 13
 - backward, 17, 40, 49, 52, 81
 - experimental, 1, 9
 - inherent, 9
 - phase error, 546
 - roundoff, 1
 - sampling, 1, 312
- error function, 151, 273, 339, 340
- Euclidean norm, 37
- Euler's formula, 102, 370
- Euler–Maclaurin sum formula, 255
- Euler–Maruyama
 - strong analysis, 317
 - weak analysis, 319
- example
 - Adams–Moulton, 285
 - adaptive multistep method, 291
 - adaptive Runge–Kutta, 288
 - adaptive Simpson's method, 258
 - Aitken's Δ^2 method, 179
 - approximation versus algorithm error, 13
 - Bairstow's method, 177
 - bisection, 155
 - Broyden–Fletcher–Goldfarb–Shanno variable metric method, 190
 - Cholesky decomposition, 51
 - conjugate gradient, 97
 - cubic spline, 239

- data fitting in norms L^1 , L^2 , and L^∞ , 232
- fast Fourier transform, 144
- Gauss–Seidel iteration, 111
- Gaussian elimination, 24, 28, 29
 - complete pivoting, 31
 - various pivoting choices, 35
- Gaussian quadrature for a function with a convergent Taylor series, 266
- Gaussian quadrature for a function without a convergent Taylor series, 265
- Gerschgorin estimate, 59
- Gerschgorin estimate with scaling, 61
- Goldfarb–Idnani quadratic programming, 207
- Hermite interpolation tableau, 137
- Householder reduction, 47
- integration with trapezoidal sum rule, 243
- inverse vector iteration, 63
- irreducibility, 110
- iterative convergence, 154
- iterative refinement, 53
- Jacobi iteration, 106
- least squares fit with experimental error in y , 223
- multigrid, 123
- multiple shooting method, 297
- Neville interpolation tableau, 130
- Newton interpolation tableau, 134
- Newton–Raphson, 163
- numerical trustworthiness, 6, 10
- order of a convergence of a sequence, 155
- order of convergence, 155
- Peano kernel for integration, 250
- Peano kernel for interpolation, 127
- polynomial roots by complex Newton’s method, 174
- propagation of errors from x and y to m and b , 227
- QR for eigenvalues, 77
- quadratic formula, 16
- regula falsi, 157
- Romberg integration, 255
- secant method, 160
- simple shooting method, 293
- simplex method phase I, 197
- simplex method phase II, 192
- simplex step with matrix modification, 201
- singular value decomposition, 83
- strong order of Euler–Maruyama, 317
- truncated SVD, 87
- vector iteration, 65
- vector iteration for complex eigenvalues, 67
- weak order of Euler–Maruyama, 319
- exchange matrix, 332
- expectation, 219, 303
- experimental error, 1, 9
- fast Fourier transform (FFT), 141
- feasible basis
 - linear programming, 192
- Fock matrix, 332
- forward Euler method, 275, 306
- Fourier transform
 - discrete, 138
 - fast, 141
- Frobenius matrix, 24, 199, 369
- Frobenius norm, 37
- Frobenius normal matrix, 169, 281, 366
- fundamental theorem of algebra, 102, 126, 262
- Gauss–Seidel relaxation, 111
- Gaussian basis functions, 337
- Gaussian elimination, 23
- Gaussian normal distribution, 219
 - integral moments, 317
- Gaussian quadrature, 259
 - Gauss–Chebyshev, 263
 - Gauss–Hermite, 264
 - Gauss–Laguerre, 265
 - Gauss–Legendre, 264
 - Rys, 273, 345
- geometric mean, 316
- geometric series, 356
- Gerschgorin’s theorem, 57, 107, 169
- Givens matrix, 75, 210
- global discretization error, 276, 315
- golden ratio, 160, 183, 185
- golden section search, 184
- Golub pivoting, 48
- Gram–Schmidt orthogonalization, 64, 204, 216, 336
- graph theory, 109
- growth factor, 40
- h-adaptive, 291
- h.o.t., 168
- Hartree–Fock–Roothaan equation, 332
- Hermite interpolation, 136, 183, 249
- Hermitian matrix, 362
- Hessenberg matrix, 368
- Hessian, 186
- Heun’s method, 277
- Hilbert matrix, 87
- Horner’s scheme, 17, 132
- Householder reduction, 43
- hp-adaptive, 291
- Hyman’s method, 89
- identity matrix, 362
- improper integral, 271
- induced norm, 36
- infimum, 159
- inherent error, 9
- inner product, 361
- integral remainder formula, 359
- integration
 - Boole’s rule, 244
 - Gaussian quadrature, 259
 - Gauss–Chebyshev, 263

- Gauss–Hermite, 264
- Gauss–Laguerre, 265
- Gauss–Legendre, 264
- Newton–Cotes, 244
- Romberg, 253
- Simpson’s 3/8 rule, 244
- Simpson’s rule, 244
- trapezoidal sum rule, 244, 307
- Weddle’s rule, 244
- interpolation
 - Chebyshev, 347
 - Hermite, 136, 183, 249
 - Lagrange formula, 125
 - barycentric form, 129
 - modified Lagrange formula, 128
 - Neville’s method, 129, 255
 - Newton’s method, 131
- irreducible, *see* reducible matrix
- Itô calculus, 306
- Itô’s formula, 308
- Itô–Taylor series, 309
- Jacobi
 - method for eigenvalues, 81
 - relaxation, 105
- Jacobi preconditioner, 103
- Jordan block, 57
- Jordan normal form, 57
- Julia set, 172
- Kantorovich’s theorem, 164
- Karush–Kuhn–Tucker, 202
- knot, 236
- Krylov space, 100
- Löwdin decomposition, 222, 333
- Lagrange interpolation formula, 125
 - barycentric form, 129
 - modified, 128
- Lagrange multipliers, 201
- Lagrange remainder formula, 169, 357
- Langevin equation, 302
- least squares, 22, 24, 46, 48, 49, 92, 105, 111, 203, 213, 223, 230
- least upper bound norm, 36
- Lebesgue norm, 37, 241
- left triangular matrix, 49, 368
- Legendre polynomial
 - associated, 300, 543
- Legendre polynomials, 264
- Leja points, 500
- likelihood, 221
- linear difference equation, 281
- linear programming, 191
- Lipschitz condition, 164, 277, 282, 315
- Lipschitz continuous, 353
- local discretization error, 276
- machine precision, 4
- Mahalanobis
 - distance, 221
 - norm, 221
- matrix, 361
 - banded, 228
 - characteristic equation, 365
 - cofactor, 364
 - companion, 169, 367
 - Coulomb, 332
 - covariance, 220
 - defective, 57
 - determinant, 363
 - diagonal, 361
 - diagonalizable, 56
 - eigenvalue, 365
 - eigenvector, 365
 - equilibrated, 34
 - exchange, 332
 - Fock, 332
 - Frobenius, 24, 199, 369
 - Frobenius normal, 169, 281, 366
 - Givens, 75, 210
 - Hermitian, 362
 - Hessenberg, 368
 - Hessian, 186
 - Hilbert, 87
 - identity, 362
 - Jordan normal form, 57
 - left triangular, 49, 368
 - matrix, 43
 - minor, 364
 - modification, 199, 209
 - norm, 36
 - normal, 56
 - overlap, 332
 - permutation, 24
 - positive, 113
 - positive definite, 367
 - pseudoinverse, 203, 216
 - reducible, 79, 108
 - right triangular, 23, 43, 368
 - similar, 367
 - skew Hermitian, 362
 - symmetric, 362
 - symmetric positive definite, 49, 81, 87, 93, 116, 213, 220, 269, 333, 368, 519
 - tridiagonal, 369
 - Vandermonde, 54, 92, 219, 270
- mean value theorem, 355
- metric
 - tensor, 186, 221
 - variable, 185
- minor matrix, 364
- modification, 199, 209
- modified Euler method, 277
- modified Lagrange interpolation formula, 128

- modified Newton–Raphson, 167
- Moore–Penrose pseudoinverse, 216
- multiindex notation, 318, 360
- multiple shooting method, 295
- multiplicative noise, 302
- multivariate Taylor series, 318, 360
- natural norm, 36
- nested multiplication, 17
- Neville’s interpolation method, 129, 255
- Newton map, 172
- Newton’s interpolation method, 131
- Newton–Cotes methods, 244
- Newton–Raphson, 162
 - complex plane, 172
 - Kantorovich’s theorem, 164
 - modified, 167
 - Smale’s theorem, 165
- noise
 - additive, 302
 - colored, 303
 - multiplicative, 302
 - white Gaussian distributed, 302
- nonanticipatory, 307
- nonbasic variables
 - linear programming, 192
- norm, 36
 - A , 101
 - absolute, 37
 - consistent, 36
 - Euclidean, 37
 - Frobenius, 37
 - induced, 36
 - least upper bound (*lub*), 36
 - Lebesgue, 37, 241
 - Mahalanobis, 221
 - natural, 36
 - Schur, 37
 - submultiplicative, 36
 - subordinate, 36
- normal equations, 24, 49, 105, 111, 214
- normal matrix, 56
- numerically harmless, 10
- ODE
 - Adams–Bashforth methods, 284
 - Adams–Moulton methods, 284
 - backward Euler method, 284
 - forward Euler method, 275, 306
 - Heun’s method, 277
 - modified Euler method, 277
 - multiple shooting method, 295
 - Runge–Kutta method, 278
 - simple shooting method, 292
- order
 - of accuracy, 245, 251, 276, 278, 311
 - strong, 312
 - weak, 312
 - of convergence, 154
 - of magnitude, 4
- Oren–Sedicato, 189
- orthogonal polynomials, 260
- orthogonalization
 - Gram–Schmidt, 64, 204, 216, 336
- outer product, 361
- overlap matrix, 332
- paranoia, 454
- Parseval’s theorem, 144
- partial pivoting, 30
- partition of unity, 236
- Peano kernel, 126, 251
- permutation matrix, 24
- phase error, 546
- pivoting
 - Björck, 49
 - complete, 30
 - Golub, 48
 - partial, 30
 - Powell–Reid, 48
 - rook, 32
 - scaled partial, 34
 - trivial, 30
- polar coordinates, 369
- polynomial
 - associated Legendre, 300
 - characteristic, 365
 - Chebyshev, 101, 150, 497
 - conservative, 282, 542
 - orthogonal, 260
 - Wilkinson’s, 19, 171
- positive definite, 367
- positive matrix, 113
- Powell–Reid pivoting, 48
- power method, 62
- precondition, 103
 - Jacobi, 103
- principal vector, 57
- probability density function, 219
- prolongation, 115
- pseudoinverse, 203, 216
- QR algorithm for eigenvalues, 70
- QR method, 43
- quadratic
 - equation, 16
 - programming, 201
- Rayleigh quotient, 62
- Rayleigh’s energy theorem, 144
- reducible matrix, 79, 108
- regula falsi, 157
- residual, 41, 53, 93, 230
- residual correction method, 52
- restricted variables
 - linear programming, 192
- restriction, 115

- Richardson extrapolation, 252, 286, 312
- right triangular matrix, 23, 43, 368
- Rolle’s theorem, 126, 151, 168, 248, 354, 358, 472
- Romberg integration, 253
- rook pivoting, 32
- Rosenbrock’s banana, 190
- Rouché’s theorem, 124
- roundoff error, 1
- Runge–Kutta method, 278
- sampling error, 1, 312
- scaled partial pivoting, 34
- Schur norm, 37
- SDE
 - Euler–Maruyama, 317–320
 - Milstein, 318
 - Milstein–Talay, 320
- secant method, 159
- series
 - geometric, 356
 - Taylor, 357
 - common, 359
- shifting
 - eigenvalue, 63, 80
- similarity transformation, 60, 367
- simple shooting method, 292
- simplex, 194
- simplex method
 - linear programming, 195
- Simpson’s 3/8 rule, 244
- Simpson’s rule, 244
- singular value decomposition (SVD), 81
- skew Hermitian matrix, 362
- slack variables
 - linear programming, 192
- Slater determinant, 328
- Smale’s theorem, 165
- smoother, 115
- spectral radius, 56
- spline
 - basic (B), 235, 538
 - natural cubic, 238
- Störmer integration, 300
- standard deviation, 6, 219, 304, 312
- standard form
 - linear programming, 192
- steepest descents, 100
- stencil, 217
- Stieltjes’ algorithm, 260
- Stratonovich calculus, 307
- strong row sum criterion, 107
- submultiplicative, 36
- subordinate norm, 36
- subspace iteration, 72
- supremum, 159
- symmetric matrix, 362
- symmetric positive definite, 49, 81, 87, 93, 116, 213, 220, 269, 333, 368, 519
- Taylor series, 357
 - common, 359
 - integral remainder formula, 359
 - Lagrange remainder formula, 169, 357
 - multivariate, 318
 - multivariate with Lagrange remainder, 360
 - proof of Euler’s formula, 370
- trapezoidal sum rule, 244, 307
- triangle inequality, 58, 108, 154, 354
- tridiagonal matrix, 369
- trivial pivoting, 30
- uniformly continuous, 353
- unitary matrix, 43
- Vandermonde matrix, 54, 92, 219, 270
- variable metric methods, 185
 - Broyden–Fletcher–Goldfarb–Shanno, 188
 - Davidon–Fletcher–Powell, 188
 - Oren–Spedicato, 189
- variance, 6, 152, 219, 322, 325
- variance reduction, 312
- variational conditions, 116
- variational principle, 334
- vector, 361
 - dot product, 361
 - inner product, 361
 - outer product, 361
 - principal, 57
- vector iteration, 62, 72
- Verlet integration, 300
- Wagner–Platen analysis, 309
- weak order, 312
- weak row sum criterion, 107
- Weddle’s rule, 244
- white noise, 302
- Wiener process, 304
- Wilkinson’s polynomial, 19, 171, 270
- zero suppression, 170
- zombies, 301