

INDEX

Bold entries indicate a section dedicated to the topic, italic entries indicate a reference to a figure.

- acid
 - humic, 243, 281–4
 - mechanism of production, 123–4, 147, 157, 159–62, 169, 172, 351
 - role of, 102, 116, 123, 135, 147–8, 153, 157, 168, 180–1, 185, 210, 221, 350–1, 353
- acid-sulfate. *See* high-sulfidation epithermal deposits
- adularia-sericite. *See* low-sulfidation epithermal deposits
- advanced argillic alteration, 123, 156, 168, 172, 231
- alkaline igneous rocks, 26–32, 80, 104–6, 126
- alteration (hydrothermal). *See also* advanced argillic alteration, argillic alteration, *css* alteration, phyllic alteration, potassic alteration, propylitic alteration, sodic-calcic alteration
 - at active volcanoes, 159
 - general characteristics, **98**
 - in carbonate replacement deposits, 146
 - in Carlin-type deposits, 219–21
 - in epithermal deposits, 151, 156–8, 161–2, 165, 168–75, 180
 - in greisens, 132–3, 135
 - in IOCG deposits, 224–5, 229, 233–5
 - in Kupferschiefer deposits, 273–4
 - in MVT deposits, 252
 - in orogenic gold deposits, 206–10
 - in polymetallic vein fields, 149
 - in porphyry deposits, 108, 114, 117, 120, 124, 125, 147, 164
 - in uranium deposits, 278, 285
 - in VHMS deposits, 184, 194–6, 215
 - in Witwatersrand basin, 333
- alunite, 116, 153, 156–7, 159
- Andes / Andean chain, 106–7, 124, 127, 164, 229, 235, 350, *351*, 353
- ankerite, 206, 299
- Ann-Mason, Nevada, USA, *110*
- apatite, 116, 234–5, 276, 279, 285, 292, 297, 299, 310–13
- fission track dating, 223
- aqueous complex. *See* complex (aqueous)
- arc, 124–32, 136–9, 234, *See also* back-arc
 - continental, 106, 151
 - island, 106, 151, 197, 314
 - magmatic, 107, 151, 178, 204, 222, 224, 232, 235
 - oceanic, 34
 - volcanic, 107, 153, 155, 158, 171, 174, 184, 189
- Archaean, 32, 49, 56, 61, 76–7, 84–6, 189, 212, 229, 293–5, 304–6, 308, 318, 325, 329, 331–2
- argillic alteration, 116, 124, 157, 168, 172, 220, 231
- arsenopyrite, 141, 149, 152, 167, 209–10, 216, 219–20, 223, 349
- Athabasca Basin, Saskatchewan, 277–8, 279
- atmosphere
 - evolution of, 279, 295, 304–7, 329
- azurite. *See* secondary copper minerals
- back-arc
 - basin, 34, 184, 190
 - magmatism, 106, 151
- Bajo de la Alumbrera (Argentina), 106, 112, *115*, 124, 233
- Ballarat, Victoria, Australia, *324*
- banded iron formation, 209, 294–7, 304
- Algoma type, 293, 297
- Superior type, 293–4, 311
- basinal brine, 242, 275
 - See also* saline brines in sedimentary basins
- bauxite, 1, 337, **341–5**, 346
- Bikita, Zimbabwe, 78
- Billiard ball model, 53
- Bingham (Utah, USA), 108, *109*, *111*, 119, 124–5, 140, *142*, *143*, 144, 147–8, 182, 214
- Black Sea, 295, 296, 307, 308
- black shale, 190, 242, 272–3, 292, 311–12
- black smoker, 185, *See also* chimney, sea floor
- Boddington bauxite, Western Australia, *343*
- boiling
 - first, 101, 121
 - second, 101, 121
- boiling (fluid), 100, 117, 119, 168–9, 172, 174–5, 185, 199, 266
- bornite, 112, 141, 153, 224, 227, 273, 275, 350, 353
- breccia
 - fault, 190, 263
 - flow top, 270

Index

- in hydrothermal systems,
99–100, 113, 154, 159, 165,
 175, 177, 225–9, 235–6,
 252–3
 karst, 218, 252
 kimberlite, 82
 Sudbury, 46, 48, 58
 sulfide, 50, 190, 266
 talus, 300
 Broadlands-Ohaaki, New
 Zealand, *173*
 Bunyip Dam, Western Australia,
347
 Bushveld Complex, 32, 34, 36,
 39, 46, 61–9, 62, 73–5, 75,
 76, 133

 Cadia, New South Wales,
 Australia, *109*
 Cadjebut, Western Australia,
253
 calc-alkaline igneous rocks,
 105–6, 126, 136, 158, 161,
 178, 190, 197, 221, 224,
 232
 calcite
 in hydrothermal alteration,
 116, 157, 231
 in magmatic rocks, 27
 in veins, 149, 165, 206
 platy, 168
 calc-silicate, 104, 135, 146
 Candelaria – Punta del Cobre,
 Chile, *231*
 carbon dioxide. *See* CO₂
 carbonate-replacement
 deposits, 104, 135–40,
 143–8, 182
 carbonate rocks
 associated with phosphate,
 312
 host of bauxite, 337, 345
 host to hydrothermal ores,
 146–8, 180, 182, 200, 216–
 24, 229, 249–57, 262–4,
 268, 270, 272
 manganese ores, 292, 310
 secondary porosity, 246, 254
 carbonatite, 26, *See also*
 REEs (rare earth elements)
 ores in carbonatites
 Carlin trend, *217*, 217, *218*, 221
 Carlin-type gold deposits, 92,
 199, **216–24**
 cassiterite, 105, 132–3, 135, 149,
 323
 CH₄
 in atmosphere, 306
 in fluid, 101, 266, 279
 in seawater, 187, 268
 chalcocite, 157, 224, 227–8,
 273–5, 350, 353
 chalcophile, 4, 26, 42–3, 52,
 102, 151, 189
 chalcopyrite, 44, 49, 65, 105,
 112, 123, 138, 141, 149,
 152, 167, 184, 188–90, 193,
 197, 209, 224, 227, 229,
 232, 236, 252, 273–4, 350,
 353
 chemical composition of Earth,
10
 chimney
 ore body, 144, 147
 sea floor, 188–90, 197,
 See also black smoker
 chlorite-sericite (css) alteration,
 116–17
 chromite, 26, 45, 61, 67, 81, 328
 chromite deposits, **32–41**
 cinnabar, 168
 Clarke of concentration, 11, 95
 classification of ore deposits, 15
 ore genetic models, 15–17
 Clifford's Rule, 84, 87
 CO₂
 condensation into water, 157,
 169, 180
 in atmosphere, 304
 in fluid, 92, 98, 101, 116–17,
 121, 158, 168–9, 174, 200,
 209–10, 212, 221, 231, 233
 in magma, 84, 212
 in ocean, 306
 organically produced, 310
 complex (aqueous), 95–8, 102,
 118, 135, 277, 285, 295
 chloride / chloro, 96–7, 118,
 147, 197, 242, 255
 organic, 349
 sulfide / bisulfide, 97, 119,
 169, 209, 212, 223
 connate (water), 94, 100, 241,
 246–7, 255
 convection
 driving force, 248, 257, 260
 in magma chamber, 39
 in mantle, 59, 128
 of hydrothermal fluid, 100,
 123, 125, 147, 175, 180,
 196–7, 199, 201, 214, 222–
 3, 261–2, 269, 278
 copper (native), 270, 273, 275,
 350, 353
 covellite, 153, 157, 350, 353
 craton, 32, 49, 61, 63, 84–7, 202,
 212, 225, 232, 235, 299–
 300, 332
 cupola (of intrusion), 100, 110,
 113, 120–3, 126, 133–4,
 180
 cuprite, 350, 353

 Darcy's law, 246, 258
 De Beers kimberlite, South
 Africa, 83
 degassing (of magma), 100,
 104, 123, 125, 157–62,
 174–5, 180, *See also*
 boiling
 diamond, 1–2, 316, 323
 diamond deposits, 27, **80–7**, 128,
 214, 318, 323
 diaspora, 116, 341
 djurleite, 350, 353
 dolomite
 in hydrothermal alteration,
 208, 231, 246
 in magmatic rocks, 27
 in mantle, 29
 zebra, 252

 El Salvador, Chile, *354*
 enargite, 153, 157
 Eneabba, Western Australia,
319
 enrichment blanket, 350–1,
 353
 epithermal deposits. *See* high-
 sulfidation epithermal
 deposits, low-sulfidation
 epithermal deposits
 Ertsberg, Indonesia, *141*
 evaporite, 184, 233, 244, 250,
 253–5, 263, 269–70, 283,
 307

Index

- exhalation/exhalative vent, 185, 235, 262, 266–9, 297
 exotic copper ore, 351, 353
 fenite, 28
 fluid inclusions
 as data on fluid composition, 117, **117–19**, 132, 157, 168, 195, 201, 209, 212, 223, 228, 231, 254
 as data on ore setting, 146, 157, 165, 221, 268, 274, 304
 fluid-rock interaction.
 See alteration (hydrothermal)
 fractionation
 in sulfide melt, 59
 mass independent isotope, 304–6
 fractionation (magmatic), 25, 27, 30, 37, 39, 43, 46, 69, 76–80, 102, 119, 125, 127, 129, 135–6, 138–9
 framboidal pyrite, 190, 199, 266
 fumarole, 101, 158, 164, 172
 galena, 146, 148–9, 167, 173, 188, 190, 194, 197, 209, 252, 266, 273
 geothermal
 energy, 1, 170, 173, 175
 field, 100, 104, 164, 169–76, 180, 201, 224, 234
 fluid, 169, 233
 gradient, 81, 85, 184, 196, 209, 248, 257, 260, 269
 hot spring pool, 170, 172–3
 Gilpin, Colorado, USA, *144*
 goethite, 284, 292, 295, 297–301, 303, 341, 346–7
 gold
 native, 105, 112, 157, 167, 174, 194, 209, 216, 221, 223, 226, 316, 323, 327, 329, 331, 333–4, 349
 Goldschmidt's classification (of elements), 4
 grade-tonnage plot, *13*
 Grants-Laguna, New Mexico, USA, 282
 Great Dyke (of Zimbabwe), 32, 33, 34, 37, 39, 45, 61, 64, 66, 68, 76
 Great Oxidation Event.
 See atmosphere, evolution of, 49, 189, 202, 293
 greisen, 104, **132–5**, 136, 140, 143, 147, 149
 Groote Eylandt, Northern Territory, Australia, *309*
 H₂S
 in fluid, 98, 101, 117, 119, 121, 123, 157, 161, 169, 174, 200, 209–10, 223, 232
 haematite, 116, 200, 224–6, 231–2, 235, 245, 273–4, 293–4, 298, 300–1, 310, 337, 341
 microplaty, 298, 301, 303
 Hamersley Ranges (Western Australia), 299, *301*, 302
 heavy mineral sands, 318–22
 See also sandstone, heavy mineral concentration
 Hellyer, Tasmania, Australia, *194*
 Henderson, Colorado, USA, *111*
 HFSE (high field strength elements), 24, 25, 27, 76
 high-sulfidation epithermal deposits, 151, 153, **153–62**, 162, 164–5, 168–9, 174, 180–2, 227, 335
 Hishikari, Japan, *169*
 HYC, Northern Territory, Australia, 263
 hydraulic equivalence, 317, 329
 hydraulic head, 94, 176, 246–7, 258
 hydrocarbon, 1, 93–4, 243, 246, 248, 254–6, 261, 272, 284, 333
 hydrofracture, 99, 120, 122, 180, 214
 hydrogen sulfide. *See* H₂S
 hydrolysis reactions, 97, 135, 339
 hydrostatic (fluid pressure), 94, 247
 hydrothermal alteration.
 See alteration (hydrothermal)
 hydrothermal system, 93–5
 components of, 95
 ilmenite–magnetite
 classification of granites, 133, 136, 139
 immiscibility
 fluid–fluid, 118
 fluid–melt, 100–1
 melt–melt, 22, 26, 30, 42–4, 67–8, 235
 industrial mineral, 1–2, 11, 77, 81, 316, 323, 338
 IOCG (iron-oxide–copper–gold) deposits, **224–34**, 234–6
 ion adsorption, 337
 iron ores
 El Laco (Chile), 235
 high grade in BIF, **298–304**
 taconite, 298
 transported ores, 300
 isotope
 fluid source tracing, 148–9, 159, 174, 177, 200–1, 228, 232–3, 255
 isotope (radiogenic), 67, 125, 128
 He, 184
 Pb, 132
 Sr, 74–6
 isotope (stable), 117, 128, 147, 157, 223, 266, 310, 325, 334
 sulfur, 59–61, 157, 256, 268, 304–6, 333
 Jerri Canyon, Nevada, USA, *220*
 Kalamazoo–San Manuel, Arizona, USA, *111*
 Kambalda, Western Australia, *51*
 karst, 100, 114, 144, 148, 220, 251, 254, 337

Index

- kimberlite, 27, 80–7, 114, 128, 214, 318
 komatiite, 42, 49–56, 59–61, 346
 Kupferschiefer deposits, 245, 248, **269–75**
 Kuroko Belt, Japan, 192
- Lachlan fold belt, Australia, 137
 lamproite, 27, 81, 84, 87
 lamprophyre, 213, 225, 233
 large igneous province (LIP), 31, 56, 58
 Lasky relationship, 18
 laterite / lateritic weathering, 29, 301, 332, 337, 340–9
See also oxidation in weathering; regolith
 layered intrusion, 26, 32–4, 37, 42, 44, 56, 61–4, 66–73, 76
 Lepanto-FSE, Philippines, 107, 155
 ligand, 96–8, 102, 118, 129
 lithocap, 150, 155, 157, 162, 182
 lithophile, 4, 24, 27, 32, 76, 276, 307
 lithostatic (fluid pressure), 94, 122, 201, 247
 lode gold deposits. *See* orogenic gold deposits
 low-sulfidation epithermal deposits, 104, 151, 153, 164, **164–76**, 178–83, 323, 335, 349
- magma
 chamber and intrusion processes, 114, 183,
See also layered intrusion
 cumulates, 103
 flow of, 214
 intrusion pathways, 45, 48
 long-lived chamber, 124–5, 128, 138
 magmatic heat, 172, 196, 261
 mixing, 37, 39, 67–8, 74
 multiple inputs into chamber, 67, 71, 74, 176
 pathways of, 82
 processes of development, 22–4, 52
 release of magmatic-hydrothermal fluid, 120–1, 157, 233
 separation of sulfide phase, 54, 56, 58
 stresses from, 213
 sulfide saturation in, 54, 61, 68, 71, 127
 sulfide solubility in, 42–3, 54
 water content, 126
- magmatic centre, 93, 104, 108–10, 140, 148–9, 157, 178–83, 212
 characteristics and development of, **100**, 124–5, 165
 magmatic sulfide deposits, 26
 Ni ores in komatiites, **49–54**, 59–61
 Ni–Cu ores in intrusions, **44–9**
 PGE ores. *See* PGE (platinum group elements)
 processes of formation, 42–4, **52–9**
 magmatic-hydrothermal fluid, 92, 100–4, 117, 120, 128, 134–6, 147–9, 158, 175, 178, 196, 212, 233
 magnetite, 26, 44, 112, 115, 139, 142, 146, 194, 200, 224, 227, 229, 231–3, 235–6, 293–4, 298–9, 303
 malachite. *See* secondary copper minerals
 manganese deposits in sedimentary rocks, **307–11**
 manganese oxide minerals, 184, 187–8, 197, 307, 310–11
 mantle, 4, 9, 15, 22, 25–7, 29, 32, 34, *See also* dolomite in mantle; Moho
 role in hydrothermal ores, 128–32
 manto, 140, 144
 Manus back-arc basin, 186
 marcasite, 165, 177, 188, 221, 252
 marine transgression, 311, 321
 martite, 298, 300
 Meikle, Nevada, USA, 219
 Merensky Reef, 65
 mesothermal gold deposits.
See orogenic gold deposits
 metallogenic province, 129
 metamorphic aureole, 45, 141
 belt, 44, 77, 127, 151, 189–90, 199, 201–4, 212, 229, 262, 270, 325
 fluid, 94, 200, 212, 216, 224
 grade, 206, 208–9, 229, 332
 reactions, 49, 87, 128
 metasomatism. *See* alteration (hydrothermal)
 meteoric fluid, 94, 100, 222
 in geothermal fields, 174–5
 in magmatic-hydrothermal deposits, 117, 121, 123, 150, 161, 172, 180
 in sedimentary basins, 241, 246, 255
 proposed ore fluid, 200, 223, 233
 role in weathering, 337–9, 351
 meteorite impact, 46, 58
 methane. *See* CH₄
 Midcontinent Basin, USA, 249, 256, 259
 Moho, 36, 40, 125
 Mole granite, New South Wales, Australia, 150
 molybdenite, 18, 105, 112, 123–4
 Morenci, Arizona, USA, 352
 Mount Tom Price, Western Australia, 302
 Mountain Pass (California), 27–30, 28
 MVT (Mississippi Valley-type) deposits, 163, 260–1, **257–88**
- Namibian coast, 313
 Nansatsu, Japan, 156
 Ni–Co laterite ores, 337, **347–8**
 Noril'sk-Talnakh (Russia), 44–6, 46, 52, 53, 54–6, 73

- ocean ridge spreading, 34
ocean water. *See* sea water
Old Lead Belt, Missouri, US, 252
Olympic Dam (South Australia),
224–9, 226, 227–8, 228,
231–4
oolitic ironstones, 292
ophiolite, 32, 34–7, 39–41, 189
organic
rich sedimentary rock, 60,
263, 270, 272, 279, 292,
310–12
organic matter
amorphous, 280–1
control on oxidation state,
242–4, 276, 339
in seawater, 290, 311, 314
maturation, 223, 247, 254–5
relation to ores, 248, 266,
273–5, 284, 286, 327, 330,
333
source of carbonate, 310
source of phosphorus, 313
organic productivity, 269
orogenic gold deposits, **201–13**,
216, 323, 326, 329, 331,
334–5, 349
orpiment, 168, 221
oxidation
in weathering, 339–40, 353,
See also laterite / lateritic
weathering; enrichment
blanket
of iron, 295, 301, 303, 306
of manganese, 307, 310
of sulfide minerals, 199, 348,
350, 353
of uranium, 277, 329
state of fluid, 135, 151, 153,
159, 161, 169, 175, 201,
209, 232
state of magma, 37, 136–9
state of mantle, 87
oxidation–reduction reactions,
60, 196–7, 286
palaeoclimate, 255
palaeolatitude, 250
Palaeoproterozoic, 32, 46, 49,
63, 76, 84, 86–7, 129, 202,
277, 293–4, 296, 300,
310–11, 322, 325–6
Panorama, Pilbara Craton,
Western Australia, 191,
195
Paraburdoo, Western Australia,
302
paragenesis / paragenetic
histories, 146–7, 150, 163,
176–8, 228, 232, 253, 255,
294, 299
partial melting, 22, 25–6, 29, 32,
52, 56, 63, 84, 126, 128
behaviour of sulfide, 42–3, 69
partitioning of elements
between minerals, 18
fluid–fluid, 118–19, 169
in Earth, 9, 42, 131
melt–fluid, 102, 121, 129, 135
melt–melt, 42–3, 52, 58, 67
mineral–melt, 27–9, 43–4, 77,
102
theory, 22–4
partitioning of isotopes, 59, 305
pegmatite, 27, 135
rare metal ores, **76–80**
pentlandite, 44, 49, 65
permeability (of rock), 158, 161,
241, 258
control on fluid flow, 175,
246, 254, 256, 275, 284–6
fluid channelways, 148, 162,
176
hydrofracturing, 99
in structures, 210, 214–15
role of deformation, 258
role of earthquakes, 248
Peru–Chile margin, 291
PGE (platinum group elements),
43–4, 49, 52, 76, 270,
278
ores, 42, 44, **61–9**, 70–3, 76
Phosphoria Formation, 312
phosphorite deposits, 292,
311–16
phyllic alteration, 116–17,
124–5, 132, 135, 150, 175,
209, 237
Pijiguaos, Venezuela, 344
placer ores, 81, 132, 304, 322–5,
329–34
processes of formation,
316–18
playa lake, 281–2
polymetallic veins and vein
fields, 104, 136, **148–50**,
179–80, 183
porphyry deposits, 104, **105–8**,
129, 133, 135, 139–40, 148,
151, 157, 163–4, 179, 213,
232–3
potassic alteration, 115–17, 120,
123–5, 135, 147, 164, 231,
233–5
propylitic alteration, 116–17,
123, 157, 168, 172, 175
pyrrhotite, 44–5, 49, 65, 138,
141, 146, 152, 165, 194,
209, 224, 266
quartz–sericite–pyrite (QSP)
alteration. *See* phyllic
alteration
realgar, 168, 221
red-bed copper deposits.
See Kupferschiefer
deposits
Red Dog, Alaska, USA, 264
REEs (rare earth elements), 76,
235, 304
ores in carbonatite, **27–32**
ores in IOCG deposits, 200,
224, 227, 236
ores in regolith, 337
regolith, 15, 292, 300, 337–9,
341–6, *See also* laterite /
lateritic weathering
redox reactions in, 339
reserves (ore), 2, 17
resources (ore), 2, 15, 17
R-factor, 54
rhodochrosite / Mn-carbonate,
167, 266, 308, 310–11
Ridgeway, New South Wales,
Australia, 111
rift
continental, 31, 106, 270,
See also sedimentary basin
intracontinental rift
intra-arc, 171
splitting of continent, 87
saline brines
in hydrothermal deposits,
116–17, 122–3, 135, 158,

- 182, 228, 233–4, 254, 266, 269, 274
 in sedimentary basins, 94, 242, 248, 254, 256, 281–2,
See also basinal brines
 phase relations of, 92
 source of metals, 2
 vented into seawater, 184, 199, 268
- sandstone
 heavy mineral concentration, 327
 host to hydrothermal ores, 219, 245, 250, 272, 277–8, 284
 red-bed, 270, 275
 role in permeability, 256, 260, 269, 275, 278, 280,
See also permeability of rock
 San Juan, Arizona, USA, 113
 Santa Eulalia, Mexico, 145
 scheelite, 105, 132
 Scuddles, Western Australia, 194
 seawater, 104, 184, 187, 195–7, 199, 222, 255, 268, 290, 295, 307, 311–12,
See also organic matter, in seawater
 brine pool, 184, 198, 268
 stratified water column, 295, 308, 311
 secondary copper minerals, 350, 353
 secondary porosity, 148, 181, 223, 253, *See also*
 carbonate rocks, secondary porosity
 SEDEX deposits, 222, 248, **261–9**
 sedimentary basin, 92, 241
 causes of fluid flow in, 247–8
 continental, 250, 262, 277
 intracontinental rift, 248, 270
 intracratonic, 277
 passive continental margin, 262, 294
 Selwyn Basin, Yukon, Canada, 269
 Shirley Basin, Wyoming, USA, 285
 siderite, 226, 292, 294, 299
 in magmatic rocks, 27
 siderophile, 4–5, 9, 26, 42–3, 61, 67
 Sierra Nevada foothills, California, USA, 203
 Sierrita-Esperanza, Arizona, USA, 113
 Sigma-Lamaque, Quebec, Canada, 205, 211
 silver (native), 167, 348
 skarn deposits, 104, 133, **135–44**, 136, **146–8**, 180, 182, 234
 SO₂
 condensation into water, 157, 169, 180
 disproportionation, 124, 161
 in magmatic-hydrothermal fluid, 101, 117, 121, 158, 161, 164
 photolysis, 306
 sodic-calcic alteration, 115, 117, 123, 229, 233–5
 solubility
 copper, 119, 123, 351
 gold, 169, 209–10, 212, 223, 331
 iron, 295
 manganese, 307–8
 metal, 97, 102, 147, 197, 242, 255
 PGE, 72
 quartz, 210
 uranium, 277
 sphalerite, 96–7, 146–9, 167, 173, 184, 188, 190, 194, 197, 209, 242, 252–3, 266, 273
 stibnite, 167, 221
 Stillwater Complex, Montana, USA, 32, 61, 64, 64, 67, 76
 stringer ore, 45–6, 193
 structural control, 95, 165, **213–16**
 Sudbury Igneous Complex, Canada, 47, 58
 sulfidation state
 definition of, 151–3
 sulfide melt, 26, 42–4, 52, 54, 56, 59, 67–8, 71, 73, 101, 127, 157
 sulfosalt, 4, 151, 157, 167, 266
 sulfur (native), 153, 157, 159
 sulfur dioxide. *See* SO₂
 Summitville, Colorado, USA, 154
 supercritical fluid, 92
 supergene ores
 iron ores, 301
 SX/EW (solvent-extraction electrowinning), 351, 353
- TAG hydrothermal field (Mid-Atlantic ridge), 188
 Taupo Volcanic Zone (New Zealand), 170–4, 171
 topaz, 27, 106, 116, 132, 135
 topographic head
 control on fluid flow, 161, 163, 201, 247, 256, 260–1, 275, 283, 301, 353
 tourmaline, 77, 116, 132–3, 229, 262
 turbidite, 183, 189, 202, 209, 263, 267
- uraninite, 277, 280, 284, 304, 323, 325, 328–9, 333
 uranium in hydrothermal deposits, 227
 uranium in placer deposits, 323,
See also Witwatersrand basin (South Africa)
 uranium ores in sedimentary rocks, 275
 roll-front uranium deposits, **284–6**
 tabular uranium deposits, **280–4**
 unconformity uranium deposits, **277–80**
- veinlet ore, 45–6
 veins
 A- and B-type, 116, 120, 122–3
 clasts in Witwatersrand basin, 328
 D-type, 116, 124, 148
 hosts of fluid inclusions, 117
 in carbonate-replacement deposits, 141
 in Carlin-type gold deposits, 221

Index

- veins (*cont.*)
 - in geothermal fields, 173–4
 - in greisen deposits, 133
 - in high-sulfidation epithermal deposits, 155
 - in IOCG deposits, 224, 235
 - in Kupferschiefer deposits, 272–3
 - in low-sulfidation epithermal deposits, 165–70, 175–6
 - in metamorphic belts, 201
 - in orogenic gold deposits, 204–10
 - in porphyry deposits, 105, 112–19, 121, 164, 213
 - in SEDEX deposits, 264
 - in Witwatersrand gold ores, 332
 - processes of formation, **99**, 176, 180
 - sheeted, 133
 - stockwork, 122, 133
 - stockwork in VHMS deposits, 183, 188, 193–4
 - textures, 177
- VHMS (volcanic hosted massive sulfide) deposits, 164, **183–99**, 246, 261
- Viburnum Trend, Missouri, USA, 252
- VMS deposits. *See* VHMS (volcanic hosted massive sulfide) deposits
- volatile
 - acid species, 123
 - components in melt or fluid, 100–1, 103–4, 121, 127, 169, 200
 - compounds in petroleum, 243
- volatile (element), 65, 71, 77, 79, 87, 101, 224
- in magma, 80, 84
- volatile acid species.
See also acid, mechanism of production
- Waihi, New Zealand, 166, 170
- water table, 158, 165, 176, 216, 241, 247, 282, 337, 339–41, 348–51, 353
- water, phase diagram for, 93
- White Island (New Zealand), 159, 160
- Wiluna, Western Australia, 207, 208
- Witwatersrand basin (South Africa), 322, **325–6**, 326, **327–31**, 331–4
- wolframite, 105, 132, 149
- world-class deposits, 14, 201
- Zechstein basin, 271
- zinc-oxide minerals, 146
- zonation
 - in intrusion, 45, 80
 - in regolith, 345
 - mineral growth in veins, 177
 - of alteration minerals, 141, 156, 168, 208–9, 231–2, 273
 - of ore metals, 102, 104, 136, 150, 169, 193, 197, 219, 227, 264
 - of ore minerals, 273