

Index

- Aegiceras floridum*, 23
 algae, 97, 103
 alternative stable state, 113–115
 amphipods, 60
 aquaculture, 22, 23, 138, 147
 aquarium trade, 249, 255, 256
 armor(ing), 58, 62, 145
 Asian mussel. *See* *Musculista senhousia*
- ballast water, 249, 255
 baseline
 conditions, 114, 148
 beach nourishment, 58, 62, 73, 293
 beaches, 38, 40, 64
 physical drivers, 48
 wildlife, 41–45
 biodiversity-ecosystem function theory, 5
 boomerang disturbance, 65
 brackish marsh, 185, 194, 200
Bruguiera hainesii, 27
- Calidris canutus rufa*, 348, 350–358
 California grunion. *See* *Leuresthes tenuis*
Caulerpa racemosa, 116
Caulerpa taxifolia, 116
Charadrius melodus, 272
Charadrius melodus, 75
 climate change, 59, 104, 272
 management, 300
 mangroves, 23
 oysters, 145
 turtles, 287–288, 299
 wading birds, 265–266
 coastal biodiversity, 3
 coastal development, 39, 59, 161, 195,
 291, 375
 coastal ecosystem mosaic, 2
 coastal erosion, 56, 62, 291
 coastal squeeze, 37, 55, 68, 273, 291, 292
- coastal zone management, 5, 72
 coastal, definition, 2
 conservation planning, 8
 networks, 279–280
 protected areas, 30
Crassostrea, 133
Crassostrea virginica, 134
 crustaceans, 59, 104
 cryptic ecological degradation, 22
- Deepwater Horizon, 201
 disease, 143–144
 dispersal, 3, 55, 111, 112, 143, 172, 190, 279
 dissolved oxygen, 61, 266
Dreissena polymorpha, 251
 dune, 38, 40, 66, 71
 forest, 161, 164
 forest conservation, 175
 forest fauna, 166–169
 forest vegetation, 164–166
- eastern oysters. *See* *Crassostrea virginica*
 economic value, 20, 97, 98, 100, 373
 ecosystem function, 53, 55
 ecosystem services, 71, 173, 374
 carbon, 21, 29
 fisheries, 4, 96, 102
 protection, 5, 73, 96, 102
 storm protection, 21, 40, 175
 ecosystem services, definition, 100
 edge effects, 110–111
 Emberizidae sparrows, 191
 estuary, 132, 135
 estuary, definition, 131
 eutrophication, 114, 144
 extinction, 25, 117
Exxon Valdez, 317–320
 spill effects on harlequin ducks, 331
 spill effects on killer whales, 324–327

- spill effects on pink salmon, 322–324
- spill effects on sea otters, 331–336
- foxes, 74
- fragmentation, 52
- gobiid sand darters. *See* *Kraemeria* spp.
- habitat connectivity, 111, 112
- habitat fragmentation, 103, 109, 111
- Heritiera fomes*, 23
- Heritiera globosa*, 23, 25
- horseshoe crab. *See* *Limulus polyphemus*
- interactive pressures, 65
- intertidal zone, 48, 196, 273
- invasive species, 172, 245
 - effect sizes, 252
 - impact, 75–74, 116, 117, 246–248, 251, 258
- IUCN (International Union for Conservation of Nature), 4, 27, 28, 119, 168, 288
- King George whiting. *See* *Sillaginodes punctata*
- Kraemeria* spp., 46
- Lagodon rhomboids*, 111
- landscape ecology, 109
- Leuresthes tenuis*, 46
- Limulus polyphemus*, 348, 350–358
- lysate, 359–360
- mangrove propagules, 20
- mangroves, definition, 15
- marine mammals, 47
- marine pulse species, 348, 362
- marine turtles, 287–288
 - nesting, 291–294
 - sex ratio, 294–297
- metapopulation, 71, 137, 174, 274
- migration
 - shoreline, 62, 201, 272
 - wildlife, 105, 112, 196, 267, 271, 348, 351
- mining, 58, 61, 144
- Mnemiopsis leidyi*, 251
- mollusk, 59, 132
- mudflat, 273, 349
- Musculista senhousia*, 116
- non-native, 23–24, 61–62, 116, 143–144, 148, 199, 245–246, 248–249, 256, 257
- ocean acidification, 59
- ocean warming, 59
- off-road vehicles, 60, 73
- oil, 311–312, 338
- oil spills, 60, 317
 - bunker, 314
 - crude, 313, 315, 318
- oligochaetes, 42
- Oncorhynchus* spp., 348
- Ostreidae*, 132
- overexploitation, 6, 137, 142, 149, 347–348, 363
- overfishing. *See* overexploitation
- overharvesting. *See* overexploitation
- oyster reefs, 132, 134, 135–137, 138–139
 - restoration, 145–147
- Pelliciera rhizophorae*, 27
- phenology, 266–268, 290
- phenomenological modeling, 274
- Phragmites*, 187, 198
- pinfish. *See* *Lagodon rhomboids*
- piping plovers. *See* *Charadrius melodus*
- pollution, 57, 60–61, 144, 311, 312
- polychaetes, 42
- population models, 277
- press disturbance, 56, 64
- primary consumers, 48
- pulse disturbance, 56
- Ramsar Convention, 280
- recreation, 39, 57, 60
- red knot. *See* *Calidris canutus rufa*
- resource pulse, 348, 350
- runoff, 198
- salinity, 134
- salt marsh, 180
 - birds, 186–195
 - climate change, 201
 - exploitation, 197–198
 - extent, 182–183
 - invasive species, 199–200
 - oil effects, 201
 - pollution, 198–199
 - specialization, 191–194
 - vegetation, 183–186
- salt marsh, inland, 185

- sea grape. *See* *Caulerpa racemosa*
- sea level rise, 23, 372
- seabirds, 47
- seagrass meadows, 95, 120
 - ecosystem services, 100–101
 - faunal biodiversity, 102–104
- seascape, 2
- seawall, 62, 73
- sedimentation, 134, 144, 197, 200
- sewage, 61, 198
- shifting baseline, 118
- shorebirds, 43, 46, 51, 190, 196, 349, 356, 359
- shoreline stabilization, 38, 140
- Sillaginodes punctata*, 102
- Sonneratia apetala*, 24
- Sonneratia griffithii*, 26
- Spartina* spp., 183, 190, 199, 251
- stopover, 271, 349–350, 352, 355, 361
- suspension feeder, 53
- threatened species, 52, 70, 71, 193, 194
- tourism, 39
- trophic interaction, 55
- trophic skew, 347–348
- turbidity, 134
- urbanization, 7, 72, 172, 195, 375–376
- wading birds, 190, 265, 272
 - habitat loss, 274
 - management, 280
 - mortality, 270
 - phenology, 275, 278–279
 - shifts in distribution, 268–269
- water quality, 29, 131, 136, 139, 149
- wrack line, 47, 50, 53, 63, 73
- zebra mussel. *See* *Dreissena polymorpha*
- zonation, 2, 180, 184, 187