

Index

- accuracy, 24
 - order, 24
 - acid-mediated tumor growth, 184
 - boundary conditions, 185–186
 - infinite domain, 186, 209
 - equilibrium solution 217–219
 - Fick’s first law, 187
 - initial conditions, 184
 - hyperbolic tangent, 203, 210–211
 - routines, 193–195
 - main program, 197–202
 - odeset, 198–199, 204
 - ode15s, 197–199, 204
 - options, 198–199, 204
 - supplemental RHS terms, 216
 - nonlinear term, 186, 190
 - expansion, 186
 - indeterminate form, 186
 - nonnegativity constraint, 192
 - ODE routine, 189–189
 - dss004, 190–191
 - dss044, 190, 191
 - parameters, 185, 202
 - PDE model, 184
 - derivation, 188–189
 - extensions, 219–220
 - interpretation of terms, 186–187
 - logistic rate, 187–188
 - output, 205–214
 - spherical coordinates, 184
 - supplemental RHS terms, 216
 - spatial grid, 203
 - activator, 322–324
 - advection equation, 2
 - analytical solution, 7–8, 11–13, 59
 - discontinuity, 11
 - flow direction, 9, 12, 22–23, 54
 - front resolution, 54
 - positive velocity, 4, 6, 8, 12
 - negative velocity, 5, 6, 8, 12
 - programming, 20–21
 - age-related macular degeneration, 221
 - algebraic eigenvalue problem, 406
 - AMD, *see* age-related macular degeneration
 - analyte, *see* antibody binding kinetics
 - anisotropic, 389
 - antibody binding kinetics, 148
 - adsorption, 149, 158
 - boundary conditions, 148, 152, 156–157
 - finite difference approximation, 156–157
 - diffusion equation, 148
 - boundary conditions, 148
 - finite difference approximation, 157
 - initial condition, 149, 162
 - stagewise differentiation, 178, 180
 - equilibrium solution, 168
 - main program, 158–159
 - ode15s, 163–165, 171
 - ode45, 171–172
 - subplot, 166, 170, 174–175
 - surf, 166–167, 170–171
 - mass transfer rate, 149, 152, 173–178
 - ODE, 149
 - initial condition, 150
 - ODE/PDE routine, 153
 - dss004, 179–180
 - dss044, 182
 - output, 167–168
 - parameters, 150, 159, 161
 - sensitivity analysis, 172–178
 - spatial grid, 155–156, 161–162
 - units check, 150
- axis, 13–14
-
- backward differentiation formulas
 - see* BDF methods
 - BDF methods, 35
 - bidagonal matrix, 54
 - boundary condition
 - continuity, 222, 233–234
 - convection, 130
 - Dirichlet, 89, 182, 234, 396
 - equilibrium, 222, 233–234
 - Robin, 89, 135, 152, 234

- finite difference approximation, 156–157
 - Neumann, 89, 135, 182, 234–235, 396
 - nonlinear, 152–154, 156–157, 169
 - number required, 3, 89
 - outflow, 135
 - programming, 21–22
 - third type, 89, 135, 152–153, 234
 - finite difference approximation, 156–157
- boundary value derivative, 3
- boundary value variable, 3
 - finite interval, 3–4
 - infinite interval, 3
 - semi infinite interval, 3
- Cartesian coordinates, 388
 - unit vectors, 391
- Cauchy problem, 17
- centered approximations, *see* dss002, dss004, dss046, finite difference
- CFL condition, 294, 301
- characteristic equation, 408
- characteristic polynomial, 408
- character string, 46
- conservation principle, 388, 398
- continuity boundary condition, 222
- convection, 2, 397, 402,
 - see also* hyperbolic PDE
- Courant-Friedricks-Lewy condition, *see* CFL condition
- cylindrical coordinates, 398
- del operator 391
- delta function, 17
- dependent variable, 3
- derivative approximations, 392
- derivative evaluations, 32
 - order relationship, 32–33
- dialyzer, *see* hemodialyzer
- differentiation matrix, 66–67, 395
 - five point upwind, 74, 395–396
 - properties, 395
 - order, 395
 - three point, 67, 395
- diffusion equation, 88, 148, 222
 - analytical solution, 89, 91, 95, 113, 115, 122
 - boundary conditions, 88, 154
 - continuity, 222
 - Dirichlet, 89
 - equilibrium, 222
 - Neumann, 113
 - third type, 121, 148
- Cartesian coordinates, 388
- constant diffusivity, 390
- cylindrical coordinates, 398
- derivation, 388
- diffusivity tensor, 389
 - finite difference approximation, 156, 157
 - initial condition, 89, 116, 125
 - nonlinear form, 99, 368
 - numerical solution, 89–112, 119, 129
 - errors, 102–103, 119, 129
 - ODE routine, 96–98, 119–121, 127–128
 - solution smoothing, 239
 - spherical coordinates, 401
 - stagewise differentiation, 178
 - variable diffusivity, 367, 372–373, 382–385, 386
- diffusivity tensor, 389
- Dirac delta function, 17
- Dirichlet boundary condition, 89, 234–235
- discontinuity, 11, 17, 37, 52, 56, 88, 112, 239
 - numerical approximation, 11, 16
- dot product, 391
- double precision, 32
- drug distribution from a polymer matrix 339
 - diffusion, 339
 - main program, 342
 - dss004, 362–363
 - dss044, 362–363, 364–365
 - output, 358–361, 381, 383–385
 - spatial grids, 343, 346–347
 - time scale, 343, 347, 367
 - mass transfer, 339–340, 346, 348–349, 357, 364, 374
 - matrix porosity, 342, 346
 - ODE routine, 350, 361, 369
 - 1D–2D mapping, 347–348, 350, 352, 357, 379–380
 - stagewise differentiation, 386
- PDE model
 - assumptions, 341–342
 - boundary conditions, 340–341
 - cylindrical coordinates, 339, 351, 352–355
 - explicit FD, 350
 - initial conditions, 339, 346–347
 - l'Hospital's rule, 352
 - linear model, 339
 - nonlinear, 368
 - normalized variables, 341
 - parameters, 343, 345–346, 363
 - 2D simultaneous, 339
 - total mass balance, 359
 - variable coefficient, 341, 367–368
 - variable diffusivity, 367, 372–373, 382–385, 386
- dss002, 62, 65–69, 88, 96–98, 117, 119–120, 126, 127–128, 136, 136, 143, 149
 - PDE solution accuracy, 98, 104
 - numerical oscillation, 65
- dss004, 96–98, 118, 119, 127, 127
 - PDE solution accuracy, 98, 104
- dss006, 96–98, 118, 119–120, 127, 127
 - PDE solution accuracy, 98, 104

- dss012, 62–65, 67–68, 136, 136–137, 143–144
 - numerical diffusion, 61, 83
- dss020, 62, 69–73, 89
 - numerical diffusion-oscillation, 74
- dss042, 96, 102, 103, 109–111, 118, 120–121, 127, 127–128, 136–138, 143
 - listing, 104–105
 - order condition, 111
 - PDE solution accuracy, 104
- dss044, 96, 102, 103, 111, 118, 120, 127, 127, 136, 138, 147
 - listing 105–107
 - order condition, 111
 - PDE solution accuracy, 104
- dss046, 96, 102, 103, 111, 118, 120, 127, 127, 136, 138, 147
 - listing 107–109
 - order condition, 111
 - PDE solution accuracy, 104
- eigenvalue, 24, 26, 33–34, 409
 - analysis, 414
 - spectrum (spread), 34–35
- eigenvector, 409
- elliptic PDE, 3
- epidermal wound healing, 308
 - main program (one PDE model), 309
 - odeset, 310, 311
 - ode15s, 310, 311, 337–338
 - options, 310, 311
 - output, 315, 317–318, 321–322
 - spatial grid, 311
 - time scale, 309, 311
 - main program (two PDE model), 324
 - odeset, 325
 - ode15s, 325, 337–338
 - options, 325
 - output, 333–337
 - spatial grid, 325, 327
 - time scale, 325, 327
 - nonlinear diffusion, 308, 317
 - product expansion, 314
 - ODE routine (one PDE model), 312
 - dss002, 296, 298
 - dss004, 313
 - dss044, 313–314
 - ODE routine (two PDE model), 328
 - dss004, 329, 330
 - dss044, 329, 331
 - one PDE model, 308
 - boundary conditions, 309
 - Fisher-Kolmogorov equation, 316–317, 318
 - healing velocity, 318–322
 - initial condition, 309–310
 - linear diffusion, 314–315
 - logistic rate, 316–317
 - nonlinear diffusion, 308, 314, 317
 - parameters, 309, 311
 - spherical coordinates, 308
 - summary time and space integration, 336
 - h refinement, 337, 337–338
 - p refinement, 337–338
 - two PDE model, 322
 - activator, 322–324, 331–332
 - boundary conditions, 324, 329–331
 - cylindrical coordinates, 323
 - indeterminate form, 331
 - inhibitor, 323–324, 331–332
 - initial conditions, 324, 327
 - logistic rate, 323
 - l’Hospital’s rule, 331
 - nonlinear functions, 332–333
 - parameters, 326, 334–336
 - equilibrium boundary condition, 222
 - equilibrium solution, 168, 238
 - used as initial condition, 169
 - error estimation, 27
 - error tolerances, 37, 39, 51–52, 282
 - euler, 7, 19, 23, 49–50, 57–58
 - Euler method, 6–7, 18–19
 - accuracy, 24, 26
 - alternative forms, 20
 - error estimation, 27
 - explicit, 10
 - advantages, 23–24
 - disadvantages, 24
 - order, 24, 26–27
 - Runge Kutta form, 20
 - explicit integration, 24, 33, 406, 415,
 - see also eigenvalue, stiffness, stability
 - exponential solutions, 406, 409–410
 - initial conditions, 411
 - verification, 411
 - Fick’s first law, 135, 148, 152, 187, 234, 263, 340, 388, 399, 402
 - Fick’s second law, *see* diffusion equation
 - fictitious point, 394
 - figure, 47
 - finite difference, 1, 4,
 - see also differentiation matrix,
 - dss002, dss004, dss006, dss012, dss042, dss044, dss046
 - derivation, 393–394
 - Taylor series, 393–394
 - fictitious point, 394
 - first derivative approximation, 353–355, 375–377, 393–394
 - five point biased upwind, 62–63,
 - see also dss020
 - numerical diffusion-oscillation, 74

- Fornberg algorithm, 396
- Jacobian matrix approximation, 45–46
- library routines, 396
- noncentered, 394
- one sided, 68
- order conditions, 98–99, 393
- second derivative approximation, 353–357, 376–377, 394
- three point centered, 62–63, 65–66, 158, 352–357, 394, *see also* dss002
- numerical oscillation, 65
- two point, 4, 16, 22
- centered, 353, 393
- numerical diffusion, 16, 61
- upwind, 22, 62–63, *see also* dss012
- weighting coefficient calculation, 111
- finite jump, 11
- function, 21–22
 - arguments, 22
 - modular programming, 23
- Fisher-Kolmogorov equation, 316–317
 - logistic rate, 316–317
 - solution, 318
 - velocity, 318–322
- flux limiter, 62, 75, *see also* super, vanl, smart
- Fourier's first law, 135, 148, 152, 234, 263, 388, 399, 402
- Fourier's second law, *see* diffusion equation
- fourth order Runge Kutta, 30, *see also* rk4
- stability, 30
- front resolution, 54, 139
 - alternative methods, 55
- front velocity, 318–322
- Gaussian function, 77–88
 - programming, 82, 84–85
- geometric classification, *see* PDE
- global, 21
- Godunov barrier theorem, 75–76
- grad operator, 391
- h refinement, 27, 162, 337, 337–338, 366
- healing velocity, *see* epidermal wound
- healing
- Heaviside function, 5–6, 17, 56, 58
- hemodialyzer, 284
 - main program, 288–291
 - CFL condition, 294, 301
 - dss002, 289, 296, 298
 - dss012, 289, 296, 297–298
 - dss020, 289, 296, 298
 - output, 299–307
 - ODE routine, 295
 - boundary conditions, 287, 292, 296, 298
 - smart flux limiter, 289, 293
 - superbee flux limiter, 290, 293
 - van Leer flux limiter, 289, 293, 304–307
- PDE model, 284
 - boundary conditions, 287, 292, 296, 298
 - derivation, 284–287
 - h refinement, 301
 - initial conditions, 287, 294
 - interpretation of terms, 285
 - numerical oscillations, 307
 - p refinement, 301, 307
 - parameters, 289, 292, 299, 301, 304, 307
 - units check, 285
- hyperbolic PDE, 2–3, 239, *see also*
 - advection equation
 - front resolution, 54
- hyperbolic-parabolic PDE, 130
 - boundary conditions, 130
 - initial condition, 134
 - numerical solution, 149
 - ODE routine, 136–138, 142–146
- hyperbolic tangent, 203
- hypoxia, 221
- identity matrix, 407
- implicit integration, 23, 34, 406
 - Jacobian matrix, 41
- independent variable, 3
- indeterminate form, 186, 331
- inhibitor, 323–324
- initial c, 3, 6
 - Gaussian function, 77–88
 - programming, 82, 84–85
 - number required, 3, 89
 - vector, 40
- initial value integration
 - interval, 6
- initial value variable, 3
 - finite interval, 3
 - infinite interval, 3
 - semi infinite interval, 3
- Jacobian matrix 41
 - bidagonal, 54
 - finite difference approximation, 45–46
 - map, 42, 53, 241, 245, 261, 262, 282
 - interpretation, 241, 245–246, 261
 - numjac, 44–46
 - routine, 43, 45, 197, 241, 254
 - sparse, 41, 197, 240, 254
 - nonzero elements, 47, 241–242, 262
- Laplace transform, 406, 412
- Laplacian, 323, 392, 401
 - Cartesian coordinates, 392

- linear algebraic eigenvalue problem, 406
 - characteristic equation, 408
- logistic rate, 187, 316–317, 323
- l’Hospital’s rule, 186, 331, 352, 401, 404

- machine epsilon, 32
 - set in Maple, 32
- mass conservation, 284–287, 388, 398
- mass transfer, 149, 152, 284–287, 292
- Matlab
 - euler, 7, 19, 23, 57–58
 - meuler, 27
 - rk4, 30
 - machine epsilon, 32
 - output suppression, 9
 - plotting, 13–14
 - precision, 32
 - utilities
 - axis, 13–14, 60
 - figure, 47
 - function, 21–22
 - numjac, 44–46, 197, 240
 - odeset, 36, 39–42, 47, 51
 - ode15s, 35, 36, 39–42, 45, 47, 48, 51, 51–52, 337–338
 - ode45, 36, 39–40, 45
 - options, 36, 40–42, 47, 49
 - plot, 13–14
 - size, 47–49
 - sparse, 47
 - spones, 44, 47
 - sprintf, 45, 47
 - spy, 45, 47
 - subplot, 166, 170, 174–175
 - surf, 166–167, 170–171
 - title, 13–14, 47
 - xlabel, 13–14
 - ylabel, 13–14
 - zeros, 10
 - vector definition, 9
 - transpose, 49
- method of lines *see* MOL
- meuler, 27, 48–49
- mixed ODE/PDE model, 148, 284–287, *see also*
 - antibody binding model, hemodialyzer programming, 155
- mixed PDE, *see* hyperbolic-parabolic PDE
- modified Euler method, 24
 - accuracy, 24, 30
 - meuler, 27, 48–49
 - order 24, 27, 29
 - predictor-corrector, 25
 - Runge Kutta format, 25
 - stability, 30
- modular programming, 23
- MOL, 1–3

- programming, 5–6,
 - see also* advection equation, diffusion equation, hyperbolic-parabolic PDE
- ODE/PDE model, 148,
 - see also* antibody binding model programming, 155

- Neumann boundary condition, 89, 103, 113, 191, 210, 234–235
- Newton’s method, 34, 41
- nonlinear equations, 34, 41, 169, 184
- nonnegativity constraint, 192
- normalized variables, 341
- numerical diffusion, 16, 61
- numerical eigenvalue analysis, 414
- numerical integration
 - Euler method, 6, 406,
 - see also* modified Euler method,
 - Runge kutta method
- numerical oscillation, 65, 74–75, 119, 140, 146
- numerical smoothing, 157
- numerical solution
 - comparison with analytical solution, 14–17
- numjac, 44–46, 197, 240

- ODE, 3
 - approximation to PDE, 3–4
 - eigenvalue, 24, 26, 33, 406
 - spectrum (spread), 34–35
 - stiffness, 24, 33–34, 406
- exponential solutions, 406, 409–410
 - initial conditions, 411
 - verification, 411
- integration, 3, 23
 - accuracy, 24, 39–40
 - error estimation, 27
 - error tolerances, 37, 39
 - order, 27
 - stability, 24, 406, *see also* stiffness
 - time scale, 33, 406
- Jacobian matrix, 41, *see also* Jacobian matrix
- Laplace transform solution, 406, 412
- ODE/PDE model, 148, 155,
 - see also* antibody binding model programming
- routine, 21–23, 48, 62
 - calls, 23, 36, 53
- odeset, 36, 39–42, 47, 51
- ode15s, 35, 36, 39–42, 45, 47, 48, 51, 51–52, 337–338
 - arguments, 40
 - options, 36, 51, 51–52
 - sparse matrix, 36, 41–42
- ode45, 36, 39–40, 45
 - arguments, 40

- one sided approximation, 68
- one step method, 33, *see also* Runge Kutta method
- operator, 391
 - del, 391
 - grad, 391
- options, 36, 40–42, 47, 49
- order conditions, *see* finite difference
- ordinary differential equation, *see* ODE
- two-point boundary value, 169

- p refinement, 27, 53, 99, 283, 337–338
- parabolic PDE, 3, 88, 239, *see also* diffusion equation
- parameter estimation 390
- parameter sensitivity analysis, 172–178
- partial derivative, 390, 392
- partial differential equation *see* PDE
- PDE, 2
 - analytical solution, 2, 7
 - conservation principles, 388, 398
 - constant coefficient, 3
 - convection-diffusion-reaction PDE, 388, 397, 402
 - Cartesian coordinates, 388, 397
 - cylindrical coordinates, 398
 - degree, 3
 - dependent variable, 2–3, 389
 - geometric classification, 3, 130
 - higher order, 112
 - hyperbolic, *see* hyperbolic PDE
 - hyperbolic-parabolic, *see* hyperbolic-parabolic PDE
 - independent variable, 2–3, 389
 - linear, 3
 - nonlinear, 3
 - nonnegativity constraint, 192
 - numerical solution, 2, 4
 - order, 3
 - partial derivative, 390
 - 1D-2D mapping, 347–348, 350, 352, 357, 363, 379
 - reaction-diffusion, 130
 - simultaneous, 184, 322, 339
 - spherical coordinates, 401
 - strongly convective, 131
 - strongly hyperbolic, 131
 - 2D, *see* drug delivery from a polymer matrix
 - units check, 150, 389, 398
 - variable coefficient, 367–368
 - well-posed problem, 3
- plot, 13–14
- Peclet number, 131, 134
- predictor-corrector, 25

- quadruple precision, 32

- reaction-diffusion PDE, 130–131
 - boundary conditions, 130
- retinal O2 transport, 221
 - age-related macular degeneration, 221
 - choriocapillaris, 223–224, 249–251, 264, 269–270, 274
 - fluid layer, 223–224, 249, 249, 264–266, 269–270, 274
 - hypoxia, 221
 - initial condition routine, 236, 258, 278
 - inner retina, 222–223, 249, 249, 262–263, 265, 269–270, 273–274
- main program 224, 253, 271
 - odeset, 226, 229, 254, 273
 - ode15s, 226, 229–230, 241, 254, 273
 - ode45, 226, 229–230, 254, 273
 - options, 226, 229, 241–242, 254, 273
 - output, 242–247, 260–261, 280–281
 - spatial grid, 225, 228, 240, 253, 256, 272–273
 - subplot, 227, 231, 255–256
 - time scale, 239, 281–282
- multisection model, *see* PDE model
- ODE routine, 231, 248, 264
 - dss004, 232, 233, 249, 249, 266, 268–269
 - dss044, 232, 234–235, 249–250, 251, 266, 269
- outer retina, 223–224, 247, 249, 249, 263–265, 269–270, 274
- PDE model, 221, 235
 - boundary conditions, 221–224, 232, 233–234, 247, 249–252, 262–263, 265–266, 269–270
 - equilibrium solution, 238–239, 241
 - including photoreceptor density, 247–248, 260
 - including VEGF production, 262–264, 267
 - initial conditions, 222–224, 225, 229, 236–238, 241, 257–259, 278–279
 - organization, 222–223
 - parameters, 225, 228, 238–239, 253, 256, 273, 275–276
 - units, 223, 239
- sparse integration, 240–241, 258, 279
 - Jacobian map, 245, 262, 282
 - routine, 240–241, 259
- vEGF, 221, 262, 267
- Riemann problem, 17–18, 75
- rk4, 30, 92, 93–95, 115, 117, 124, 126, 133, 135, 290, 293, 295
- Robin boundary condition, 89, 103, 152, 234
 - finite difference approximation, 156–157, 354–356, 364, 374, 376
- roundoff error, 32

- Runge Kutta method, 20, 25, 28, 32–33, *see also*
 - euler, meuler, rk4
 - accuracy, 32
 - derivative evaluations, 32
 - fourth order, 30, *see also* rk4
 - implicit form, 34
 - computational requirement, 34
 - one step method, 33
 - stages, 33
- sensitivity analysis, 172–178
- size, 47–49
- smart, 62, 88, 132, 136, 138, 142, 290, 293, 296, 298, *see also* super, vanl
- smart flux limiter, 62, 132, 290, 293, 296, 298
 - numerical diffusion-oscillation, 76–77, 139
- smoothness, 86, 239
- sparse, 47
- sparse matrix, 41
 - map, 41, 47
 - nonzero elements, 47, 54
 - routine, 44, 197, 204, 226, 240–241, 259, 273
- spatial grid, 4, 9, 155–156, 228
 - expansion, 83–85, 203
 - multisection, 228
- spatial integration, 4, 283
- spatial resolution, 9, 17, 162
- spectrum, 34
- spherical coordinates, 184, 401
- spones, 44, 47
- sprintf, 45, 47
- spy, 45, 47
- stability, 24
 - constraint, 24, 33–34
 - ODE integration, 24
- stagewise differentiation, 96, 99, 102, 119–120, 178, 180, 386
- stiff integration, 33, 171, 406, 415
 - computational requirement, 34, 406, 414
- stiffness ratio, 406, 414
- stiffness, 24, 171, 406, 414
 - eigenvalue dependency, 33, 406, 414
 - explicit integration, 24, 172, 406
 - implicit integration, 24, 34, 171–172
- subplot, 166, 170, 174–175
- super, 62, 87, 132, 138, 142, 290, 293, 296, 298, *see also* smart, vanl
- superbee flux limiter, 62, 132, 136, 290, 293, 296, 298
 - numerical diffusion-oscillation, 76, 139
- surf, 166–167, 170–171
- Taylor series, 18, 393–394
 - truncation, 18, 393
- error, 18
- temporal integration, 4, 23
 - stability, 24
- temporal resolution, 12, 163
- third type boundary condition, 89, 103, 113, 128, 152–153, 234
 - finite difference approximation, 156–157, 354–356, 364, 374, 376
- title, 13–14
- transpose, 49
- traveling wave solution, 209
- truncation error, 18, 157
 - accumulation, 18
 - global, 18
 - one step, 18
 - order, 18
- tumor growth, 184, *see also* acid-mediated tumor growth
- two-point boundary value ODE, 169
- unit roundoff, 32
 - set in Maple, 32
- units check, 150, 285, 389, 398
- unit vectors, 391
- upwind approximation, *see* dss012, finite difference
- vanl 62, 76, 87, 132, 136, 138, 142, 143, 289, 293, 296, 298, 304–307, *see also* smart, super
- van Leer flux limiter, 62, 132, 289, 293, 296, 298, 304–307
 - numerical diffusion-oscillation, 76, 139, 146
- variable order integration, 53
- variable step integration, 27, 34
- vascular endothelial growth factor, *see* VEGF
- vector dot product, 391
- vector-matrix notation, 407
- vector-tensor notation 391
- VEGF, 221, 262
- word length, 32
 - double precision, 32
 - number of bits, 32
 - quadruple precision, 32
- wound healing, *see* epidermal wound healing
- xlabel, 13–14
- ylabel, 13–14
- zeros, 10