

## Index

- Abeja (Colombia), 144
- abnormal chromosome 10 (*Ab10*),  
442–3
- absolute chronology, 307
- Ac* (*Activator*), 458
- acceleration in evolutive sequence of  
maize, 92–3
- accelerator mass spectrometry (AMS)  
analysis  
discussion of, 307–10  
Guilá Naquitz cobs, 137  
Los Gavilanes, 168  
Tehuacán chronology, 129–31
- acetylosis, 59
- A chromosomes, 392–3, 395
- Acosta, Padre José de, 229–30, 235,  
246–7, 262–3, 270
- Activator* (*Ac*), 458
- adaptability of maize, 44, 351
- Adh1* gene, 104, 387
- Adh2* gene, 92, 336–7
- Africa  
cultivation of maize in, 255  
names for maize in, 21
- age of plant domestication, 419–23
- agriculture  
in Africa, 255  
in Asia, 256–7  
in Balkans, 254–5  
beginnings of, 65–6
- carrying capacity of, 311
- emergence of, 419–23
- in Europe, 251–2, 253–5
- factors affecting adoption of, 305
- general discussion, 1
- in India, 256
- in Middle East, 255–6
- in North America, 121–2
- Peruvian traditions, 223, 298–9
- planting with anchovies in South  
America, 241–2
- success in Andean region, 322–3
- Aguadulce rocky shelter (Panama), 141
- Alazán race, 190
- alcoholic beverages, domestication  
of maize to produce, 77, 288.  
*See also* chicha
- Allaby, Robin G., 82, 97, 419, 421
- alleles  
comparison between sequences in  
ancient and modern specimens,  
91–3, 103, 336–7
- diversity in maize gene sequences,  
368–70
- selection for domestication, 88
- study of groups in South America,  
97
- study of microsatellite loci in  
Argentinean archaeological  
samples, 362–3

- Alonso, Eduardo, 216
- alternative tripartite hypothesis, 365–6
- altitude
- advantage of purple color of maize, 374–5
  - chromosomal knobs, 109–10
  - cultivation of maize, 6, 11
  - distribution of maize, 80
- Amargo race, 37
- American Indians. *See* Indian tribes
- AMS. *See* accelerator mass spectrometry analysis
- amylacea* group, diversity of, 67
- Ancashino race, 396
- anchovies, technique of planting maize with, 241–2
- Ancón (Peru), 158–9
- Andagoya, Pascual de, 247
- Andean complex, 68, 111–13, 362–3, 383, 468–9, 472–3
- Andean region. *See also specific countries by name*
- chicha preparation, 262
  - chromosomal knobs in races, 109–10, 356
  - comparative analysis of Andean and Mexican races, 12–13, 98, 284
  - cultivation of maize, 322–3
  - diffusion of maize, 298–302
  - evidence of early domestication, 421–2
  - inconsistency of studies regarding maize in, 311–19
  - as independent center of domestication, 66–77, 283
  - lack of teosinte introgression, 382–3
  - pellagra disease, 320
  - preceramic maize in, 71–2, 163, 179–80, 204–9, 299–305, 311–19
  - purple color of maize, 374–5
  - racial groups in, 10–13
  - role of maize in culture, 221–33
  - variability of Andean maize, 69–70
- Anderson, Edgar, 9
- Andres, Thomas C., 80
- Anglería, Pedro Mártir de, 17, 250
- annual diploid teosinte, domestication of, 55
- annual teosinte
- alternative hypotheses regarding, 54
  - chromosomal knobs, 108
  - domestication of maize from, 98–9
  - formed by *Zea diploperennis* and wild maize, 285
  - origin of, 91
  - races of, 25
  - result of hybridization of perennial diploid teosinte and wild maize, 52–3
  - revised tripartite hypothesis, 51, 480–1
- anthocyanin synthesis, 70, 72, 373–6, 458, 464–5
- antiquity of Peruvian maize, 299–305
- apical dominance, 45
- Arawak origin of chicha, 258–9
- archaeological evidence, 118–220
- Argentina, 216–20
  - Belize, 139
  - Brazil, 215
  - Canada, 119
  - Chile, 210–15
  - Colombia, 144–5
  - Costa Rica, 139–40
  - Dominican Republic, 142–3
  - Ecuador, 145–55
  - El Salvador, 139
  - Guatemala, 138–9
  - Honduras, 139
  - Mexico, 122–38
  - Panama, 140–2
  - Peru, 156–209

## Index

561

- Puerto Rico, 143  
 United States, 119–22  
 Uruguay, 215–16  
 Venezuela, 143–4  
 Arenal-Tilarán subarea (Costa Rica),  
   139–40  
 Argentina  
   Amargo race, 37  
   archaeological evidence, 216–20  
   chicha, 267  
   dating of specimens, 296  
   Gruta del Indio, 219–20  
   Huachichocana Cave, 217–19  
   León Huasi I, 217  
   Quebrada de Humahuaca, 266–7  
   Quebrada Seca 3, 219  
   role of maize as food in ancient  
     Argentina, 220  
     south-central Mendoza, 220  
   study of microsatellite loci in  
     archaeological samples, 362–3  
 arrocero Americano, 293  
 art, depiction of maize in, 233  
 Ascherson, P., 40  
 Asia  
   China, 14, 256–7  
   cultivation of maize in, 256–7  
 Áspero (Peru), 179–85, 301, 328  
 association, as principle of archeology,  
   308, 310  
*Athila4* gene, 460  
 Ayacucho race, 201  
 Ayacucho region (Peru), 196–202,  
   299, 302, 421–2  
 Aymará terms  
   for chicha, 261  
   for maize, 8  
*Aymoray* feast (Incan), 246–7  
 b-1 locus, 464–5  
 Balkans, cultivation of maize in,  
   254–5  
 Balsas (River Balsas) hypothesis,  
   62–4, 65, 363–4  
 Balsas River basin (Mexico)  
   Iguala Valley, 131–3  
   maize origin in, 361  
   Xihuatotla Shelter, Guerrero  
     zone, 133–4  
 Banerjee, Umesh Chandra, 50–1, 58,  
   176  
 Barghoorn, Elso S., 50–1, 56, 57–8,  
   176  
 barrancas, 65  
 Bat Cave (New Mexico), 120–1, 301  
 Bayonne (France), 251  
 B chromosomes, 106, 392–8  
 Beadle, George W., 277, 341, 360  
 beans, in balanced diet, 320–1  
 belief system, role of maize in  
   Andean, 233  
 Belize  
   antiquity of maize in, 296  
   archaeological evidence, 139  
   Cobweb Swamp, 139  
 Bellas Artes (Mexico City)  
   fossil pollen, 29, 41, 55–60, 114,  
   276  
   reexamination, 57–8  
   study by Mangelsdorf, 57–8  
 Bendel, Gerhard, 82, 97  
 Benz, Bruce F., 53, 126, 128–9,  
   135–7, 206–7, 273–4  
 Betanzos, Juan de, 244–6, 248  
 Big Tambillo (Peru), 198  
 biochemical techniques  
   used in taxonomic studies, 384  
   used in taxonomy of Maydeae,  
   384  
 Bird, Junius, 184  
 Bird, Robert McKelvy, 205,  
   299–300, 303, 312–14  
 birds, dispersion by, 71, 293, 473  
 Blake, Michael, 77, 207–8, 309, 310  
*Blé turc*, 20  
 Bock, Jerome, 19–20

- Bolivia  
 chicha, 268  
 Inca-Andean germplasm, 112  
 Peruvian-Bolivian Altiplano, 73  
 Pisinkalla race, 112  
 Bonavia, Duccio, 71–2, 305  
 bottleneck, population, 88–90, 104,  
 284, 372, 385  
 Brady, James E., 131  
 Brazil  
 antiquity of maize in, 296  
 archaeological evidence, 215  
 first accounts of maize in, 18  
 Brieger, F. G., 72–3, 86  
 Brown, Cecil H., 273  
 Brown, Terence A., 82, 97, 419, 421  
 Bruhns, Karen Olsen, 75, 79  
 Buckler, Edward S., IV, 96–7, 100–1,  
 113, 279–80  
 Bugé, David E., 80–1  
 Burger, Richard L., 163, 192, 304  
 Bush, Mark B., 203–4
- C14 (carbon 14) method, 307,  
 308–10  
 Cabello Valboa, Miguel, 234–5  
 Cabuya maize, 87  
 Cachi phase, 200  
 cacique *principal* (Indian chieftain),  
 227–8  
 Cajamarca (Peru), 239–40  
 Callejón de Huaylas (Peru), 240, 306  
 Cámara-Hernández, Julián, 217  
 Camarones 14 (Chile), 210–11  
 Canada, archaeological evidence, 119  
 Caral (Peru), 185–91  
 carbon 14 (C14) method, 307,  
 308–10  
 Cárdenas, Martín, 266–7  
 Cariaco race, 18  
 caries of skeletons from Valdivia and  
 Machalilla cultures, analysis of,  
 148  
 carrying capacity of agriculture, 311  
 caryopses of maize and of teosinte,  
 342–3  
 Casita de Piedra (Panama), 140  
 Casma Valley (Peru), 162–3  
 Çatalhöyük (Turkey), study of  
 archaeological wheat in, 116  
 catastrophic sexual transmutation  
 theory (CSTT), 278, 352–3  
 Cave Cebollita (Cebolleta Mesa)  
 (New Mexico), 120  
 cellular traits of caryopses, 342–3  
 Cendrero, Orestes, 6  
 CentC arrays, 440  
 Central America. *See also specific  
 countries by name*  
 knob complexes, 111  
 origin of maize in, 38–9  
 races, compared to South  
 American, 68  
 racial groups in, 10  
 central Andes  
 analysis of phylogeny of races in,  
 100  
 independent domestication in,  
 85–6  
 introduction of maize in, 82  
 variability of maize in, 98–9  
 centromeres, 439–41  
 ceremonial use of chicha, 232  
 Cerro de San Miguel (Mexico), 25  
 Cerro El Calvario (Peru), 162–3,  
 301–2  
 Cerro Guitarra (Peru), 159–60, 161  
 Cerro Julia (Peru), 162–3  
 Cerro Lampay (Peru), 178–9  
 Cerro Mangote (Panama), 141  
 Chalchuapa (El Salvador), 139  
 Chalco (Mexico), 123–4, 381  
 Chalco teosinte, 62, 63  
 Chandler, V. L., 35  
 Chapalote, 71  
 Chapalote/Nal-Tel complex, 71

## Index

563

- Chapalote race, 108–9, 110, 122–3, 126
- Cheng, Li, 126
- chewed chicha, 259, 262–5, 266–7, 268–9
- chewing of maize flour, 258
- chewing of stalks, 77, 78
- Chibcha area (Colombia), 73
- chicha, 258–71
  - alcoholic versus nonalcoholic, 258–61
  - ceremonial use of, 232
  - chewed, 259, 262–5, 266–7, 268–9
  - in coastal Andean culture, 226–8
  - Cuzco (Peru), 266
  - false, 262
  - fermentation of, 231–2
  - harmfulness of, 231–2
  - Huarmey (Peru), 271
  - in Incan culture, 223–32, 239–40, 242–3, 244–6
  - loss of traditions regarding, 321–2
  - medicinal qualities of, 270
  - origin of name, 258–61
  - political role of, 225, 228–9
  - preparation of, 258–61
  - production of by women, 225–6
  - varieties of maize used in, 258–61
- chicha de jora*, 265–6, 268, 270, 271
- Chihua phase, 200
- Chilca (Peru), 159, 241–2
- Chile
  - antiquity of maize in, 296
  - archaeological evidence, 210–15
  - Camarones 14, 210–11
  - germplasm, 112
  - introduction of maize in, 73
  - Quiani, 210
  - San Pedro Viejo de Pichasca, 214
  - Tarapacá, 211
  - Tiliviche, 211–14
- Chimú (Peru), 232
- China, maize in, 14, 256–7
- Chira-Villa (Peru), 159
- Chiriqui province (Panama), 140
- chloroplast haplotypes, 405–6
- Chococño race, 37, 85
- chromosomal knobs
  - Andean complex, 383
  - in Andean versus Mexican maize, 356
  - domestication of maize, 106–13
  - evidence in maize evolution, 468–74
  - general discussion, 466–8
  - independent domestication, 286–7
  - teosinte introgression, 383–4
- chromosome divergence, 439–43
- chromosome duplication, 445
- chromosomes. *See also* chromosomal knobs
  - 2, 367
  - 4, 347, 349–50, 429–30
  - 10, 106
  - A, 392–3, 395
  - abnormal chromosome 10 (*Ab10*), 442–3
  - affecting differentiation of teosinte and maize, 348–9
  - B, 106, 392–8
  - maize-*Tripsacum* hybrids, 35–6
- chronology
  - age of plant domestication, 419–23
  - in Andean region versus Mexico, 283
  - arrival of maize in South America, 474–6
  - differences between pollinic data and macro-remains, 294–8
  - Los Gavilanes (Peru), 168–70
  - methods used to establish, 307–11
  - Tehuacán Valley (Mexico), 129–31
- Chullpi race, 70–1
- Cieza de León, Pedro de, 238, 239, 241–2, 248

- clarito* chicha, 321–2
- Clark, Richard M., 102–3
- Clisby, K. H., 56
- CMS (cytoplasmic male sterility), 413–15, 436
- cms-T* cytoplasm, 413
- coastal Andean culture, chicha in, 226–8
- coastal maize in South America, 207, 241–2
- coastal route of distribution, 81, 293–4
- Cobo, P. Bernabé, 7, 236–8, 243, 247, 261, 263, 270
- cobs. *See also* ears
- discussion of antiquity of Peruvian maize, 299–305
  - Guilá Naquitz (Mexico), 134–8
  - in teosinte versus maize, 26–7
- Cobweb Swamp (Belize), 139
- Colombia
- Abeja, 144
  - antiquity of maize, 296
  - archaeological evidence, 144–5
  - Cabuya maize, 87
  - Chibcha area, as center of domestication, 73
  - Chococoño race, 37
  - recent racial analysis, 455
  - Zipacón, 144
- color of maize
- anthocyanin synthesis, 72, 458
  - b-1 locus, 464–5
  - central South American soft corn races, 86
  - deep purple, 299, 373–6
  - Kculli race, 70
- Columbus, Christopher, 15–17
- Columbus, D. Fernando, 15, 16
- Coma, Guglielmo, 17
- common ancestor hypothesis, 47–8, 344–6, 481–4
- comprehensive approach to origin of maize, 53–5
- computer simulation showing
- domestic bottlenecks, 89–90
- Común race, 18
- condensed forms of teosinte, 26
- Confite Chavinense
- Áspero (Peru), 190
  - Ayacucho region (Peru), 201, 302
  - Cerro El Calvario (Peru), 301–2
  - Los Gavilanes (Peru), 170–1, 172, 300
  - popcorns derived from, 84
  - races descended from, 70–1
- Confite Morocho
- Áspero (Peru), 190
  - chromosomal knobs, 111, 397, 470–1
  - general discussion, 70
  - as primitive race, 69
- Confite Puntigudo, 12, 112
- Conguil race, 112
- contamination of specimens
- in Bellas Artes pollen, 57–8, 60
  - precautions regarding, 308
- Cooke, Richard G., 140, 141
- cooking methods, 306–7
- coprolite analysis in Los Gavilanes, 304–5
- copy number variation (CNV), 369–70
- Corbett, John M., 179–80
- Coricancha (Temple of the Sun), 243–4
- corn, use of term, 8, 18
- Corn Belt Dent race, 343, 382, 403
- corn-grass hypothesis, 48
- Coroico race, 210, 211–12, 213–14
- Costa Rica
- antiquity of maize in, 296
  - archaeological evidence, 139–40
  - Arenal-Tilarán subarea, 139–40
- Coxcatlán Cave, Tehuacán Valley (Mexico), 126
- Croce, Benedetto, 272

## Index

565

- crossings  
 domestication of maize based on  
 crossings of loci, 90  
 of maize with *Tripsacum*, 333–4  
 between teosinte and maize, 30  
 cross-pollination, 113  
 cross-shaped phytoliths, 115–16  
 cryptic genes, 343–4  
 CSTT (catastrophic sexual  
 transmutation theory), 278,  
 352–3  
*Cucurbita*, 320–1  
 Cuenca, González de, 226–7  
 Cueva de La Golondrina  
 (northwestern Mexico), 122  
 Cueva de La Perra (northwestern  
 Mexico), 122  
 Cueva de los Ladrones (Panama),  
 140–1  
 Cueva de los Vampiros (Panama),  
 141  
 Cuevas de Ocampo (Mexico), 122–3  
 Cueva Tambillo Boulder (Peru),  
 198–9  
 Culebras (Peru), 164–5  
 Culebras complex, 165  
 cultures. *See also* Incan culture  
 analysis of skeletons from Valdivia  
 and Machalilla cultures, 148  
 Andean, role of maize in, 221–33  
 chicha in coastal Andean, 226–8  
 Mochica, 222–3  
 Pueblo, 221  
 Valdivia, 145–54  
 Zapotec, 221  
 cupulate fruitcase, mutations in  
 teosinte, 31  
 cupules, in teosinte versus maize,  
 28–9  
 Curagua race, 214  
 Curatola, Marco, 253–4, 319–20  
 Cutler, Hugh C., 9  
 Cutler, Hugh W., 266–7  
 Cuzco (Peru), 243–9, 266  
 Cuzco Gigante Amarillo race, 13  
 Cuzco Gigante race, 12, 13  
 Cuzco race, 84, 343  
 cytoplasm, effect on evolution of *Zea*,  
 435–9  
 cytoplasmic male sterility (CMS),  
 413–15, 436  
 Darwin, Charles, 156  
 dating of specimens  
 in Andean region versus Mexico,  
 283  
 differences between pollinic data  
 and macro-remains, 294–8  
 Los Gavilanes (Peru), 129–31  
 methods used to establish  
 chronology, 307–11  
 Tehuacán chronology, 129–31  
 DDC (duplication-degeneration-com-  
 plementation) model, 424  
 defense hypothesis, 448  
 de la Vera, Pablo, 202–3  
 DeNiro, Michael J., 131  
 dental studies, 148, 152  
 dent corn, successive stages of  
 cultivation and domestication,  
 73  
 descent of maize and its relatives,  
 theories on, 333–4  
 de Wet, J. M. J., 33–4, 35, 37,  
 49–50, 74  
 diastase, 265, 266  
 Dickau, Ruth, 76–7, 133–4, 140,  
 141, 288  
 dickcissel, 293  
 dietary sustenance  
 adoption of maize by Spaniards,  
 238–41  
 nutritional value of maize, 327–8  
 pellagra disease, 319–21  
 role of maize in ancient Argentina,  
 220

- dietary sustenance (*cont.*)
    - role of maize in ancient Peru, 207–9
    - teosinte as source of, 27, 30–2, 65
    - use of maize plants by Andean cultures, 233
  - diffusion of maize
    - in Andean region, 298–302
    - to Mexico, of South American races, 87
    - to South America, 79–88
  - directional evolution of microsatellite size in maize, 377–9
  - direction of geographical movement of maize, 289–98
  - disappearance of wild maize, causes that led to, 78
  - dispersal of seeds, 285
    - by birds, 71, 293, 473
  - dispersion of maize around the world, 250–7
  - Dissociator* (*Ds*), 458
  - divergence, chromosome, 439–43
  - DNA
    - analysis of changes in position of homologous sequences in different taxa, 99
    - dactyloscopy, comparative studies of, 36
    - increasing significance of analysis, 324–5
    - methylation of, 432
  - Doebley, John F.
    - chromosomal knobs, 113
    - domestication of maize, 90
    - ear morphology, 4
    - maize derived from teosinte, 101–2
    - molecular evidence against independent domestication, 96
    - pod corn hypothesis, 40
    - rediscovery of perennial teosinte, 25
    - on San Marcos Cave and Guilá Naquitz specimens, 272–3
    - single origin of maize, 96–7, 100–1
    - tbt1*, 95, 99–100, 102–3
    - TE insertions, 95
    - tga1*, 93–4
    - traits that distinguish maize from teosinte, 44–5
    - Tripsacum andersonii*, 35
  - domestication, 61–117
    - age of, 419–23
    - causes that led to, 77–8
    - causes that led to disappearance of wild maize, 78
    - in central Mexico, 279–80
    - chromosomal knobs, 106–13
    - definition, 1–2
    - diffusion of maize to South America, 79–88
    - early phases of, 370–2
    - factors influencing evolution of maize, 78–9
    - general discussion, 330–3
    - genetic information, 88–106
    - geographic factors in, 281–2
    - hypotheses of, 4–6, 334–42
    - independent domestication in Mesoamerican and Andean areas, 66–77, 280–8, 303, 327, 336–8
    - key genes involved and variation in process of, 402–7
    - maize-was-always-maize hypothesis, 334–6
    - major achievement by farmers, 5
    - in Mesoamerica alone, 62–6
    - phytoliths, 115–17
    - pollen, 113–15
    - reasons for, 287–8
    - role of genes in transition, 350–2
    - tbt1* gene, 358–9
    - from teosinte, origin of maize as, 355–8
    - teosinte-to-maize hypothesis, 338–42
    - time span of, 281–2



## Index

567

- variability of maize after, reduction in, 372–3
- domestication bottlenecks, 88–90, 104, 372, 385
- domestication genes, 384–9, 416–19
- domestication syndrome, 389–90
- Dominican Republic, archaeological evidence, 142–3
- Dorweiler, Jane E., 93–4
- drawings of maize, early, 19, 20
- drunkenness in Incan culture, 229–32, 244–5, 248–9
- Ds* (*Dissociator*), 458
- duplication-degeneration-complementation (DDC) model, 424
- duplication of genes, 423–31
  
- Early Caribbean race, 251
- early phases of domestication, 370–2
- ears
  - description of, 6
  - fasciation, 370–1
  - gradual increase in size, 370–1
  - homology of tassel and, 400–2
  - morphology, 4
  - number of seeds per, 23
  - origin of, 7, 417–18
  - ramified, 174
  - role of *tga 1*, 93–4
  - shape of, 3–4
  - teosinte hypothesis, 41–2
  - teosinte versus maize, 26–7, 28, 347
- eastern South America, races in, 86
- eastern United States, 119–20
- Eastoe, Chris, 126
- ecological transformations during Holocene, 3
- Ecuador
  - antiquity of maize in, 296
  - archaeological evidence, 145–55
  - Conguil race, 112
  - Inca-Andean germplasm, 112
  - isotopic studies on human skeletons in, 148
- La Chimba, 154
- La Emerenciana, 153–4, 154n17
- Lago Ayauch, 154
- Las Vegas, 153
- Loma Alta, 148–51
- Machalilla culture, 148
- Valdivia culture, 145–54
- Edwards, Marlin, 44–5
- Egypt, cultivation of maize in, 256
- ektexine patterns, 173–6
- ektexine spinule of pollen, analysis of, 114
- electrophoresis of isoenzymes, 99
- electrophoretic bands, study of, 99
- electrophoretic techniques used in taxonomic studies, 384
- elevation. *See* altitude
- El Riego Cave, Tehuacán Valley (Mexico), 126
- El Salvador
  - archaeological evidence, 139
  - Chalchuapa, 139
  - Laguna Verde, 139
- endosperm development, 449–50
- Entretrabado race, 86
- envelope* (*env*) gene, 460
- environmental transformations during Holocene, 3
- epigenetic gene regulation balancing transposons, 461–3
- Estete, Miguel de, 248–9
- ethnobotany in Peru, 325–6
- Eubanks, Mary Wilkes
  - description of wild maize, 23 and domestication, 63–4
  - Guilá Naquitz cobs, 135
  - new tripartite hypothesis, 365–6
  - Peruvian maize, 209
  - RFLP genotyping, 105–6
  - Tehuacán chronology, 130
  - tripsacoid maize, 34

- Euchlaena*. *See* teosinte
- Euchlaena mexicana*, 24
- Euchlaena perennis*, 24
- Europe, 14–21
- cultivation of maize in, 251–2, 253–5
  - early data on maize in South America, 17–18
  - first news of maize in, 14–17
  - history of name of maize, 18–21
  - introduction of maize in, 250–1
  - maize as seen by first Europeans, 234–49
- evolution of inflorescence
- development in maize and teosinte, 376–7
- evolution of maize
- anthocyanin synthesis and relation to, 373–6
  - B chromosomes and, 392–8
  - chromosome knob evidence in, 468–74
  - directional evolution of microsatellite size, 377–9
  - effect of cytoplasm on evolution of *Zea*, 435–9
  - factors influencing, 78–9
  - gene evolution and species evolution, 384–9
  - general discussion, 330–3
  - history of, 69–70
  - nuclear genome, 443–7
  - time period of most changes, 5
- Eyre-Walker, Adam, 88–90
- false chicha, 262
- Farnsworth, Paul, 131
- fasciation syndrome, 370–1
- fBt* (female B transmission) gene, 395
- feeding customs, 305–7
- Feldman, Dawn L., 88–90
- Feldman, Robert Alan, 180–2, 184–5
- female B transmission (*fBt*) gene, 395
- female flowers, 6
- fermentation of chicha, 231–2
- Fernández de Oviedo y Valdéz, Gonzalo, 14–15, 234, 250–1
- Fernández Distel, Alicia A., 217–19
- fertilization, 394–5
- fish, technique of planting maize with, 241–2
- Flannery, Kent V., 65, 66, 126, 138
- flint corn
- in eastern South America, 86
  - successive stages of cultivation and domestication, 73
- flour of maize, 236
- floury corn, 73, 150
- food
- adoption of maize by Spaniards, 238–41
  - feeding customs, 305–7
  - maize domesticated for, 287
  - maize in Andean culture, 222–3, 233
  - nutritional value of maize, 327–8
  - pellagra disease, 319–21
  - role of maize in ancient Argentina, 220
  - role of maize in ancient Peru, 207–9
  - use of teosinte as, 27, 30–2, 65
  - Zea-Phaseolus-Cucurbita* complex, 320–1
- fossil pollen, 114. *See also* Bellas Artes (Mexico City); pollen
- founder effect, 385
- foxtail grass (*Setaria* sp.), 65–6
- France, cultivation of maize in, 253
- Freitas, Fabio Oliveira, 82, 97
- fruitcase, mutations in teosinte, 31
- Fuchs, Leonhard, 18, 19, 20
- Fuller, Dorian Q., 419, 421
- funerary ceremonies (Incan), 248
- Gal* gene, 409–10

## Index

569

- Ga1-s* allele, 409–10
- Ga2-s* allele, 410, 412
- Galinat, Walton C.  
 chromosomal knobs, 109–10  
 domestication of maize, 62  
 morphological differences between  
 maize and teosinte, 26–7, 38  
 study of Ayacucho maize, 196–9,  
 200, 201  
 wild maize, 78
- gametophyte isolation barriers  
 due to nuclear genes, 409–12  
 in *Zea mays*, 407–9
- Gant, Rebecca L., 88–90
- García Cook, Ángel, 199
- Garcilaso de la Vega, Inca, 235–6,  
 246, 247, 251, 263
- gathering, definition, 1
- Gatun basin (Panama), 142
- Gaut, Brandon S., 5–6, 44, 88–90,  
 432–5
- gene duplication, 423–31, 445
- gene flow  
 between maize and teosinte, 28  
 role in plant speciation, 431–5
- genetic diversity, effect of  
 domestication on, 4
- genetic male sterility, 412–13
- genetic pools of maize, 88, 92, 103
- genetics, 329–486.  
*See also* transposable elements  
 allelic diversity in gene sequences,  
 368–70  
 alternative tripartite hypothesis,  
 365–6  
 anthocyanin synthesis, 373–6  
 B chromosomes, 392–8  
 biochemical techniques used in  
 taxonomy of Maydeae, 384  
 chromosome divergence, 439–43  
 chromosome knobs, 466–74  
 cytoplasm, effect on evolution of  
*Zea*, 435–9
- descent of maize and its relatives,  
 theories on, 333–4
- directional evolution of  
 microsatellite size in maize,  
 377–9
- domestication genes, 416–19
- domestication of maize, 88–106,  
 334–42, 370–2, 402–7
- estimation of gene number, 390–2
- evidence of teosinte introgression,  
 379–84
- gametophyte isolation barriers,  
 407–12
- gene duplication, 423–31
- gene evolution and species  
 evolution, 384–9
- gene flow, between maize and  
 teosinte, 28
- gene flow, role of in plant  
 speciation, 431–5
- gene frequencies in Mexican and  
 Peruvian varieties, 76
- genomic imprinting, 447–51
- heterochromatin, 465–6
- inflorescence development in maize  
 and teosinte, 376–7
- interpretation of findings, 359–60
- maize origin, domestication and  
 evolution, 330–3
- maize-*Tripsacum* hybrids, 35–6
- maize-was-always-maize  
 hypothesis, 334–6
- male sterility as isolation  
 mechanism, 412–15
- miRNA, 399–400
- multiple domestication, 336–8,  
 366
- mutation of teosinte into maize, 27
- nuclear genome evolution, 443–7
- origin and preservation of maize  
 genes, 366–8
- origin of genome diversity in  
 maize, 423

- genetics (*cont.*)
- origin of maize, theories of, 360–6
  - paramutation, 463–5
  - plant molecular genetics and need
    - for additional research, 389–90
  - protracted age of plant
    - domestication, 419–23
  - races of maize, 451–6
  - role of pedicel in shattering of
    - seeds of wild maize, 342–58
  - similarities between maize and
    - teosinte, 279
  - structure of maize plant, 400–2
  - supergenes, 415–16
  - tbl* gene and domestication,
    - 358–9
  - teosinte-to-maize hypothesis,
    - 338–42
  - time of arrival of maize in South
    - America, 474–6
  - variability of maize after
    - domestication, reduction of,
      - 88–90, 372–3
- genome, maize, 98, 105–6, 423
- genomic imprinting, 447–51
- genomic regions of maize and
  - teosinte, differences between, 94
- geographic factors
  - direction of movement of maize,
    - 289–98
  - distribution of maize, 6
  - in domestication, 281–2
  - isolation of maize in South
    - America, 82
- Georgia (United States), 121–2
- germplasm, 368
  - Chile, 112
  - Inca-Andean complex, 111–12
- gifts in Incan culture, 224
- Gillespie, R., 194
- glumes, in teosinte versus maize, 28
- golden maize field in Coriancha
  - (Peru), 243
- Goloubinoff, Pierre, 91–3, 103, 284,
  - 324, 336–7
- González Holguín, Diego, 268
- Goodman, Major M.
  - chromosomal knobs, 113
  - comprehensive approach to origin
    - hypotheses, 53–4
  - domestication as single event,
    - 96–7, 100–1
  - independent domestication, 30, 74
  - macromutation, 43
  - Peruvian maize, 204–5
  - teosinte as food, 31–2
  - teosinte hypothesis, 46–7
  - tripartite hypothesis, 50
- Gosling, William D., 203–4
- Gowlett, John A. J., 194
- Goyheneche, E., 251
- grain size, factors affecting, 4
- Granada race, 396–7
- granoturco*, 20
- grass genome size and structural
  - complexity, 444
- Gremillion, Kristen J., 305
- Grobman T., Alexander
  - apparition in chronological order
    - of maize and annual teosinte in
      - archaeological sites, 278–9
  - Áspero specimens, 182–3
  - classification of races in Peru,
    - 11–12
  - cobs from Cerro Guitarra, 160
  - comments on paper by Zarillo et
    - al., 150–1
  - comments on study by Freitas et
    - al., 97
  - comments on study by Matsuoka et
    - al., 100–1
  - comprehensive approach to origin
    - hypotheses, 41, 54–5
  - cultivation of maize in North
    - America, 121–2
  - definition of race, 9

## Index

571

- domestication of maize, 98–9, 102, 103–4
- evolution of primitive races, 70–2
- genomes as basis for origin theory, 105
- Guilá Naquitz cobs, 135, 136–7
- independent domestication, 284
- influencing factors in evolution of maize, 78–9
- Los Gavilanes specimens, 176–7
- South American domestication of maize, 68–70
- study of Ayacucho maize, 201
- tripsacoid characteristics, 288–9
- wild maize, 40
- Gruta del Indio (Argentina), 219–20
- Guaman Poma de Ayala, Felipe, 223, 228, 268
- Guaraní Indians, 18
- Guaraní race, 86
- Guatemala
  - archaeological evidence, 138–9
  - Lake Petenxil, 138
  - origin of Andean complex, 112–13
  - role of maize in, 221
- Guilá Naquitz (Mexico), 134–8, 295, 355
- Guitarrero Cave (Peru), 192–6, 299, 301
- Guzmán, Rafael M., 25
- Haiti, 234
- Hardness* (*Ha*) locus, 386
- Harinoso de Ocho race, 83–4
- Harlan, Jack R., 27, 33–4, 35, 37, 49–50, 74–5
- harvesting of maize, 223
- Hastorf, Christine A., 134, 316–18
- Hatun Raimi festival (Incan), 248
- Hedges, R. E. M., 194
- Heiser, Charles B., Jr., 310
- helitron* transposons, 391, 461
- heterochromatin, 465–6
- Hey, Jody, 95, 99–100, 101–2
- highlands
  - highland-to-lowland movement in South America, 361–2
  - Mexican maize, 357
  - origin of South American races in, 100
  - Peruvian maize, 358, 474–5
  - Spanish chronicler observations on maize in, 242–6
  - study of microsatellite loci in Argentinean archaeological samples, 362–3
- highly fermented chicha, 231–2
- Hilton, Halley, 5–6, 44, 88–90
- history of name of maize, 18–21
- History of the Indies*, 15–16
- History of the Life and Deeds of Christopher Columbus, The*, 15–16
- Holocene, ecological transformations during, 3
- Holst, Irene, 76–7, 133–4, 216, 288
- Holtsford, Timothy P., 279–80
- Honduras
  - antiquity of maize in, 296
  - archaeological evidence, 139
  - Lake Yojoa, 139
  - Pantano Petapilla, 139
- Hopscotch* TE, 358–9
- Hornito (Panama), 140
- Huaca Prieta Project, 160n24, 458
- Huachichocana Cave (Argentina), 217–19
- Huánuco Pampa (Peru), 232
- Huaricoto (Peru), 192
- Huarmey (Peru), 271, 298–9
- Huayleño race, 301, 397
- huiros*, 78
- human selection, role in domestication, 4–5
- human skeletons from Valdivia and Machalilla cultures, analysis of, 148

- Hungary, cultivation of maize in, 255
- husk system, in primitive pod corn, 335
- hybridization
- reproductive barriers, 450–1
  - revised tripartite hypothesis, 51
  - teosinte, 24, 30
  - Tripsacum*, 29–30, 34–8
- Iguala Valley, central Balsas watershed (Mexico), 131–3
- illustrations of maize, early, 19, 20
- Iltis, Hugh H., 4–5, 25, 31, 42–3, 45, 75–6
- immunological testing used in taxonomic studies, 384
- imperfectly defined races, 11
- imprinting, genomic, 447–51
- Inca-Andean complex, 111–12
- Incan culture
- chicha, 223–32, 239–40, 242–3, 244–6, 269–70
  - cultivation of maize, 322–3
  - funerary ceremonies, 248
  - maize as favorite food in, 222–3
  - maize-related duties of priests, 225–6
  - maize-related rituals and sacrifices, 246–8
  - myths related to origin of maize, 221
  - reciprocity, 224, 244–6
  - role of maize in political banquets, 222
  - storehouses, 243
- Inca Yupanqui, 244–6, 248
- Incipient New races, 85
- incipient races, 11
- indel polymorphisms, 368–9
- independent domestication, 66–77, 96, 280–8, 303, 327, 336–8, 366
- India, 14–15, 256
- Indian corn, 18
- Indian tribes. *See also* Incan culture
- cultivation of maize in South America, 322–3
  - cultivation of maize in southwestern United States, 121
- Guaraní, 18
- races associated with, 86
  - use of teosinte as food plant, 27
- Valdivia culture (Ecuador), 145–54
- inflorescence
- development in maize and teosinte, 376–7
  - evolution of, 401–2
  - in teosinte versus maize, 3, 28
  - of wild maize, 293
  - Zea nicaraguensis*, 105
- insect pressure, 335
- Interlocked (Entretrabado) race, 86
- intoxication in Incan culture, 229–32, 244–5, 248–9
- introduced races, 11
- introgression
- domestication selection, 351
  - of races of maize, 302
  - of teosinte, 30, 39–40, 109, 341–2, 379–84
  - by *Tripsacum*, 33–8, 63, 68, 114, 174–7, 285
- Iriarte, José, 76–7, 115–17, 133–4, 216, 288
- irrigation canals in Peru, 208
- Irwin, H., 57–8
- island of San Lorenzo (Peru), 159
- isoenzymes, electrophoresis of, 99
- isolation mechanisms
- gametophyte genes as, 407–12
  - male sterility as, 412–15
- isotopic studies on human skeletons, in Ecuador, 148
- isozyme alleles, in teosinte, 26

## Index

573

- Italy  
 cultivation of maize in, 253–4  
 names for maize in, 20–1
- Ixtapa (Mexico), 132–3
- Jaenicke-Deprés, Viviane R., 95–6, 273
- Jalisco (Mexico), 25
- Jerez, Francisco de, 238, 239–40
- Johannessen, Carl L., 4  
*jora*, 265–6, 268, 270, 271
- karyotypic diversity, 345
- Kcello Ecuatoriano race, 147
- Kculli race, 70, 262, 397
- Kelley, David H., 165, 169
- Kermicle, Jerry, 93–4
- kernels  
 discussion of antiquity of Peruvian maize, 299–305  
 in teosinte versus maize, 28, 94  
 transformation of teosinte into maize, 29
- knobs  
 Andean complex, 383  
 in Andean versus Mexican maize, 356  
 discussion of, 441–3  
 domestication of maize, 106–13  
 evidence in maize evolution, 468–74  
 general discussion, 466–8  
 independent centers of domestication based on, 68, 286–7  
 teosinte introgression, 383–4  
 in teosinte versus maize, 26, 30
- Krisel, Carolyn, 203–4  
*kukuruz*, 21
- Kuleshov, N. N., 67
- Kurtz, Edwin B., Jr., 56–7, 113–14
- La Chimba (Ecuador), 154
- La Cocina (Peru), 158
- La Emerenciana (Ecuador), 153–4, 154n17
- Lago Ayauch (Ecuador), 154
- Laguna Castilla (Dominican Republic), 143
- Laguna Ixtacyola (Mexico), 131–2
- Laguna Tuxpan (Mexico), 132, 133
- Laguna Verde (El Salvador), 139
- Lake Gentry (Peru), 203–4
- Lake Petenxil (Guatemala), 138
- Lake Yojoa (Honduras), 139
- LAMP (Latin America Maize Project), 455–6
- Lanning, Edward Putnam, 164–5, 191–2
- Larson, S., 35
- Las Aldas (Las Haldas) (Peru), 163–4
- Las Casas, Bartolomé de, 15–16
- Las Vegas (Ecuador), 153
- Late Horizon period, 222
- Lately Derived races, 85
- Lathrap, Donald W., 81, 151–3, 292
- Latin America Maize Project (LAMP), 455–6
- Latin American scholars, opinions regarding, 311–19
- leaves, differences between teosinte and maize, 346, 480
- Leavitt, Steven W., 126
- Le Historie della vita e dei fatti di Cristoforo Colombo* (*The History of the Life and Deeds of Christopher Columbus*), 15–16
- León Huasi I (Argentina), 217
- lightning as creator of maize, 221
- lignification, 26–7, 38
- Linton, Eric, 102–3
- Listopad, Claudia, 203–4, 216
- Liverman, James L., 56–7, 113–14
- loci  
 affecting morphological differences between maize and teosinte, 44–5, 46–7

- loci (*cont.*)  
 domestication of maize based on  
 crossings of, 90
- Loma Alta (Ecuador), 148–51
- Los Ajos (Uruguay), 215–16
- Los Cerrillos (Peru), 302
- Los Gavilanes (Peru)  
 archaeological findings at, 166–78  
 Confite Chavinense, 171, 172  
 coprolite analysis, 304–5  
 kernel and cob sizes found at, 300–1  
 lack of teosinte introgression, 71  
 pollen, 175, 177  
 Proto-Confite Morocho, 36, 40,  
 114, 171  
 Proto-Kculli, 173  
 reconstruction of, 167  
 review by Hastorf on, 316  
 studies by Pearsall on, 314–16  
 techniques used at, 208–9
- lowlands  
 Mexican maize, 357, 363–4  
 Peruvian maize, 358
- LTR retrotransposons, 386–7, 459,  
 462
- Lynch, Thomas F., 192–3, 194, 195
- Machalilla culture (Ecuador), 148
- MacNeish, Richard S., 63–4, 78,  
 129–30, 131, 196–202
- macromutation, 43
- macro-remains, differences between  
 pollinic data and, 294–8
- MADS-box genes, 403–4
- Maicillo Cimarrón, 75
- Maíz de Ocho race, 87, 119
- maize, 1–13  
 as ancestor of teosinte, 26  
 description of by Bernabé Cobo,  
 236–8  
 description of plant, 6–7  
 differences between teosinte and,  
 28–9  
 geographical distribution of, 6  
 origin of name, 7–8  
 taxonomy, 8–13
- maize culture, invention of, 3
- maize flour, practice of chewing, 258
- male flowers, 6
- male sterility as isolation mechanism,  
 412–15
- Malpass, Michael A., 202–3
- malting, 266–7
- mamaconas*, 242–3
- Manco Capac, 244
- Mangelsdorf, P. C.  
 American Indian use of teosinte as  
 food plant, 27  
 ancestors of maize, 52  
 Andean complex, 112–13  
 annual teosinte, 91  
 Bellas Artes pollen, 59–60  
 chromosomal knobs, 107–8  
 classification of races in Peru,  
 11–12  
 comments on Zevallos study, 147  
 definition of race, 9  
 differences between maize and  
 teosinte, 38  
 disappearance of wild maize, 78  
 domestication of teosinte, 30–1  
 evolution of maize in South  
 America, 82  
 findings in Tehuacán Valley, 125–9  
 flow of genes between maize and  
 teosinte, 28  
 influencing factors in evolution of  
 maize, 78–9  
 invention of maize culture, 3  
 multiple origins for domestic  
 maize, 67–8  
 pod corn hypothesis, 39  
 pollen in Guilá Naquitz (Mexico),  
 137  
 revised tripartite hypothesis, 50–1  
 seed dispersal, 2



## Index

575

- South American domestication of maize, 68–70
- teosinte hypothesis, 42
- tripartite hypothesis, 49
- Tripsacum* as hybrid of maize and *Manisuris*, 53
- wild maize, 23, 48, 276, 277–8
- work on teosinte by, 25–6
- Zea-Phaseolus-Cucurbita* complex, 320
- Manihot esculenta* (yuca), 141, 150–1, 290
- manioc, 141, 150–1, 290
- Marcos, Jorge G., 151–3
- Marozzi, Óscar, 216
- Mato Grosso (Brazil), 67
- Matsuoka, Yoshihiro, 96–7, 100–1, 113
- Mayan terms for maize, 7–8
- Maydeae tribe, 9, 384
- mBt* (male B transmission) gene, 394–5
- McClintock, Barbara, 61, 68, 111, 286, 456–7
- McMullen, Michael D., 90
- medicinal use of chicha, 270
- medicinal use of maize, 236, 238
- men, production of chicha by, 226
- Mena, Cristóbal de, 239
- Mesoamerica. *See also specific countries by name*
- direction of geographical movement of maize, 289–98
- independent domestication in Andean areas and, 66–77
- knob complexes, 111
- physiographic differences between South America and, 281–2
- sole center of domestication, 62–6
- Messing, Joachim, 102–3
- methylation of DNA, 432
- Mexican maize
- chromosomal knobs, 356, 471–2, 473–4
- classification of, 9–10
- comparative analysis of Andean and Mexican races, 12–13
- comparison of mitochondrial DNA in races in Andes and, 98
- differences in gene frequency between Peruvian and, 76
- primitive races, 71
- racial groups, 10
- recent racial analysis, 454–5
- teosinte introgression, 30, 380–2
- Mexico. *See also* Bellas Artes (Mexico City)
- antiquity of maize in, 53
- archaeological evidence, 122–38
- Balsas River basin, 131–4, 361
- Cerro de San Miguel, 25
- Chalco, 123–4, 381
- Coxcatlán Cave, 126
- Cuevas de Ocampo, 122–3
- dating of specimens from, 295
- diffusion of South American races to, 87
- El Riego Cave, 126
- Guilá Naquitz, 134–8, 295, 355
- Iguala Valley, central Balsas watershed, 131–3
- introgression of maize and teosinte, 30
- Ixtapa, 132–3
- Laguna Ixtacyola, 131–2
- Laguna Tuxpan, 132, 133
- Población de Ciudad Guzmán, 25
- Purrón Cave, 126
- rediscovery of perennial teosinte in Jalisco, 25
- Romero Cave, 122–3
- San Andrés, Tabasco, 124–5
- San Marcos Cave, 125, 127, 300
- Tecorral Cave, 127
- Valenzuela Cave, 123
- Xihuatoxtla Shelter, 133–4

- Mexico City, pollen found in.  
     *See* Bellas Artes (Mexico City)
- microsatellite size, directional  
     evolution of, 377–9
- Middle East, cultivation of maize in,  
     255–6
- Midwest (United States), 120
- migration of populations, and genetic  
     evolution of maize, 372
- migratory birds, dispersion by, 71,  
     293, 473
- millet of India, 14–15
- Miraya (Peru), 186, 188
- miRNA in maize, 399–400
- Mississippi basin, 120
- mitochondrial genome, 98, 435–7
- MMLs (molecular marker loci), 91,  
     349
- mobile societies, maize in, 284–5
- Mochica culture, 222–3
- molecular evolution of maize, 91–2
- molecular genetics, 389–90
- molecular marker loci (MMLs), 91,  
     349
- Molina, Cristóbal de (El Chileno),  
     241, 243, 246
- Montaña, Juan, 216
- morphological characteristics  
     classificatory outline of Andean  
         maize based on, 10–11  
     differences between Mexican and  
         South American races, 74  
     ears, 4  
     evolution of, 343–4  
     teosinte versus maize, 26–7, 91,  
         341, 346–54, 379–80  
     tripsacoid maize, 33
- Moseley, Michael Edward, 328
- Muelle, Jorge C., 266
- multiple domestication hypothesis,  
     66–77, 96, 280–8, 303, 327,  
     336–8, 366
- mutations, 13
- attributable to gene *tb1*, 94–5
- factors affecting increase in fixation  
         in maize genome, 93
- of teosinte cupulate fruitcase, 31
- Tripsacum dactyloides*, 29–30
- Mutis (Bosio), José Celestino Bruno,  
     74–5
- NADH-MDH genes, 426–7
- Nahuatl terms  
     for chicha, 259–60  
     for maize, 8
- Nal-Tel-Chapalote complex, 126, 300
- Nal-Tel race, 81, 82, 108–9, 110,  
     126, 471
- name of maize, history of, 7–8,  
     18–21
- NB mitochondrial genome, 436–7
- nearly identical paralogs (NIPs), 427
- neofunctionalization (NF) hypothesis,  
     425
- New Mexico (United States), 120–1
- no-knob complex, 111
- nonalcoholic versus alcoholic chicha,  
     258–61
- North America, racial groups in, 10
- north–south movement of maize,  
     289–98
- northwestern Mexico  
     Cueva de La Golondrina, 122  
     Cueva de La Perra, 122  
     Swallow Cave, 122
- nuclear genes, gametophyte isolation  
     barriers due to, 409–12
- nuclear genome, evolution of, 443–7
- nucleotide polymorphisms, 374
- Núñez A., Lautaro, 212–13, 215
- nutritional value of teosinte, 30–1
- ocean, distribution of domesticated  
     maize by, 81, 293–4
- Oces, Juan de, 227–8
- Old World, maize in, 14

## Index

577

- Oliveira, Paulo E. de, 203–4
- Ondegardo, Polo de, 230
- orejones* (noblemen), 244–5
- organelle genomes, 435–9
- origin and preservation of maize genes, 366–8
- origin of genome diversity in maize, 423
- origin of maize, 22–60
- common ancestor hypothesis, 47–8
  - comprehensive approach to, 53–5
  - corn-grass hypothesis, 48
  - fossil pollen from Bellas Artes (Mexico), 55–60
  - general discussion, 330–3
  - hypotheses regarding, 38–9, 48, 360–6
  - missing evidence on interpretation of as domesticate from teosinte, 355–8
  - multiple domestication, 366
  - papyrescent, “*semivestidos*” hypothesis, 48
  - pod corn hypothesis, 39–40
  - postulates of evolutionary patterns, 280
  - revised tripartite hypothesis, 50–3, 365–6
  - teosinte hypothesis, 24–38, 40–7, 278–80
  - tripartite hypothesis, 49–50
  - Tripsacum* as hybrid of maize and *Manisuris*, 53
  - in wild maize, 23, 275–8
- Orinoco zone (Venezuela), 143
- Orr, Alan R., 105, 376
- orthodox teosinte hypothesis, 352, 359
- Oryza australiensis* genome, 387
- outcrossing, 408
- Pääbo, Svante, 91–3, 103, 324, 336–7
- Pagaladroga, 190
- pájaro arrocero, 293
- Palomero Toluqueño race, 71, 110
- Panama
- Aguadulce rocky shelter, 141
  - antiquity of maize in, 296
  - archaeological evidence, 140–2
  - Casita de Piedra, 140
  - Cerro Mangote, 141
  - Chiriqui province, 140
  - Cueva de los Ladrones, 140–1
  - Cueva de los Vampiros, 141
  - distribution of maize through, 81
  - Gatun basin, 142
  - Hornito, 140
  - Sitio Sierra, 140
  - Trapiche, 140
- panizo*, 16, 17, 18
- Pantano Petapilla (Honduras), 139
- papyrescent, “*semivestidos*” hypothesis, 48
- Paraguay
- Guaraní cultivation of maize, 18
  - origin of maize in, 39
- paramutation, 463–5
- Pardo race, 83–4, 190
- Paredones (Peru), 160n24
- parental conflict theory, 448–9
- parental genomic imprinting, 447
- Parmentier, Antoine Augustin, 15
- parsimony trees, 92–3
- PAV (presence–absence variation), 369–70
- Pazy, Batia, 25
- pbf* (*prolamin box-binding factor*), 95–6
- P-C (placento-chalazal) layer, 342–3
- PCD (programmed cell death), 342
- Pearsall, Deborah M.
- Chilean maize, 214
  - direction of geographical movement of maize, 289–90
  - domestication in central Mexico, 279–80

- Pearsall, Deborah M (*cont.*)
- Huachichocana specimens, 219
  - introduction of maize in South America, 79–80, 82
  - Loma Alta study, 149–51
  - origin of maize in teosinte, 43–4
  - Peruvian maize, 314–16
  - preceramic maize, 205–6, 208–9
- pedicel, role in shattering of seeds of wild maize, 342–58
- pellagra, 319–21
- perennial teosinte, rediscovery of in Mexico, 25
- Perla race, 413, 472
- Perry, Linda, 202–3
- Peru
- agricultural traditions in, 298–9
  - antiquity of maize in, 299–305
  - archaeological evidence, 156–209
  - arrival of maize in, 474–5
  - B chromosomes in races from, 396–7
  - Cajamarca, 239–40
  - chicha, 258, 261–2, 269, 321–2
  - chromosomal knobs in races, 109, 110, 472
  - dating of specimens, 296
  - differences in gene frequency between varieties in Mexico and, 76
  - diversity of *amylacea* group, 67
  - ethnobotany in, 325–6
  - evidence of early domestication in, 421–2
  - evolutionary history of maize in, 69–70
  - inconsistency of opinions regarding maize in, 311–19
  - as independent center of domestication, 67–8
  - lack of evidence for teosinte introgression, 355
  - Los Gavilanes, 36, 40
  - planting of maize, 223
  - primitive races in, 69, 70–1, 72, 83–4
  - purple color of maize, 374–5
  - races in, 11–12, 285–6, 451–4
  - transposons in races from, 458
  - Zea-Phaseolus-Cucurbita* complex, 320–1
- Peruvian-Bolivian Altiplano, 73
- PEV (position effect variegation), 465–6
- phase-contrast microscopy, 57
- Phaseolus*, 320–1
- phytoliths
- Aguadulce rocky shelter (Panama), 141
  - conflicting evidence, 291–2
  - Cueva de los Ladrones (Panama), 140–1
  - determination of direction of geographical movement of maize, 289–90
  - domestication of maize, 115–17
  - Las Vegas (Ecuador), 153
  - Los Ajos (Uruguay), 216
  - Valdivia culture (Ecuador), 146
  - Xihuatoxtla Shelter (Mexico), 133–4
- Pickersgill, Barbara
- analysis of mitochondrial DNA in different races, 98
  - chromosomal knobs, 110
  - effect of *tb1* on genetic background of teosinte, 102–3
  - independent domestication, 76
  - Peruvian maize, 204
  - questions related to plant origins, 2
  - South American maize, 62, 282
  - study of domestication, 310
- Pierson, L., 38
- Pikimachay (Peru), 197–8, 200
- Piperno, Dolores R.
- central Balsas River valley, 288

## Index

579

- diffusion of maize, 80
- domestication, 76–7
- Guilá Naquitz (Mexico), 137
- phytoliths, 115, 133–4
- swamp sequences, presence of
  - maize in, 294
- Waynuna (Peru), 202–3
- Pira Naranja, 71, 110
- Piricincó Coroico, 211–12, 213–14
- Piricincó race, 396
- Pisinkalla race, 112
- Pizarro, Francisco, 238–41
- Pizarro, Hernando, 240
- Pizarro, Pedro, 240, 242–3
- placento-chalazal (P-C) layer, 342–3
- plant (maize)
  - description of, 6–7
  - structure of, 400–2
- planting of maize
  - with anchovies, 241–2
  - in Peru, 223
- plastid genome, 438
- Playa Hermosa (Peru), 191–2
- pleiotropic genes, 418
- Población de Ciudad Guzmán (Mexico), 25
- pod corn, 11–12, 49–50, 334–5
- pod corn hypothesis, 39–40, 334–6
- political role of chicha in Andean cultures, 225, 228–9
- pollen. *See also* Bellas Artes (Mexico City)
  - conflicting evidence, 291
  - Cueva de los Ladrones (Panama), 140–1
  - differences between macro-remains and data from, 294–8
  - difficulty in distinguishing grains from different species, 64
  - domestication of maize, 113–15
  - Gatun basin (Panama), 142
  - Los Gavilanes (Peru), 175, 177
  - in teosinte versus maize, 29
  - Zea*, found in Mexico, 124–5
  - Zea*, in Guilá Naquitz (Mexico), 137–8
  - Zea*, in Iguala Valley (Mexico), 131–3
- pollination, 407–9
- Pollo race, 144–5
- polyagrogenesis, 68
- polymorphisms, 368–9, 374
- polyploid event, 443–4
- popcorn
  - Bat Cave (New Mexico), 121
  - evolution in Andean region, 72
  - primitive races, 11, 12
  - in South America, 82
  - successive stages of cultivation and domestication, 72–3
  - used for food, 287, 306–7
- population bottleneck, 88–90, 104, 284, 372, 385
- pore-axis ratio, 56–7, 59
- Portuguese, maize in, 21
- position effect variegation (PEV), 465–6
- potato, 321
- Po Valley (Italy), 254
- power, relationship between maize and, 222
- preceramic maize
  - Casma Valley (Peru), 163
  - Los Gavilanes (Peru), 179–80
  - in Peru, 204–9, 299–305, 311–19
- Pre-Columbian Exotic, 87
- presence–absence variation (PAV), 369–70
- priests, maize-related duties of Incan, 225–6
- primary association, 308
- primary genetic pool, 88
- primary races, 11
- primitive races, 11
  - in Mexico, 71
  - in Peru, 69, 70–1, 72, 83–4

- Princess Point culture, 119
- programmed cell death (PCD), 342
- Proto-Alazán race, 190
- Proto-Confite Morocho, 70, 276
- Áspero (Peru), 183, 301
- Ayacucho region (Peru), 201, 302
- Cerro El Calvario (Peru), 301–2
- Cerro Guitarra (Peru), 161
- ear structure, 483
- Los Cerrillos (Peru), 302
- Los Gavilanes (Peru), 36, 40, 114, 170–1, 300
- popcorns derived from, 84
- Tripsacum*, 36–7
- Proto-Kculli, 173
- Los Gavilanes (Peru), 170–1
- popcorns derived from, 84
- protracted age of plant domestication, 419–23
- Pueblo culture, 221
- Puente (Peru), 199
- Puerto Rico
- antiquity of maize in, 296
- archaeological evidence, 143
- pure maize, 175
- purple color of maize, 299, 373–6, 458, 464–5
- Purrón Cave, Tehuacán Valley (Mexico), 126
- pycnotic knobs, 108
- quantitative trait loci (QTLs), 349, 350, 361, 371, 385–6, 406–7
- Quebrada de Humahuaca (Argentina), 266–7
- Quebrada Seca 3 (Argentina), 219
- Quechua terms
- for chicha, 260–1
- for maize, 8
- Quiani (Chile), 210
- quids, 287
- quipu*, 226n5
- Quon, Dugane J., 149–51
- Rabo de Zorro race, 396
- races of maize. *See also specific races by name*
- analysis of diffusion of maize in South America based on existing, 82–8
- in Andean region, 280–8
- comparison of mitochondrial DNA in Andean and Mexican, 98
- general discussion, 9–13
- Peruvian, 285–6, 458
- and races of annual teosinte, 25
- recent research on, 451–6
- South American, ability to distinguish, 323–4
- Tripsacum* introgression, 37–8
- rachis tissue, differences between maize and teosinte, 47
- Rademaker, Kurt, 202–3
- Radrianasolo, A. V., 33–4, 35, 37, 74
- rainfall, and cultivation of maize, 6
- ramified ears, 174
- Randolph, L. F., 24–5, 45, 67
- Ranere, Anthony J., 76–7, 133–4, 140, 141, 288
- Raymond, J. Scott, 149–51
- Real Alto (Ecuador), 151–3
- reciprocal hospitality, 225
- reciprocity in Incan culture, 224, 244–6
- Reeves, R. G., 39, 49, 67–8
- relative chronology, 307
- religion, Incan, 246–8
- reproductive isolation mechanisms, 353–4
- retrotransposons, 446–7, 459–61
- retroviruses, 459–60
- Reventador race, 382
- revised tripartite hypothesis, 50–3, 480–1
- RFLP genotyping, 105–6
- rice, spikelet shattering in, 388
- rice bird, 293

## Index

581

- Rinderknecht, Andrés, 216  
 Río Seco del León (Peru), 158  
 rituals, Incan, 246–8  
 Rivera, Mario A., 73, 211–12  
 rolling-circle eukaryotic transposons, 461  
 Romania, cultivation of maize in, 254–5  
 Romero Cave (Mexico), 122–3  
 rondel phytoliths, 133  
 Rosamachay (Peru), 199–200  
 Rossen, Jack, 159–60  
 Ross-Ibarra, J., 432–5  
 Rovner, Irwin, 146  
 Rowe, John Howland, 226n4, 5, 298–9  
 Ruiz de Arce, Juan, 239
- sacred plant, maize as, 223–4  
 sacrifices, Incan, 246–8  
 Saint-Hilaire, A. de, 39  
 Salhuana, Wilfredo, 9, 11–12, 68–70, 78–9  
 salivation in preparation of chicha, 259, 262–5, 266–7, 268–9, 321  
 San Andrés, Tabasco (Mexico), 124–5  
 Sánchez-G., Jesús, 96–7, 100–1, 113  
 sand, cooking popcorn in, 306, 307  
 Sandweiss, Daniel, 202–3  
 San Marcos Cave, Tehuacán Valley (Mexico), 125, 127, 300  
 Sanoja, Mario, 82, 144–5  
 San Pedro Viejo de Pichasca (Chile), 214  
 Santana de Riacho (Brazil), 215  
*sara*, 236  
*Sara Onqoy*, 319–20  
 sardines, technique of planting maize with, 241–2  
 SBPs (synteny breakpoints), 386  
 Scandinavians, possibility of discovery of maize by, 15  
 scanning electron microscopy (SEM), 172–4  
 Schroeder, Steve G., 90  
 sea, distribution of domesticated maize by, 81, 293–4  
 Sears, Paul B., 58  
 secondary association, 308  
 secondary genetic pool, 88  
 secondary races, 11  
 seed dispersal, 2–3, 285  
   by birds, 71, 293, 473  
   in wild maize, 23  
 seeds  
   in primitive pod corn, 334–5  
   in teosinte versus maize, 28  
 selection, role in domestication, 4–5, 88, 322–3, 368  
 self-incompatibility (SI), 407–9  
 serological techniques used in taxonomic studies, 384  
*Setaria*, 65–6  
 Sevilla, Ricardo, 9, 11–12, 68–70, 78–9  
 sexual transmutation, 29–30, 42–3  
 Shady Solis, Ruth, 185–91, 208  
 shape of maize cob, 3–4  
*shicra*, 187  
 short tandem repeats (STRs), 377–9  
 SI (self-incompatibility), 407–9  
 silks, description of, 6  
 Silman, Miles R., 203–4  
 Silva y Guzmán, Diego de, 239  
 single nucleotide polymorphisms (SNPs), 340–1, 382  
 single sequence repeats (SSRs), 377–9  
 Sitio Sierra (Panama), 140  
 skeletons from Valdivia and Machalilla cultures, analysis of, 148  
 slave trade, 255  
 Smalley, John, 77  
 small-knob complex, 111  
 Smith, Bruce D., 95–6, 130–1, 272, 273, 309, 312

- Smith, C. Earle, Jr., 75, 193
- SNF (sub-neofunctionalization), 425
- SNPs (single nucleotide polymorphisms), 340–1, 382
- soil conditions, and phytolith formation, 116
- sora*, 262–3, 270
- sources, misuse of, 272–328
- South America. *See also* chicha
- ability to distinguish races from, 323–4
  - Andean region as independent center of domestication, 68–71
  - antiquity of maize in, 53
  - chromosomal knobs in races from, 468–70, 472–3
  - cultivation of maize, 322–3
  - differences between pollinic data and macro-remains, 294–8
  - different races in, compared to Central America, 68
  - diffusion of maize to, 79–88
  - direction of geographical movement of maize, 289–98
  - early data on maize in, 17–18
  - inconsistency of opinions regarding maize in, 311–19
  - independent domestication, 280–8
  - introduction of maize in, 283, 361–2
  - lack of teosinte introgression, 382–3
  - maize-*Tripsacum* introgression, 35
  - origin of maize in, 39
  - origin of manioc in, 290
  - physiographic differences between Mesoamerica and, 281–2
  - purple color of maize, 374–5
  - stages of dispersal in, 292
  - study of groups of alleles in, 97
  - study of microsatellite loci in Argentinean archaeological samples, 362–3
  - technique of planting maize with anchovies in, 241–2
  - teosinte alleles in samples from, 92
  - teosinte in, 74–5
  - time of arrival of maize in, 474–6
  - tripsacoid characteristics of maize, 107–8
  - tripsacoid maize, 74
  - Tripsacum australe*, 33
  - Tripsacum* introgression, 37–8, 74
  - varieties corresponding to stages of cultivation and domestication, 72–3
- south-central Mendoza (Argentina), 220
- south–north movement of maize, 289–98
- southwestern United States, 65, 120–1
- Spain, cultivation of maize in, 253
- Spanish conquest
- maize as seen by first Europeans, 234–49
  - major hybridization in Peru after, 85
- spatial isolation, 353–4
- speciation
- reproductive isolation mechanisms required for, 353–4
  - role of gene flow in, 431–5
- species evolution, 384–9
- spikelet shattering in rice, 388
- spinule patterns, 50
- squash, in balanced diet, 320–1
- SSRs (single sequence repeats), 377–9
- Stalker, H. T., 33–4, 37
- stalks, differences between teosinte and maize, 346–7
- Staller, John E., 153–4, 154n17, 273–4
- Stark, Barbara L., 312
- state banquets, role of chicha in Incan, 228–9
- Stec, Adrian, 44–5, 93–4, 95, 99–100, 101–2



## Index

583

- sterility, male, 412–15
- storage facilities, 243, 311, 316
- Stohtert, Karen E., 80, 153
- STRs (short tandem repeats), 377–9
- structure of maize plant, 400–2
- Stutervant, E. L., 9
- su1* (*sugary-1*) gene, 95–6, 356
- sub-neofunctionalization (SNF), 425
- sugar content of maize, 77–8
- Sundberg, Marshall, 105, 376
- sun god, Incan ceremonies related to, 247
- supergenes, 415–16
- Swallow Cave (northwestern Mexico), 122
- swamp sequences, presence of maize in, 294
- sweet corn
- Chullpi race, 70–1
  - in South America, 87–8
- Syllacio, Nicolo, 17
- synteny breakpoints (SBPs), 386
- Tablada de Lurin (Peru), 159
- Tabloncillo race, 83–4
- Taino language, 7
- Talbert, L. E., 35
- Tarapacá (Chile), 211
- tassels, 346, 400–1
- Taumulipas (northwestern Mexico), 122
- taxonomy, 8–13
- of Maydeae, biochemical techniques used in, 384
  - teosinte, 24–5
- tb1* (*teosinte branched 1*), 45, 94–6, 98, 99–100, 101, 102–3, 340, 356–7, 358–60, 403, 406–7, 416–17, 418–19
- Tcb1-s* gene, 410–12
- Tecorral Cave, Tehuacán Valley (Mexico), 127
- Tehuacán Valley (Mexico), 32
- characteristics of cobs found in, 347–8
- chronology of maize from, 129–31
- cobs from, 128
- Coxcatlán Cave, 126
- domestication hypothesis, 63, 64–5
- El Riego Cave, 126
- maize compared with teosinte, 39–40
- Purrón Cave, 126
- San Marcos Cave, 125, 127
- specimens found in caves, 125, 127
- Tecorral Cave, 127
- teosinte introgression, 341–2, 380
- wild maize, 127–9, 276–8
- Temple of the Sun (Coriancha), 243–4
- Tenaillon, M., 432–5
- teosinte (*Euchlaena*), 24–38
- cellular traits of caryopses, 342–3
  - Chalco (Mexico), 62, 123–4
  - chromosomal knobs, 106, 107, 108, 109
  - common ancestor for maize and, 344–6
  - compared genetically to maize, 91–106
  - comprehensive approach to origin hypotheses, 53–5
  - differences between *Zea* and, 24–5
  - dispersal of, 257
  - distinguished from maize with phase optics, 57
  - distinguishing pollen from that of early maize, 113
  - domestication of maize from, 102–3
  - ears of maize originated from, 7
  - E. mexicana*, 24
  - E. perennis*, 24
  - evidence of introgression in RFLP genotyping, 105–6
  - as food, 65
  - genetic similarities between maize and, 279

- teosinte (*Euchlaena*) (*cont.*)
- in Guilá Naquitz (Mexico), 138
  - hybridization with wild maize, 275–7
  - inflorescence development in maize and, 376–7
  - introgression, 39–40, 379–84
  - introgression of *Tripsacum*, 285
  - lack of evidence of mutation into maize, 279
  - versus maize, 3, 277–9, 379–80
  - missing evidence on interpretation of origin of maize as domesticate from, 355–8
  - newly discovered populations, 338–9
  - in South America, 37, 38, 74–5
  - species of, 8–9
  - tripartite hypothesis, 49–50
  - Tripsacum*, 32–8
  - wild maize as natural hybrid of *Tripsacum* and, 113
- teosinte branched 1 (tb1)*, 45, 94–6, 98, 99–100, 101, 102–3, 340, 356–7, 358–60, 403, 406–7, 416–17, 418–19
- teosinte glume architecture 1 (tga1)*, 93–4, 98, 340, 349–50, 365, 402–3
- teosinte hypothesis, 40–7, 338–42, 478–80
- Tepecintle race, 382
- TEs. *See* transposable elements
- tetraploids, 429
- tga1 (teosinte glume architecture 1)*, 93–4, 98, 340, 349–50, 365, 402–3
- TGA mutation, 31
- Thompson, Robert G., 153–4
- Tiliviche (Chile), 211–14
- time of arrival of maize in South America, 474–6
- Tisdale, Mary Ann, 149–51
- Toledo, Francisco de, 230–1
- Toledo, Mauro B. de, 203–4
- Towle, Margaret Ashley, 156
- TR-1 family, 467–8
- transcription factors, 403–4
- transposable elements (TEs), 358–9, 391, 446, 456–63
- epigenetic gene regulation
    - balancing transposons, 461–3
    - helitron* transposons, 461
    - retrotransposons, 459–61
    - transposons in Peruvian races of maize, 458
- transposon proliferation, 450–1
- transposons
- epigenetic gene regulation
    - balancing, 461–3
    - helitron*, 461
    - in Peruvian races of maize, 458
    - retrotransposons, 459–61
- Trapiche (Panama), 140
- tripartite hypothesis, 49–50, 108–9, 354–5
- tripsacoid maize, 35, 37
- characteristics, 288–9
  - chromosomal knobs, 108–9
  - general discussion, 33–4
  - in South America, 74
  - supergenes, 415–16
- Tripsacum*, 32–8
- chromosomal knobs, 108–9
  - crossings with maize, 333–4
  - distinguished from maize with phase optics, 57
  - ektexine patterns, 174–5
  - geographic centers of introgression with, 68
  - hybridization with maize, 29–30
  - as hybrid of maize and *Manisuris*, 53
  - hybrid of *Zea diploperennis* and, 52
  - introgression in maize, 105–6, 114, 481

## Index

585

- introgression in South America, 74  
 Los Gavilanes (Peru), 174–7  
*T. andersonii*, 35, 63, 318n19, 333  
*T. australe*, 85, 109  
*T. dactiloides*, 29–30, 36  
*T. maizar*, 32  
 tripartite hypothesis, 49–50  
 wild maize as natural hybrid of  
   teosinte and, 113  
 Tschauer, Hartmut, 207, 272  
 Tschudi, Juan Jacobo von, 260–1,  
   264–5, 269  
*Tu* (tunicate locus), 44–5  
 Tucker, Henry, 56–7, 113–14  
 tunicate locus (*Tu*), 44–5  
 Tuquillo (Peru), 165–6  
 Turkish grain, 19, 20  
 Turkish name for maize, 21  
 Tuxpeño race, 382
- Uceda Castillo, Santiago Evaristo,  
   163
- Umire, Adán, 202–3
- United States  
   archaeological evidence, 119–22  
   chromosomal knobs in races from,  
     470  
   cultivation in southwestern, 65  
   dating of specimens, 295  
   names for *Zea mays* in, 8  
*wrf13* gene, 414
- Uruguay  
   antiquity of maize in, 296  
   archaeological evidence, 215–16
- Valdivia culture (Ecuador), 145–54  
 Valdizán, Hermilio, 231–2, 269  
 Valenzuela Cave (Mexico), 123  
 van der Merwe, Nikolaas J., 192,  
   207, 272, 304  
 variability of maize, 375–6  
   analysis of, 104  
   in Andean region, 69–70, 98–9  
   Mexican versus South American  
     races, 284  
   Peruvian maize, 84  
   reduction of after domestication,  
     372–3  
   varieties of maize  
     description of by Bernabé Cobo, 238  
     used in chicha, 258–61  
 Vavilov, Nikolai Ivanovich, 38–9, 67  
 Vázquez de Espinosa, Antonio, 234,  
   242, 264  
 Venezuela  
   antiquity of maize in, 296  
   archaeological evidence, 143–4  
 Vescelius, Gary S., 193–4  
 Vigoroux, Yves, 96–7, 100–1, 113  
 Vikings, possibility of discovery of  
   maize by, 15  
*viñapu*, 263  
 Virgins of the Sun, 244  
 Virú (Peru), 222n1  
 Vroh Bi, Irie, 90
- Wang, Ron-Lin, 95, 99–100, 101–2  
 Waynuna (Peru), 202–3  
 Weatherwax, Paul, 47, 48  
 weeds, coevolution with crops, 387  
 Wendel, Jonathan, 44–5  
 wheat  
   coevolution of weeds with, 387  
   phytoliths formed by, 116  
 White, Shawn, 95  
 Wilcox, George, 4  
 wild maize, 23  
   annual teosinte formed by *Zea*  
     *diploperennis* and, 285  
   causes that led to disappearance of,  
     78  
   common ancestor theory, 344–6,  
     481–4  
   Coxcatlán Cave, Tehuacán Valley  
     (Mexico), 126  
   descriptions of, 23, 334–6

- dispersal of seeds by birds, 293
- domestication of, 54–5
- natural hybrid of teosinte and *Tripsacum*, 113
- origin of, 52
- origin of maize in, 39, 40, 275–8
- role of pedicel in shattering of seeds of, 342–58
- San Marcos Cave, Tehuacán Valley (Mexico), 125, 127
- Tehuacán domestication hypothesis, 63, 64–5
- Tehuacán Valley (Mexico), 276–8
- Wilkes, H. Garrison, 12–13, 23, 24, 43, 51, 280
- Willey, Gordon R., 179–80, 328
- Williams, Christopher, 203–4
- Wilson, Allan C., 91–3, 103, 324, 336–7
- Wittmack, Ludwig, 10–11
- Wolfe, M. K., 56
- women, production of chicha by, 225–6
- Wright, Stephen I., 90
- Xihuatoxtla Shelter (Mexico), 133–4
- Y1* allele, 372
- Yamasaki, Masanori, 90
- Young, Arthur, 253
- yucca (*Manihot esculenta*), 141, 150–1, 290
- Zapotec culture, 221
- Zárate, Agustín de, 241, 262
- Zarrillo, Sonia, 149–51
- Zea* genus. *See also Zea mays*
- cytoplasm, effect of on evolution of, 435–9
  - disagreement with including teosinte in, 24–5
  - faulty genealogical study of, 5–6
  - gene flow and divergence, 432–5
  - genetic transfer between *Tripsacum* and, 33–4
  - introgression between *Tripsacum* and, 63
  - pollen found in Mexico, 124–5
  - pollen in Guilá Naquitz (Mexico), 137–8
  - pollen in Iguala Valley (Mexico), 131–3
  - reasons for cultivation of, 66
  - species of, 8–9
  - teosinte assigned to, 24
  - Z. diploperennis*, 8, 9, 34–5, 36, 40, 51–2, 275–6, 365–6, 404–5
  - Z. luxurians*, 8, 89, 104, 108
  - Z. nicaraguensis*, 105, 376–7
  - Z. perennis*, 8, 9, 404
  - Z. silvestris*, 75
- Zea mays*, 9
- analysis of genetic differences between *Z. mays parviglumis* and *Z. luxurians*, 89
  - annual teosinte subspecies, 25
  - gametophyte genes as isolation mechanism in, 407–9
  - mutant forms, 13
  - names for, used in United States, 8
  - ssp. *mexicana*, 91, 108–9, 357, 363–4, 382
  - ssp. *parviglumis*, 89, 91, 96–7, 104, 354, 357, 382, 404, 405–6, 432–5
  - ssp. *peruviana*, 11
  - ssp. *umbilicata*, 11
  - ssp. *vulgata*, 10
  - subspecies, 8–9
  - Zea-Phaseolus-Cucurbita* complex, 320–1
- Zeevaert, Leonardo, 57–8
- Zevallos Menéndez, Carlos, 146–8
- zfl* genes, 431
- zfl2* gene, 388–9
- Zipacón (Colombia), 144