

Index

- Abbé theory of the microscope, 251
 aberration, 21, 253
 aberration correction, 253
 acetylene, 191, 413–16, 423
 action spectroscopy, 416
 activated process, 233, 441, 456, 458, 460
 adatom, 102, 224, 228, 233–4, 244–5, 278, 280, 342, 359–60, 362
 adiabatic isentropic expansion, 169
 adiabatic peak, 338–9
 adsorbate–adsorbate coupling, 412
 adsorption at surfaces, 8
 adsorption energy, 444, 446, 455, 461, 464
 adsorption kinetics, 7, 10
 AES, 12, 16–18, 36, 49–59, 75, 82, 85, 87, 91, 93–4, 96, 274, 328, 350, 381, 456–7, 464
 AES backscattering effect, 54
 AES diffraction effects, 55
 AES reference spectra, 55
 AES spectrum notation, 43
 AES XPS comparisons, 57
 AFM, 13, 219, 236–50, 274, 284–5, 370, 380, 434
 Ag{111}, 91, 94, 221, 363, 365
 Al{110}, 169, 432
 Al{111}, 220–2, 328, 487
 AM-AFM, 239
 amplitude-modulated AFM, *see* AM-AFM
 angle-resolved photoelectron spectroscopy, *see* ARPES
 ARPES
 anharmonic coupling, 384
 antiphase domain boundary, 102, 109, 113–15
 anti-Stokes radiation, 406
 appearance potential spectroscopy, 36
 Ar⁺ ions, 65–7, 83, 85–6, 91
 ARPES, 13, 267, 286, 288, 290–303, 305, 308, 311–13, 317, 320, 324, 329–31, 334, 360, 366, 380–1, 420, 429, 431–2, 434
 Arrhenius plot, 439
 atom diffraction, 167–80
 atom probe microscope, 274–84
 atom probe tomography, 283–4
 atomic force microscopy, *see* AFM
 atomic manipulation, 232, 416
 atomic mixing, 94
 atomic scattering factor, 111, 147
 atomic tomographs, 283
 attenuation length, 12, 15, 36, 41, 49, 93, 95, 125, 130, 143, 148, 152, 287
 Au atom clusters, 89
 Au(111), 105, 301
 Au{110}, 135–6
 Au{111}, 78, 89, 297–8, 300, 320
 Auger decay mechanism, 42
 Auger electron peaks, 42–3, 49
 Auger electron spectroscopy, *see* AES
 Auger electron spectrum, 51, 185
 Auger neutralisation, 68–9, 72, 322, 326–7
 Auger parameter, 348–9
 average periodicity, 114, 119
 back focal plane, 251
 backward–forward asymmetry in the photoelectron angular distribution, 167
 band gap emission, 294, 296
 Beer’s law attenuation coefficient, 388
 benzene, 91, 226, 421–2
 binding energy, 36, 43, 53, 69, 287, 292, 318, 327–8, 333, 339, 343, 348, 426
 binding energy, core levels, 36, 42–3, 52, 54, 71, 163, 182, 188, 286, 328, 336–7, 339–40, 342, 344–6, 348–9, 356
 binding energy, K-shell, 38
 binding energy, to the surface, 85–6, 234, 435, 443, 464
 BIS, 305, 308
 Bloch states, 295
 blocking cone, 81
 blocking dips, 209
 BN, 184
 bond strength, 11

- bound-state resonant charge exchange, 69
 Bragg angle, 161
 Bragg condition, 125, 144, 158, 161–3
 Bragg peaks, 125–6, 150, 153, 260
 Bragg reflection, 40, 162, 289
 Bravais lattice, 30
 Bravais net, 29–30, 32, 100
 bremsstrahlung, 38–9, 305
 bremsstrahlung isochromat spectroscopy, *see* BIS
 bright-field images, 254
 Brillouin zone, 289, 299, 302, 305, 329, 334, 360, 366
 buckled row model, 231
 buried interfaces, 41, 154, 466
- C_{60} , 94, 244–5, 247
 CAICISS, 204, 206
 calorimetry, 461, 467
 cantilever, 236–7, 239, 241–2, 380
 carboxylic acid, 441–2
 catalyst, 1, 34, 234, 274, 355, 357, 393
 $CeNi_2Ge_2$, 331
 centre of mass reference frame, 62
 CHA, 21–3, 37, 40, 253, 265, 299, 301, 320, 332
 characteristic line emission, 38, 43, 356
 charge density fluctuations, 365
 charge exchange, 16, 68, 70–3, 75, 280, 445
 chemical cleaning, 7
 chemical shifts, xii, 44, 58, 182, 269, 335, 340–3, 346–7, 349, 354, 420, 449
 chemical state specificity, 163
 chemisorption, 10, 259, 342–3, 346, 425, 455, 457–9, 461
 chirality, 441
 chromatic aberration, 310
 circular polarisation, 20
 CITS, 359–60
 Clausius–Clapeyron equation, 461
 cleavage, 3, 7
 cluster ion beams, 94
 CMA, 21–3, 450–1
 CO, 5, 8, 10, 87–8, 90, 174, 183, 202, 227, 233–4, 246–7, 263–4, 284, 343–4, 346, 355, 357, 387, 389–90, 392, 394–6, 400, 408, 410–12, 420, 424–5, 427–9, 432, 436, 441, 461
 coaxial impact collision ion scattering spectroscopy, *see* CAICISS
 coherence width, 109
 coherent fraction, 163
 coherent position, 163
 coincidence net, 31
 commensurate, 26, 30–1
 Compton scattering, 288
 concentric hemispherical analyser, *see* CHA
 configuration interaction, 337
 contact potential difference, 375, 378
 Cooper minimum, 46
 core hole, 38, 42–3, 49, 54, 71, 160, 193–4, 336–7, 355, 431, 447
 core-level binding energies, 37, 44, 50, 52, 182, 328, 335, 347
 core-level spectroscopies, 35, 328
 corrosion, 2, 96, 274, 285
 corrugation amplitudes, 223
 Coster–Kronig transition, 54
 Coulomb scattering, 63–4, 77
 Coulombic interaction, 314
 cracking pattern, 89
 critical angle, 147, 272
 crystal mosaicity, 161–2
 crystal truncation rods, 149, 152
 Cs ion bombardment, 87
 Cs^+ ions, 94
 Cu(111), 162–5, 231, 247, 302, 363
 Cu{100}, 66, 71, 74, 125–6, 138, 183, 257, 305–6, 413, 415, 420
 Cu{110}, 71, 187, 200, 227, 229, 402, 440–1, 443, 454
 Cu{111}, 41, 52, 71, 161, 198–9, 227, 232–4, 246, 292, 297, 301, 313–16, 319–21, 362, 365–6, 415, 418
 Cu{310}, 117
 Cu{410}, 117
 current-imaging tunnelling spectroscopy, *see* CITS
 cylindrical mirror analyser, *see* CMA
- dangling bonds, 221, 223, 256, 360
 dark-field images, 252, 256
 de Broglie wavelength, 107, 167, 176, 178–9
 Debye temperature, 132
 Debye–Waller factor, 132, 180, 195, 197, 330
 dehydrogenation, 423
 delta-doped layers, 93
 density functional theory, *see* DFT
 density of states, *see* DOS
 dephasing, 180, 330, 396
 deprotonation, 231, 440–2, 454
 depth distribution, 49, 80, 96
 depth profiling, 3, 5, 17, 35, 59, 76, 79, 83, 85, 91–4, 96
 depth resolution, 59, 76, 79, 94, 96
 desorption, 6–7, 11, 23, 91, 265, 279–81, 436–7, 439, 441, 457, 461, 466
 desorption energy, 435, 438, 467
 desorption spectrum, 438
 desorption techniques, 434–55
 DFT, 34, 213, 220, 231, 237, 248, 259, 343, 346, 381, 432, 434, 464
 differential conductance, 357, 414
 differential ion scattering cross-section, 62
 diffraction, 98
 diffuse LEED, *see* DLEED
 diffusion pumps, 6
 diode method to measure work functions, 375
 dipole excitation mechanism, 399
 direct methods, 123, 194
 direct transitions, 289, 334

486

Index

- dispersive analyser, 20, 23, 73, 194, 207, 302, 320
 dissociative adsorption, 437, 455
 DLEED, 190
 DOS, 328–9, 331, 333, 335, 367
 double alignment geometry, 209
 double collision trajectory, 67
 double scattering peak, 67
 dynamic AFM, 239–40
 dynamic dipole coupling, 391, 409
 dynamic SIMS, 83, 90, 92–3
 dynamical scattering, 161
- eddy current damping, 218
 effusive source, 168, 170
 eikonal approximation, 175
 elastic scattering, 12, 15–16, 47, 49, 55, 58, 60, 85, 108, 129, 138, 142, 145, 151, 190–1, 209, 211–12, 330, 400, 415–16
 electron density smoothing, 369
 electron diffraction, 3, 12, 55, 98, 103, 106, 137, 145, 224, 253, 256, 267
 electron dynamics, 321
 electron emission onset method to determine work function, 376
 electron gun, 11, 52, 107, 109, 141, 253, 311, 317, 375–6, 449
 electron imaging optics, 271
 electron ionisation, 18, 50, 53–4, 57, 449
 electron ionisation cross-section, 53
 electron optics, 251, 253, 262, 265, 299
 electron promotion, 70, 86
 electron screening, 63, 206
 electron spectrometer, 40, 272, 301, 399
 electron spectroscopy, 12, 23, 49, 68, 76, 273, 285, 321, 325, 346, 375, 420, 447, 449
 electron spectroscopy for chemical analysis, *see* ESCA or XPS
 electron stimulated desorption, *see* ESD
 electron stimulated desorption ion angular distributions, *see* ESDIAD
 electrostatic dispersive analysers, 60, 299
 electrostatic lenses, 18
 enantiomer, 441
 energy conservation, 288–90, 407, 417
 energy resolution, 20, 22, 76, 271, 273, 287, 300, 308, 312, 355
 energy level diagram, 37, 355, 357, 367
 energy-scan photoelectron diffraction, *see* PHD
 epitaxial films, 80, 142, 189, 229
 ESCA, 44, 335, 346, 354, 480, *see also* XPS
 ESD, 13, 443–55, 461
 ESDIAD, 13, 449, 453–5
 ethylene, 423
 ethylidyne, 91
 Ewald sphere construction, 99–100, 108, 138, 140, 148–9, 178–9
 EXAFS, xv, 192, 195–7, 199, 353–4, 470
 exciton lifetimes, 321
- experimental time scales, 4
 exposure, 9–10, 230, 263, 342, 390, 408, 421, 456–7, 460
 extended zone scheme, 289, 299, 330
- Fabry–Pérot interferometer, 108, 130
 Fabry–Pérot resonator, 364
 FAD, 176–80, 202, 211
 Faraday cup, 108
 fast atom diffraction, *see* FAD
 FEM, 13, 274, 278, 370, 372
 Fermi contours, 267, 301
 Fermi Golden Rule, 45
 Fermi sphere, 289
 Fermi surface, 289, 301, 366
 field desorption, 279
 field emission, 370
 field emission determination of work function, 370
 field emission microscopy, *see* FEM
 field evaporation, 233, 278–81
 field ion microscopy, *see* FIM
 field ionisation, 274–6, 278, 280–1
 FIM, 13, 274–84
 final state, 42, 46, 48, 50, 191, 202, 291–7, 299, 302, 304–7, 309–11, 334, 336, 339, 341, 344, 347–50, 353, 356, 394, 426–7, 431, 433–4, 445–6
 final-state configuration interaction, 337
 fine structure function, 194
 first-order desorption, 436–7
 first-order scattering, 183, 185
 flash desorption, 436
 FM-AFM, 239, 244
 formate, 200, 202, 402–3, 405, 415, 441
 forward scattering peaks, 183
 Fourier component, 163, 252
 Fourier transform, 117–18, 121–3, 152, 154, 175, 191, 194–5, 197, 251, 366, 389, 432
 Fourier transform infrared (FT-IR) spectrometer, 390
 Fowler–Nordheim equation, 370
 Franck–Condon principle, 445
 Fraunhofer diffraction, 112, 250
 free-electron lasers, 408
 frequency-modulated AFM, *see* FM-AFM
 Fresnel diffraction, 254
 Fresnel zone, 109, 272
 Friedel oscillations, 364–6
 Friedel’s rule, 155
 functionalised tips, 223, 227, 246, 285
- GaAlAs diode laser, 317
 GaAs{100}, 143, 145, 154
 GaAs{110}, 225
 GaN(0001), 311
 GaP(110), 207
 GaP{110}, 206
 gas-phase ionisation energies, 422, 424
 gas temperature, 9, 169, 436
 geometrical structure factor, 112, 120, 150, 160

- glide symmetry, 27, 102, 105, 392
 global, 389
 grain boundary embrittlement, 2
 graphene, 260–1, 267–8, 300, 313, 434
 grating monochromators, 40
- H⁺ ions, 58, 75, 77–8, 81, 207–8, 454
 hard collision, 70–1
 hard-wall atom–surface potential, 173
 hard X-ray photoelectron spectroscopy, *see* HAXPES
 Hartree–Fock–Slater atomic model, 47
 HAS, 13, 168, 170–1, 173–5, 179–80, 211, 416, 419
 HAXPES, 329, 331, 333–4, 381
 He discharge lamp, 36
 He⁺ ions, 58, 60–1, 63–4, 67, 69–72, 74–5, 79, 202, 204–6, 322–3
 HEIS, 13, 60, 65, 75–7, 79, 96
 helium atom scattering, *see* HAS
 heterogeneous catalysis, vii, 1, 235, 284
 heterojunctions, 93
 HfO₂, 79–80, 82
 high energy ion scattering, *see* HEIS
 high-resolution electron energy loss spectroscopy, *see* HREELS
 highest occupied molecular orbital, *see* HOMO
 high-resolution TEM, 252
 hole–hole interaction energy, 347
 hole–hole repulsion, 350
 hologram, 157, 190
 HOMO, 227–8, 423, 434
 Hooke’s law, 236–7
 HREELS, 13, 88, 383, 397–406, 409, 412, 415, 418–19, 423, 437, 465–6
 hydrogen bonding, 248
- IETS, 383, 412–14, 466
 iHAS, 416–20, 466
 image inversion, 223
 image potential, 275, 313, 315–16, 371, 374
 image state, 313, 319–20
 impact parameter, 62–3
 impact scattering, 399–401, 403
 impact scattering selection rules, 402
 InAs{001}, 154
 incommensurate, 30–1
 inelastic electron scattering, 12, 294
 inelastic electron tunnelling spectroscopy, *see* IETS
 and STM-IETS
 inelastic helium atom scattering, *see* iHAS
 inelastic ion scattering, 75
 inelastic phonon scattering of electrons, 400
 inelastic scattering, 12, 15, 49–50, 54, 75, 77, 111, 127, 129–31, 137, 179–80, 195, 210, 294, 296, 324, 329, 339, 398–9, 406, 415–16
 inelastic scattering mean free path, 12, 138, 179, 294, 329
 infrared ellipsometry, 384
 infrared reflection, 384
- infrared reflection–absorption spectroscopy, *see* IRAS
 or RAIRS
 initial state, 42–3, 45–6, 202, 290–2, 296, 302, 305, 307–8, 310, 312, 318, 322, 330, 334–5, 339, 341, 345–6, 349, 426–8, 431
 inner potential, 122, 125, 131, 134, 316
 INS, 13, 321–8
 InSb{100}, 152
 insertion devices, 19
 interatomic bond imaging, 247
 interface contamination, 3
 interface interdiffusion, 3
 intergranular fracture, 2
 intramolecular excitations, 200
 intramolecular scattering, 182, 189, 212, 353, 433–4
 intrinsic loss, 48, 339
 inverse photoemission spectroscopy, *see* IPES
 ion bombardment, 3, 7–8, 84, 87, 89, 434
 ion core scattering, 127
 ion escape probability, 69
 ion neutralisation spectroscopy, *see* INS
 ion pumps, 6
 ion scattering spectroscopy, *see* ISS
 ion sputtering, 35, 85–6, 91, 96
 ion straggling, 79
 ionisation loss spectroscopy, 36
 IPES, 13, 303–17, 359–60, 429
 IR emission, 462
 Ir{111}, 280
 IRAS, 13, *see also* RAIRS
 isochromat detectors, 309–10, 312
 ISS, 58–82
 ISS mass resolution, 62
- jellium, 16, 341, 365, 368–9
- K _{α} X-ray emission, 37
 k_{||} conservation, 294, 299
 k-conservation, 290, 294, 305, 311
 Kelvin probe, 378–9, 382
 Kelvin probe force microscopy, *see* KPFM
 Kikuchi patterns, 55
 kinematical theory, 109, 119–20, 125, 150
 King and Wells method, 459–60, 463
 Knotek–Feibelman mechanism, 447
 Knudsen cells, 168
 Knudsen number, 168–9
 KolibriSensor, 241
 Koopman’s theorem, 336, 340
 KPFM, 379–80
 k-resolved inverse photoemission spectroscopy, *see* KRIPES
 KRIPES, 305, 308, 311–13, 317, 381
- laboratory frame of reference, 58
 langmuir unit, 9–10, 473
 Langmuir adsorption, 10

- laser-induced thermal desorption, *see* LITD
 lateral manipulation, 233–4, 236
 lattice sum, 112, 114, 119
 Laue conditions, 125, 151
 LDOS, 220, 222–3, 227, 357, 361–4, 381
 LEED, vii, 12–13, 16, 23, 88, 103, 105–39, 141–2, 145–6, 148–50, 152, 154, 167, 175, 179, 181, 184, 187, 189–90, 195, 197, 207, 210–11, 231–2, 250, 253, 257, 259, 261, 285, 294, 296, 303, 308, 330, 375, 392, 400, 402, 449, 457–8, 471
 LEED *I-E* spectrum, 125, 133, 145, 258, 285
 LEED optics, 25, 107, 119, 141
 μ LEED, 106
 LEEM, 13, 17, 250–62, 265, 267, 269, 271, 285–6, 300
 LEIS, 13, 16–17, 60–75, 77, 86, 96, 206, 208, 212
 LEIS structure determination, 203
 Lennard-Jones potential, 237
 Li^+ ions, 72–3, 204
 LiF, 168, 177, 310
 linear extension resonator, 242
 line-of-sight mass spectrometry, *see* LOSMS
 LiRh_2O_4 , 331
 LITD, 265
 local density of states, *see* LDOS
 local electron scattering, vii, 180
 local structure, 180, 187, 189–90, 192–3
 local work function, 216, 261–2
 LOSMS, 436
 low energy electron diffraction, *see* LEED
 low energy electron microscopy, *see* LEEM
 low energy ion scattering, *see* LEIS
 lowest unoccupied molecular orbital, *see* LUMO
 LUMO, 228, 429, 434
- Mach number, 169
 magnetic sector mass spectrometers, 90
 mass resolution in ion scattering, 62
 mass resolving power, 60
 mass spectrometer, 82, 89, 168, 282, 436, 449, 457, 460, 463
 Maxwellian energy distribution, 168
 MBE, 3, 138, 142–3
 mean free path, 12, 64, 108, 111, 130–1, 138
 medium energy ion scattering, *see* MEIS
 MEIS, 13, 60, 65, 75–82, 92, 96, 207–9, 212, 231
 MEIS surface structure determination, 207
 MEM, 261, 269–70
 Menzel–Gomer–Redhead mechanism, *see* MGR mechanism
 mercury cadmium telluride sensor, 462
 metal–semiconductor junctions, 3
 metastable He^* atoms, 324, 327
 $\text{MgO}\{100\}$, 145, 326
 MGR mechanism, 444, 447–8
 MIES, 321–8, 429
 minimum energy, 34, 290, 368
- mirror electron microscopy, *see* MEM
 mirror symmetry, 27, 105, 261, 295–6, 312, 426, 429, 432, 441
 missing beams, 103
 missing row structures, 229, 231
 molecular beam, 138, 168, 459–60, 462
 molecular beam epitaxy, *see* MBE
 molecular beam scattering, 13
 molecular dynamics calculations, 86, 91, 95
 molecular manipulation, 416
 molecular orbital energies, 420
 molecular orbital photoemission, 423, 427
 molecular orbital states, 226, 295, 424, 426
 Molière approximation, 63
 momentum conservation, 58, 98, 288, 330, 357, 407, 417
 monochromator, 18, 39–41, 56, 271, 312, 389–90, 398, 408
 monolayer adsorption time, 5
 monolayer definition, 8
 Monte Carlo calculations, 83, 209
 Morse potential, 237
 Mott polarimeter, 302–3, 317, 327
 muffin-tin model, 127
 multiple excitations, 398
 multiple scattering, 65, 67, 72–3, 75, 108, 111, 119–20, 123, 125, 127–8, 130–1, 133, 135, 145–6, 149, 151, 187, 189–91, 197, 199–201, 210, 257, 296, 315, 364, 400, 402
 multipole wiggler, 19
- NaCl , 168, 310, 462
 nanomaterials, 3
 nanoscience, vii, 3
 NC-AFM, 239–40
 Ne^+ ions, 60, 65, 67
 near-ambient pressures, 2
 near-edge X-ray absorption fine structure spectroscopy, *see* NEXAFS
 nearly-free-electron model, 288, 316
 negative ion resonances, 404
 neutralisation, 16, 68–9, 71–3, 75, 86, 96, 204, 322, 324–5, 327, 350, 445
 NEXAFS, 13, 193, 199–200, 202, 271, 328, 353, 405, 431, 441, 472
 $\text{Ni}\{100\}$, 9–10, 32, 61, 64, 71, 91, 174, 183, 191, 202, 307, 397, 400, 410, 429, 432, 457–8
 $\text{Ni}\{110\}$, 72–3, 132–3, 205, 233, 402–3, 405
 $\text{Ni}\{111\}$, 77–8, 175, 184, 391–3, 409, 421, 423, 453, 458
 NiO , 77, 458
 NIXSW, 162–4, 167, 212, 231
 non-activated process, 456
 non-contact mode AFM, *see* NC-AFM
 nozzle beam source, 168
- O_2^+ ions, 87, 94
 optical microscope, 250–1

- orbital tomography, 431–2, 466
- oscillations in reaction kinetics, 394
- outgassing, 6, 38
- overlayer structures, 30
- oxide supports, 2
- parallel detection, 23, 73, 300, 310, 380, 408, 433
- partial-wave summation, 128
- particle in a box, 363
- Patterson function, 121–2, 155, 157, 175
- Pauli exclusion principle, 236
- Pauli repulsion, 236
- Pb{111}, 367, 418
- Pd{100}, 88, 461
- Pd{111}, 442
- PED, 13, 181–2, 187, 190, 194–5, 211–12
- PEEM, 13, 253, 261–71, 273–4, 285, 300, 381, 394
- penetration depth of X-rays, 48
- Penning ionisation, 323, 325
- Penning ionisation electron spectroscopy, *see* PIES
- phase problem, 121
- phase shift, 111, 182, 194–5, 315
- PhD, 13, 181, 186–7, 189–91, 194–7, 202, 212, 468, 474
- photoelectron diffraction, 181 *see* PED, PhD *or* XPD
- photoelectron emission microscopy, *see* PEEM
- photoelectron energy spectra, 291
- photoelectron holography, 190
- photoemission cross-section, 307
- photoemission determination of work function, 370
- photoemission matrix element, 295
- photoemitting atom recoil, 334
- photoionisation, 42, 45, 47–9, 52–3, 186, 191, 194, 196, 201, 309, 328–9, 336, 431, 449
- photoionisation cross-section, 45, 47, 49, 328–9, 449
- photoionisation threshold, 47
- photon emission cross-section, 307
- photon energy, 36
- photon ionisation, 50
- photon sources, 38
- photon stimulated desorption, *see* PSD
- physisorption, 10
- physisorption state, 455
- PIES, 325, 327
- piezoelectric components, 218
- plane mirror analyser, 21
- plane-wave approximation, 431–2, 434
- plasmon energy, 295, 338
- plasmon frequency, 45
- plasmon losses, 338–9
- plasmon oscillations, 406
- point group, 27, 103, 105, 115, 426
- polarisation, 20, 161, 170, 195, 198, 201, 277, 281, 296, 300, 302, 312, 317, 324, 331, 347, 384, 387–8, 390, 400, 425–6, 428, 432
- polarisation modulation, 390
- position-sensitive detector, 23, 236, 282, 299, 310, 408, 449
- precursor state, 456, 458
- pressure gap, 2, 409
- primitive translation vectors, 30–3, 98, 101, 105, 114
- promoters, 2
- PSD, 13, 444, 448, 450, 452
- pseudo-binary collisions, 67
- Pt{100}, 393, 395, 408
- Pt{110}, 263–5, 394
- Pt{111}, 91, 174, 226, 362, 387, 396, 408, 410, 434, 462–3
- Pt{211}, 463
- Pt₂₅Rh₇₅, 81, 92, 227
- pump and probe photons, 318, 321
- pumping speed, 436, 460
- pyridine, 91
- pyroelectric materials, 462
- qPlus sensor, 241, 244, 246
- quadrupolar corrections in photoemission, 167
- quadrupole mass spectrometer, 90, 450
- quantum mechanical tunnelling, 228
- quantum size effects, 4
- quasi-elastic (QE) HAS, 420
- quasi-resonant charge exchange, 69
- radiation damage, 57, 172
- rainbow scattering, 174, 178
- RAIRS, 13, 383–97, 400, 402, 405, 408–9, 412, 415, 419, 423, 465–6
- Raman spectroscopy, 406
- reciprocal lattice, 98, 100, 138–41, 149, 151–2, 158, 288–9, 292, 330
- reciprocal lattice rod, 100, 145–6, 152
- reciprocal net, 98
- recoil energy loss, 58, 335
- reduced zone scheme, 288–9
- reflection high energy diffraction, *see* RHEED
- reflection–absorption infrared spectroscopy, *see* RAIRS
- re-ionisation, 70, 72
- reliability factor, *see* R-factor
- repulsion energy, 464
- resolving power, 22–3, 40, 60–1, 328–9
- π -resonance, 201–2, 431
- σ -resonance, 201, 405
- resonant charge exchange, 68
- resonant inelastic X-ray scattering, *see* RIXS
- resonant ionisation, 70, 322, 325, 327
- resonant neutralisation, 70
- resonant X-ray Raman spectroscopy, 356
- retarding field analyser, 449, 452
- R-factor, 134–6
- Rh{111}, 343–4, 346, 425
- RHEED, 13, 137–46, 179, 211
- RHEED pattern streaking, 141
- RHEED structure determination, 145
- RIXS, 355–7

490

rocking curve, 160–2
 rod scans, 149, 153, 155, 157, 189
 rotation axes, 27
 rotational symmetry, 143, 199
 Rowland circle, 40
 Ru(0001), 185, 187, 258–9, 411, 454
 Rutherford backscattering, xv, 60, 63, 76
 Rydberg series, 314, 319

SAM, 13, 57, 272–4, 285, 378
 satellite peaks, 48
 SCAC, 14, 462, 464
 scanning Auger electron microscopy, *see* SAM
 scanning photoemission microscopy, *see* SPEM
 scanning tunnelling microscopy, *see* STM
 scanning tunnelling spectroscopy, *see* STS
 scattering angle, 60–1, 63, 66, 72–4, 111, 123, 158, 160, 174, 176, 188, 195, 204, 207
 scattering phase shifts, 128
 scattering trajectory, 62, 64
 Schottky saddle, 281
 SCLS, 344–5
 screening length, 63
 second harmonic generation, *see* SHG
 secondary ion mass spectrometry, *see* SIMS
 second-order desorption, 437
 second-order focussing, 21
 segregation, 2, 8, 96, 346
 selection rules, 46, 200–1, 295, 312, 322, 324, 397, 402–3, 405–6, 415, 426, 428, 431–2
 selective sputtering, 92, 96
 selvedge, 25–6, 30–1, 100–1
 sensitivity factors, 48
 SERS, 406
 SEXAFS, 14, 17, 192–3, 196–9, 202, 211–12, 231, 328, 331, 470
 SFG, 383, 407–10, 412, 466
 shadow cone, 63–5, 202–3
 shadow cone radius, 64
 shadowing, 16, 64, 68–9, 76–7, 79, 81, 199, 204, 209–10
 shadowing direction, 77, 79
 shake-off, 48, 336, 338
 shake-up, 48, 336–7, 339
 Sherman function, 302
 SHG, 407
 Shockley surface state, 297, 300–1, 313, 316, 319–20, 363
 SI units, 4
 Si{100}, 32, 191, 256
 Si{111}, 3, 7, 154, 156, 224, 234, 240, 242, 244–5, 248, 251, 254–6, 359, 361, 420
 SiC(0001), 145
 simply related surface meshes, 33
 SIMS, xv, 14, 17, 58–9, 82–91, 93–4, 96, 434
 SIMS response function, 93
 SIMS, charge fractions, 86

Index

single crystal adsorption calorimetry, *see* SCAC
 single scattering, 63, 65, 67, 72, 111, 119–20, 125, 130, 175, 189, 194–6
 SiO₂, 79, 327
 skimmer, 169
 Smoluchowski smoothing, 369
 Snell's law, 147
 soft manipulation, 233
 space charge, 94, 318
 space group, 102, 105
 SPA-LEED, 119
 spectral brilliance, 18
 SPEM, 262, 272–4, 285
 spin-polarised electron gun, 317
 spin-polarised KRIPES, 317
 spin-polarised LEEM, 261
 spin-polarised photoemission, 302
 spot-profile-analysis LEED, *see* SPA-LEED
 sputtering theory, 84
 sputtering yield, 84, 93–4
 SRIM software package, 82, 483
 SrTiO₃(001), 141–2, 144
 SSIMS, 83, 87–9, 91
 stacking fault, 225, 243, 360
 standing wave bound states, 364
 standing X-ray wavefield (SXW), 158–9, *see also* NIXSW
 static SIMS, *see* SSIMS
 stereograms, 28
 sticking coefficient, 5, 456–7, 459, 460, 463
 sticking probability, 10, 456, 460
 STM, ix–x, 3, 14, 17, 34, 154, 173, 213, 215–36, 239–40, 242–6, 249–50, 255, 274, 279–80, 284–6, 357, 360–3, 365–6, 370, 412–13, 416, 434–5, 466
 STM-IETS, 412–16
 stochastic process, 79
 Stokes radiation, 406
 Stranski–Krastanov growth, 143
 structure factor, 112, 122, 137, 147, 175
 STS, 357–68, 434
 STS measurement of work function, 373
 sublimation energy, 85, 281
 substrate, 7, 9–10, 15, 25–6, 30–1, 33, 54–5, 64, 75–6, 78–9, 91, 100, 102–5, 114–15, 120, 130, 143–4, 148–50, 152, 154, 159–62, 165, 175–6, 181, 183, 185, 202, 210, 212–13, 226–8, 231–2, 243, 270, 342, 384, 386, 388–9, 391, 397, 402–3, 405, 426–7, 429, 433, 444, 453, 462
 subsurface composition, 3, 17, 59, 81, 96
 sum frequency generation, *see* SFG
 sum rule, 48, 339
 superconducting gap, 367
 supersonic nozzle, 170
 surface analysis, 4, 8, 35, 40, 44, 76, 82, 84, 91, 96, 285, 303
 surface annealing, 8
 surface cleaning, 4

- surface composition, vii, xii, 3, 5, 17, 35, 43, 52–5, 57, 59–60, 68, 71, 73, 75–6, 79, 81–2, 93, 96, 209, 287, 339, 347, 467
 surface contamination, 4
 surface core-level shift, *see* SCLS
 surface corrugation, 173–4, 176, 211, 220, 234, 245
 surface crystallography, 25, 30
 surface damage, 83
 surface dipole, 369, 388, 397
 surface domains, 102–5, 111, 114–16, 119, 139, 231
 surface enhanced Raman spectroscopy. *see* SERS
 surface extended X-ray absorption fine structure, *see* SEXAFS
 surface islands, 102, 143, 257, 395
 surface microscopies, 215–86
 surface net, 98
 surface oxide, 259, 449
 surface peak in ion scattering, 77
 surface phonon, 403, 417, 419, 466
 surface photoeffect, 295
 surface plasmon modes, 406
 surface potential, 168, 170–3, 179–80, 239, 316
 surface reconstruction, 3, 231
 surface sensitivity, 11, 108, 146, 412
 surface specificity, 11–12, 16, 27, 41, 44, 49, 57, 64–5, 68–9, 73, 75, 77, 106, 108, 137, 146, 148, 160, 174, 193, 287–8, 294, 324, 327, 329, 342, 381, 419
 surface state, 292
 surface steps, 116
 surface stoichiometry, 3
 surface structure classification, 31
 surface structure determination, 81, 98–214, 231
 surface symmetry, 25
 surface vibrations, 77, 132, 400, 406
 surface X-ray diffraction, *see* SXRD
 surface-localised state, 292
 SXRD, 14, 109, 145–57, 189, 210–11, 213
 symmetry operations, 27–8
 symmetry selection rules, 200, 429, 432
 synchrotron radiation, 18–19, 37, 41, 46, 57, 146, 148, 182, 185, 211–12, 267, 269, 271, 273–4, 287–8, 296, 300, 308, 312, 329, 331, 339, 341, 380, 405, 425, 429, 450
 system baking, 6

 Tamm states, 361
 tapping mode AFM, 239
 tartaric acid, 441–2
 TEAS, 168, *see also* HAS
 TEM, 250–1, 253, 256, 261
 temperature programmed desorption, *see* TPD
 temperature programmed reaction spectroscopy, *see* TPRS
 tensor LEED, 130
 terrace–ledge–kink model, 116, *see also* TLK
 thermal desorption, 434, 436, 461
 thermal diffuse scattering, 139, 148, 190, 196
 thermal energy atom diffraction, 167–76, *see also* HAS
 thermal vibrations, 67, 77, 81, 131, 148, 209, 334
 thermionic emitter, 311, 317, 369
 Thomas–Fermi screening function, 63
 Thomas–Fermi–Molière potential, 64
 three-step model of photoemission, 48, 293–6
 time of flight, *see* TOF
 TiN, 274
 TiO₂(110), 340, 341, 389
 tip changes, 227
 TLK, 116
 TOF, 23, 73, 90, 282, 419, 451
 TOF analysers, 90
 TOF spectrum, 74, 418–19, 451
 total electron yield, 194
 total external reflection, 146–7
 total ion scattering cross-section, 62
 TPD, 14, 435–6, 438, 440, 456, 461, 466
 TPRS, 440–1, 466
 trajectory-dependent Auger neutralisation, 71
 transfer width, 109–10, 138, 141
 transferable phase shifts, 195
 translational symmetry, 25, 27, 31, 98, 102, 108, 119
 transmission bands, 389
 transmission electron microscopy, *see* TEM
 trial-and-error methodology, 34, 120, 135, 137, 154–5, 181, 187, 190–1, 195, 206, 214, 229
 triangulation, 165, 294
 tunnelling, 216
 tunnelling conductance, 219, 360, 416
 tunnelling matrix element, 221
 tunnelling probability, 69
 turbomolecular pumps, 6
 two-body collision, 58
 two-dimensional periodicity, 3, 25–6, 129, 150
 two-dimensional point groups, 28
 two-dimensional space groups, 29
 two-hole density of states, 350
 two-photon photoemission (2PPE), 318–21, 381

 UHV, 2–7, 16, 18, 35, 38–9, 106, 142, 210, 234, 240, 251, 262, 285, 303, 309, 355, 372, 390, 405, 408–10, 435, 459, 465
 Ullmann reaction, 234
 ultra-high vacuum. *see* UHV
 ultraviolet photoelectron spectroscopy, *see* UPS
 undulator, 296
 UPS, 14, 37, 48, 287–303, 322–3, 325–6, 328, 359–60, 378, 382, 420–9, 431

 V₂O₃(0001), 78
 valence-band photoemission, 287–303, 328
 van der Waals forces, 10, 170, 236, 240
 vertical manipulation, 233–4
 vertical transitions, 288, 334
 vibrating capacitor method, 378
 vibrational amplitude, 132, 239, 244, 246, 330
 vibrational damping, 218

492

Index

- vibrational linewidth, 396
- vibrational modes, 91, 334, 384–5, 397, 400, 402, 407, 409, 412, 414–16, 419, 464, 466
- vibrational spectroscopies, 120, 383–412
- vibrationally mediated surface chemical transformations, 416
- vicinal surfaces, 116–17, 119, 369
- Victoreen formula, 329

- W{100}, 437, 448, 450–3
- W{110}, 259–60
- wavenumbers, 383
- wiggler, 19
- Wigner–Seitz cells, 369
- Wood notation, 32–3
- work function measurement, 14, 368–80

- XANES, 193, 199, 271, 353, 355, 357, 381, 431, 470
- XMCD, 271
- XPD, 13, 183–4, 189, 193, 199, 333
- XPS, xii, 12, 14, 16–18, 36–51, 53–9, 75, 82, 85, 87, 92–4, 96, 163, 182, 267, 269, 274, 287, 295, 328–30, 334–49, 354, 381, 420, 430, 456, 464, 470
- XPS–AES comparisons, 57
- X-ray absorption, 160
- X-ray absorption fine structure, *see* EXAFS, SEXAFS, XANES, NEXAFS
- X-ray diffraction, 18
- X-ray emission, 39, 54, 57, 160, 193, 355–6, 381
- X-ray fluorescence, 16
- X-ray magnetic circular dichroism, *see* XMCD
- X-ray photoelectron diffraction, *see* XPD
- X-ray photoelectron spectroscopy, *see* XPS
- X-ray photoelectron spectrum, 41
- X-ray refractive index, 146
- X-ray source, 18, 38–9, 41, 43, 48, 57, 304–5, 356
- X-ray standing waves, 157–67, *see also* XSW and NIXSW
- XSW, 160, 162, 164, 167

- zero energy emission, 378
- zero-order diffraction, 182