

Index

- 1-trick (use with Cauchy–Schwarz inequality), 520
- A posteriori* probability, 65, 66
- A priori* probability, 65, 66
- a.e. (a.c., a.s.), *see* Almost everywhere
- Absolutely continuous distribution, **403**, 508, 558
- Accumulated entrance fee, 585, 587, 605
- Accumulation point, 712
- Additivity
- of expectation, **216**, 222, **234**, 326, 328, 333, 334, 342, **429**, 431, 433, **446–449**, 451–455, 458, 460, 462, 475, 477, 502, 503, 517, 552, 569, 583, 589, 661, 662, 703, 722, 733, 742, 746, 752, 756, 757
 - of Laplace transforms, 531
 - of measure, **16**, 18, 19, 22, 23, 37, 41, 42, 47, 48, 56, 72, 89, 93, 97, 202, 203, 256, 267, 289, 302, **372**, **373**, 378, 390, 398, 552, 657, 714
 - of variance, **216**, **234**, **477**, 743, 746
- Adjacent vertices in a graph, 102, 394
- Admissible
- function, 732, 733
 - permutation, 133
- Affine shift, 716
- Aldous, D.*, 651*n*
- Algebra of events, 14–16, 33, 384
- Alm, S. E.*, 686*n*
- Almost everywhere, **156**, **380**, **407**, 441, 448, 460, 462, 464, 593, 595, 596, 599, 600, 784, 785, 787
- Aloha protocol, 276, 277, 761
- Altitude, 518
- Ancestor (of vertex), 687
- Ancillary
- permutation, 676
 - random variables, 597, 670, 673
- André, D.*, 246
- Anomalous numbers, 290
- Antheil, G.*, 138*n*
- Approximation
- by simple functions, 439, 442–444, 463, 466
 - by smooth functions, 698
 - of measure, 392
 - of sum by integrals, 60, 69, 204, 458, 591, 649, 742, 746
- Arc length distribution, 281
- Arc sine
- density, 206, **307**
 - distribution, **307**, 690
 - law, 205, **250**, 307, **555**, 690
- Arithmetic
- distribution, **198**, 197–200, 508, 557, 710
 - mean, 481, 499, 500, 505
 - random variable, **197**, 401, 449, 654, 656
 - sequence, 112, 113, 130, 131
- Arzelà, C.*, 707*n*
- Arzelà–Ascoli theorem, 707, 708, 716
- Ascoli, G.*, 707*n*
- Associative memory, 193
- Asymptotic expansion, 363
- Atoms of a discrete distribution, 401
- Authalic problem, 497
- Auxiliary randomisation, 132, 597, 599
- Axiom of choice, 392
- Axioms of probability measure, 16
- Azuma’s inequality, 647
- $\mathfrak{B}$, *see* Baire class
- $\mathcal{B}$, *see* Borel σ -algebra
- $\overline{\mathcal{B}}$, *see* Extended σ -algebra
- $b_n(k)$, $b_n(k; p)$, *see* Binomial distribution
- Bachelier, L.*, 349
- Backoff time, 277
- Baire
- class, 411
 - function, 409–411, 418, 470, 471, 490
- Baldi, P.*, 518*n*
- Ball in n dimensions, 295, 492–494, 498–500, 503, 504, 684
- Ballot
- problem, 44, 66
 - theorem, 46, 247
- Banach space, 484
- Banach’s match boxes, 261, 273
- Barbour, A. D.*, 668*n*, 678, 679*n*, 681*n*, 684*n*
- Bartholdi, J. J.*, 642*n*, 645, 646
- Base of number representation, 156, 158, 159, 378
- Basel problem, 123*n*, 594
- Bayes optimal decision, 66
- Bayes’s rule for events, **56**, 66
- Bayesian prior, 62, 306
- Beardwood, J.*, 649*n*
- Beardwood–Halton–Hammersley theorem, 649
- Bell

Index

- curve, 163, 164
- number, 653
- recurrence, 653
- Bell, R.*, 606*n*
- Benford, F.*, 290*n*
- Bennett’s inequality, 647
- Bent
 - binary digit, 150, 161, 162
 - coin, 20, 184, 196, 235, 425
- Berend, D.*, 653*n*
- Berkeley, G.*, 772
- Berlekamp, E.*, 131
- Bernoulli
 - model of diffusion, 68
 - schema, 235–274
 - trials, 20, **235–237**, 402, 420, 425, 430, 433, 442, 508, 510, 520, 524, 525, 551, 552, 559, 568, 572, 583, 595, 611, 614, 616, 620, 646, 661, 662, 718, 720, 746, 763
- Bernoulli, D.*, 585
- Bernoulli, J.*, 235
- Bernoulli, N.*, 585, 586, 677
- Bernstein polynomial, 162, **574**, 604, 710
- in two dimensions, 605
- Bernstein’s inequality, 647
- Bernstein, S. N.*, 75, 76, 87, 162, 532, 533, 572*n*, 605, 709*n*, 711*n*
- Berry, A. C.*, 724*n*
- Berry–Esseen theorem, 725, 730, 736, 737
- Bessel function of the first kind, 515, 516
- modified, 363, 510
- Beta
 - density, 305–307
 - distribution, 307
 - function, 305
- Bilateral exponential density, 510
- Billingsley, P.*, 695*n*
- Bin-packing problem, 394, 633–637, 649
- Binary
 - channel, 91
 - digits, 141–144, 146, 148–150, 153, 177, 178, 496, 502, 594
 - entropy function, 612
 - expansion, *see* Dyadic expansion
 - integer programming, 751
- Binning number, 395, **634**, 649
- Binomial
 - coefficient, **30**, **51**, 153, 237, 574
 - distribution, 20, 54, 95, 118, 119, 150, 152, 162, 190–193, 195, 196, **237–239**, 256, 271, 393, 402, 430, 432, 510, 519, 524, 525, 562, 662, 689, 754, 763
 - tail bound, 155, 611, 615
 - theorem, 30
- Birth–death chain, 54–55
- Birthday paradox, 31, 452
- Bit (binary information digit), 502
- Bivariate normal density, **215**, 220, 228, 326, 338, 453
- Fischer, B.*, 349
- Black–Scholes formula, 349
- Blind
 - equalisation, 346
 - source separation, 346
- Bluetooth protocols, 138
- Blum, R.*, 768*n*
- Blumer, A.*, 604*n*
- Bolthausen, E.*, 737*n*
- Bolzano’s theorem, 344, 477
- Bolzano–Weierstrass theorem, 705, 706, **774**, 781
- proof, 776
- Bonferroni’s inequalities, 115, **115**, 117
- Boole’s
 - inequality, **106**, 111, 113, 115, 122, 123, 125, 130, 193, 195, 362, 382, 511, 564, 565, 586, 589, 590, 598, 603, 635, 647
 - sieve, 125, 131
- Boppana, R.*, 688*n*
- Borchardt, C. W.*, 106
- Borel
 - measurable function, **396**, 410, 411
 - set, 23, **24–26**, 27–30, 370, 371, 374, 375, 384, 385, 389, 390, 392, 395–399, 406, 410–418, 420, 422, 498–500, 504
 - set (on the sphere), 768
 - σ -algebra, **24–26**, 385, 389, 390, 396, 406, 412, 486
- Borel’s law of normal numbers, **159**, 394, 408, 714, 744
- Borel, E.*, 139, 140, 146, 150, 155, 156, 159, 768*n*
- Borel–Cantelli lemma, xxiii, **108**, 262, 263, 362, 409, 588, 599, 600
- Bose, R. C.*, 135*n*
- Bose–Einstein distribution, 5, 31, 136
- Boston Celtics, 33
- Boundary of a set, 343
- Bounded
 - function, 779
 - operator, 700, 701
 - rectangle, 29
 - sequence, 771
- Bourbaki, N.*, xxi
- Box, G. E. P.*, 426*n*
- Box–Muller construction, 426
- Branching process, 558
- Bridge hand, 9, 10
- balanced, 38, 39
- high pairs, 137
- trump distribution, 66
- voids, 270
- Broadcast authentication, 254
- Brown, R.*, 348
- Brownian
 - bridge, 366
 - motion, 348–363, 366, 768
- Brun’s sieve, 117
- Buffon’s
 - cross, 311
 - needle problem, 291, 311
- Buffon, G-L. L.*, 292
- Burt’s IQ data, 763–767
- Burt, C.*, 763*n*, 765
- Busy period, 543
- $\mathbb{C}$, *see* Cantor set
- $\mathbb{C}_b$, $\bar{\mathbb{C}}_b$ (families of continuous functions), 692
- $\chi(G)$, *see* Chromatic number
- c.f., *see* Characteristic function
- California Institute of Technology, xvii

- Call arrivals, 297
Campbell's theorem, 718
Cantelli's strong law of large numbers, 605
Cantelli, F. P., xvi, 595*n*
Cantor
 diagonalisation, 377, 377, 391, 391, 420, 706
 distribution, 404–406, 425, 434, 435, 444, 454, 463, 508
 set, 375, 377–380, 404, 425, 434
Cantor, G., 706
Carathéodory's extension theorem, 371, 374, 375, 391, 395, 398, 413, 414
Carathéodory, C., 371, 372, 374, 385
card, *see* Cardinality of a set
Cardano, G., 3
Cardinal
 arithmetic, 375, 392
 number, 375
Cardinality of a set, 20, 91
Carleson, L., 173
Cartesian product, 212, 486
Catalan number, 274
Catalan, E., 274
Catcheside, D. G., 137*n*
Cauchy
 density, 208, 308, 311
 density in $\mathbb{R}^3$, 313
 density in the plane, 313
 distribution, 309, 767
 sequence, 408, 409, 593, 594, 597, 599, 617, 708, 772, 776
 sequence in $\mathbb{I}^p$, 484
 sequence in $\mathbb{I}^2$, 521, 785, 787, 788
Cauchy, A. L., 773
Cauchy–Schwarz inequality, 483, 485*n*, 520, 521, 623, 635, 645, 675, 735, 736, 784, 785, 788
 proof, 787
Cayley's formula, 102–106, 122
Cayley, A., 106
CDMA, *see* Code division multiple access
Central
 limit theorem, xvi, 163, 196, 350, 624, 704, 721, 733, 743, 747, 750, 752
 limit theorem for dependent summands, 751
 limit theorem for exchangeable variables, 768
 limit theorem for identical distributions, 720
 limit theorem for inversions, 767
 limit theorem for many dimensions, 748, 751, 753, 755–757
 limit theorem for order statistics, 314
 limit theorem for records, 767
 limit theorem for runs, 767
 limit theorem for sample median, 314
 limit theorem for triangular arrays, 738
 moment, 472
 tendency, 427
 term of the binomial, 196, 496, 556
 term of the multinomial, 271
 term of the trinomial, 272
Centre of mass, 208, 430
Centring, 207
Certain event, 14
Cesàro mean, 592, 725
ch, *see* Convex hull
Chain rule for conditional probabilities, 38, 126, 129, 688
Chandrasekhar, S., 287*n*
Channel
 capacity, 506, 648
 equalisation, 346, 514
 matrix, *see* Mixing transformation
 noisy, 64, 65
Characteristic
 exponent, 724, 767
 function, 171, 560, 698, 700, 718, 725, 726
 polynomial, 321–323
 set, 487
Chebyshev's
 exponential bound, 630
 inequality, 153–155, 160, 162, 177, 242, 365, 462, 502, 503, 528, 563, 564, 565, 569, 570, 572, 573, 583, 584, 586, 588–590, 596, 599, 604–606, 615
Chebyshev, P., 153–155, 563*n*, 579*n*, 712
Chen, L. H. Y., xvi, 652*n*, 663, 677*n*
Chernoff's inequality, 610, 612, 613, 615, 658, 659
 is exponentially tight, 612
Chernoff, H., 611*n*, 768*n*
Chervonenkis, A. Ya., xvi, 599*n*
Chevalier de Méré, 261
Chi-squared
 density, 319, 333, 502, 752, 753, 759, 760
 distribution, 334, 759
 test, 759–763, 765, 766
Chromatic number, 394
Chromosome
 breakage and repair, 32, 256
 matching, 137
Chung, K. L., xix, 107, 252, 307
Circular scan statistic, 686
cl, *see* Closure of a set
Clique, 138, 571, 604, 666–668
Closed
 disc, 602, 607
 rectangle, 29, 607
 set, 26, 30, 378
Closure of a set, 29, 712
Coarser σ -algebra, 464, 485
Code book, 501, 504–506, 519, 614–616, 647
Code division multiple access, 138, 192, 193*n*
Cognitive radio, 69
College admissions, 40, 69
Collisions in transmissions, 138, 277
Column sum, 674
Combinatorial
 lemma, 548
 probability, 20
Compact set, 708, 714
Compactification of real line, 692
Complete
 graph, 109, 138
 inner product space, 485, 521, 785

Index

- measure, 374, 392
- normed space, 484
- Completely monotone function, **532**, 533, 711
- Completeness axiom, **771**, 775
- Completion of measurable space, 373–375, 392, 486
- Complex random variable, 445
- Component
 - of a graph, 121, 681
 - of $\mathbb{R}^n$, 343, 607
- Compound Poisson distribution, **538**, 558
- Computational neuroscience, 193
- Concentration
 - function, **618**, 624, 633, 648, 649
 - of measure, xvii, 609, 617, 625, 647
- Concept (in machine learning), 603
- Conditional
 - density, **219**, 219
 - distribution, **218**, 220
 - expectation, **220**, 221, **463**, 464, 485, 521, **522**
 - probability, 35–70
 - variance, 220
- Conditionally independent events, **72**, 74, 75, 90
- Confidence
 - in estimate, 63, 241, 242, 567, 603, 616
 - interval, 63, 331, 754, 759, 766
- Configuration function, 650
- Conjugate exponent, 482
- Connected graph, **102**, 121–125, 137, 681
- Continuity
 - from below, 373
 - from above, 373
 - of measure, **16**, 19, 21–23, 38, 89, 106, 108, 293, 390, 391, 398, 408, 409, 441, 714
- Continuous
 - distribution, 293, **402–406**, 518
 - everywhere, differentiable nowhere, *see* Nowhere
 - differentiable function
 - from the left, *see* Left continuous function
 - from the right, *see* Right continuous function
 - function, 777, **778**
 - sample space, 11, **23–24**
- Convention
 - for d-adic expansion, 158
 - for binary representations, 22, 141
 - for binomial coefficients, 30, 237, 246
 - for conditional expectation, 220
 - for convolutional operators, 696
 - for countable operations, 15
 - for cross-references, xxiii
 - for d.f.s and induced measures, 399
 - for densities, 207
 - for derivatives, 532, 710
 - for difference operators, 574
 - for distributions, 198
 - for Fourier transforms, 166
 - for intersections and unions, 94
 - for Kullback–Leibler divergence, 480
 - for ladder index distributions, 553
 - for logarithms, 30, 575
 - for normalisation, 17
 - for positive parts, 279
 - for random walks, 543
 - for renewal process, 534, 535
 - for repeated convolutions, 535
 - for runs, 559
 - for sets, 12, 13, 127
 - for terminology, xxiii
 - for vectors, 216, 320, 359
- Convergence
 - a.e., 158, 162, **407–409**, 460, 462, 646, 649, 785, 787, 788
 - bounded, 487, **487**
 - improper, 705
 - in distribution, **691**, 705, 717, 721, 742, 745, 748, 751, 752, 767, 768
 - in law, **691**
 - in L^2 , *see* Convergence in mean-square
 - in mean-square, 354, 594, **785**
 - in measure, 409
 - in probability, 155, 162, **409**, 598, 646
 - of sequence, 771
 - of series, 147, 289, 423, 593–595, 709, 711
 - pointwise, 774
 - proper, **705**, 714
 - uniform, 147, 401, 574, 596, 598, 600, **697**, 707, 710, 717, 722, 739, 750, **775**, 781
 - vague, **691**, 695, 696, 700, 702, **705**, 710, 711, 714, 717, 718, 721, 724, 725
 - weak, 695
 - with probability one, *see* Convergence a.e.
- Convex
 - combination, **478**, 621–623, 626, 702
 - distance, *see* Talagrand’s convex distance
 - function, **478**, 520, 630, 632, 650
 - hull, 621, **621**, 622, 623, 627
 - polyhedron, 504
 - set, 607
- Convolution
 - is smoothing, 507, 512, 536
 - of arithmetic variables, 508
 - of Cauchy densities, 309, 311
 - of continuous variables, 508
 - of distributions (densities), **203**, 204, **230**, **507**, 506–511, 696, 703, 715, 721, 740
 - of exponential densities, 298, 314
 - of functions, **167**, 512, 767, 781
 - of gamma densities, 304
 - of ladder epoch distribution, 551
 - of normal distributions, 318

- of Poisson distributions, 256, 528
- of uniform densities, 279, 284
- property of characteristic functions, 560, 726
- property of transforms, 152, **167**, 170, 513, 515, **525**, 530
- Convolutional
 - kernel, 512, 513, 725
 - operator, **695–698**, 702–704, 714, 725
 - smoothing, 698, 725
- Coordinate transformation, 409–411, 413
- Copernican Principle, 61–64
- Correlation
 - coefficient, 474
 - definition, 213, **473**
 - function, 341
 - inequality, 520, 687
- Countable
 - cover, 384
 - set, **14**, 19, 27, 375, **376**, 391
- Coupling, **669**, 670, **671**, 673, 675, 679, 680, 682, 684, 686
- Coupon collector’s problem, 115, 119, 259, 742–745
- Covariance
 - definition, 213, **473**
 - matrix, 217, 360, 748, 751, 752, 756–758
- Cover
 - of a set, 774, 776
 - of circle by arcs, 283, 284, 681
- Cover*, T. M., *xxiv*, 273, 606*n*
- Covering problem, 283
- Cramér’s estimate for ruin, 542
- Cramér*, H., 542*n*
- Cramér–Rao bound, 521
- Craps, 6, 81, 201, 557
- Crofton’s method of perturbations, 296
- Crofton*, M. W., 295
- Crystallography, 520
- Curve (inside unit square), 638
- Cycle
 - in graph, 102, 394
 - in permutation, 745–747
- Cyclical
 - arrangement, 547–549, 551, 552
 - rearrangement, 745, 746
- Cylinder set, 60, 148, 149
- Δ , *see* Difference operator, successive differences, triangular function
- d.f., *see* Distribution function
- Darmois*, G., 344*n*
- Davis*, P. J., *xix*
- de Finetti’s theorem, 282–284, 679
- de Finetti*, B., 283*n*
- de la Vallée Poussin*, C.-J., 102, 579
- de Moivre’s theorem, 163, **183**, 184, 189, 190, 195, 196, 633, 721
- de Moivre*, A., *xvi*, 163, 184, 719
- de Moivre–Laplace theorem, 205, 314, 577, 690, 720, 755
- de Montmort*, P. R., *xvi*, 49, 98, 585, 651, 672, 677*n*, 685, 686
- de Morgan’s laws, **13**, 33, 88, 89
- Decision rule, 65, 66, 504–506, 519
- minimum distance, 519
- Decorrelating transformation, 327, 329
- Decreasing
 - family of sequences, 687
 - sequence of numbers, 771
 - sequence of sets, 34
- Defective
 - distribution, **407**, 540, 541, 705
 - random variable, **407**, 705
- Degenerate
 - distribution, 394, **401**, 480, 481, 756
 - normal, 330
 - random variable, 430
- Degree of a vertex, 102, 126, 394
- Degrees of freedom, 331, 333, 335
- Delta function, 173
- Denial of service attack, 233, 254, 761
- Dense set, **705**, 714, 716
- Density, 24, **206**, **403**
 - of a number, 582
 - of digits, 156, 160, 394
 - of stars, 296
 - on Euclidean plane, 211
- Dependence penalty, 664
- Dependency graph, **126**, 664, 668
- Dictionary of translation, 149, 150, 153, 177
- Dido of Tyre, 496
- Difference
 - of sets, 12
 - operator, 343, **573**, 709
- Differentiation
 - operator, 167
 - property of transforms, **167**, 171, 172, **526**, 530
- Difficulties with the boundary, 683, 685*n*
- Direct sequence spread spectrum, 138*n*, 192
- Dirichlet density, 313
- Discrepancy, 426, 559, 725, 726, 729, 731, 733, 735, 736
- Discrete
 - distribution, 20, 197, **399–402**
 - sample space, 9, **19–23**, 197
- Disjoint
 - cover, 384
 - events, 14
 - sets, 12
- Distribution
 - function, 206, **370**, 371–372, 374, 375, 392, 398–406
 - in rôle of function or measure, 399
 - obtained by randomisation, 221, 232
 - of a measure, 375, 530
 - of arithmetic variable, 198
 - of spacings, 281
- Dobinski’s formula, 653, 654
- Dominated
 - convergence theorem, **460**, 461, 462, **464**, 487, 592, 595, 733, 774
 - random variable, 433, 437, 438, 461, 462
- Domination condition, 461
- DoS, *see* Denial of service

Index

- Double sample, 426, 596, 608
Dudley, R. M., 562
Dyadic
 approximation, 263
 expansion, 21, **141**, 142, 150, 156, 394, 420, 717
 interval, 352
Dynkin, E. B., 87, 88, 92

Eagleson, G. K., 678*n*
Edge of a graph, 85, 102, 394, 650
Ehrenfest model of diffusion, 52–55, 68
Ehrenfest, P. and T., 52*n*
Ehrenfeucht, A., 604*n*
Eigenfunction of Fourier operator, 172
Eigenvalue, **322**, 323, 332
 equation, 323, 324, 339
Eigenvector, **322**, 323, 332
Einstein, A., 348, 350
Ellipsoid in n dimensions, 329
Empirical
 distribution, 241, **426**, 559, 595–598
 estimate of π , 291
 frequency, 599, 600
 process theory, xvi
Empty set, 12
Energy, 518, 784, 786
Equicontinuous family of functions, 697, 707, 716, **780**
Equivalence
 class, 392, 484
 lemma, **441**, 460
 theorem, **693**, **696**, 697, **702**, **708**, 711, 714, 718, 768
Equivalent
 random variables, 484, 520
 sequences, 591
 sets, 12
Erdős, P., 86*n*, 110, 111*n*, 119, 121*n*, 123, 128*n*, 134*n*, 307
erf, *see* Error function
Eriksson, J., 476*n*
Erlang, A. K., 304
Erlangian density, 304
Error
 function, 316
 in estimate, 241, 242, 567, 603
 prediction, 518
 probability, 615
Esseen, C.-G., 724*n*, 730*n*
Estimator
 empirical, 226
 least-squares, 222, 223, 518
 linear, 222, 223, 518
 maximum likelihood, 614
Euler square, 134
Euler’s officer problem, 134
Euler, L., 123*n*, 144, 157, 523, 594
Evolution of mosquito populations, 285
Exchangeable random variables, 281, 283, **668**, 671, 672, 684, 733, 768
Excluded interval, 713
Expansion of a number in a given base, 158
Expectation, 465–471, 649
 and median, 646
 change of variable, 472, 473
 definition, **199**, **207**, 427, 430, **437**, **445**
 identity, 232, 463
 is additive, 466
 is homogeneous, 429, 431, **448**, 462
 is linear, 432, **448**, 464, 472, 480
 is monotone, 429, 433, **451**, 460, 462, 464, 480, 561, 565, 567, 694
 notation, 429, **469**, 471
Exponential
 density, 24, 205, 275, **293**, 297, 298, 301, 303, 319, 403, 510, 721
 distribution, **292–294**, 297, 298, 312–314, 403, 450, 524, 543, 546, 686, 717
 generating function, 653
Extended
 real line, **372**, 406
 σ -algebra, 406
Extension of measure, 374, 385
Extreme value distribution, 233
 $\mathcal{F}$ -measurable, *see* Measurable with respect to a σ -algebra
 $\mathfrak{F}$, $\mathfrak{G}$, $\mathfrak{H}$: notation for convolutional operators, 696
F, *see* Measure, induced by a distribution
F*, *see* Outer measure
F-density, 337
F-statistic, 336, 337
Factorisation property, 464
Fading in wireless communication, 64, 319
Failure
 in Bernoulli trial, 236
 run, 559
Fair game, 258, 273, 434, **585**, 606
Falling factorial, **51**, 84, 655, 659, 666
Family of half-closed intervals, 15, 371
Fan, C. T., 233*n*
Fang, S. C., xxiii, 750*n*
Fatemi, O., 233*n*
Fatou’s lemma, **459**, 460, **464**, 484, 787
Fattening (of a set), **618**, 621, 624
Fejér kernel, 725, 727
Feller, W., 5*n*, 271, 288–290, 307, 542*n*, 547*n*, 586*n*, 606*n*, 696, 720*n*, 730*n*, 738
Fermat, P., 261, 273
Fermi, E., 567
Fermi–Dirac distribution, 5, 32
Fiancée problem, *see* Marriage problem
Field, *see* Algebra of events
Fielding, H., xv
Filtration, 522
Finer σ -algebra, 464
Finite
 alphabet, 64
 cover (subcover), **774**, 776
 measure, 372, 470, 487, 488
 projective plane, 134
Finite-dimensional distribution, 340, 341
Fisher information, 520
Fisher, R. A., 241, 269, 331*n*, 336*n*
FKG inequality, 520
Flood, M. M., 69
Fluctuation theory, 33, 250,

- 305, 307, 550–555
Flush (poker), 31
Fluxion, 772
Fock space, 768
Fortuin, C. M., 520*n*
Four-of-a-kind (poker), 31
Fourier
 basis, 786
 inversion, 172, **175**, 176, 178, 699, 726, 727
 series, 196
 transform, **166**, 176, 178, 181, 309, 512–514, 560, 698, 699, 725–727
 transform in two dimensions, **514**
 transform of unit disc, 515
Fourier, J. B. J., 166, 572
Fourier–Lebesgue transform, 560
Fourth moment, 588, 605, 743, 744
Fractal, 346, 347
Fractional part
 of random variable, 288
 of real number, 196, 715
Franklin, J., *xxiii*
Free energy, 650
Frequency-hopping spread spectrum, 138
Fubini’s theorem, 489, **489**, 490, 492, 507, 517, 531, 596, 598, 628, 629, 699, 703, 735
 fails for outer integrals, 518
Full house (poker), 31
Function
 is concentrated on, 207
 space, 608
Fundamental theorem
 of algebra, 321, 323
 of arithmetic, 582
 of expectation, 471, 472

 $g_v(x; \alpha)$, *see* Gamma density
 $G_{n,p}$, *see* Random graph
Gabor, D., 288
Gale, D., 69*n*
Galton’s height data, 223–227, 766, 768
Galton, F., 220, 223, 225*n*
Gambler’s ruin, 68
Gamma
 density, 298, **298**, 300, 301, **303–305**, 313, 319, 334, 721
 distribution, **298**, 302, 525, 721
 function, **195**, **303**, 493–495
Gaps
 between spacings, 679–681
 in the Poisson process, 536–538
Gauss, C. F., 315, 456*n*
Gaussian
 channel, 501, 505, 506, 616, 647
 characteristic function, 171, 726
 density, *see* Normal density
 impulsive family, 175
 inversion formula, 172, 175
 isoperimetry, 498–500, 505
 kernel, 698
 noise, 501, 502, 647
 process, 341, 357, 366
Gedanken experiment, 4, 9, 11, 21
General position, 607
Generating function
 definition, **524**, 610, 710
 of arithmetic distributions, 557
 of ladder index, 553, 554
 of renewals, 535
 of return to origin, 555
Geodesic metric, 683*n*, 768
Geometric
 distribution, 20, **257**, 258–260, 262, 272, 275, 313, 427, 451, 510, 524, 525, 558, 721, 742, 743
 mean, 481
Gilbert channel, 92
Gilbert, E. N., 92*n*, 682*n*
Gilovich, T., 33*n*
Ginibre, J., 520*n*
Girth of a graph, 394
Glivenko, V. I., *xvi*, 595*n*
Glivenko–Cantelli theorem, **596**, 599, 600, 602, 603, 608
Gnedenko, B. V., 559*n*
Goldstein, R. M., 338*n*, 341
Goncharov’s theorem, 747
Goncharov, V., 747*n*

Gosset, W. S. (Student), 335*n*
Gott, J. R., 63*n*
Gould, S. H., 3*n*
Grading on a curve, 316
Graeco–Latin square, 134
Graph, 102, 132, 394
 colouring, 394
Gray, J. B., 762*n*
Greatest lower bound, *see* Infimum
Greenspan, A., 350
Gromov, M., *xvii*, 617
Gromov–Milman formula-tion, 616–619, 624, 633
Growth function, 600, 601, 607, 608
Gunter, C., 233*n*, 254*n*, 761*n*
Gupta, P., 684*n*

 H_0 , *see* Heaviside function
 $\mathfrak{H}_0$, *see* Heaviside operator
Haar system of wavelets, **352**, 353–355, 359, 786
Hadamard, J., 102, 579
Half-closed rectangle, 29
Half-space, 602, 607
 affine, 608
Hall, P., 682*n*
Halmos, P., 89, 92
Halton, J. H., 649*n*
Hammersley, J. M., 649*n*
Hamming
 distance, 614, **619**, 622–624, 633, 634, 637, 644, 645, 648, 649
 error vector, **620**, 621, 627*n*, 634
Hard-limited random wave-form, 338, 341
Hardy’s law, 81
Hardy, G. H., 80*n*, 346, 485*n*, 581, 582*n*, 712, 715*n*
Hardy–Ramanujan normal order theorem, 583
Harker–Kasper inequality, 520
Harmonic series, 519, 556, 594
Hat check problem, 47, 452
Haussler, D., 604*n*
Hearnshaw, L., 767*n*
Heat equation, 572
Heaviside
 distribution, **401**, 534, 697, 700, 703, 721, 725

Index

- function, **400**, 401, 410, 528, 561, 609, 778
- operator ($\mathcal{S}_0$), 697
- Heaviside, O.*, 779
- Heavy-tailed density, 308
- Hebb, D. O.*, 194*n*
- Hebbian learning, 194, 195
- Heine–Borel theorem, 383, 774
- proof, 776
- Helly’s selection principle, 533, **705**, 708–711, 713, 714, 717, 718
- Helly, E.*, 705*n*
- Helsinki University of Technology, xvii
- Herault, J.*, 345*n*
- Hermite, C.*, 347
- Hilbert
 - curve, 638–643
 - space, 485
- Hilbert, D.*, 347, 638*n*
- Hildebrand, D. K.*, 762*n*
- Hoare, C. A. R.*, 459*n*
- Hoeffding’s inequality, 598, **612**, 616, 620, 621, 625, 635, 647
 - for the binomial, 562, 647
- Hoeffding, W.*, 612*n*
- Hölder’s inequality, **483**, 484, 628, 631, 725, 735, 736, 743, 787
- Holst, L.*, 668*n*, 679*n*, 681*n*, 684*n*
- Hopfield, J. J.*, 193*n*
- Horne, E.*, xxiv
- Horse race, 606
- Hot hand in basketball, 32, 33
- Hotelling’s theorem, 365
- Huygens’s principle, 309
- Huygens, H. C.*, 310
- Hypergeometric
 - distribution, 52, **268–271**, 273, 599, 604
 - tail bound, 604, 608
- Hyperplane, 504, 607, 608
- Hypothesis (in machine learning), 603
- $\mathcal{J}$, *see* Family of half-closed intervals
- i.o., *see* Infinitely often
- $I_0(\cdot)$, $I_K(\cdot)$, *see* Bessel function of the first kind, modified
- Identity map, 375, 396, 745
- Imbedded product measure, 420
- Importance
 - density, 604
 - sampling, 604
- Impossible event, 14
- Impulsive family of functions, 173, 175
- Incident edge, 102
- Inclusion–exclusion, 93–101, 105, 113, 115–117, 120, 124, 136, 283, 413, 452, 673, 675
- Increasing
 - family of sequences, 687
 - sequence of numbers, 771
 - sequence of sets, 34
- Increment, 314, 360, 362
- Independence, 71–92, 415–422
 - number of graph, 394, 650
 - set of vertices (events), **126**, 664, 666, 668, 688
 - sieve, **125**, 687
- Independent
 - binary digits, 144–148, 150, 151, 161, 178, 420, 594
 - events, 37, **71–73**, 83, 203
 - families of events, 87–90
 - increments, 302, 350, 360–362
 - random variables, 192, 202, **202**, **212**, 217, **415**, **418**, **419**, 464, 490, 560, 734
 - sampling, **418**, 602, 649, 679
 - selection, 684
 - σ -algebras, 89, 419
 - trials, 5, 17, **81–87**, 192, 194, 196, 202, 661
- Indicator
 - family, 660, 669, 674
 - function, **33**, 151, 153, 155, 489, 492
 - random variable, 240, **402**, 430, 518, 589, 657
- Induction method, *see* Talagrand’s induction method
- Inequality of arithmetic and geometric means, **481**, 482, 483, 520, 749
- Infimum, 27, 385, 386, 405, 773
- Infinite product
 - identity, 141, 144, 147
 - space, 87, 422
- Infinite-dimensional sphere, 768
- Infinitely often, **107**, 252, 263, 423, 424
- Information rate, 616
- Inner
 - envelope, 424, 426
 - product in L^2 , 485
 - product of Euclidean vectors, 192, **320**, 340, 675
 - product of functions, 353, **784**, 787
- Inspection paradox, 299, 546
- Integer part of real number, 196
- Integrable
 - function, 166
 - random variable, **437**, 447, 482
- Integration, 465–471
 - by parts, 491, 540
- Inter-arrival times, 298, 534, 542
- Interchange in order of
 - derivative and integral, 168, 230, 286, 526, 698, 781
 - derivative and sum, 272, 710
 - expectation and sum, 355, **448**
 - integrals, 151, 173, 176, 178, 221, **485–492**, 699, 783
 - limit and integral, 147, 148, 180, 181
 - limit and sum, 441
 - sum and integral, 157, 300
 - sums, 553, 591
- Interior
 - of a set, 343
 - point, 26
- Intersection of sets, 12
- Interval of continuity, 691
- Intervals are uncountable, 377
- Invariant
 - distribution, *see* Stationary distribution

- subspace, 321–323, 332
- Inversion theorem
 - for characteristic functions, 700
 - for Fourier transforms, 175
 - for Laplace transforms, **527**, **530**, 653
- Inversions in permutation, 767
- Ising spin glass, 518
- Isolated
 - point in geometric graph, 682, 684, 686
 - vertex in a graph, 120
- Isoperimetric problem, 497, 500
- theorem, 482, 498–500, 504, 505, 624
- Iterated integrals, 485–492, 506, 517
- $J_0(\cdot)$, $J_1(\cdot)$, $J_k(\cdot)$, *see* Bessel function of the first kind
- Jacobian, 228, 229, 313, 469
- Janson’s inequality, 688
- Janson, S., 668*n*, 679*n*, 684*n*, 688*n*
- Jaynes, E. T., 306
- Jensen’s inequality, **480**, 481, 519, 520, **522**, 613, 628
- Jones, A., xxiv
- Jump
 - discontinuity, 400, 424
 - size, 400, 401
- Jutten, C., 345*n*
- K_4 , K_j , K_k , K_n , *see* Complete graph, clique
- Kac, M., 87, 139*n*, 307
- Kahane, J-P., 363*n*
- Kahneman, D., 33*n*
- Kamin, L., 765
- Kantorovich’s inequality, 520
- Kasbekar, G., xxiii
- Kasteleyn, P. W., 520*n*
- Khan, F., 233*n*
- Khanna, S., 233*n*, 254*n*
- Khinchin, A. Ya., 563*n*
- Kleitman’s lemma, 687
- Kleitman, D. J., 687*n*
- Knox’s leukaemia data, 678
- Knox, G., 678*n*
- Knuth, D., xxi, 459*n*, 568*n*
- Kolmogorov’s
 - criterion, **590**, 592
 - maximal inequality, **588**, 590, 593
- Kolmogorov, A. N., 4*n*, 9, 16, 87, 363, 422, 423, 588*n*, 591, 595, 605
- Kolmogorov–Smirnov test, 759
- Körner, T. W., 173, 184, 369, 714, 753–755, 765–767
- Korolev, V. Yu., 730*n*
- Koroljuk, V. S., 559*n*
- Kronecker’s theorem, **712**, 713, 714, 716
- Kronecker, L., 712*n*
- Kullback–Leibler divergence, **480**, 481, 521, 611, 646
- Kumar, P. R., 684*n*
- Kunniyur, S., 685*n*
- $\mathcal{L}$: notation for probability law, *see* Distribution
- L^2 -space, *see* Space of square-integrable functions
- $\mathbb{P}$ -space, 482–485
- λ : notation for measure, *see* Lebesgue measure
- λ -class, **88**, 89, 390, 487, 488
- Labelled sample, 602
- Labeyrie, A., 511*n*, 513, 516
- Ladder
 - epoch, 544
 - index, 426, **546–550**, 551–554, 559, 588
- Lagrange, J. L., 523
- Lamarr, H., 138*n*
- Laplace transform, 523–532, 712, 718
 - definition, **523**, **530**, 710
 - determines moments, 526
 - is completely monotone, 711
 - of common distributions, 524
- Laplace’s
 - formula, 196
 - law of succession, 59–62, 69, 72, 75, 275, 307
 - method of integration, 187, 494
 - theorem, 196
- Laplace, P. S., 5, 24, 61, 184, 196, 275, 523
- Laplace–Stieltjes transform, *see* Laplace transform
- Laplacian uncertainty, 276
- Large deviation theorem, **191**, 192, 195, **196**, 562, 612, 750
- Latin
 - square, 134
 - transversal, 131–135
- Latitude, 214, 229, 285
- Lattice
 - distribution, 200–204
 - point, 200
 - random variable, 198, 200
- Law
 - of cosines, 340
 - of small numbers, 253
- Le problème des ménages, 137, 677, 686
- rencontres, 47, 98, 119, 137, 668, 672, 686
- Lea, D. E., 137*n*
- Leaf of a tree, 103
- Least upper bound, *see* Supremum
- Lebesgue
 - integral, **465–471**, 518
 - measurable set, **375**, 392
 - measure, 144, 145, 149, 150, 155, 156, 264, 276, **375–380**, 392, 403, 420, 422, 471, 491, 517, 717
- Lebesgue’s decomposition theorem, 425
- Lebesgue, H., 23, 347, 429, 436, 467
- Lebesgue–Stieltjes integral, *see* Lebesgue integral
- Ledoux, M., 624*n*
- Left continuous function, definition, **778**
- Leibniz, G. W., 24, 465, 772
- Lemma of Cesàro means, 592
- Length
 - of interval (Borel set), *see* Lebesgue measure
 - of random chain, 517
- Let’s make a deal, 42
- Level set, **404**, 405, 433–435
- Levi’s theorem, **157**, **462**, 486
- Levi, B., 157, 439
- Lévy sandwich, 181, 182, 358, **693**, 696, 709, 714
- Lévy, P., 181, 250*n*, 307, 351, 498, 693, 720, 724*n*, 750
- Lewis, S., xxiv

Index

- Liapounov condition, **741**, 744, 767
- Liapounov, A. M.*, 741
- Lightning strikes twice, 277
- lim inf, *see* Limit inferior
- lim sup, *see* Limit superior
- Limit inferior
 - of a real sequence, 774
 - of a sequence of sets, 107, 408
- Limit superior
 - of a real sequence, 774
 - of a sequence of sets, 107, 408
- Lindeberg condition, **738**, 739–741, 747, 767
- Lindeberg, J. W.*, 184, 720*n*, 723, 750
- Linear congruential generator, 568
- Linear transform, 227, 321
 - diagonalisation, 324, 329, 339, 365
 - for sample variance, 332
 - of normal variables, 326, 359, 360
 - positive definite, 324, 329, 339
 - symmetric, 322, 323
- Linearly ordered set, 455
- Lipschitz
 - condition, **617**, 633, 634, 636, 643, 644, 649
 - constant, **618**, 619
 - function, 162, 618, **618**, 640, 642, 649
- Littlewood, J. E.*, 485*n*, 712
- Local
 - limit theorem, 184, 189–191, 195, 196
 - method (of Poisson approximation), 663–668, 684*n*
- Log convex function, 272
- Log sum inequality, 519, 646
- Logarithms, *see* Convention for
- Lognormal distribution, 558
- Longest
 - common subsequence, 650
 - increasing subsequence, 636–638
- Longitude, 214, 229, 285
- Lord Rayleigh’s random flights, 284–288, 752
- Lottery, 31
- Lovász local lemma, **xvi**, **125**, **128**, 129–132
- Lovász, L.*, 127, 128*n*
- Lower derivative, 361
- $\mathbb{L}^p$ -space, 482
- Lucas, E.*, 137, 677, 686
- Luczak, T.*, 688*n*
- $\bar{\mu}$, *see* Extension of measure
- Machine learning, **xvi**, 603
- Mandelbrot, B.*, 346*n*
- MAP, *see* Maximum a posteriori probability
- Marginal
 - density (distribution), **201**, 202, 203, **212**, 220, 391, 415–418, 506, 507, 521
 - of normal density, 325
- Markov property, 294
- Markov’s
 - inequality, 561, 562
 - method, 177–181, 196, 287
- Markov, A.*, 181, 750
- Marriage problem, 69, 273
- Martingale, 522
 - bounded-difference, 647
 - transform, 522
- Matched filter receiver, 192
- Matchings (le problème des rencontres), 49, 685
 - multiple, 685
- Maximal inequality, 588
- Maximum
 - a posteriori probability, 59, 66
 - likelihood principle, 241, 269, 647
 - of normal variables, 646
 - of random walk, 248, 274, 554
- Maxwell’s distribution of velocities, **320**, 752, 753
- Maxwell–Boltzmann distribution, 31
- McCarthy, J.*, 366*n*
- McCulloch, W. S.*, 193*n*
- McCulloch–Pitts neuron, 193
- McEliece, R. J.*, 195*n*
- Meals-on-Wheels, 645
- Mean
 - definition, **199**, **207**, 212, 427, 472
 - of binomial, 239
 - of exponential, 293
 - of geometric, 258
 - of negative binomial, 260
 - of normal, 316
 - of Poisson, 255
 - of uniform, 276
 - recurrence time of runs, 560
 - vector, 217
- Mean-square approximation theorem, 354, **786**
 - proof, 788
- Measurability theorem, **396**, 397, 406, 407, 412
- Measurable
 - function, 393–397
 - partition, 42, 56, **430**, 475
 - set, 372–374
 - space, 372, **393**, 395
 - with respect to a σ -algebra, 395
- Measure
 - definition, **372–375**
 - induced by a distribution, 370, 390, **397–399**
 - on a ring, 380–384
 - σ -finite, *see* σ -finite measure
- Median, 428, **509**, 510, 518, 618, 636, 637, 645, 649, 650
- Memoryless property, **259**, 275, **293**
 - of exponential distribution, **293**, 294, 303
 - of geometric distribution, 259, 260
- Mengoli’s inequality, 519
- Mengoli, P.*, 123*n*, 519, 594
- Merton, R. C.*, 349
- Method of
 - coupling, 668–684
 - images, **246**, 274
 - truncation, 564, 586
- Metric, 520, **617**, 718, **781**
- Meyer, Y.*, 359*n*
- Meyler, P.*, *xxiv*
- Milman, V. D.*, *xvii*, 609, 617
- Minimal σ -algebra, 25
- Minimax decision, 70
- Minimum degree of a graph, 394
- Minkowski’s inequality, 483,

- 485
- Mixed moment, 473
- Mixing transformation, 342, 344, 345
- Mixture distribution, 702
- Möbius function, 100, 101
- Mode, 428
- Modulus inequality, 447, 451, 483, 664, 702, 727, 728, 732
- Moment
 - generating function, *see* Generating function, definition
 - of inertia, 208
- Moments
 - definition, 472, 517
 - determine distribution, 529, 718
 - of the normal, 165
- Monoid, 703
- Monotone
 - class of sets, 88, 92
 - class theorem, 92
 - convergence theorem, 439, 442, 445, 448, 451, 459, 460, 464, 466, 475, 487–490, 522, 532, 655, 787
 - property of graphs, 124
- Monotonically related indicator variables, 671, 671
- Monotonicity
 - of measure, 18, 38, 106, 127, 129, 372, 376, 398, 416
 - of outer measure, 386
- Monte Carlo method, 566–568
- Moon, J. W.*, 106*n*
- Moore, E. H.*, 347, 638
- Moran, P. A. P.*, 271
- Mosaic process
 - in a cube, 682
 - in a square, 683
 - on a circle, 681
- Mother wavelet, 353
- Moving truncation, 588, 591
- Muller, M. E.*, 233*n*, 426*n*
- Multilevel sequences, 647
- Multinomial
 - distribution, 271, 754, 755
 - theorem, 154, 157
- Multiplicative identity, 703
- Multivariate normal density, 324–330, 359, 758
- Multivariate uniform distribution
 - in the unit ball, 214
 - in the unit disc, 214, 220
 - in the unit square, 214
 - on the sphere, 284
- Mutual information, 521
- Mutually exclusive events, 14, 90
- $N(\mu, \sigma^2)$, *see* Normal distribution
- n-dimensional
 - distribution, 414
 - simplex, 283
- n-server queue, 314
- Naïve algorithm for sorting, 456
- Nearest-neighbour distance, 682
- Negative binomial
 - coefficient, 51
 - distribution, 20, 260, 273, 304, 313, 451, 525, 721
- Negative part of random variable, 437
- Negatively related indicator variables, 671, 671, 679, 680, 687
- Negligible set, 361
- Neighbouring vertices, *see* Adjacent vertices in a graph
- Neural computation, 518
- Neuron, 193
- Newton, I.*, 140, 239, 772
- Non-measurable
 - function, 464
 - set, 392
- Norm
 - L^2 , 485
 - L^p , 482, 484, 520, 682
 - of Euclidean vector, 321, 619, 620, 621, 623, 625, 630, 640, 682, 749, 755, 757
 - of function, 353, 697, 701, 718, 723, 784
 - of operator, 701, 701, 704, 717
 - square is convex, 627, 630
- Normal
 - approximation, 731, 733, 750
 - density, 24, 164, 205, 315, 315–366, 404, 510
 - density in n dimensions, 324, 328, 502
 - distribution, 315, 315–366, 404, 516, 646, 690, 698, 699, 720, 723, 724, 731, 733, 740, 742, 744, 747, 748, 751, 752, 757, 758, 767, 768
 - law, *see* Central limit theorem
 - number, 155, 156, 159, 160
 - order of integers, 582
 - tail bound, 166, 193, 317, 355, 610, 646, 647, 732
- Normalisation
 - constant, 165, 303, 305, 324
 - of measure, 16, 19, 37, 54, 55, 390
- Normalised measure, 531
- Normed space, 484, 700–703
- Nowhere differentiable function, 346–348, 361, 366, 641
- Nukpezah, J.*, xxiii
- Null
 - hypothesis, 759
 - set, 407, 593
 - space, 332
- Number representation, *see* Expansion
- Ω , *see* Sample space
- ω , *see* Sample point
- Occupancy configuration, 31
- Ockham’s razor, 754*n*, 760
- Ockham, W.*, 24, 754*n*
- One pair (poker), 31
- Open
 - ball, 29*n*
 - cover, 383, 774, 776
 - rectangle, 28, 691
 - set, 26, 28, 30, 378, 602, 607
- Operator
 - difference, 701
 - product, 703
 - scalar multiplication, 701
 - sum, 701
- Optical holography, 288
- Optimal
 - decision, 69
 - stopping, 69
 - tour, 643, 644, 646, 649

Index

- Optimum receiver, 647
Oracle, 602
Order
 notation ($\mathcal{O}$, $\asymp$, $\sim$, $\mathfrak{o}$), 575
 of a component, 121
 statistics, 313, **313**, 517, 642
Ore, O., 3*n*
Orthant, 607
Orthogonal
 functions, 143, 785
 Latin squares, 134
 projection, 521
 random variables, 522
 subspace, 756
 transformation, 324, 756, 768
 vectors, 321
Orthonormal
 basis of eigenvectors, **323**, 329, 332, 339, 756
 system of functions, 160, 353, **786**
Oscillation of a function, 694, 696, **780**
Ott, R. L., 762*n*
Outer
 envelope, 424, 426
 integral, 464, 518
 measure, 374, **385**, 384–392, 416, 464
 Φ , $\Phi_{\mu, \sigma}$, *see* Normal distribution
 ϕ , $\Phi_{\mu, \sigma}$, *see* Normal density
 π -class, **87**, 89, 390, 417, 419, 486–488
 π - λ theorem, **87**, **88**, 89, 92, 390, 417, 419, 486, **487**, 488
 $p(k; \lambda)$, *see* Poisson distribution
PAC learning, *see* Probably approximately correct learning
Packet-switched communications, 303
Pairwise independence, 73, 76, 77, 91
Paley, R. E. A. C., 348*n*, 351
Parallelogram law, 521
Pareto
 density, 308
 principle, 308
Pareto, V., 308
Parker, E. T., 135*n*
Parseval’s equation, 161, **176**, 180, 352, 354, **786**
 proof, 788
Partial order, 520
Partition, 137, 161
 function, 650
Pascal’s triangle, **30**, 54, 114, 237, 260, 279, 450, 574, 602
Pascal, B., 261, 273
Path in a graph, **102**, 685
Peano, G., 347, 638*n*
Pearson, E. S., 335*n*
Pearson, K., 285*n*, 286, 319, 759*n*
Penrose, M., 685*n*
Pepys’s problem, 232, 238, 272
Pepys, S., 238
Percolation, 650
Permanent of a matrix, 136
Permutation, 83–85, 91, 131–136, 642, 672, 674, 745
 matrix, 674–676
Perrin, J. B., 348, 350, 361
Phase transition, 124, 193, 195, 570, 666, 668
Pigeon-hole principle, 584, 649
Pinkham, R. S., 290
Pinsker’s inequality, 646
Pitts, W. H., 193*n*
Plancherel’s equation, 177
Platzman, L. K., 642*n*, 645
Plucked string function, 366
Poincaré, H., 288, 291, 347, 349
Point set topology, 26–30
Poisson
 approximation, xvi, 113–119, 651–688, 690, 731, 733
 approximation to the binomial, 118, 253, 662
 characterisation, 654
 distribution, 20, 118, 119, 196, **255**, 271, 272, 297, 302, 402, 442, 510, 524, 527, 528, 570, 652, 690, 767, 768
 ensembles of stars, 294
 paradigm, 113, 119, 121, 138, 570, 651
 process, 301, **302**, 313, 536, 538, 542, 718
 sieve, 687
 tail probability, 658, 659
Poisson, S. D., xvi, 118, 253*n*
Poissonisation, 649
Poker, 9, 10, 31, 253, 272
Polar coordinates, 229, 340, 363, 364
Polish space, 599, 617
Pollaczek, F., 248, 545, 554
Pollaczek–Khinchin
 formulae, 301, **541**, 542, 545, 559
 mean value formula, 546
 theorem, 541
Pollard, D., 599*n*
Pollock, J., 348
Polls, 158, 239–244
Pólya’s
 theorem, 557
 urn scheme, 49–52, 68, 522
Pólya, G., 485*n*, 557*n*
Polynomial approximation, 571
Portfolio, 195, 606
Positive
 measure, 381
 part of random variable, 437
 part of real number, 278
 random variable, **198**, **207**, 234, 437, 449, 523
Positively related indicator variables, **671**, 672, 673, 686
Positivity of measure, 16, 18, 19, 22, 23, 37, 372
Posner, E. C., 195*n*
Preimage of a set, 395
Prime number theorem, 102, 579
Primes are independent, 582
Probabilistic method, 110
Probability
 as expectation of indicator, 467
 density, *see* Density distribution
 distribution, *see* Distribution
 law, *see* Distribution
 mass function, 198
 measure, 16–18
 of ruin, 540–542, 545

- sieves, 93–138, 652, 668, 685
- space, 17
- Probably approximately correct learning, 604
- Problem of the points, 261, 273
- Product
 - measure, 82, **418**, **422**, 415–422, 488, **488**, 489, 498, 506, 531, 648, 704
 - of random variables, 231
 - space, 82, 83, 85, 87, 422, 486, 489, 648
- Projection
 - into subspace of ℓ^2 , 485
 - lemma, 285, 288
 - of random point on sphere, 285–287
 - of set into subspace, 626, 627
 - slice, 626
- Proper distribution, 541, 551, 553, 705, 717
- Public key cryptography, 584
- Pure birth process, 312
- Pythagoras’s theorem, 522
- $\mathbb{Q}$, *see* Rational numbers
- Q-function, 316
- Quadrant, 607
- Quadratic form, 608
 - of a normal, 324, 365
- Quantile, 760, 761, 763, 766
- Quantum mechanics, 768
- Quarantining, 687
- Quaternary expansion, 640, 641
- Queuing
 - process, 55, 543
 - theory, 298, 303
- Quicksort, 455–459
- Quotiented space, 484, 485
- $\overline{\mathbb{R}}$, *see* Extended real line
- $\mathbb{R}^\infty$, *see* Infinite product space
- ρ_1 , ρ_r , *see* Hamming distance
- ρ_0 , *see* Talagrand’s convex distance
- $R(\mathcal{I})$, *see* Ring generated by the half-closed intervals
- $\overline{R(\mathcal{I})}$, definition, 387
- $R(k, k)$, $R(j, k)$, *see* Ramsey number
- Radar maps of Venus, 337, 338, 340, 341
- Rademacher functions, **143**, 141–146, 149–152, 160, 177, 178, 496, 594, 605, 786
 - are independent, 144–148
 - are orthogonal, 143, 154, 157, 159
- Rademacher*, H. A., 140, 142, 594*n*
- Radio scintillation, 511
- Radon–Nikodým theorem, 464
- Ramanujan*, S., 141, 582*n*
- Ramsey
 - number, **109**, 131, 136, 138
 - theory, 109, 130
- Ramsey’s theorem, 109
- Ramsey*, F. P., 109
- Random
 - arc, 283, 284
 - direction, *see* Random point on circle (sphere)
 - flight, **285**, 284–288, 517, 752
 - geometric graph, 681, **681**, 685
 - graph, 10, 85, **86**, 119, 138, 394, 568–571, 650, 665
 - mating, 78
 - number generator, 761
 - pair, 200, 211
 - permutation, 66, 132, 597, 608, 668, 672, 674, 676, 678, 745, 747, 767
 - point in interval, **280**, 281, 311, 453, 679, 682
 - point in unit square, 649
 - point on circle, **281**, 311, 425, 434, 679, 686
 - point on sphere, **284**, 284–288, 425, 752
 - process, 340
 - sample, 330, 603, 753
 - selection, 67
 - set, 31, 90, 91
 - variable, 197, **396**, 393–426, **445**
 - vector, 412, **414**
 - walk, 183, **244**, 244–252, 274, **285**, 542, **550**, 555, 550–557, 559, 562, 598, 690, 721, 751–753, 762, 763
- Randomisation, 221, 232, 313
- Rank (in cards), 10
- Rare event (Poisson approximation), xvi, 119, 570, 660
- Ratio of random variables, 232
- Rational
 - atoms, 402
 - form, 560
- Rational numbers
 - are countable, 27, 377, 400
 - are dense, 377, 596*n*
- Ray, 599, 600, 602, 608
- Rayleigh’s density, 320
- Rayleigh*, J. W. S., 286
- Rayleigh–Chandrasekhar density, 287, 288
- Record values, 312, 767
- rect, *see* Rectangular function
- Rectangle
 - in the plane, 212
 - n-dimensional, 26, 217
- Rectangular density, 276
 - function, 161, 170, 178, 181, 182
- Recurrent event, 451*n*
- Red Auerbach, disdain for basketball statistics, 33*n*
- Reductionist theorem, **704**, 723
- Refinement
 - of a family of sets, 28
 - of a partition, 430
- Regression, 220
- Regular expressions, 274
- Relative entropy (Kullback–Leibler divergence), 481
- Reliable replication, 615
- Remote event, 422, 423
- Renewal
 - epoch, 534, 559
 - equation, **532–536**, 540, 553, 558
 - function, 535
 - process, **532–536**, 536, 543, 544, 553, 559
- Rényi*, A., 86*n*, 121*n*, 123
- Repeated independent trials, 82

Index

- Reservoir sampling, 233
- Residual time, 298, 301, 546
- Returns to the origin, 245, 247, 250, 252, 274, 555
- Reversed walk, 248, 554, 589
- Rezucha, I.*, 233*n*
- Rice's density, 320, **363**
- Richter, W.*, 750*n*
- Riemann, B.*, 579
- Riesz representation theorem, 708
- Riesz, F.*, 483
- Right continuous function, definition, **778**
- Ring, 381
 - generated by the half-closed intervals, **15**, 381, 390, 416
- Robbins's bounds for the factorial, **575**, 658, 673
- Robbins, H. E.*, 311, 577*n*
- Rodemich, E. R.*, 195*n*
- Rosenblatt, M.*, 768*n*
- Rotation transform, **227**, **329**, 332, 339, 342, 756, 757, 768
- Roulette, 288
- Round number, 584
- Row sum, 674, 718, 737, 738, 742, 744, 746, 747
- Royal flush (poker), 272
- Ruciński, A.*, 688*n*
- Rumours (spread of), 32
- Run length, 262–264, 423, 426
- Runs, 90, 92, 559, 560, 767
- Runyon, D.*, 585
- Ryser, H. J.*, 135*n*, 135
- Sagan, H.*, 641*n*
- Salehi, A. T.*, xxiii
- Sample
 - function, *see* Sample path
 - mean, 241, 331, 334, 566, 567
 - median, 314
 - path of Brownian motion, **355**, 361
 - path of Poisson process, 302
 - path of random walk, **245**, 587
 - point, 9
 - size, 242, 567, 603, 608
 - space, 9–12
 - variance, 331, 333, 517
- Sampling
 - with replacement, 79, 99
 - without replacement, 84
- Samuelson, P. A.*, 349
- Savage, J.*, 349
- Scale
 - factor, 284
 - operator, 167
 - parameter, 207
 - property of transforms, 167, 171, 172, 524, 530, 726
- Schell, E. D.*, 239*n*
- Schläfli's theorem, 607
- Schläfli, L.*, 607*n*
- Scholes, M. S.*, 349
- Schwarz, H. A.*, 787*n*
- Second moment, 472
- Secretary problem, *see* Marriage problem
- Selection
 - matrix, 674–678
 - principle, *see* Helly's selection principle
- Self-adjoint, *see* Symmetric
- Self-similarity, 308
- Semigroup of operators, 703–704
- Semiring of sets, 34
- Sensor network, 681
- Sequential decision theory, 69
- Service rate, 546
- Set
 - function, 16, 19, 23, 34, 370–372, 374–376, 380, 381, 384, 385, 389, 390, 398, 399, 463, 468, 488, 508, 599, 691, 692
 - of measure zero, **156**, 159, **407**, 374–718
 - operations, 12–13
- Shahrampour, S.*, xxiii
- Shannon's theorem, 506, 616
- Shannon, C. E.*, 505*n*, 521*n*, 612
- Shapley, L. S.*, 69*n*
- Shattering a sample (or set), 600, 601
- Shear transform, 227
- Sherrington–Kirkpatrick spin glass model, 650
- Shevtsova, I. G.*, 730*n*
- Shot noise, 718
- Shrikande, S. S.*, 135*n*
- Side information, *see* Conditional probability
- Sierpiński, W.*, 347
- Sieve of Eratosthenes, 99–102
- Sifting theorem, 174
- σ -algebra
 - definition, 15
 - generated by a family of sets, **24**, 397
 - generated by a random variable, **397**, 419
- σ -finite measure, 372, 374, 391, 486–489
- Signal vector, 501–506, 519, 647, 648
- Simple
 - function, 474, 486, 487, 489
 - random variable, **402**, 429–433, 437, 438, 442, 464, 475
- Simpson's
 - paradox, 40–42
 - rule, 566
- Simpson, E. H.*, 42*n*
- Simultaneous diagonalisation, 365
- sinc, *see* Sinc function
- Sinc function, 161, **170**
- Single-server queue, 303
- Singular continuous distribution, **406**, 434, 444, 508
- Skitovich, V. P.*, 344*n*
- Skitovich–Darmois theorem, 344–346
- Slogans, 183, 302, 341, 429, 455, 529, 536, 568, 603, 614, 616, 617, 624, 651, 656, 733
- Smallest σ -algebra, *see* σ -algebra generated by
- Smooth function, **692**, 698, 702, 724, 741
- Snedecor's density, 337
- Sojourn time, 304, 558
- Space
 - exploration, why it would be wise, 64
 - of continuous functions, 11
 - of square-integrable functions, **11**, 352, 353, 395, 521, 594, 783
- Space-filling

- curve, 638, 641, 642, 649
- tour, 642–645
- Spacings, 280–686
 - small, 687
- Span, 130, 198
- Sparre Andersen, E.*, 307, 546, 555
- Speckle interferometry, 511
- Spectrum, *see* Fourier transform
- Spencer, J.*, 112, 134*n*, 688*n*
- Sphere-hardening, 503–505, 624
- Spherical coordinates, 518
- Spin
 - interaction, 650
 - quantum state, 650
- Spitzer, F.*, 555
- Spotlight theorem, 174, 175
- Spreading sequence, 192
- Square-root (of a positive definite matrix), 339
- St. Petersburg game, 585–587
 - with shares, 606
- Stability under convolution
 - of Cauchy, 309, 767
 - of normal, 195, 318, 326, 723, 724
 - of Poisson, 196, 256, 767
- Stable distributions, 365, 724*n*
- Standard
 - deviation, 199, 208, 472
 - normal density, 164, 171, 650
 - representation of simple functions, 429
- Star diameter, 511
- Star Wars, *see* Strategic Defense Initiative
- State (of chain, system), 52–55, 68
- Stationary
 - distribution, 53–55, 68, 80
 - process, 341, 366, 473
- Statistical tests for
 - capture–recapture, 269, 274
 - invasive species, 242
 - periodogram analysis, 365
 - polls, 240, 243
 - population categories, 759–763, 765
 - quality control, 269
 - sera and vaccines, 240
 - success runs (hot hand), 33, 560
- Steele’s theorem, 608
- Steele, J. M.*, *xxiv*, 482, 485*n*, 608*n*
- Steepest descent, 520
- Stein’s equation
 - for the normal, 732, 733, 734
 - for the Poisson, 656, 657, 659, 661, 669, 732
- Stein’s method, *xvi*, 730, 731, 751
- Stein, C.*, *xvi*, 651*n*, 668, 730, 751*n*
- Stein–Chen method, 652, 656–657, 662, 674, 677, 681, 685*n*, 731
- Steinhaus’s problem, 594
- Steinhaus, H.*, 261, 593
- Stieltjes integral, 468
- Stirling numbers of the second kind, 137
- Stirling’s formula, 112, 153, 185, 195, 458, 496, 557, 575, 577, 768
- Stochastic domination, 528
- Stop-and-wait protocol, 258
- Straight, straight flush (poker), 31
- Strategic Defense Initiative, political whimsy, 645
- Stratification, 313
- Strong law of large numbers, 17, 158, 162, 363, 588, 595, 599, 605, 616, 635, 646
- Student*, *see* Gosset, W. S.
- Student’s density, 335, 365
- Sub-Gaussian bound for the longest increasing subsequence, 638
- Subadditivity
 - of measure, 34, 355, 373
 - of outer measure, 386
- Subspace of vector space, 321, 757
- Success
 - in Bernoulli trial, 236
 - run, 32, 33, 559, 560
- Successive differences, 659, 660, 663
- Successor (of vertex), 622, 623, 627*n*, 687
- Sudoku, 134
- Suit (in cards), 9
- Sums of indicators, 660–688
- Super-additivity, 446
- Support of a function, 207
- Supremum, 27, 773
 - norm, *see* Norm of function
- Surface area
 - of sector of sphere, 285
 - of sphere in *n* dimensions, 493
- Surjection, 640
- Swinburne, A.*, 359
- Symmetric
 - Bernoulli trial, 236, 562
 - difference, 12
 - distribution, 509, 550, 559
- Symmetrisation
 - by pairwise exchanges, 597, 608
 - by permutation of double sample, 608
 - inequality, 510, 597
- Symmetrised distribution, 509–511, 597
- T, definition, 281
- t-statistic, 333–335, 337
- Tail
 - event, 153, 423
 - probability, 153
 - σ -algebra, 423
- Talagrand’s
 - convex distance, 621, 623, 624, 630, 633, 635, 645, 649
 - induction method, 624–633, 648
 - theorem, 624, 630, 632, 635, 637, 645
- Talagrand, M.*, *xvii*, 609, 617*n*, 619, 647
- Tan, K.*, 254*n*
- Tarry, G.*, 135
- Tassa, T.*, 653*n*
- Teicher, H.*, 768*n*
- Temperature, 650
- Tennis
 - ranking, 264, 273
 - tie-breaks, 273
- Terminal ladder index, 547, 548, 549, 551, 552

Index

- Terminating binary expansion, 141
Ternary digit, 159
Test
 for independence, 521
 statistic, 755
Theorem of
 inclusion–exclusion, 94
 total probability, 42, 44, 47, 48, 50, 53, 56, 57, 60, 65, 67, 75, 82, 133, 221, 222, 464, 511
Third moment, 724, 725
Thoday, J. M., 137*n*
Three series theorem, 595
Three-of-a-kind (poker), 31
Threshold function, 124, 267, 570, 666, 681, 685, 687
Tian, L., 557*n*
Toroidal metric, 683, 685
Torus, 683, 684
Total
 σ -algebra, 16, 24–26
 variation distance, 646, 656, 662, 685, 718
Totally ordered set, 455
Totient function, 100, 101
Tour (of cities), 641–643
Tournament, 91
Tower property, 464
Trace, 599, 601
Transition probability, 52, 53, 55, 65, 66, 68, 70
Transitive property of total order, 455
Translate of a set, 392
Translation
 invariance of Lebesgue measure, 292, 294, 376, 392, 504
 operator, 167
 property of transform, 167
trap, *see* Trapezoidal function
Trapezoidal function, 170, 181, 182
Travelling salesman problem, 641–646, 649
Tree, 103, 122, 137
Treize, 677, 685
Triangle
 characteristic property, 277
 in random graph, 138, 568, 568–571, 665, 666, 688
 inequality, 362, 401, 406, 417, 483, 484, 510, 520, 586, 592, 593, 596, 598, 603, 643, 663, 694, 697, 701, 702, 704, 707, 708, 724, 728, 732, 735, 741, 782, 785, 787
Triangular
 array, 718, 737, 738, 742, 746, 750
 density, 233, 278, 510
 function, 170, 726
 system of wavelets, 355, 356, 366
Trigonometric
 polynomial, 365
 series with random coefficients, 351
Trinomial distribution, 272, 556
Trivial σ -algebra, 15
Trotter, H. F., 720*n*
TSP, *see* Travelling salesman problem
Turán, P., 582, 583*n*
Tversky, A., 33*n*
Two pair (poker), 31
Two-colouring of the edges of a graph, 109
Two-dimensional distribution, 391, 412
Type of distribution (density), 207, 209, 276, 287, 308, 315, 725, 739
Ulam, S., 567
Unbiased
 estimator, 241, 331, 333, 517, 521
 sample, 244
Uncorrelated
 normals, 328, 329, 476
 random variables, 213, 334, 474, 475, 477, 490, 610, 726, 734
Uncountable set, 377, 380
Uniform
 atomic distribution, 718
 density, 24, 205, 234, 276, 403, 426, 510, 604, 721
 distribution, 214, 220, 276, 276–280, 285, 286, 290–292, 306, 313, 403, 420–422, 433, 443, 461, 516, 524, 525, 604, 647, 679, 682, 718, 738, 739
 distribution in a cube, 395, 682
 distribution in unit square, 649
 distribution on circle, 281, 436, 714, 715, 717
 distribution on the sphere, 768
 prior, 62, 64, 275, 306
Uniformly continuous function, 160, 354, 779, 780, 782
Union
 bound, *see* Boole’s inequality
 of sets, 12
Uniqueness of measure induced by a distribution, 390
Unit
 cube in n dimensions, 395, 614, 635
 disc function, 515
 sphere, 646, 768
 step function, *see* Heaviside function
University of Pennsylvania, ivy encrusted institution in the Colonies, Ben’s brainchild, xvii, xxiv
Unreliable transcription, 614, 616
Unusual dice, 557
Upper derivative, 361
Urn problem, 7, 10, 31, 59, 66–68, 72, 92, 95, 119, 232, 238, 424, 450, 453, 462, 463
indistinguishable balls, 31
Valiant, L., 604*n*
Valley (energy minimum), 518
Vallone, R., 33*n*
Van der Waerden number, 113, 130, 131
Vandermonde’s convolution, 269, 271, 510
Vandermonde, A., 271
Vapnik, V. N., xvi, 599*n*
Vapnik–Chervonenkis
 class, 599, 600, 601, 603, 607, 608
 dimension, 601, 602, 608, 650

theorem, 600 , 602, 603, 608	Violins, why two are twice as loud as one, 288	426, 462, 564 , 585, 690, 767
Variance	<i>Virgil</i> , 498	for stationary sequences, 605
definition, 199 , 208 , 212, 472	Vol, <i>see</i> Volume of a ball (set)	Weakest link of chains, 294
of binomial, 239	Volume	Weierstrass's approximation theorem, 162, 572 , 605, 710
of exponential, 293	of a ball, 295, 492–494 , 496, 498–500, 504, 519, 684	<i>Weierstrass, K.</i> , 346, 404, 571 <i>n</i> , 773, 777
of geometric, 258	of a parallelepiped, 481	Weight vector, 608
of negative binomial, 260	of a set, 160, 395, 482, 499, 500, 504, 505	<i>Weinberg, S.</i> , 31 <i>n</i>
of normal, 316	<i>von Bortkewitsch, L.</i> , 253	<i>Wendel, J. G.</i> , 607 <i>n</i>
of Poisson, 255	<i>von Mises, R.</i> , 9 <i>n</i>	Weyl's equidistribution theorem, 196, 713 , 714, 717
of uniform, 276	<i>von Neumann, J.</i> , 426 <i>n</i> , 567	<i>Weyl, H.</i> , 196, 713 <i>n</i>
Vector	$w(k; p)$, $w_r(k; p)$, <i>see</i> Waiting time distribution	<i>Whitworth, W. A.</i> , 46 <i>n</i> , 247
inequality, 28, 216	Waiting time, 205, 234, 262, 267, 273, 298, 303, 312, 451, 454, 510, 534, 543, 545, 721, 742	Wiener process, 352
space of operators, 700–703	distribution, 20, 256–262 , 312, 427, 545	<i>Wiener, N.</i> , 348 <i>n</i> , 351
sum of random directions, 285, 287, 436, 752	Wall Street, predicting stock movements, 762	<i>Wilf, H. S.</i> , xxiv, 653 <i>n</i>
<i>Venkatesh, A. B.</i> , <i>v</i>	<i>Wallis, J.</i> , 141	Wireless communication, 191
<i>Venkatesh, C. S.</i> , <i>v</i>	Walsh–Kaczmarz function, 160	Witness (for sequence), 636, 637
<i>Venkatesh, S. J.</i> , <i>v</i>	<i>Warmuth, M. K.</i> , 604 <i>n</i>	<i>Wolf, R.</i> , 292
<i>Venkatesh, S. S.</i> , 193 <i>n</i> , 195 <i>n</i> , 233 <i>n</i> , 254 <i>n</i> , 518 <i>n</i> , 685 <i>n</i> , 751 <i>n</i>	Waveform with random phase, 473	<i>Wright, E. M.</i> , 581 <i>n</i> , 715 <i>n</i>
<i>Venkatesh, V. M.</i> , <i>v</i>	Wavelets, 352	<i>Wu, Z.</i> , xxiii
Venn diagram, 12, 75	Weak law of large numbers, xvii, 80, 154 , 155, 158, 160, 162 , 195, 292, 409,	<i>You, J.</i> , 557 <i>n</i>
Venus, <i>see</i> Radar maps of Venus		z-statistic, 331
<i>Vergetis, E.</i> , xxiii		Zero–one law, 423, 594
Vertex of a graph, 85, 102, 394, 650		Zipf distribution, 308
Viète's formula, 140 , 141, 144 , 145–148, 150, 159 , 594		<i>Zipf, G. K.</i> , 308
<i>Viète, F.</i> , 139–141		<i>Zygmund, A.</i> , 351