

Index

- action
 - bounded (on a metric space), 262
 - free and without inversions, 62, 267
 - hyperbolic length function of, 266
 - of $\mathcal{RF}(G)$ on X_G , 37
- adjoints (existence of), 277
- Alperin, R. C., 12, 62, 279
- amalgam (with trivial intersection), 43
- arc (in an \mathbb{R} -metric space), 256
- arc stabiliser, 45
- associativity (of reduced multiplication), 28, 274
- automorphism group (in the category $\widehat{\text{Groups}}$), 109
- axis (of a hyperbolic element), 6, 48
- Baer, R., 279
- Basarab, S. A., 279
- Bass, H., 61, 279
- Berestovskii, V. N., 279
- Bestvina, M., 279
- Borovik, A. V., 279
- bounded subgroup theorem
 - for free products with amalgamation, 6
 - for $\mathcal{RF}(G)$, 49
- branch point (of a Λ -tree), 247
- bridge (between two disjoint closed subtrees of a Λ -tree), 242
- cancelling neighbourhood, 5, 17
- Cantor, G., 279
- cardinality of $\mathcal{RF}(G)$, 11, 96, 194, 200
- category (of groups)
 - $\widehat{\text{Groups}}$, 90
 - $\widetilde{\text{Groups}}$, 90
 - surjective morphisms, 97
 - $\widetilde{\widehat{\text{Groups}}}$, 90
- centraliser partition property
 - of free groups, 156
 - of \mathcal{RF} -groups, 9, 156
- centraliser theorem, 144
- characterisation of sets of strong periods, 277
- characteristic set, 47
- Chiswell, I. M., 4, 62, 71, 261, 279
- circle product
 - of functions into a group, 20
 - associativity, 27
 - of functions into a groupoid, 219
 - associativity, 222
- classification of centralisers of hyperbolic functions, 277
- classification of real groups, 277
- classification problem (for \mathcal{RF} -groups), 276
- Cohen, D. E., 279
- Cohn, P. M., 280
- comm(u, v), 2
- completeness criterion (for \mathbb{R} -trees), 39, 261
- complexity (of an element in $E(G)$), 106
- condition (LI) (for families of subgroups of $\mathcal{RF}(G)$), 181
- condition (T) (for subgroups of $\mathcal{RF}(G)$), 181
- conjugacy theorem
 - for free groups, 115
 - for hyperbolic elements, 8, 118
- continuity (of maps into groupoids), 215
 - left continuity, 215
 - right continuity, 215
- Coornaert, M., 280
- core (of a reduced function), 43
 - normalised, 43
- CSA group, 270
- cyclic centralisers, 150
- cyclic permutation
 - of elements in a free group, 115
 - of reduced function, 117
- cyclic reduction
 - in $\mathcal{RF}(G)$, 43
 - of words in a free group, 113
- de la Harpe, P., 280
- degree of a vertex (in a Λ -tree), 247
- Delzant, T., 280

Cambridge University Press & Assessment

978-1-107-02481-6 — A Universal Construction for Groups Acting Freely on Real Trees

Ian Chiswell , Thomas Müller

Index

[More Information](#)*Index*

283

- diamond lemma, 64
- direction (at a point of a Λ -tree), 247
- displacement function, 6, 37, 249
- dissection of reduced functions
 - over a group, 22
 - over a groupoid, 220
- divisibility criterion (for the centraliser of a hyperbolic element), 162
- Dunwoody, M. J., 280
- edge point (of a Λ -tree), 247
- embedding theorem
 - for 0-hyperbolic Λ -metric spaces, 246
 - for free products of real groups in $\mathcal{RF}(G)$, 11, 202
 - for groups acting freely and transitively on an \mathbb{R} -tree, 71
 - for groups acting freely and without inversions on a Λ -tree, 62
- end
 - of a Λ -tree, 260
 - closed, 260
 - open, 260
- of an \mathbb{R} -tree with bounded rays, 260
- endpoint
 - of a Λ -tree, 247
 - of a segment, 238
- equality of sets up to finite sets (\doteq), 190
- equivalence relation τ (on free groups), 115
- equivalence relation τ_G (on $\mathcal{RF}(G)$), 117
- exponent sum
 - of $\mathcal{ARF}(S, G)$ relative to $g \in G$, 228
 - of $\mathcal{RF}(G)$ relative to $g \in G$, 84
 - the combined map, 276
 - the combined map e_G , 86
- expression (reduced), 63
- Feighn, M., 279
- formal inverse
 - of a function into a group, 5, 16
 - of a function into a groupoid, 219
- four point condition (for 0-hyperbolicity of a Λ -metric space), 245
- Fuchs, L., 280
- function
 - admissible, 216
 - cyclically reduced
 - into a group, 40
 - into a groupoid, 225
 - elliptic, 35, 44
 - characterization, 44
 - $E(G)$, 44
 - hyperbolic, 35, 44
 - characterization, 44
 - normalized, 126
 - reduced
 - into a group, 17
 - into a groupoid, 216
- function λ_f
 - definition of, 171
- functor
 - locally injective, 231
 - $\widehat{\mathcal{RF}}(-)$, 94
 - $\widehat{\mathcal{RF}}_0(-)$, 107
 - $\widehat{\mathcal{RF}}(-)$, 99
- Gaboriau, D., 280
- geodesic triangle, 244
- δ -thin, 245
 - with respect to a vertex, 245
- vertices of, 244
- Ghys, E., 280
- Gildenhuys, D., 280
- Greenberg, L., 280
- Gromov, M., 244, 280
- group
 - commutative-transitive, 270
 - fully residually free, 272
 - Λ -free, 267
 - locally fully residually free, 272
 - real, 193
 - proper, 193
 - tree-free, 267
- groupoid, 214
 - $(S, \mathcal{ARF}(S, G))$, 219
 - simplicial, 228
- Harrison, N., 280
- Harrison's theorem (on two-generator tree-free groups), 271
- Higgins, P. J., 280
- hyperbolic length, 6, 48, 49, 264, 265
- hyperbolicity criterion, 206
- Imrich, W., 280
- independence (of families of subgroups of $\mathcal{RF}(G)$), 181
- induced free substructures (of $\mathcal{RF}(G)$), 34, 276
- Inv(G), 86
- inversion
 - of a Λ -tree, 35, 44, 263
 - of star products
 - over a group, 20
 - over a groupoid, 219
- isometry (of Λ -metric spaces), 237
- Karrass, A., 280
- Kertész, A., 280
- Kharlampovich, O., 280
- Λ -metric space, 237
 - δ -hyperbolic, 244
 - with respect to a point, 243
 - embedding theorem, 246
- four point condition (for 0-hyperbolicity), 245
- geodesic, 238

- hyperbolic, 244
- topology of, 242
- Λ -tree, 238
 - branch point of, 247
 - degree of a vertex, 247
 - direction at a point, 247
 - edge point of, 247
 - elliptic metric automorphism
 - fixed point set of, 263
 - end of, 260
 - closed, 260
 - open, 260
 - endpoint of, 247
 - metric automorphism
 - characteristic subset of, 264
 - elliptic, 263
 - hyperbolic, 264
 - hyperbolic length of, 264, 265
 - inversion, 263
 - segment in
 - midpoint of, 263
 - subtree of, 240
 - closed, 241, 242
 - spanned by a set of points, 241
- Λ -valued metric, 237
- Lebesgue outer measure, 79
 - adding or removing a point, 82
 - countable subadditivity, 79
 - monotonicity, 79
 - normalization, 79
 - reflection invariance, 81
 - restricted additivity, 80
 - translation invariance, 79
 - vanishing property, 79
- length
 - hyperbolic, 35
 - of a function $f \in \mathcal{F}(G)$, 13
 - of a function $f \in \mathcal{F}(S, G)$, 215
- length function, 6, 36, 249
 - free, 267
 - induced on a free product, 267
 - on a groupoid, 228
 - regular, 251–253
 - strongly regular, 251, 252, 255
- Levi, F., 280
- Levitt, G., 280
- local (in)compatibility, 10, 176
 - symmetry of, 176
- Lyndon, R. C., 280
- Magnus, W., 280
- maps λ_f , 171
 - properties of, 172
 - the combined map λ_S , 186
- Margulis, G. A., 280
- Mayer, J. C., 280
- median, 239
- metric (Λ -valued), 237
- metric automorphism, 237
- metric automorphism of a Λ -tree
 - characteristic subset of, 264
 - elliptic, 263
 - fixed point set of, 263
 - hyperbolic, 264
 - axis of, 264
 - hyperbolic length of, 264
 - inversion, 263
- metric isomorphism, 237
- metric space (with value group Λ), 237
 - δ -hyperbolic, 244
 - with respect to a point, 243
 - geodesic, 238
 - hyperbolic, 244
 - topology of, 242
- midpoint of a segment in a Λ -tree, 263
- monoid $\mathcal{F}(G)$, 13
- Morgan, J. W., 271, 276, 280
- Moss, K. N., 12, 62, 279
- Müller, T. W., 9, 11, 12, 62, 71, 108, 164, 186, 202, 206, 261, 279–281
- Myasnikov, A. G., 280, 281
- Newman, M. H. A., 281
- Nikiel, J., 280
- normal form (for the elements of $\langle \Omega_f^0 \rangle$), 130
- normal form relation (of $E(G)$), 52
 - classification of, 275
- normaliser
 - of a hyperbolic infinite cyclic subgroup, 120
 - of an infinite cyclic subgroup in a free group, 116
- operation \boxplus (on $\Omega_f^0 - \{\alpha\}$), 143
- Oversteegen, L. G., 280
- Papadopoulos, A., 280
- Paulin, F., 280
- periods (of a hyperbolic function), 127, 160, 277
 - properties of, 127
 - strong, 127
 - characterizations of, 131
 - trivial, 127
- Plaut, C. P., 279
- polyhedral \mathbb{R} -tree, 240
- probability measures (on $\mathcal{RF}(G)$), 278
- \mathbb{R} -free surface groups, 271
- \mathbb{R} -tree, 238, 240
 - characterisation of, 257, 258
 - completeness criterion, 261
 - end of, with bounded rays, 260
 - example of, 240
 - monotone increasing sequence in, 261
 - polyhedral, 240
- reduced multiplication
 - of admissible functions into a groupoid, 218

- of functions into a group, 18
- reduction (of words in free groups), 113
- regularity (of a length function)
 - strong, 56
- Reidemeister, K., 281
- Remeslennikov, V. N., 281
- rewrite rules, 63
- rigidity (of $\mathcal{RF}(G)/E(G)$), 8, 91, 108
- Rimlinger, F. S., 281
- Rips, E., 271
- Rips' theorem (on \mathbb{R} -free groups), 271
- root (of a hyperbolic element), 45
- Royden, H. L., 281
- Schlage-Puchta, J.-C., 9, 108, 164, 186, 261, 279, 281
- Schubert, H., 281
- Schupp, P. E., 280
- segment (in a Λ -metric space), 238
- sequence (monotone increasing, in an \mathbb{R} -tree), 38, 261
- Serbin, D., 281
- Serre, J.-P., 61, 281
- Shalen, P. B., 271, 276, 280
- Short, H., 281
- Sierpinski, W., 281
- Smith, H. J. S., 281
- Solitar, D., 280
- space of absolutely summable real-valued functions, 186
- star product, 4, 13
- step function (over G), 191
- structure theorem (for $\mathcal{RF}(G)$ and $\mathcal{RF}(G)/E(G)$), 11, 209
- subgroup
 - bounded, 49
 - subnormal, 50
 - generated by all test functions, 278
 - hyperbolic, 10, 181
 - malnormal, 270
 - non-existence of soluble normal subgroups of $\mathcal{RF}(G)$, 151
- subgroup G_0 , 31
- subgroups of small index in $\mathcal{RF}(G)$
 - (existence of), 277
- subset C_f (of $C_{\mathcal{RF}(G)}(f)$), 131, 140
- subset C_f^+ (of $C_{\mathcal{RF}(G)}(f)$), 131, 135
- subset C_f^- (of $C_{\mathcal{RF}(G)}(f)$), 131, 132
- substitution problem, 275
- subtree (of a Λ -tree), 240
 - closed, 241, 242
 - spanned by a set of points, 241
- surface group
 - exceptional, 271
 - non-exceptional, 271
- surface groups (embedded as hyperbolic subgroups in $\mathcal{RF}(G)$), 276
- Szele, T., 281
- test functions, 166
 - existence of, 168
 - existence of large families of, 194
 - existence of large families with prescribed centraliser, 10, 194
 - existence theorem, 193
- Tits, J., 281
- topology (of a Λ -metric space), 242
- torsion (in $\mathcal{RF}(G)$), 50
- transitivity (of the action of $\mathcal{RF}(G)$), 39
- tree (associated with $\mathcal{RF}(G)$), 37
- universal property (of \mathcal{RF} -groups and their associated trees), 71
 - strong version, 100
- universality, 55
 - of $CDR(\Lambda, X)$, 4
- Urbański, M., 281
- vertex (of a groupoid), 215
- vertex group (at a given vertex of a groupoid), 215
- visibility of cancellation
 - over a group, 23
 - over a groupoid, 221
- visible cancellation
 - over a group, 24
 - over a groupoid, 222
- Wicks, M.J., 275, 281
- Wilkens, D. L., 51, 262, 281
- word
 - finite, 1
 - empty, 1
 - reduced, 1
 - infinite, 2
 - cyclically reduced, 3
 - empty, 2, 3
 - inverse, 2
 - reduced, 2
- words
 - infinite
 - concatenation of, 2
 - reduced concatenation of, 2
- X -ray (from a point $x \in X$), 260
- $Y(x, y, z)$, 239
- Zamboni, L. Q., 281
- Zastrow, A., 281