

Index

- accuracy of dike measurements 37–38
- accurate measurements of dikes 35–36
- action, definition of 493
  - minimised for actual dike path 502
- active volcano, definition of 1
- active volcanoes in the world 380
- actual path selected by a dike 493
- aerial photographs 35
- Almannagja (Iceland) 355
- amplitude 182
- amygdales 43, 44
- Anaga (Tenerife) 488
- analogue models, definition of 20–21
  - of volcano deformation 88–89
- analytical models, definition of 21
- anisotropic rock body 100
- anisotropic stress 95
- aperture, definition of 7
  - of a volcanic fissure 357, 360
- apparent displacement across a dike 45
- arrest of dikes 14
  - at contact with inclined sheets 448
  - examples of 345–348
- arrested sill 245
- artificial cooling of magma 526
- aseismic creeping 535
- aseismic magma transport 71
- Askja caldera (Iceland) 305
- aspect ratios of dikes 56
- aspect ratios of sills 76
- asymmetric roses 49
- attenuation 301
- attitude 7, 46, 51
  - of sills 75
- Augustine Volcano (United States) 3
- Austurhorn fossil magma chamber (Iceland) 306–307
- a-value (for earthquakes) 192–194
- axes, principal 93
  - of compression (in focal mechanism) 186
- axis of tension (in focal mechanism) 186
- background seismicity 206
- balloons as magma-chamber models 138
- Bardarbunga Volcano (Iceland) 305
- Bardarbunga–Holuhraun earthquake swarm 201
- basaltic edifices 1, 126, 436
  - heights of 260
  - slopes of 260
- baseline volcanic behaviour 473
- Baula fossil magma chamber (Iceland) 305
- Baula laccolith 249
- beach-ball diagram 185–186
- benchmark (for GPS measurements) 16
- biaxial tension 95
- bidirectional (symmetric) roses 49
- bi-logarithmic (log–log) plot 53
- bin (of a histogram) 48
- blunt tips of dikes 63
- body forces 496
- body waves 180–182
- borehole strainmeter 16, 474
- breccia at dike tip
- brittle behaviour of rocks 238
- brittle–ductile transition of common rocks 570
- bulk compressibility 290
- bulk modulus (incompressibility) 103
- bulk volume of a reservoir 292
- buoyancy 240–241, 333
  - as part of driving pressure 331
  - effects on dike propagation 334, 486–490
- b-value (for earthquakes) 192–194
  - differences in 202
- calculus of variations 505
- caldera collapse 251–259
  - stable 258
  - unstable 257
- caldera sizes and magma chamber sizes 287
- caldera-driven explosive eruption 406–407
- carbon dioxide in magma 288
- catastrophic risk and large eruptions 520
- cavities in dike rock 72
- central volcanoes 424–425
  - shift in the location of 283, 285
- centre of compression (strain nucleus) 106
- chamber–reservoir volume ratio, effects of 428–431
- chemical monitoring of volcanoes 475
- chemistry of springs for volcano monitoring 16
- chilled selvage of dikes 41, 67
- cinder cones 2

- circular histograms 48
- Columbia River Basalts (United States) 411
- columnar (cooling) joints 450–452
  - in a dike 42, 43
- compliant rocks 64, 99
  - suppress (reduce) stress 129
- composite dikes 40
- compressibility 103
  - of gas 288
  - of magma 288
- compressive stress as positive 94
- conceptual models 20
- condition for magma-chamber rupture 237
- conditions for subsidence 523
- conduction of heat 362–366
- conduits 382–390
  - cylindrical 382–385
  - elliptical 386–387
  - parallel-plate models of 387–390
- configuration of a system 498
- conjugate faults 350
- conservative forces 279
- conservative systems 494, 496
- constitutive laws 496
- constraints 494
- contact as a free surface 341
- contact properties 445–446
- contacts (between layers) 58, 122
  - as free surfaces 341
  - properties of 446–446
  - welding of 445
- continuous (elastic) systems 497–500
- continuously erupting volcanoes 396
- contours of stress 96
- controlling dimensions 12, 56
- convection 362
- Cook–Gordon delamination 230, 339–341
- cooling (columnar) joints 450–452
  - as paths for dikes 326
- cooling of magma to prevent eruption 525–527
- coordinates for dike location 35
- Coulomb criterion 251
- crack–crack interactions 60
- crack-displacement modes 190
- craters 438
- crater cones 438–439
- cubic law 257, 361, 438
- cumulative (total) thickness of a dike 38
- cumulative plots 53
- cylindrical conduits 382–385, 439
- cylindrical magma chambers 433
- damage due to earthquake waves 182
- Darcy's law 277–280
  - physical meaning of 278
- data analysis and presentation 46–53
- Deccan Traps (India) 411
- deep-seated reservoirs 3, 225, 272–324
- deflation 87–88, 106
- deflection of dikes into sills 229–234
- deformation 14
  - data 88–92
  - elastic 14
  - inelastic 14, 88
  - permanent 88
  - plastic 14, 88
  - source 18
- degassing 72
- degrees of freedom 498
- densities of common fluids 571
- densities of common rocks 568–569
- density difference 333
  - between magma and host rock 241
- density stratified reservoir 275
- depth of erosion (of an outcrop) 44
- depths of active magma chambers and reservoirs 302–305
- depths of deep-seated reservoirs 225
- depths of fossil magma chambers 305–308
- depths of shallow magma chambers 225, 477
- detecting active magma chambers and reservoirs 299–308, 476
- deterministic forecasts 23
- difference in shape between feeders and non-feeders 71
- differential stress 241
- dike and a graben 357
- dike arrest 14, 338–348
  - by a graben 232–233
  - permanent 61, 63, 65, 66
  - temporary 61, 63, 65, 66
- dike arresters 436
- dike deflected into a sill 26, 242
- dike emplacement, induced earthquakes 146
- dike fingers 358
  - in the Krafla Volcanic System 351
- dike following a fault 509
- dike fractures, lateral propagation of 358
- dike fractures, vertical propagation of 358
- dike initiation 325–332
  - conditions for 331
- dike injection 206
- dike injection from a magma chamber 234–239
- dike intensity 435
- dike meeting a fault 510
- dike meeting a contact 340–341
- dike paths 325–378
  - common 505
  - effects of faults on 509–512
  - forecasting of 328
  - in heterogeneous, anisotropic rock 507–509
  - in homogeneous, isotropic rock 505–507
  - minimum potential energy and 500–501
  - potential 328
  - potential number of 492, 502

- dike propagation 483–512
  - buoyancy effects on 486–490
  - direction of 68–71
  - earthquakes induced by 70
  - energy for 503–504
  - in all directions 69
  - lateral 68
  - least action principle and 491–500
  - quasi-static 500–502
- dike swarms 36
- dike tips 46
  - and grabens 349
  - and normal faults 349
  - fractures around 67
  - lateral 61
  - proportion of 73
  - rounded 64
  - vertical 61
  - as a solidified magma-filled fracture 7
- dike-induced deformation 512–520
- dike-induced faulting 483–484
- dike-induced fractures 67
- dike-induced internal displacements 513–520
- dike-induced internal stresses 513–520
- dike-induced surface displacements 513–520
- dike-injection frequency 429–431
- dike-injection rate 234
- dike-lets 72
- dike-path length 345
- dike-propagation paths 332–338
- dike-rock texture 67
- dikes 7
  - and sheets in a layered crust 146–156
  - and sheets in elastic half-spaces 141–146
  - and sills making volcanoes stronger 447
  - deflected into sills 229–234
  - dip-dimension of 12
  - dips of 51
  - dislocation models of 143–146
  - drilling into 526–528
  - fingers of 69
  - last movement of magma in 69
  - lateral propagation of 57
  - length–thickness ratios 55
  - length of 11
  - magma front of 198
  - proportion of feeders versus non-feeders 73–74
  - rate of injection of 226
  - regional and local 325
  - segmented 199–200
  - stress concentration around 356
  - strike-dimension of 12
  - surface effects of 91
  - thickness variations of 56
  - tips (ends of) 61–67
- dike-segment overlap 62
- dike-sill contacts 335–336
- dilation (volume strain) 103
- dip 7, 51
- dip direction 51
- dip distribution of sheet intrusions 125
- dip of lava piles 284
- dip-dimension, definition of 7
- dip-slip faults, ring-faults as 253
- direction of dike propagation 68–71
- directional data 48
- directional distinction 49
- discharge velocity 277
- discontinuities 63
- discrete systems 497
- dislocation models of dikes 19, 143–146
  - surface deformation and 91
- displacement 97–98
- doming
  - as a condition for ring-fault formation 132–138
  - during caldera collapse 405
  - of the surface 523
- double magma chambers 272–275, 428
  - dynamics of 294–299
  - formation of 281–285
- double-couple earthquakes 18, 185–186
- downrift migration of earthquakes 70
- drain-back 69
- drilling into a dike 526–528
- driving shear stress (stress drop) 189, 251
- duration of earthquake swarms 200–201
- duration of eruptions 390–400
- dynamics
  - of deep-seated reservoirs 290–293
  - of double magma chambers 294–299
  - of shallow magma chambers 286–290
  - of volcanic eruptions 379–423
- earthquake swarms 15, 70, 179, 197–201, 326, 473, 507
  - duration of 200–201
- earthquakes
  - associated with dike emplacement 146
  - a-values of 192–194
  - b-values of 192–194
  - concentration at boundary faults 523–524
  - epicentre of 183–187
  - explosion 203
  - focal mechanism of 183–187
  - focus of 18
  - Gutenberg–Richter relation 191–192
  - high-frequency (A-type) 195–202
  - hypocentre of 183–187
  - low-frequency (B-type) 203
  - magnitudes of 187–194
  - migration of (during dike propagation) 70
  - moment of 187–194
  - moment-magnitude scale 188
  - slip surface of 188

- earthquakes (cont.)
  - stress sources of 195–197
  - triggering eruptions 205–206
- effect of gravity in models 241
- effects of layering 351
- El Hierro (Canary Islands) 300
- elastic constants 101–104, 565–567
- elastic deformation 14
- elastic deformation of volcanoes 87
- elastic energy 332, 521
- elastic half-space 105, 513
- elastic mismatch 233–234, 343–345
- elastic potential energy 406
- elastic systems, least action principle for 497–500
- elastic-energy magnitude (EEM) scale 521–522
- elastic–plastic expansion 281
- Eldgja eruption (Iceland) 381
- electronic distance meter 16, 90
- elliptical conduits 386–387
- energy
  - dissipation (during dike propagation) 65
  - for dike propagation 503–504
  - release rate, definition of 330
- enhanced geothermal systems 525, 529
- epicentre 183–187
- Erebus Volcano (Antarctica) 396
- eroded volcanoes, data from 24
- error function 363
- Erta Ale Volcano (Ethiopia) 304, 396
- eruptions
  - duration of 390–400
  - dynamics of 379–423
  - earthquake triggering of 205–206
  - failed 201
  - forecast of 200
  - frequencies 294, 379–382
  - imminent 204
  - intensity of 401, 521
  - large, definition of 287
  - moderate, definition of 287
  - ordinary 286
  - probability of 68
  - quantification of 521–522
  - sizes of 379–382
  - small, definition of 287
  - time-to-peak of 399
  - volumes 293, 393
- Esja (Iceland) 449
- evacuation 525
- excess pressure 102, 124, 240, 331, 484
  - decline of 392
  - exponential decrease in 394
- excess spreading 231
- existential risk and large eruptions 520
- explosion earthquakes 203
- extension fracture 7, 70
  - magma filled 325–326
- extensometer (strainmeter) 16
- external forces 495
- extinct volcanoes 3
- extinction of volcanoes 458–460
- Eyjafjallajökull (Iceland) 24
- failed eruptions 201
- failed magma paths 61
- fault-plane solution (focal mechanism) 18
- faults 8
  - as shear fractures 7
  - aseismic slip (creep) of 8
  - cumulative (total) displacement of 8
  - dip-dimension of 11
  - displacement of 8
  - in volcanoes 452–454
  - induced by dikes 483
  - length of 8
  - rupture length of 10
  - slip of 8, 11
  - width of 8
- faults and dikes 45
- feeder-dikes 46, 93, 506
  - and non-feeders 71–75
  - closing of 392
  - shape of
  - volume of 287
- Fernandina Volcano (Galapagos) 404
- Ferrar Dolerite sills (Antarctica) 480
- field studies of volcanotectonic structures 34–86
- fingers (of a dike) 69, 358
- fissure eruptions 356–361
- flat ellipses, dikes as 54
- flexural rigidity 250
- flexural slip 250
- flow channelling 387, 438
- flow length (of lavas) 437
- fluid pressure, excess 102
- fluid transport along a dike 45
- fluids, Young's modulus of 102
- focal depth 184
- focal mechanism (fault-plane solution) 18, 183–187
  - and axis of compression 186
  - and axis of tension 186
  - and nodal planes 186
- focal sphere 186
- forces
  - body 496
  - external 495, 498
  - generalised 497
  - internal 495–496, 498
  - surface 496
- forecasting eruptions 472–559, 520–524
- form (geometry) of magma chambers 477
- formation and dynamics of magma chambers 272–324
- formation and evolution of volcanoes 424–471
- formation of a shallow magma chamber 227

- formation of deep-seated reservoirs 272–277
- formation of double magma chambers 281–285
- fossil magma chambers 4
- fossil volcanoes 3
- fracture resistance 446
- fracture toughness
  - definition of 330
  - of common rocks 569–570
- fractures
  - around dike tips 67
  - induced by dikes 67
- free surface 57
- free-surface effects (on dikes) 72, 106
- frequency vs eruption volume 396
- friction, internal 251
- Fuji Volcano (Japan) 437, 439
- full-space models of magma chambers 109
- gas
  - composition monitoring 16
  - expansion in magma 487
  - exsolution (effect on excess pressure) 393
- Geitafell Volcano (Iceland) 296, 327, 329
- Geitafellsbjörg fossil chamber (Iceland) 305, 329
- general stress 94
- generalised forces 497
- geochemical techniques for volcano monitoring 16
- geometry of a volcano 436–444
- geophysical data inversion 18
- geophysical techniques and definitions 12–17
- geysers 205
- GPS (Global Positioning System) 16, 90, 475
- graben 516
  - and a dike in North Iceland 357
  - and an arrested dike 67
  - arresting dike tips 67
  - as a stress barrier 67
  - in the Krafla Volcanic System 354
  - nested 143–144
  - rule 354, 516
  - subsidence 143
  - subsidence inducing large eruptions 407–411
- grain size of dike rock 40
- gravity, effects in modelling 241
- Greek alphabet 563
- Griffith theory 252
- Grimsvötn Volcano (Iceland) 305
- ground deformation monitoring 16–17
- ground elevation and tilting 473–474
- ground movement 182–184
- Gutenberg–Richter relation 191–194
- Hafnarfjall ring-fault 254
- half-space model 19, 150
- Hamilton's principle of least action
  - for an elastic solid 498–499
  - for continuous systems 497–500
  - for discrete systems 492–497
  - most general version of 497
- hard-linked fractures 58
- hazards
  - assessment of 74
  - volcanic 475–476
- heat conductivity 364
- heat
  - definition of 362
  - flow 362
  - flux 362
  - transfer from sheet intrusions 361–366
- heat-flux density 362
- heights of table mountains 276, 280
- Hekla eruption (Iceland), effusion rate of 394
- Hekla Volcano (Iceland) 294
- Hengill Volcano (Iceland) 196
- Hengill Volcanic System (Iceland) 6, 409
- heterogeneity and anisotropy of volcanoes 24
- heterogeneous rock body 100
- heterogeneous stress field 94
- high-frequency (A-type) earthquakes 195–202
- histograms 47–48, 51–52
- historical time 2
- Holocene 3
- homogeneous rock body 100
- homogeneous stress field 94
- Hood Volcano (United States) 437
- Hooke's law 98–101
- hook-shaped fractures 58–59
- horizontal tension 123
- horns, as failed dike paths 61–62
- hot-dry-rock systems 525
- human-induced cooling of magma 526
- hydraulic fractures
  - propagation of 490–491
  - to prevent eruptions 527–529
- hydrofractures 7
- hydro-shearing 525
  - advantages and disadvantages of 535–536
  - economy of 535
  - for geothermal energy 535
  - of faults 533–534
  - procedure 530–533
  - producing earthquakes 536
  - social and legal issues of 536
  - stress effects of 534–535
  - to form a stress barrier 534
  - to minimise stress difference 534–535
  - to prevent eruptions 529–536
  - to reduce strain energy 530, 533
- hypocentre (focus) 18, 183–187
- ideal geometries of magma chambers 236
- imminent eruptions 204
- improving volcanotectonic models 23–26

- inclined sheets 7, 225–226
  - as solidified magma-filled fractures 7
  - cross-cutting of 327
  - potential paths of 449
  - surface effects of 91
  - swarm of 296, 449
- incompressibility 103
- inelastic deformation 14, 88
- infill material in a fracture 7
- infinitesimal strain 100
- inflation (doming) 87, 91, 106
  - definition of 88
  - of deep-seated reservoirs 273
- InSAR (Interferometric Synthetic Aperture Radar) 16, 90, 475
- in situ* tensile strengths of rocks 569
- internal forces 495–496
- internal friction 251
- internal structure of a volcano 444–458
- interpreting data 17–26
- intrusions
  - and eruption frequencies 428–436
  - and eruption statistics 295
- inversion
  - of dike-induced deformation data 145
  - of geophysical data 18, 130
- inward-dipping ring-fault/ring-dike 255, 257–258, 404–405
- irregular boundaries of magma chambers 235
- isotropic rock body 100
- isotropic stress 94
- jogs and notches at contacts 328
- joints
  - as hydrofractures 246
  - as weaknesses 451
  - effects on Young’s modulus 450
  - transporting fluids 450
- Jorukleif fault (Iceland) 454
- Katla Volcano (Iceland) 304
- Katmai Volcano (United States) 381, 400, 404
- Kerid pit crater (Iceland) 2
- Ketillaugarfjall (Iceland) 456
- Kilauea feeder-dike 350
- Kilauea Volcano (United States) 2, 304, 404
- kinetic energy 494
- Kluchvskoy Volcano (Russia) 304
- Krafla caldera (Iceland) 305
- Krafla Volcanic System (Iceland) 197, 298
- Krakatau (Krakatoa) eruption (Indonesia) 381, 401
- Krossanesfjall (Iceland) 236
- Krossanesfjall net-veined complex 306–307
- La Garita eruption (United States) 382, 401
- laccoliths 121
  - emplacement 247–251
  - definition of 247, 250
- Lagrangian (function)
  - definition of 493
  - for an elastic system 499
- Laki eruption (Iceland) 381
- Lamé’s constant 104
- landslides (lateral/sector collapses) 259–261
- large eruptions
  - and catastrophic risk 520
  - and existential risk 520
  - definition of 287
  - effusive 407–411
  - explosive 400–407
  - forecasting of 520–524
  - prevention of 524–536
- Las Canadas caldera (Tenerife, Spain) 384, 442, 488
- last movement of magma in a dike 69
- latent heat of solidification 366
- lateral collapse and volcano shape 440–444
- lateral migration of earthquakes 70
- lateral propagation of dikes 57, 68, 358
- lateral tips of dikes 61
- lateral/sector collapses (landslides) 259–261
- lava flow down into fissures 71
- lava piles, dip of 284
- lavas, physical properties of 572
- layered crust, dike and sheet emplacement in 146–156
- length of a dike 39, 53
- lengths of volcanic fissures 54
- length–thickness (aspect) ratios of dikes 55–56
- level of neutral buoyancy 487–490
- levelling techniques 474
- linear elastic bodies 88
- linkage of dike segments 58–61
- lithology of dike and host rock 40
- lithostatic equilibrium, for a reservoir 292
- lithostatic state of stress 94
- load 432
- local sheet swarms 122
- local stresses around a magma chamber 111, 239, 332
- log–log (bi-logarithmic) plots 53
- lopolith 247, 250
- Love waves 183
- lower hemisphere plots 52
- low-frequency (B-type) earthquakes 203
- lubrication of fault planes 253
- magma
  - accumulation in reservoirs 276, 281
  - compressibility 291
  - cooling of to prevent eruption 525–527
  - flow direction in a dike 68–71
  - front in a dike 198
  - injection 42
  - layer 277
  - migration in deep-seated reservoirs 277–280
  - movement through the crust 325–378

- physical properties of 572
- pressure 123
- supply 282
- transport to the surface 382–390
- transport, aseismic 71
- viscosity of 436
- volume leaving the chamber 406
- magma chambers
  - as a crustal magma body 225
  - as a dynamic system 235
  - as a sink 425
  - as a source 425
  - as cavities, analogue models 109–121, 137–140
  - as cavities, numerical models 122–137
  - as holes 116–120
  - as nuclei of strain 105–109
  - as oblate ellipsoids 131
  - as sills 120–121
  - condition for rupture of 237
  - depths of 302–305
  - detection of 476
  - detection of active 299–302
  - ellipsoidal 114–115
  - form (geometry) of 477
  - fossil 4
  - irregular boundaries of 235
  - ideal geometries of 236
  - in layered (anisotropic) crust 126–132
  - initiation 224–234
  - irregular in shape 114
  - local stress around 111, 239
  - melt fraction of 479
  - modelled as a balloon 138
  - Mogi model of 105–109
  - partially molten 286
  - roof of 25
  - rupture of 234–239, 326, 481–483
  - sill-like (oblate spheroid) 125
  - sizes in relation to caldera sizes 287
  - stress contours around 126
  - three-dimensional numerical models of 130–131
  - totally molten 286, 481
  - volume estimates of 301–302
  - walls and roofs, tensile strength of 485–486
- magma-path formation 426–428
- magnetic effects 36
- magnetic fabric 69
- magnitudes of earthquakes 187–194
- mantle plume 276–277, 280
- material points (for continuous systems) 500
- material toughness 504
  - definition of 330
  - of common rocks 569–570
- Mauna Kea Volcano (United States) 436, 438
- Mauna Loa Volcano (United States) 2, 304, 436, 438
- Mayon Volcano (Philippines) 437
- measurement line (for dike/fracture studies) 36
- mechanical layering, effects of 155
- melt fraction of magma chambers 479
- Mercalli intensity scale 187–188
- metal rods (strainmeters) 16
- mineral veins 7, 10, 44
- minimum potential energy
  - and dike paths 500–501
  - and fluid transport 278, 281
- mixed-mode fractures 59, 251, 344
- Miyakejima Volcano (Japan) 404
- models 20–27
- moderate eruption defined 287
- modes I, II, III of cracks 190
- Modified Griffith criterion 252
- Mogi model
  - advantages of 108
  - as a point source 89
  - definition of 105
  - disadvantages of 108–109
  - of magma chambers 105–109
- moment-magnitude scale 188
- moments of earthquakes 187–194
- monitoring
  - dike propagation 326
  - seismic (of volcanoes) 206–208
  - volcanic unrest 12
- multiple dikes 38–39, 42
- multiple intrusions 480
- multiple sills 227–229
- necks 384
- nested grabens 143–144
- networks of dikes and sills 449
- neutral buoyancy level 487–490
- nodal planes 186
- non-conservative systems 496
- non-double couple earthquakes 18, 186
- non-feeder (arrested) dikes 46, 47, 330
- non-linear elastic behaviour 100
- non-normalised (unweighted) data 49–50
- normal strain 98
- normal stress 92, 98
- normal-faulting earthquakes 186
- normalised (weighted) data 49–50
- Novarupta eruption (United States) 381, 400
- nucleus of strain (point pressure) 105
- numerical models
  - definition of 21–22, 23
  - of dike paths 334–338
  - of volcano deformation 88–89
- oblate ellipsoids, magma chambers as 131
- offset (dike/fissure) segments 64, 358
- Oman (Semail) ophiolite (Oman) 308
- open ring-faults 255
- opening displacement 7, 359–360
- ophiolites 303, 435



- ordinary eruption, definition of 286
- oriented data (roses for) 49
- orthogonal fractures 29
- outward-dipping ring-fault/ring-dikes 253, 255, 256, 402–404, 457
- overburden pressure 94
- overlap (between dike segments) 62, 64
- overlapping spreading centres 58
- overpressure (driving pressure) 239
- palaeo-rift zones 35
- paleo-flow directions in a dike 69
- parallel-plate models of sheets 387–390
- partially molten magma chambers 286, 289
- particles (for discrete systems) 500
- paths of dikes 19
- penny-shaped crack 120
- permanent deformation 14, 88
- permeability 43
- phase transition during solidification 366
- phenocrysts 44
- photographs in the field 46
- physical constants 564
- physical properties of lavas 572
- physical properties of magmas 572
- Pinatubo eruption (Philippines) 381, 400–401
- Pinatubo Volcano (Philippines) 404
- piston-like caldera roof 406
- Piton de la Fournaise Volcano (Reunion, France) 2, 404
- plastic deformation 14, 88
- plugs 384
- plugs and necks 457–458
- plutons 282
- point pressure source 105–106
- Poisson’s ratio
  - definition of 101–103
  - effect on volume and shape 103
  - for common rocks 565–566
  - values of 102
- Poisson’s relation 104
- pole plots 52
- poles (to dike/fracture planes) 51
- polygenetic volcanoes 88
- pore compressibility defined 291
- pore-fluid pressure 252
- porosity of reservoirs 430
- potential energy 494
  - and fluid transport 278–279
  - total 499, 503
- potentiometric surface 276, 280
- power-law distribution 46, 53
  - for earthquakes 191–192
  - for eruptions 380
- precision levelling technique 89
- preventing large eruptions 524–536
- primary waves (P-waves) 180–181
- principal axes 93
- principal planes of stress 93
- principal stress directions 95
- principal stress magnitudes 95
- principal stress rotations 60
- principal stresses 93
- principle of least action and dike propagation paths 491–500
- principle of minimum potential energy 493, 499
- principle of virtual displacements 494
- principle of virtual work 494
- probabilistic forecasts 23
- probability of eruption 68
- process zones 70
- profile for dike/fracture studies 35
- propagation of dikes 45, 483–512
- proportion of dike tips 73–74
- proportion of feeders versus non-feeders 73
- P-waves (primary waves) 180–181
- quantifying eruptions 521–522
- quasi-static dike propagation 500–502
- radiation 362
- radius of curvature
  - equation for 78
  - of a dike tip 65
- Rainier Volcano (United States) 437
- rate of injection of dikes 226
- Rayleigh waves 183
- real fault-slip plane 186
- regional dikes 326
- regional stress field 111
- regression analyses 18, 47
- reinforcing effects of sheets in volcanoes 447
- reservoirs (deep-seated) 13, 225, 272–324
  - bulk volume of 292
  - density stratified 275
  - depth of 225
  - detection of active 299–302
  - dome-shaped 426
  - dynamics of 290–293
  - formation of 272–277
  - initiation of 273
  - magma accumulation in 276
  - magma migration in 277–280
  - titled contacts in 276
- resistance of dike rock to erosion 41, 42
- reverse-faulting earthquakes 186
- Reydarartindur fossil magma chamber (Iceland) 479
- Reykjadalur Volcano (Iceland) 112–113
- Reykjanes Peninsula (Iceland) 347
- ribs at the surface of a joint 69
- Richter scale 188
- rifting event 42
- right-hand rule for strike measurements 48
- rigid-body rotation 97
- rigid-body translation 97



- ring-dikes 454–456, 509
  - dip variation of 455–457
  - propagation of 253
- ring-faults 251, 454–456
  - as dip-slip faults 253
  - as normal faults 133, 139
  - as reverse faults 133, 139
  - dip variation of 139
  - formation of 132–138
  - inward-dipping 255, 257–258
  - outward-dipping 253, 255, 256
- ripples 182
- rose diagrams 48–50
- rounded tips 64
- rows in a dike 42
- rupture 180
- Sakurajima Volcano (Japan) 396–397
- Sandfell fossil magma chamber (Iceland) 305
- Sandfell laccolith (Iceland) 249
- Santorini caldera (Greece) 346, 443
- satellites for geodetic measurements 16
- scan-lines for dike/fracture studies 35
- scoria cones 2
- secondary minerals 43
  - zonation of 44
- sections for dike/fracture studies 35, 36
- segmented dikes 39, 41, 53, 58–61, 199–200
- segments
  - as a single fracture 58
  - of a volcanic fissure 68
  - offset (of dikes) 64
- seismic moment 188–194
- seismic monitoring of volcanoes 206–208
- seismic tomography 301
- seismic waves 179–183
- seismicity, background 206
- seismometers 474
- shallow crustal magma chambers
  - definition of 225
  - depth of 225, 477
  - dynamics of 286–290
- shape
  - of a dikes 53–58
  - of a volcano 436–444
- shear fracture 7
- shear modulus 103
- shear movements along discontinuities 66
- shear strain 97
- shear strength 251
- shear stress 93
- sheet intrusions 325
  - change in dip and thickness 113
  - dip distribution of 125
  - swarms of 435
- sheeted dike complexes 225
- sheets as internal framework of a volcano 447–450
- shift in location of central volcano 283, 285
- SI units and prefixes 560–562
- sills 75–76
  - arrest of 245
  - as aquifers 450
  - as different from dikes and inclined sheets 76
  - as different from lava flows 75
  - as fossil magma chambers 308
  - as oblate spheroidal magma chambers 125
  - as solidified magma-filled fractures 7
  - aspect ratios of 76
  - attitude of 75
  - emplacement of 242–247
  - geometries of 76
  - magma chambers as 120–121
  - rate of solidification of 226, 228
  - thermal effects of 76
  - tunnel-shaped 244
- single magma flow 294
- Slaufudalur fossil magma chamber (Iceland)
  - 117, 306
- slip 180
- slip surface of an earthquake rupture 188
- slow-spreading ridges 303
- small eruption defined 287
- soft rocks 99
- soft layers 73
- soft-linked fractures 58
- solidification
  - definition of 363
  - of magma in a sheet intrusion 361–366
- solid-matrix compressibility defined 290
- sound waves 180
- source of deformation 18
- spatter-and-scoria cones 2
- specific heat capacity, definition of 364
- specific latent heat, definition of 366
- spreading vectors 50
- stable caldera collapse 258
- Stardalshnjukur fossil magma chamber (Iceland)
  - 305–306
- Stardalur Volcano (Iceland) 306
- state of stress close to a dike 240
- statistical techniques for structural data 18
- statistical-probabilistic models 20
- steps during dike propagation 500–501
- stereograms 48
- stereoplots 51–52
- stiff layers 73
- stiff rocks 63
- stiffness, definition of 99
- Stromboli Volcano (Italy) 396–397
- straight-line fit to data 19
- strain 97–98
  - infinitesimal 100
  - normal 98
  - shear 97

- strain energy 503–504, 523
  - dissipation during dike propagation 66
  - Mogi model and 107, 110
  - of a body 498
  - of a volcano 121
  - per unit volume 503
  - total 504
- strain rate 97
- strainmeters 16, 474
- stratigraphic level 35, 36
- stratovolcanoes 127
  - as strong structures 438
  - heights of 260
  - slopes of 260
- streamlines, trajectories as 432
- strength 99
  - definition of 99
  - of a volcano 446
  - of common rocks 568–569
  - shear 251
- stress 92–96
  - anisotropic 95
  - barrier 230–233, 342, 534
  - concentration 60
  - concentration and intrusion frequency 431–436
  - concentration around a dike 356
  - concentration around a hole 432
  - concentration around magma chambers 127–137
  - contours 96
  - contours around a magma chamber 126
  - definition of 92
  - drop (driving shear stress) 189, 252
  - effects of hydro-shearing 534–535
  - general 94
  - heterogeneous 94
  - homogeneous 94
  - isotropic (hydrostatic) 94
  - lithostatic 94
  - magnitudes of 95, 124
  - monitoring 523
  - normal 92, 98
  - principal planes of 93
  - shear 93
  - sources for earthquakes 195–197
  - tensor 93
  - trajectories 95–96, 123–124, 432
  - transfer 205
  - vector 93
- stresses associated with dikes and sheets 140–156
- stress-homogenisation 533
- stress-intensity factor 330
- strike 6, 48
- strike and dip measurements of a dike 36–37
- strike-dimension 7, 11
- strike-slip-fault earthquakes 186
- structural geology 4
  - techniques and definitions of 5–12
- subsidence, conditions for 523
- subvertical flow of magma 69
- supervolcanoes 521
- surface deformation, causes of 90–91
- surface of displacements 122
- surface effects of dikes 348–356
- surface forces 496
- surface stress peaks 133, 349
- surface stresses 122
- surface subsidence above dikes 349
- surface uplift peaks 516
- surface waves 180, 182–183
- swarms of inclined sheets 449
- S-wave shadows 181, 301, 476
- S-wave velocities and temperature 181
- table mountains, heights of 276, 280
- Tambora eruption (Indonesia) 381, 400–401
- Tambora Volcano (Indonesia) 441
- tangent modulus 101
- Taupo eruption (New Zealand) 381
- tectonics 4
- Teide Volcano (Tenerife, Spain) 442
- temperature
  - definition of 362
  - gradient 362
- tensile strength 238, 568–569
  - of the roof and walls of a chamber 485–486
- tensile stress as negative 94
- tension fracture 7, 8, 10, 28
  - dike-induced 350
- theoretical stress magnitudes 66
- thermal diffusivity 363
- thermal effects of sills 76
- thermal effects on dike propagation 332
- thermal energy, definition of 362
- thickness
  - of dikes 38, 52
  - of an intrusive sheet 7
  - variations of dikes 56
- Thingvellir Graben (Iceland) 408–410
- three-dimensional numerical model of a magma chamber 130–131
- Tianchi eruption (China) 381
- tilted contacts in reservoirs 276
- tiltmeters (inclinometers) 16, 90, 474
- tips
  - blunt 63
  - measurements of 65
  - of dikes 61–67
  - radius of curvature of 65
  - wedge-like 62
- Toba caldera (Indonesia) 443
- Toba eruption (Indonesia) 381–382, 401
- top craters 438–440
- Torres del Paine fossil magma chamber (Chile) 248, 308, 478

- total energy for dike-fracture formation 511
- total fluid pressure 238
- total head 279
- total potential energy 499, 503
- total radiated energy in earthquakes 193
- total strain energy 504
- totally molten magma chamber 286
- traction 93
- trajectories 95–96, 505
- transfer faults 59
- transform faults 59
- transpression 184
- transtension 184
- trapdoor caldera collapse 254, 258
- traverse for dike/fracture studies 35
- tremors (volcanic) 204–205, 207
- triple magma chambers 304
- tunnel-shaped sill 244
- underpressure for ring-fault formation 133
- unidirectional (asymmetric) roses 48–49
- unit length (for dikes) 49
- unrest (volcanic) 12, 472–559
  - monitoring of 12
  - monitoring techniques 474–475
  - signals 473–474
- unstable caldera collapse 257
- unweighted (non-normalised) data 49–50
- upward migration of earthquakes 70
- variational symbol 494
- velocity model 186
- vertical collapse (caldera collapse) 251–259
- vertical collapse and volcano shape 440–444
- vertical ends (of dikes) 65
- vertical propagation of a dike fracture 358
- vertical tips of dikes 61
- vesicles in dike rock 43, 67
- Vesturhorn fossil magma chamber (Iceland) 306–307
- vibrations (in the Earth) 179
- view north (east, south, or west) defined 6, 46
- virtual displacement, definition of 494
- virtual work and dike propagation paths 491–500
- virtual work, definition of 494
- viscosities of some crustal fluids 571
- viscosities of magmas 436, 572
- volcanic earthquakes 179–223
- volcanic edifices 424–428, 436
- volcanic explosivity index (VEI) 521
- volcanic fissures 38, 68
  - lengths of 54
- volcanic hazards 475–476
- volcanic tremors 15, 204–205, 207
- volcanic unrest 15, 472–559
- volcano deformation
  - analogue models of 89
  - analytical models of 88
  - numerical models of 88–89
- volcanoes 1
  - active 1
  - basaltic edifice 1
  - composite 1
  - continuously erupting 396
  - deflation of 14
  - deformation of 13–14
  - erupting each year 395–396
  - extinct 3
  - extinction of 458–460
  - fossil 3
  - ground-deformation monitoring of 16–17
  - inflation of 13–14
  - internal structure of 444–458
  - layers and contacts of 445–447
  - loading of 13
  - monogenetic 1
  - polygenetic 1
  - potentially active 4
  - seismicity monitoring of 15–16
  - profiles of 437–438
  - seismology of 179, 474
  - shape of 436–444
  - shape effects of collapses on 440–444
  - slope of 260, 436
  - strato (stratovolcanoes) 1
  - strength of 446
  - unrest of 14
- volcanotectonic deformation 87–178
- volcanotectonic processes 224–271
- volcanotectonic swarms 197–201
- volcanotectonics
  - and classical physics 4–5
  - and geodesy 4–5
  - and geophysics 4–5
  - and models 4–5
  - and seismology 4–5
  - and structural geology 4–5
  - and tectonics 4–5
  - and volcanology 4–5
  - definition of 4
  - scope and aims of 4–5
- volume strain 103
- volumetric flow (effusion) rate 53, 256, 361, 393
- water in magma 288
- waves carrying energy 180
- weak contacts (between layers) 147
- weighted (normalised) data 49–50
- welded scoria 348
- welding of contacts 445
- work, definition of 362
- xenocrysts 44
- xenoliths 44

|                      |                                    |
|----------------------|------------------------------------|
| yield strength 436   | of common rocks 565–566            |
| Young’s modulus      | of fluids 102                      |
| and size of body 99  | values of 102                      |
| definition of 88, 98 |                                    |
| <i>in situ</i> 99    | zig-zag geometry of dike paths 337 |