

Index

Note: page numbers in *italics* refer to figures and tables; those in **bold** refer to boxes.

- abductor digiti minimi muscles 244
- abductor hallucis muscle 243, 244
- abductor pollicis longus muscle 80–81, 81
- abductor spasmodic dysphonia 85
 - BoNT therapy 88–89, 90
- abobotulinumtoxinA (Dysport) 10
 - abductor spasmodic dysphonia 89
 - active substance 19
 - adductor spasmodic dysphonia treatment 88
 - blepharospasm treatment 61, 62
 - cerebral palsy treatment 126
 - cosmetic use 181, 184, 185, 186, 187–189
 - cricopharyngeal muscle spasms 92
 - gustatory sweating 97
 - headache disorders 224, 230
 - hemifacial spasm treatment 103, 104
 - hyperlacrimation 98
 - intrinsic rhinitis 97–98
 - oromandibular dystonia treatment
 - jaw-closing 66, 67
 - jaw-opening 67–68
 - lingual 68–69
 - pharyngeal 69
 - overactive bladder treatment 289
 - palatal tremor 93–94
 - primary axillary hyperhidrosis 197
 - reconstitution 32
 - rhinorrhea 97–98
 - spasticity treatment 108
 - specific potency 18–19
 - temporomandibular joint pain 238–239
 - tennis elbow 238
 - tics 163
 - vocal tremor 90
- acetaminophen 233
- acetylcholine
 - bladder contraction 288
 - gastrointestinal tract motility 281
- achalasia 278–279
 - BoNT therapy 279, 280
 - surgical treatment 278–279
- Achilles tendon reflex 261
- acquired esotropia 175, 170
- adductor brevis muscle 156
- adductor longus muscle 156
- adductor magnus muscle 156
- adductor muscles 115–116, 124–125, 144
 - ultrasonography 156
- adductor pollicis longus muscle 111
- adductor pollicis muscle 111–112, 139
- adductor spasmodic dysphonia 85
 - BoNT therapy 85–88
 - dosage 88, 90
 - injection techniques 86–88
 - percutaneous injection 86
 - transnasal technique 87–88
 - transoral technique 86–87
- adjuvants 18
- aluminium chloride salts,
 - hyperhidrosis treatment 194–195, 201
- anal fissures
 - BoNT use in healing 213, 284
 - chronic 282–284
- ankle plantarflexion 123
- ankle-foot orthosis, foot drop 123
- anoxia 64
- antecaput 35, 36, 43, 66
 - head rotation 42
- antecollis 26 28, 29, 36, 42
 - head/neck forward flexion 42
 - muscles involved 43
 - see also* cervical dystonia
- antigen exposure 18
- anti-glutamic acid decarboxylase 168
- antinociceptive effects of BoNT 234, 235
- arm
 - abduction in dystonia 72, 80
 - ultrasonography 129, 130, 139 147
 - see also* forearm
- arthritis
 - antinociceptive effects of BoNT 234
 - impact 233
 - physical therapy 233–234
 - prevalence 233
 - treatment 233–234
 - adverse effects 233–234
- arytenoid muscles 89
- ataxia, cerebral palsy 119
- athetosis, cerebral palsy 119
- ATP, extracellular in neuropathic pain 217
- Autenrieth, Johann Heinrich Ferdinand 2
- B-cells, BoNT reactions 17
- “Bacillus botulinus” 5
 - identification 4–5
 - see also* *Clostridium botulinum*
- batch 11/79 9
- Bell’s phenomenon 179
- benign prostatic hyperplasia 291–292
- biceps brachii muscle 133, 139, 141
 - ultrasonography 131, 134
- biceps femoris muscle 144, 157
- biceps muscle 113
- biological weapons 6
- bladder conditions
 - BoNT injection 289
 - neurogenic 288
 - overactive bladder 288–290
 - urgency 288
- bladder, muscarinic receptors 288–289
- blepharospasm 9, 10
 - BoNT serotype A drugs 61–62
 - clinical features 60
 - hemifacial spasm differential diagnosis 101
 - levator palpebrae superioris muscle 60
 - orbicularis oculi muscle 60
 - pathophysiology 60
 - periocular muscles 60–61
 - treatment 61–62, 174
 - dosage 62
 - injection technique 61–62
 - long-term efficacy 62
 - side effects 62
 - surgical 62
- blink reflex 60
- bone fractures 214
- BoNT (botulinum neurotoxin)
 - adjuvant use 18
 - adverse events 14
 - animal studies 8
 - antibody formation avoidance 20

Index

- BoNT (botulinum neurotoxin) (cont.)
 associated proteins 18
 clinical development 8–10
 commercial products 13, 16
 counterfeit BoNTs 14
 duration of action 13
 early 20th century research 5–6
 freeze-dried preparations 8
 human testing 8
 immunogenicity 13–14
 product specificity of immune responses 18–20
 immunological properties 16–20
 Kerner's ideas for therapeutic use 3–4
 mechanisms of action 10, 12
 molecular actions 5
 molecule modification 14
 neutralizing antibodies 13–14
 onset of action 13
 organism reaction 17–18
 pain condition uses 14
 paralysis development 17
 pharmacology 12–14
 clinical 13–14
 product developments 14
 products 13
 serotypes 12, 16
 specific potency 18–19
 structure 12
 synthesis 12
 therapeutic use development 3–4, 6
 therapy failure 16, 18, 19
 types 5
see also BoNT serotype A drugs; BoNT serotype B drugs; named conditions treated
- BoNT antibodies 16
 antigen exposure 18
 calibration curves 17
 complex formation 17
 detection 16
 exogenous factors in immune response 18
 formation 18
 mouse bioassay 16
 mouse diaphragm bioassay 16–17
 quantification 16–17
 therapy failure induction 18
- BoNT serotype A drugs 16
 adverse effects 14
 belpharospasm 61–62
 cervical dystonia therapy 23–24
 concentration–response curves 17
 headache disorders 228–230
 immunogenic potential 19–20
 Raynaud's phenomenon 204–207, 206
 side effects 266
- BoNT serotype B drugs 16
 adverse effects 14
 cervical dystonia therapy 23–24
 immunogenic potential 19–20
 side effects 266
 therapy failure 19–20
 mutation 19
- Botox 9
see onabotulinumtoxinA
- botulinum neurotoxin *see* BoNT
- botulism 1–6
 ancient times 1
 biological weapon 6
 incidence 1
 intentional poisoning 1
 outbreaks in Germany in 18th and 19th centuries 1–2
- brachial artery 134
- brachialis muscle 113–114, 137, 141
 injection 113
 ultrasonography 133, 134
- brachioradialis muscle 133, 140, 148
- Brooks, Vernon 8
- brow lift *see* eyebrows, cosmetic treatment
- bunny lines 187
- bupivacaine, strabismus correction 177
- calcitonin gene-related peptide
 BoNT A
 headache pain 225
 neuropathic pain 217
 Raynaud's phenomenon 205
 neuropathic pain 216
- canning process 5
- caput
 laterocollis distinction 39–43
 muscles involved 43
 torticollis distinction 38–39
- cataract, strabismus correction 175
- central nervous system in
 blepharospasm 60
- cerebral palsy 119–126
 anatomical approach to management 120
 ataxia 119
 athetosis 119
 bilateral 123–125
 BoNT therapy
 adverse effects 125–126
 anesthesia 125
 guidelines 122, 125, 126
 planning 126
 techniques 125
 classification 119–120
 clinical features 119
 dystonia 119
 epidemiology 119
 motor control loss 119–120
 movement disorders 119–120
 spastic diplegia 120, 123, 126
 spastic equinus 123
- spastic hemiplegia 120–123, 126
 lower limb 123, 123
 upper limb 120–121
- spastic quadriplegia 120, 123–125
 with pseudobulbar palsy 126
- spasticity 119
- strabismus 175
- topographical distribution 120
- unilateral 120–123
- weakness 119–120
- cervical dystonia 9, 10, 22–33
 antibody-induced therapy failure 19
 BoNT therapy
 23–25, 46
 complex condition 43–45
 consent of patient 30–31
 CT guidance for injection 32, 44–45, 47–48
 dosage 31, 31, 32
 dosage changes 32
 effects 24–25
 imaging 44, 47
 indications 24
 injection notes 32–33
 injection procedure 30–32, 43–45
 injection site number 25
 muscle selection 31, 35, 44, 46–47, 52–56
 practical considerations 29–30
 reconsitution of drug 32
 resistance development risk reduction 32
 side effects 31–32
 targeting techniques 46–47
 treatment effects 24
 ultrasound guidance 44, 46–57
- classification 22, 35
 clinical forms 35
 clinical spectrum 23
 clinical studies 35–43
 complex 35–45
 BoNT therapy 43–45
 CT-guided BoNT therapy 44–45, 47–48
 definition 22
 degenerative disc disease 22
 diagnostic imaging 35
 EMG 22, 24–25, 47
 complex condition 44
 with ultrasound guidance 48
 epidemiology 22
 forms 36
 idiopathic 46
 imaging 40
 inherited 22–23
 lateral flexion investigation 39–43, 50
 lateral shift 35
 medications 23
 muscle involvement 25–28, 28, 29, 29
 complex condition 43–44

Index

- head posture variants 43
- torticaput 39
- ultrasound guidance 52–56
- obliquus capitis inferior muscle 40
- observation of patient 35–37
- physical examination of patient 30
- post-traumatic 23
- postural abnormalities 29
- presentation 35
- retrocollis 38, 60
- rotation 38, 39
 - investigation 38–39
- sagittal shift 35
- secondary 23
- surgical treatment 23
- torticollis and caput distinction 38–39
- traits 22
- treatment 22–33, 46
- ultrasound guidance for injection 44, 46–57
 - anatomical reference guide
 - comparison 48
 - with EMG 48
 - electrical stimulation comparison 48–49
 - muscles targeted 52–56
 - needle insertion 50–52
 - supporting literature 47–48
 - technical requirements/
 - techniques 49–52
 - tissue characteristics 49–52
 - transducers 49
 - ultrasound machines 49
- cervical paraspinal muscles 43, 227
- chemo-immobilization of cutaneous wounds 211–212
- clinical trials 212–213
- human use 212
- children, ultrasound in spasticity
 - treatment with BoNT 128–132
- chin, cosmetic use of BoNT 188–189, 189
- Clostridium botulinum* 1
 - BoNTs 12
 - identification 4–5
- complex regional pain syndrome 216
- constipation, puborectalis syndrome 284–285
- coprolalia 161
- corneal disease 174
- corneal healing, protective ptosis 178–179
- cortical spreading depression 223
- cosmetic uses of BoNT
 - 181–192
 - adverse effects 190–192
 - analysis of face 183
 - anatomy 181
 - brow lift 186–187
 - chin 188–189
 - counterfeit BoNTs 14
 - dosage level 181–182
 - dynamic rhytids 183–189
 - eyes 185–186
 - facial esthetic market 14
 - facial sculpting 189–190
 - forehead 184–185, 185, 186
 - glabella 183–184, 183, 185
 - complications 184
 - injection technique 185
 - mandibular contouring 189–190
 - mouth 187–188, 189
 - neck 189
 - nose 187
 - patient preparation 182
 - post-injection management 182–183
 - reasons for 183
 - syringes 182
 - techniques 181–183
- counterfeit BoNTs 14
- cranial dystonia 85
- cranial hyperhidrosis 198
- craniovascular innervation 223
- cricoarytenoid muscle 89
- cricopharyngeal dysplasia 93, 278
 - injection site 93
 - treatment 278
- cricopharyngeal muscle 93, 278
 - EMG 279
 - manometry 279
 - spasms 92
- Crone, Robert 8
- crow's feet 185, 186, 187
- CT-guided BoNT therapy for cervical dystonia 44–45, 47–48
- cutaneous scars, BoNT use in healing 214–215
- cutaneous wounds, chemo-immobilization 211–212
- deep brain stimulation, pallidal for oromandibular dystonia 65
- degenerative disc disease 22
- depressor anguli oris muscle 184, 188, 189
- detrusor sphincter dyssynergia 292–293
- diabetic neuropathy 216
 - BoNT therapy 217–218
- diffuse esophageal spasm 279, 280, 281
- digastric muscle 65, 67
- digital artery sympathectomy,
 - Raynaud's phenomenon 203
- diplopia 175
- disease-modifying antirheumatic drugs 233
- distal interphalangeal joint flexion, spasticity 110–111
- dopamine, dysfunction in focal hand dystonia 71
- Drachman, Daniel 8
- Dressler, Dirk 10
- dysphagia
 - following laryngectomy 92, 92
 - oropharyngeal 278
- dysphonia *see* spasmodic dysphonia
- Dysport 9–10
 - see* abobotulinumtoxinA
- dystonia
 - arm abduction 72, 80
 - cerebral palsy 119
 - cranial 85
 - generalized 22
 - golfers 82
 - inherited 22–23
 - mirror 72, 73–74
 - occupational 71, 72, 82–83
 - segmental 22
 - spasmodic laryngeal 89
 - see also* cervical dystonia; focal hand dystonia; musician's cramp; oromandibular dystonia; tardive dystonia; writer's cramp
- elbow
 - extension in spasticity 141
 - flexion in spasticity 113–114, 120–121
 - ultrasound guidance 138–139
 - tennis elbow 238, 238, 239
- electrical stimulation 48–49
- electromyography *see* EMG
- Ellezelles (Belgium) botulism outbreak 4–5
- EMG
 - bipolar wire 176
 - cervical dystonia 22, 24–25, 47
 - complex condition 44
 - with ultrasound guidance 48
 - guidance for BoNT injection 108, 176
 - in writer's cramp 74
 - lumbar paravertebral muscles 257
 - piriformis syndrome 262, 265
 - strabismus correction 175
 - upper esophageal sphincter 279
- endocrine myopathy 177–178
- endoscopic thoracic sympathectomy, hyperhidrosis treatment 195–196
- entropion 180
- epilepsia partialis continua, hemifacial spasm differential diagnosis 102
- erector spinae muscles 169–171
- esophageal disorders, spastic 279–280
- esophageal spasm, diffuse *see* diffuse esophageal spasm

Index

- esophageal sphincters *see*
cricopharyngeal muscle; lower
esophageal sphincter
- esotropia 174, 175
- essential tremor 163–164
hand 165
head 164–166
palatal 92, 93
- European production of BoNT
9–10
- eustachian tube, patulous 93, 94
- extensor carpi radialis brevis muscle 79,
81, 141
- extensor carpi radialis longus muscle 79
81, 141
ultrasonography 140
- extensor carpi ulnaris muscle 79, 141,
149
- extensor digitorum communis muscle
79, 81
- extensor hallucis longus muscle
116–117, 143, 153
- extensor indicis proprius muscle
78, 79
- extensor pollicis brevis muscle 80
- extensor pollicis longus muscle 78–79,
80
- external urethral sphincter 292
- extraocular muscles 174, 175
- eye(s), cosmetic use of BoNT 185–186,
188
- eye disease treatment 174
endocrine disorders 177–178
entropion 180
lacrimal gland injection 179–180
protective ptosis 178–179
see also blepharospasm; hemifacial
spasm; nystagmus; strabismus
correction
- eyebrows, cosmetic treatment
186–187
- eyelids
lower lid ecchymosis 187
retraction 178
endocrine myopathy 177–178
- face
muscular anatomy 182
wound healing 211
- facial esthetic market 14
- facial myokymia, hemifacial spasm
differential diagnosis 101
- facial sculpting 189–190
- facial synkinesias, hemifacial spasm
differential diagnosis 102
- facial tics, hemifacial spasm differential
diagnosis 102
- FAIR test 261, 262
piriformis syndrome 261, 265
- finger flexion 75
- flexion, adduction and internal rotation
see FAIR test
- flexor carpi radialis muscle 77, 78, 113,
112–113
localization 78
ultrasonography 129
- flexor carpi ulnaris muscle 77, 78, 113,
112–113
localization 78
- flexor digitorum brevis muscle 243, 244
- flexor digitorum longus muscle 143, 154
- flexor digitorum profundus muscle 76,
110–111, 141
injection 111
localization 76
- flexor digitorum superficialis muscle
75–76, 110
injection 111
localization 76
- flexor hallucis longus muscle 143, 154
- flexor pollicis brevis muscle 75, 139
localization 75
- flexor pollicis longus muscle 74–75,
112, 139
injection 112
localization 75
ultrasonography 145
- fluoroscopic guidance for BoNT
injection 108
- focal hand dystonia
definition 71
dopamine dysfunction 71
extensor pattern 74
flexor pattern 74
genetic factors 71
gray matter volume 71
occupational 71, 72, 82–83
pathogenesis 71
see also musician's cramp; writer's
cramp
- food-borne botulism 1, 5
ancient times 1
- foot drop, flaccid 110, 114
ankle-foot orthosis 123
- foot injection in spasticity 143
eversion spasm 145
- forearm
spasticity 139–140
ultrasonography 141, 142, 143, 144,
145, 149
- forehead
cosmetic use of BoNT 184–185,
185, 186
wound healing 213, 214
- Frey's syndrome *see* gustatory sweating
- gastric tube for botulism patients 4
- gastrocnemius muscle 114–115,
114, 142–143
ultrasonography 129, 150
- gastroesophageal reflux, dysphagia
following laryngectomy 92
- gastrointestinal tract 278–285
achalasia 278–279, 280
anal fissures
BoNT use in healing 213, 284, 285
chronic 282–284
cricopharyngeal dysplasia 93, 278
injection site 93
- gastroparesis 282
- hypertrophic pyloric stenosis 282
- motility 281
- obesity 281–282
- proctalgia fugax 285
- puborectalis syndrome 284–285
- pyloric obstruction syndrome 282
- spastic esophageal disorders
279–280
- sphincter of Oddi dysfunction
280–281
- genioglossus muscle 68–69
- geniohyoid muscle 65, 67
- genitalia, male 292
- glabella, cosmetic use of BoNT
183–184, 183, 185
- glutamate, BoNT A
headache pain 225
neuropathic pain 217
- glutamic acid decarboxylase 168
- golfer's dystonia 82
- gout 233
- Graves' disease 174, 178
- gray matter
progressive encephalomyelitis with
rigidity 168
volume in focal hand dystonia 71
- great toe extension/flexion, spasticity
143
- gustatory sweating 92, 95–97, 98
- hamstring muscles 116, 123
spasticity 171
ultrasound guidance 144
- head tremor, essential 164–166
- headache disorders 222–230
BoNT therapy 224–230
adverse events 230
cervical paraspinal injection site
227
corrugator injection sites 226
efficacy 226–230
formulations 224
frontalis injection sites 227
mechanism of action 224–225
occipitalis muscle injection sites 227
technique 226
temporalis muscle injection sites
227
trapezius muscle injection sites 228
treatment guidelines 225

- trigeminovascular neuron
 - sensitization 225
- chronic daily 222, 228–229
- classification 222–223
- clinical aspects 222–223
- diagnostic criteria 222–223
- dural afferents stimulation 225
- exploding 225
- imploding 225
- ocular 225
- pathophysiology 223
- treatment 223–224
 - BoNT 224–230
 - medications 223
 - prophylaxis 224
- trigeminal nucleus caudalis 225
- see also* migraine headache; tension-type headache
- heel pain 243
- hemagglutinins 18
 - adjuvant function 18
- hemifacial spasm 9, 101–105
 - BoNT therapy 102, 103, 174
 - beneficial effects 102–103
 - dosage 103
 - injection technique 105
 - side effects 102
- causes 101
- clinical features 101
- diagnostic tests 102
- differential diagnosis 101–102
- epidemiology 101
- facial nerve vascular compression 101
- muscles involved 101, 103
- surgical treatment 102
- tremor 101
- hemimasticatory spasm, hemifacial
 - spasm differential diagnosis 102
- Hengli 10
- heroin, black-tar 6
- herpes zoster 218
- hip
 - adductor muscles 115–116, 124–125, 144
 - ultrasonography 156
 - flexor muscles 123
 - pain treatment with BoNT 240
- H-reflex 261, 262
- piriformis syndrome 261, 262
- hyoglossus muscle, lingual
 - oromandibular dystonia 68–69
- hyperhidrosis 194–201
 - BoNT therapy 196–201
 - analgesia 197
 - axillary 198–200
 - dosage 197
 - iontophoresis 197
 - palmar 200–201
 - technique 198–201
- cranial 198
- craniofacial 195–196
 - definition 194
 - diagnosis 194, 195
 - history taking 194
 - impairment 194
 - prevalence 194
 - segmental 198
 - treatment 194–196
 - algorithms 196, 196
 - aluminium chloride salts 194–195, 201
 - BoNT 196–201
 - cryoanalgesia 197
 - endoscopic thoracic sympathectomy 195–196
 - oral anticholinergic drugs 195
 - surgery 195
 - tap water iontophoresis 195, 201
 - see also* primary axillary hyperhidrosis; primary focal hyperhidrosis
- Hyperhidrosis Disease Severity Scale 194, 195
- hyperlacrimation 92, 98
- hypersalivation 92, 94–95, 98
- iliac muscle 250, 252
- iliocostal muscle 257
- iliocostalis cervicis muscle 25
- iliopsoas muscle 123, 169, 248, 249–253
 - anatomy 249–250
 - contracture 250, 254
 - examination 251–253
 - function 254
 - imaging 255
 - innervation 250
 - low back pain 248, 249–253
 - myofascial syndrome 250–253
 - treatment 250, 253
 - symptoms 250–251
 - tension 252
 - trigger points 251, 252–253, 253, 255
 - ultrasound guidance for injection 4, 130–132
- infant botulism 1, 5–6
- infantile esotropia 175
- inferior oblique muscle, strabismus
 - correction 177
- inferior rectus muscle 178
 - strabismus correction 177
- inflammatory mediators, neuropathic pain 216
- incobotulinumtoxinA (Xeomin) 10
 - abductor spasmodic dysphonia treatment 89
 - adductor spasmodic dysphonia treatment 88
- blepharospasm treatment 61, 62
- cervical dystonia treatment 31
- cosmetic use 181, 184, 185, 186, 187–189
- cricopharyngeal muscle
 - spasms 92
- gustatory sweating 97
- headache disorders 224
- hemifacial spasm treatment 102, 103, 104
- hyperlacrimation 98
- hypersalivation 95
- intrinsic rhinitis 97–98
- oromandibular dystonia treatment
 - jaw-closing 66, 67
 - jaw-opening 67–68
 - lingual 68–69
 - pharyngeal 69
- palatal tremor 93–94
- primary axillary hyperhidrosis 197
- reconstitution 32
- rhinorrhea 97–98
- spasticity treatment 108
- specific potency 19
- tics 163
- vocal tremor 90
- interarytenoid muscle 85
 - BoNT injection 90
- intermittent exotropia 175
- internal anal sphincter 282–284
 - spasm 285
- interspinal cervicis muscle 25
- intertransversarii cervicis muscle 25
- intrinsic rhinitis 92, 97–98, 99
- iontophoresis, tap water 195, 197, 201
- Janetta operation 102
- jerky stiff-man syndrome 169
- joint(s)
 - chronic inflammation 234
 - neurobiology 234
 - peripheral sensitization 234
- joint pain 234
 - BoNT therapy 234–241, 236
 - refractive osteoarticular 234–238
- Kerner, Justinus 2–4, 2–3, 174
- poems 4, 6
- knee
 - refractory pain treatment with BoNT 235–238, 238, 240
- spasticity
 - extensor posturing 116
 - flexion spasm 116
- lacrimal duct stenosis 98, 100
- lacrimal gland 100
 - injection 100, 180
- lagophthalmos 174, 179, 179

Index

- laryngeal muscle hyperactivity
 syndromes 85–90
 injection technique 87, 88
 muscle anatomy 86
 spasmodic dysphonia 85–89
 spasmodic laryngeal dyspnea 89
 vocal tremors 89–90
- laryngectomy 92
 dysphagia following 92, 92
 speech problems following 92
- lateral cricoarytenoid muscle 85
 BoNT injection 90
- lateral pterygoid muscle 67, 86
- lateral rectus muscle 176
 strabismus correction 177
- laterocaput 39–43, 50
 muscles involved 43
- laterocollis 28, 29, 36, 39–43
 caput distinction 39–43
 compensation 41
 muscles involved 43
 see also cervical dystonia
- latissimus dorsi muscle 113, 114, 137, 138
- lectins 18
- leg
 plantar flexor muscles 150
 spasticity
 extension spasm 145
 flexion spasm 144
 ultrasonography 152, 153, 154, 155, 156, 157, 158
- Lesch-Nyhan syndrome 64
- levator muscle 179
 eyelid retraction 177–178
- levator palpebrae superioris muscle 60
- levator scapulae muscle 25, 44, 54–55
 ultrasonography 57
- lips
 cosmetic treatment 187–188
 through-and-through defect in
 infant 212, 213
- longissimus capitis muscle 55–56, 86
 ultrasonography 56
- longissimus cervicis muscle 25
- longissimus muscle 256, 257
- longus capitis muscle 26, 52, 53
- longus colli muscle 26, 50, 52, 53
- low back pain 247–257
 factors involved 247
 prevalence 247
 trigger points 249, 253
 see also iliopsoas muscle; lumbar
 paravertebral muscles;
 quadratus lumborum muscle
- lower esophageal sphincter
 achalasia 280
 hypertension 279–280
 relaxation failure 278–279
- lumbar paravertebral muscles 169, 248, 253–257
- anatomy 253–256
 deep 254
 EMG 257
 examination 256
 innervation 256
 low back pain 248, 253–257
 treatment 250, 256–257
 superficial 254
 symptoms 256
- major histocompatibility complex
 presentation of BoNT peptides 17
- mandibular contouring 189–190
- Marsden, C David 10
- masseter muscle 65, 65–66, 189–190
 hypertrophy 191
- medial pterygoid muscle 65
- oromandibular dystonia 66
- medial rectus muscle 175, 178
 strabismus correction 177
- Meige's syndrome 85, 101
- mentalis muscle 188–189, 189
- migraine headache 216, 222
- BoNT therapy
 efficacy 228, 229–230
 mechanism of action 224–225
 technique 226
 treatment guidelines 225
- chronic 222, 229–230
- pathophysiology 223
- treatment
 medications 223
 prophylaxis 224
- mouse bioassay 16
- mouse diaphragm bioassay 16–17
- mouth, cosmetic use of BoNT 187–188, 189
- Mueller muscle, eyelid retraction 177–178
- Müller (1869) 4
- multifidus muscle 26, 257
- muscarinic receptors, bladder 288–289
- muscle contraction, abnormal in
 neuropathic pain 216
- muscle weakness 14
- musician's cramp (dystonia) 71, 72–73
 BoNT therapy 82
 gray matter volume 71
 neurorehabilitation 82
 treatment 82
- myasthenia, chronic 175
- mylohyoid muscle 67, 95, 65
- Myobloc/NeuroBloc 9
 see rimabotulinumtoxinB
- myofascial pain 216
- nasalis muscle 187
- nasopharynx 94
- neck
 cosmetic use of BoNT 189
 wound healing 211
 see also cervical dystonia
- neck muscles 25–28
 complex cervical dystonia 43–44
 superficial 27
 ultrasound-guided injections 52–56
 see also antecollis; laterocollis;
 retrocollis; torticollis
- “Nefertiti lift” 190, 191
- NeuroBloc/Myobloc 9
 see rimabotulinumtoxinB
- neurogenic bladder 288
- Neuronox 10
- neuropathic pain 216–219
 abnormal muscle contraction 216
 BoNT therapy 216–217
 dilution/dose 219, 220
 mechanism of action 217, 217
 side effects 219
 technique 219, 220
 capsaicin (vanilloid) receptor
 translocation blockage by
 BoNT 217
 extracellular ATP 217
 inflammatory mediators 216
 neurotransmitters 216, 217
 pathophysiology 216
 see also diabetic neuropathy;
 post-herpetic neuralgia;
 trigeminal neuralgia
- N-methyl-D-aspartate (NMDA) receptor,
 neuropathic pain 216
- non-steroidal anti-inflammatory drugs
 (NSAIDs) 233
- norepinephrine, BoNT A
 neuropathic pain 217
 Raynaud's phenomenon 205
- nose, cosmetic use of BoNT 187, 187
- NSAIDs *see* non-steroidal anti-
 inflammatory drugs
- nystagmus 174
 orbital injection 179
- obesity 281–282
 intraparietogastric injection of
 BoNT 281–282
- oblique arytenoid muscles 89
- obliquus capitis inferior muscle 26, 39, 40, 44, 56
 BoNT injection 72
 ultrasonography 57
- obliquus capitis superior muscle 26, 44
- Oculinum 9, 10
- onabotulinumtoxinA (Botox) 9
 blepharospasm treatment 61, 62
 cerebral palsy treatment 122, 125–126

- cervical dystonia treatment 23, 31
 chronic pelvic pain 290–291
 cosmetic use 181, 184, 185, 186, 187–189
 cricopharyngeal muscle spasms 92
 essential head tremor 164
 essential tremor 163–164
 gustatory sweating 97
 headache disorders 224, 226–228, 230
 hemifacial spasm treatment 102, 103, 104
 hyperlacrimation 98
 hypersalivation 95
 indications for use 10
 intrinsic rhinitis 97–98
 non-responsiveness 171
 oromandibular dystonia treatment
 jaw-closing 66, 67
 jaw-opening 67–68
 lingual 68–69
 pharyngeal 69
 overactive bladder treatment 289
 palatal tremor 93–94
 plantar fasciitis treatment 244–245
 primary axillary hyperhidrosis 196–197
 Raynaud phenomenon 204–207, 206
 reconstitution 32
 refractory joint pain 234–238
 rhinorrhea 97–98
 spasmodic dysphonia treatment
 abductor 89
 adductor 88
 spasticity treatment 108
 specific potency 18–19
 stiff-person syndrome 170–171, 172
 temporomandibular joint pain 239–241
 tennis elbow 238
 tics 160–161, 163
 vocal tremor 90
 opioids 223
 oral muscles 65
 orbicularis oculi muscle 60, 61, 176 185–186
 orbicularis oris muscle 187, 213
 oromandibular dystonia 64
 clinical features 64
 epidemiology 64
 etiology 64
 hemifacial spasm differential diagnosis 101–102
 idiopathic 64
 injection techniques 65
 jaw-closing 64, 66
 masseter muscle denervation 65–66
 medial pterygoid muscle denervation 66
 temporalis muscle 66–67
 treatment 65–67
 jaw-deviating 66, 68
 jaw-opening 64 66
 digastric muscle 67
 geniohyoid muscle 67
 lateral pterygoid muscle denervation 67
 mylohyoid muscle 67
 submental complex 67
 treatment 67–68
 lingual 68–69
 muscle afferent block 64–65
 neurodegenerative disorders 64
 pallidal deep brain stimulation 65
 pharyngeal 69
 secondary 64
 sensory tricks for alleviation 64
 treatment 64–69, 65
 individualizing 65
 jaw-closing 65–67
 jaw-opening 67–68
 oropharyngeal dysphagia 278
 BoNT-induced 278
 osteoarthritis 233
 refractory joint pain 234–238
 treatment 233
 otorhinolaryngology 92
 dysphagia following laryngectomy 92
 Frey's syndrome 92, 95–97
 gustatory sweating 92, 95–97
 hyperlacrimation 92, 98
 hypersalivation 92, 94–95
 intrinsic rhinitis 92, 97–98
 palatal tremor 92, 92–94
 rhinorrhea 97–98
 sialorrhea 92, 94–95
 speech problems following laryngectomy 92
 outlet obstruction syndrome 284–285
 overactive bladder 288–290
 anticholinergic medication 289
 BoNT treatment 289–291
 pain/pain conditions
 anti-nociceptive effects of BoNT 234, 235
 BoNT uses 14
 chronic pelvic pain 291
 heel 243
 joint 234
 vasospastic 217
 vulvodynia 290–291
 see also arthritis; joint pain; low back pain; neuropathic pain; plantar fasciitis; thoracic outlet syndrome
 palatal tremor 92, 92–94
 palmaris longus muscle 76, 77, 92
 pancreatitis, risk with sphincter of Oddi dysfunction 280
 pantothenate kinase-associated neurodegeneration 64
 paraspinal muscles
 cervical 56, 227
 low back 169–170
 paratubal muscles 94
 paravertebral muscles 256
 Parkinson's disease, resting tremor 166
 parotid gland 94, 95, 97
 surgery for gustatory sweating 95
 patulous eustachian tube 93, 94
 pectoralis major muscle 113, 137, 274
 pectoralis minor muscle 113, 274–275
 pectoralis muscles 114, 137–138
 pelvic floor dyssynergia 284–285
 pelvic floor muscles 290
 pelvic pain, chronic 291
 periocular muscles, anatomy 60–61
 peristaltic activity of stomach 283
 peroneus muscles 145, 159
 physical therapy
 arthritis 233–234
 piriformis syndrome 264
 piriformis muscle 259, 260, 263
 piriformis syndrome 259–267, 262, 263
 adhesions 259, 261
 anatomic variations 259–260
 BoNT treatment 264–267, 265
 adverse effects 266
 EMG guidance 265
 guidance 265
 physical therapy coadministration 266–267
 relapse 266–267
 technique 264–265, 265, 266
 causes 261
 clinical signs 259
 clinical tests 259
 compression 259, 260–261
 diagnosis 261–264
 electrophysiology 261–262
 EMG 262
 FAIR test 261
 H-reflex 261, 262
 incidence 259
 MRI 262–263
 neural scanning 262–263
 pathogenesis 259–261
 relapse 266–267
 sciatic nerve 260
 sural sensory nerve action potentials 262
 treatment 264–267
 BoNT 264–267
 physical therapy 264
 physical therapy coadministration with BoNT 266–267
 steroid injections 264
 surgical 264

Index

- plantar fascia 244
 anatomy 243
 plantar fasciitis 243–245
 anatomic changes 243
 BoNT therapy
 injection sites 245
 randomized prospective studies 244–245
 rationale for use 243–244
 technique 245
 pathophysiology 243
 prevalence 243
 treatment 243
 plantar flexion spasm 110, 114–115
 spasticity 110, 114–115, 142–143
 platysma muscle 190, 190, 191
 wound healing 211
 poisoning, intentional 1
 post-herpetic neuralgia 216
 BoNT therapy 218–219, 219
 poverty 1–2
 primary axillary hyperhidrosis 194–195, 199
 treatment 195–196
 algorithm 196
 BoNT injection 196–197, 198–200
 primary focal hyperhidrosis 194
 diagnosis 194, 195
 palmar 195
 BoNT treatment 197
 treatment 195–196, 200
 treatment algorithm 196
 plantar 195
 treatment 195–196
 treatment 194–196
 algorithm 196
 axillary 196, 198–200
 BoNT 196–201
 palmar 196, 200–201
 primary hyperhidrosis 197–198
 see also hyperhidrosis; primary
 axillary hyperhidrosis; primary
 focal hyperhidrosis
 procerus muscle 187
 proctalgia fugax 285
 progressive encephalomyelitis with rigidity 168
 progressive external ophthalmoplegia, strabismus correction 175
 pronator muscle group 78
 pronator quadratus muscle 77–78
 pronator teres muscle 77, 131, 134, 139–140
 prostate gland 292
 proximal interphalangeal joint flexion, spasticity 110
 psoas major muscle 249–250, 252
 psoas minor muscle 250, 252
 ptosis, protective 178–179, 178, 179
 puborectalis muscle 284–285, 286
 puborectalis syndrome 284–285
 pyloric obstruction syndrome 282
 pyloric spasm, Whipple procedure 282
 quadratus lumborum muscle 169, 248
 anatomy 247
 examination 250
 low back pain 247–249, 248
 examination 248
 symptoms 247–248
 therapy 249, 250, 252
 trigger points 249
 X-ray 251
 quadriceps muscle group 116, 116
 radiculopathy pain 216
 Raynaud's phenomenon 203–208
 angiography 204
 BoNT therapy 204–208, 209
 contraindications 207–208
 indications 207
 laser Doppler scan 209
 neurotransmitter function 205
 pain resolution 205
 technique 205–207
 clinical appearance 204
 definition 203
 digital artery sympathectomy 203
 primary 203
 secondary 203
 symptoms 203
 treatment 203–208
 BoNT 204–208
 medication 203, 206
 surgical 203
 rectus capitis muscle anterior 26
 lateralis 26
 posterior major 26
 posterior minor 26
 rectus femoris muscle 145, 157
 retinal detachment 175
 retrocaput 43
 retrocollis 25, 28, 29, 42
 muscles involved 25, 43
 see also cervical dystonia
 rheumatoid arthritis 233
 rhinitis *see* intrinsic rhinitis
 rhinorrhea 97–98, 99
 ricin 18
 rimabotulinumtoxinB (NeuroBloc/Myobloc) 9
 adductor spasmodic dysphonia treatment 88
 antibody-induced therapy failure 19
 cervical dystonia therapy 23
 cricopharyngeal muscle spasms 92
 gustatory sweating 97
 headache disorders 224
 hemifacial spasm treatment 102, 103, 104
 hyperlacrimation 98
 immunogenic potential 19–20
 intrinsic rhinitis 97–98
 oromandibular dystonia treatment 66
 jaw-opening 67–68
 overactive bladder treatment 289
 palatal tremor 93–94
 primary axillary hyperhidrosis 197
 reconstitution 32
 rhinorrhea 97–98
 spasticity treatment 108
 tics 163
 vocal tremor 90
 Roggenkamper P 10
 Ross syndrome 197–198, 198
 rotatores cervicis muscle 26
 sausage poison 1–3, 3, 174
 scalene muscle
 anterior 26, 52–54, 270–271
 thoracic outlet syndrome 273–274
 BoNT injection in thoracic outlet syndrome 273–274
 middle 26, 52–54, 270–271
 posterior 27, 52–54
 ultrasonography 54
 scars, visible 210
 Schantz, Edward 8, 9
 sciatic nerve 260
 see also piriformis syndrome
 sciatica 259
 see also piriformis syndrome
 Scott, Alan B 8–9
 seizures, focal
 EEG 102
 hemifacial spasm differential diagnosis 102
 semimembranosus muscle 144
 semispinalis capitis muscle 27, 55–56
 semispinalis cervicis muscle 27
 semitendinosus muscle 144, 157
 shoulder adduction/internal rotation in spasticity 114, 109, 120–121
 ultrasound guidance 137–138
 sialorrhea 92, 94–95
 skeletal muscle, ultrasonography 50, 128–129, 129, 133–135
 small angle esotropia 174
 SNARE proteins 12
 non-neuronal 14
 SNAP-23 14
 SNAP-25 12, 16
 synaptobrevin 12
 syntaxin 12
 soft palate muscles 92–93, 94

Index

- soleus muscle 114–115, 114, 142–143, 150, 152
 spasmodic dysphonia 85–89
 clinical features 85
 mixed type 85
 stress 85
 symptoms 85
 treatment 85–88
 types 85
 with vocal tremor 85
 spasmodic laryngeal dyspnea 89
 BoNT treatment 90
 spasmodic torticollis 22
 see also cervical dystonia
 spastic diplegia 120, 123, 124, 126
 surgical treatment 123
 spastic equinus 123
 spastic esophageal disorders 279–280
 spastic hemiplegia 120–123, 121, 126
 lower limb 123, 123
 upper limb 120–121
 spastic quadriplegia 120, 123–125
 with pseudobulbar palsy 126
 spasticity 107–117
 adductor spasm 115–116, 144
 BoNT therapy
 chemodenervation 107
 dilution 107, 108
 guidance techniques for injection 108
 individual muscle doses 107–108
 injection placement 108
 injection techniques 133
 lower limb treatment 109, 114–117, 142–145
 maximum doses 107, 108
 recommended doses 109
 ultrasound guidance 108, 133–145
 upper limb treatment 109, 110–114, 137–142
 cerebral palsy 119
 clenched fist 141
 clinical characteristics 107
 distal interphalangeal joint flexion 110–111
 elbow extension 141
 elbow flexion 113–114, 120–121
 ultrasound guidance 138
 fixed contractures 124–125
 foot injection 143
 eversion spasm 145
 forearm 139
 great toe extension/flexion 143
 knee
 extensor posturing 116
 flexion spasm 116
 leg
 extension spasm 145
 flexion spasm 144
 patterns 108–110, 110
 plantar flexion spasm 110, 114–115, 142–143
 proximal interphalangeal joint flexion 110
 scheme 120
 scissoring 108
 shoulder adduction/internal rotation 109, 114, 120–121
 ultrasound guidance 137
 thumb curling 111–112, 120–121
 ultrasound guidance 139
 toe extension 116–117
 toe-walking pattern 108
 see also wrist extension; wrist flexion
 speech problems
 following laryngectomy 92
 vocal tremor 89–90, 90, 164
 see also spasmodic dysphonia
 sphincter of Oddi dysfunction 280–281, 282
 BoNT therapy 281
 pancreatitis risk 280
 surgical treatment 281
 spina erecti muscles 170
 splenius capitis muscle 27, 55
 essential head tremor 164–166
 ultrasonography 56
 splenius cervicis muscle 27, 44
 Steinbuch JG 2
 sternocleidomastoid muscle 28, 52, 94
 essential head tremor 164–166
 ultrasonography 52, 53, 54
 stiff limb syndrome 169
 BoNT therapy 170, 171
 stiff-person syndrome 168–171
 atypical (SPS-Plus) 168–169
 BoNT injection 169–171
 dosage 172
 injection sites 172
 non-responsiveness 171
 side effects 171
 clinical features 168–169
 erector spinae 169–170
 jerky stiff-man syndrome 169
 idiopathic 168
 low back paraspinal muscles 169–170
 multifidius bands 170
 paraneoplastic 168
 progressive encephalomyelitis with rigidity 168
 treatment 169–171
 BoNT 169–171
 variants 168–169
 Yale treatment protocol 170–171
 stomach
 endoscopic injection 284
 gastroparesis 282
 peristaltic activity 283
 strabismus correction 8, 9, 10, 174
 adverse outcomes 177
 after cataract 175
 after retinal detachment 175
 anesthesia 176–177
 BoNT injection 174–177
 with bupivacaine 177
 dosage 176
 bupivacaine 177
 cerebral palsy 175
 complications 177
 EMG guidance 175
 indications 175
 inferior oblique muscle 177
 inferior rectus muscle 177
 lateral rectus muscle 177
 medial rectus muscle 177
 sixth nerve paralysis 175
 subclavius muscle 275–276
 submandibular gland 94–95, 96, 97
 injection sites 98
 injection technique 97
 substance P
 BoNT A
 headache pain 225
 neuropathic pain 217
 Raynaud's phenomenon 205
 neuropathic pain 216
 supinator muscle 140, 148, 149
 sural sensory nerve action potentials
 piriformis syndrome 262
 thoracic outlet syndrome 271
 surgical treatment
 achalasia 278–279
 blepharospasm 62
 hemifacial spasm 102
 hyperhidrosis 195
 piriformis syndrome 264
 Raynaud's phenomenon 203
 spastic diplegia 123
 sphincter of Oddi dysfunction 281
 sweat gland thermolysis 195
 sweating
 compensatory 196
 gustatory 98, 197
 see also hyperhidrosis
 symptomatic palatal tremor 93
 synaptotagmin II mutation 19

 T-cells, BoNT reactions 17
 tardive dyskinesia 85, 160
 tardive dystonia 64
 telegrapher's cramp 82
 temporalis muscle 65, 66–67
 temporomandibular joint pain 238–241, 240
 tendon injuries, BoNT use in healing 214
 tennis elbow 238, 239

Index

- tension-type headache 222
 chronic 222, 230
 pathophysiology 223
 treatment
 BoNT 230
 medications 223
 teres major muscle 113, 114, 138–141
 tetrabenazine 160
 thenar muscles 146
 thermolysis, eccrine sweat glands 195
 thoracic outlet, anatomy 270–271
 thoracic outlet syndrome 269–276
 BoNT therapy 269–270, 271–276
 anterior scalene injections
 273–274
 guidance 269–270
 mechanism of action 269
 muscle targeting 269–270
 pectoralis minor muscle 274–275
 scalene muscles 273–274
 subclavius muscle 275–276
 ultrasound guidance 272–276
 classification 270
 combined neurovascular 270
 diagnosis 270, 271
 diagnostic use of BoNT 269
 differential diagnosis 271
 electrodiagnostic testing 271
 epidemiology 271
 imaging 271
 neurogenic 270
 non-specific 270, 271
 signs/symptoms 270
 sural sensory nerve action potentials
 271
 treatment 271–276
 vasogenic 270, 271
 workup 271
 thoracolumbar spinal nerves 256
 thumb curling in spasticity 111–112,
 120–121
 ultrasound guidance 139
 thyroarytenoid muscle 85, 86
 BoNT injection 90
 tibialis anterior muscle 129, 133
 tibialis posterior muscle 115, 132,
 153
 tics 160–163
 BoNT injection 160–163
 dosage 163
 muscles injected 163
 clinical features 160
 motor 160
 phonic 160
 treatment 160
 BoNT 160–163
 tip toe gait 123
 spastic diplegia 123
 toe extension
 great toe 143
 spasticity 116–117
 torticaput 38–39
 imaging 40
 muscles involved 43
 torticollis 27, 28, 29, 39
 caput distinction 38–39
 imaging 40
 muscles involved 43
 neck muscles 27, 28
 spasmodic 22
 see also cervical dystonia
 Tourette's syndrome 160
 transverse arytenoid muscles 89
 trapezius muscle 28, 55, 228
 ultrasonography 56, 57
 tremor 163–166
 BoNT injection 163–166
 dosage/technique 166
 clinical features 163
 hemifacial spasm 101
 Parkinson's disease 166
 treatment
 BoNT 163–166
 options 163
 vocal 89–90, 90, 164
 see also essential tremor
 triceps brachii muscle 141, 147
 trigeminal neuralgia 216
 BoNT therapy 218, 219
 trigeminal nucleus caudalis, headache
 disorders 225
 typist's cramp 82
 ultrasonography
 acoustical impedance 134
 echogenicity 133–134
 longitudinal plane 134–135
 muscle morphology 128–129
 out-of-plane technique 51
 skeletal muscle 50, 128–129, 129,
 133–135
 transverse plane 134–135
 ultrasound guidance
 cervical dystonia therapy with
 BoNTs 46–57
 anatomic reference guide
 comparison 48
 complex condition 44
 electrical stimulation comparison
 48–49
 muscles targeted 52–56
 needle insertion 50–52
 technical requirements/
 techniques 49–52
 tissue characteristics 49–52
 transducers 49
 ultrasound machines 49
 characteristics 136
 spasticity treatment with BoNT 108,
 133–145
 accuracy 135
 advantages 128
 blood vessel identification 135
 children 128–132
 iliopsoas muscle 130–132
 indirect technique 129
 injection approach 129–132
 lower limb 142–145
 muscle depth/thickness 135
 needle parallel to long axis of
 probe 130
 needle perpendicular to long axis
 of probe 130–131
 nerve identification 135
 obese patients 135
 patient preparation 129
 real-time technique 129
 reasons for 135–136
 technical prerequisites 128
 technique 129–132, 136–137
 time for muscle identification 135
 upper limb 137–142
 thoracic outlet syndrome BoNT
 injection 272–276
 upper esophageal sphincter *see*
 cricopharyngeal muscle
 urethral sphincter 292, 293
 urethral wounds, BoNT use in healing
 214
 urological disorders 288–293
 benign prostatic hyperplasia
 291–292
 chronic pelvic pain 291
 detrusor sphincter dyssynergia
 292–293
 neurogenic bladder 288
 overactive bladder 288–290
 vulvodynia 290–291
 vaginal muscles 290
 van Ermengem, Emile Pierre
 Marie 4
 vanilloid (capsaicin) receptor,
 neuropathic pain 217
 vasospastic pain 217
 vastus intermedius muscle 157
 vastus lateralis muscle 145
 vastus medialis muscle 145, 157
 velopharyngeal insufficiency,
 iatrogenic 94
 vesicle-associated membrane protein-2
 see synaptobrevin
 vestibulodynia/vestibulitis 290
 vocal cord, BoNT injection 89–90
 vocal tremors 89–90, 164
 BoNT therapy 90
 vulvodynia 290–291
 Wang, Yichun 10
 wasp stings 16

Whipple procedure, pyloric spasm 282	process 210	needle position verification 80–82
wound botulism 1, 6	proliferative phase 210	clinical subtypes 72
wound healing 210–215	relaxed skin tension lines 211	disability 72
BoNT use	scar maturation 210	focal extensor pattern muscles 78–79
anal fissures 213	tension 210–211	focal flexor pattern muscles 74–75
animal model 211–212, 211	anatomic location 211	generalized extensor pattern muscles 79
bone fractures 214	wounds across relaxed skin tension lines 211	generalized flexor pattern muscles 75–78
clinical trial 212–213	wrist extension 80, 81	gray matter volume 71
cutaneous scar 214–215	spasticity 141	incidence 71
human use 212–213	wrist flexion 75	limb immobilization 73
principle 211	flexor pattern 75	mirror dystonia 72, 73–74
tendon injuries 214	focal flexor pattern 75	proximal arm dystonia 80
urethral wounds 214	spasticity 112–113, 112, 120–121	sensory training 73
chemo-immobilization of cutaneous wounds 211–212	ultrasound guidance 137–138	treatment 73–82
clinical trials 212–213	writer’s cramp 71–72	
human use 212	arm abduction 80	
clinical care 210	BoNT therapy 73–82	
face 211, 213, 214	adverse effects 82	
forehead 213, 214	dosage 83	
inflammatory phase 210	EMG guidance 74	
neck 211	injection sites 74	
	muscles injected 74–80	
		Xeomin 10, 20
		<i>see</i> incobotulinumtoxinA
		“yips” 82