

Index

- accessible information, 67
- actuator, 232
- adiabatic elimination, 365
- amplifier, 354
 - gain, 359
 - HEMT, 363
 - noise added, 359
 - noise temperature, 360
 - phase insensitive, 360
 - phase non-preserving, 360
 - phase preserving, 360
 - phase sensitive, 360
- Anderson localization, 188
- Ando's theorem, 75
- Araki–Lieb inequality, 57, 86
- atypical state, 164
- autocorrelation function, 143
 - symmetrized, 144
- average power, 107

- Baker–Campbell–Hausdorff formula, 481
- Bayes' theorem, 6, 304
- Bayesian inference, 4
- BCH, 481
- beam-splitter, 316
- Bellman's equation, 270
- Bertrand's problem, 13
- bias charge, 340
- Bloch sphere, 252, 451
- Bloch vector, 252, 452
- Boltzmann distribution, 169
 - generalized, 188
- Boltzmann state, *see* Boltzmann distribution
- Boltzmann's constant, 168
- Borel's law, 49
- bounded phase space, 218
- Brownian motion, 190

- canonical commutation relation, 453
- canonical phase operator, 453
- capacitance, parasitic, 328
- capacitive coupling, 347
- carbon nano-tube, 346
- cascade connection, 244

- Cauchy–Schwartz inequality, 305
- cavity
 - Fabry–Perot, 351
 - membrane-in-the-middle, 352
 - optical, 351, 453
 - photonic, 353
 - ring, 316
 - superconducting microwave cavities, 335
 - three-dimensional, 335
- cavity length, 127
- center-of-mass, 215, 323
- certainty equivalence, 290
- channel
 - capacity, 55
 - communication, 54
- chaos, 215
- circuit
 - element, 324
 - equations of motion, 324
 - Hamiltonian, 325
 - Lagrangian, 325, 327, 329
 - link, 324
 - loop, 324
 - momenta, 328
 - node, 324
 - superconducting, 376
 - symbols, 331
 - terminal, 324
- circuit QED, 376
- circuit quantum electrodynamics, 376
- circulator, 128, 244
- coding theorem
 - noiseless, 50
 - noisy, 54
- coherent state, 454
- collapse, 104
- Collett and Gardiner, 141
- completely mixed, 17
- continuous measurement
 - classical, 90
 - counting, 126
 - Gaussian quantum, 96

540

on ensembles, 123
 spectrum, 148
 control
 bang-bang, 235
 closed-loop, *see* control, feedback, 387
 feedback, 232
 coherent, 236, 238, 242, 243, 247, 408, 415
 via continuous measurements, 239, 250
 field-mediated, 243
 Hamiltonian, 254
 LQG, 267
 Markovian, 241, 247
 measurement-based, 235, 238
 via one-way fields, 243, 412
 via unitary interactions, 242
 LQG, 398
 minimum-time, 274
 open-loop, 236, 383, 387
 optimal, 234, 386
 parameters, 240
 protocol, 232
 discontinuous, 276
 robust, 290
 time-dependent, 387
 via measurement back-action, 256
 control function, 268
 control strategy, *see* control protocol
 controller, *see* feedback controller
 ideal, 419
 cooling, 416
 measurement-based, 397
 resolved-sideband, 408, 412, 415
 Cooper-pair, 337
 Cooper-pair box, 331, 340
 coplanar wave-guide, 335
 correlation function, 108
 cost-to-go, 268
 covariance matrix, 146
 CPB, 340
 Cramer–Rao bound, 304
 quantum, 306
 current source, 329

 damping, 261
 rate, 199
 strong, 211
 symmetric, classical, *see* weak, classical
 symmetric, quantum, *see* weak, quantum
 weak, classical, 189
 weak, quantum, 191
 dark counts, 355
 dead time, 355
 decay, 261
 density matrix, 16, 17
 density operator, *see* density matrix
 diffusion gradient, 118
 discontinuous control strategies, 276
 displacement operator, 455
 disturbance
 to conjugate observables, 72

Index

to encoded information, 76
 entropy of, 74
 to quantum information, 77
 double-slit, 18
 doubly stochastic, 60
 driving
 a cavity, 128
 electrical, 349
 linear, 349
 mechanical, 349
 Duffing oscillator, 221
 dynamic optimality equation, 270
 dynamic programming equation, 270

 Ehrenfest's theorem, 215
 eigenstate thermalization hypothesis, 186
 electrode, 347
 electromechanical system, 346
 electron condensate, 375
 ensemble, 20, 40
 entropy
 information-theoretic, 50
 Shannon, 50
 thermodynamic, 160, 163
 von Neumann, 55, 233
 entropy reduction, 64
 environment, 160
 estimate, 233
 estimator, 304
 ETH, 186

 Faraday rotator, 128
 Faraday's law, 324, 330
 feedback, 34
 feedback control, 232
 feedback controller, 232
 feedback gain, 286
 feedback Hamiltonian, 242, 253
 feedback loop, 237
 fidelity
 of quantum operations, 82
 of quantum states, 81
 filter, 105
 Kalman–Bucy, 105
 Fisher information, 304
 quantum, 306
 flux, 324
 flux quantum, 330
 Fokker–Planck equation, 118, 257
 force detection, 314
 Fourier transform, 107, 147
 free energy, 175
 frequency conversion, 333

 gain, of amplifier, 359
 gate, 347
 Gaussian, 10
 Gaussian state, 145
 Gaussian, multivariate, 476
 Gorkov, 375

- governor, 232
 Groenewold's information, 64
- Haar measure, 13, 164, 183, 484
 Hall's bound, 70
 Hamilton–Jacobi equation, 272
 Hamilton–Jacobi–Bellman equation, 266, 272
 heat, 168, 175, 176
 Heisenberg limit, 308, 309
 Heisenberg picture, 106, 137, 145, 155, 213
 Helmholtz free energy, 175
 HEMT, 363
 Hilbert space, 17
 HJB equation, 266, 272
 HME, 150
 Holevo's bound, 69
 homodyne detection, 314
 Horn's lemma, 59
 Hudson's theorem, 218
 hypothesis testing, 123
- impurity, 61, 252
 inefficient measurement, 101
 input field, 140, 463
 input mode, 316
 input operator, 140
 input–output
 autocorrelation function, 468
 commutation relations, 140, 466
 connection to measurement, 143, 470
 formalism, 137
 non-zero temperature, 142
 relation, 140, 463
 sign conventions, 467
 signals, 462
 theory, 458
 integrable systems, 188
 invariance, 12
 irreducible loop, 324
 irreversibility
 logical, 166
 physical, 166
 isolator, *see* circulator
 Ito calculus, 93, 448, 468
 Ito equation, 467, 468, 495
 Ito's rule, 450
- JJ, 336
 Jonson–Nyquist noise, 360
 Josephson junction, 331, 336
 Hamiltonian, 338
 jump process, *see* Poisson process
- Kac, 186
 Kalman–Bucy filter, 105
 Kirchhoff's laws, 325
 Kushner–Stratonovich equation, 95, 485
 Ky Fan's principle, 89
- Levy process, 137
 Landau–Ginzburg theory, 375
 Landauer's erasure principle, 171
 Lanford–Robinson bound, 67
 Langevin equations, 139
 strong damping, 213
 LC-oscillator/resonator, 334
 likelihood function, 5
 Lindblad form, 200
 linear coupling, 348, 349
 linear systems, 145
 linear trajectories, *see* stochastic Schrödinger equation, linear
 Lorentzian, 112
 LQG, 267, 287
 lumped element, 334
 Lyapunov exponent, 217
- Maassen–Uffink relation, 74
 macro-state, 161
 majorization, 58
 majorize, 58
 marginal probability, 5
 Markovian, 188
 non-Markovian, 188
 Markovian master equation, 138
 master equation
 Brownian motion
 approximate, 213
 exact, 212
 Caldeira–Leggett, 211
 hybrid, 150
 Lindblad, 200
 Markovian, 138
 Markovian Redfield, *see* Redfield
 quantum optical, 199
 Redfield, 189, 469
 degenerate, 198
 Markovian, 196
 non-degenerate, 198
 time-dependent, 201
 thermal, *see* Redfield
 for weakly damped oscillator, 199
 Maxwell's demon, 177
 measurement
 adaptive, 309
 bare, 36, 182
 continuous, 354, 446
 correlation function, 471
 dictionary of, 456
 efficiency, 100, 368
 finite-strength, 29
 fundamental theorem, 24
 incomplete, 29
 inefficient, 39, 96, 101, 358
 multiple observers, 102
 nonlinear, 370
 of observable, 30
 of oscillator, 110
 oscillator-mediated, 362

- measurement (*cont.*)
 - physical implementation, 361
 - of position, 31, 110, 148, 357
 - problem, 222
 - QND, 455
 - quantum-limited, 359
 - record, 94, 446
 - semiclassical, 29
 - signal, 94
 - simultaneous, 141
 - spectrum, 470
 - symmetric, informationally complete, 311
 - von Neumann, 15
 - weak, 29
- measurement postulate, 15
- membrane-in-the-middle, 352
- metrology, 303
 - of gravitational waves, 311
 - Heisenberg limit, 308
 - quantum, 308
 - resources for, 307
 - of signals, 311
 - standard quantum limit, 308, 311
- MF, 238
- microstate, 161
- Monte Carlo, *see* wavefunction Monte Carlo
- mutual information
 - classical, 54
 - quantum, 86
- nano-electromechanical, *see* system, electromechanical
- nano-mechanical resonator, *see* oscillator, mechanical
- noise, 356
 - added by amplifier, 359, 361
 - back-action, 355, 356
 - dephasing, 261
 - depolarizing, 261
 - imprecision, 96, 357
 - measurement, 96, 357
 - photon, unit of, 358
 - projection, 356
 - quantum, 468
 - shot, 96, 357
 - Stratonovich, 120, 468, 495
 - thermal, 261
 - weak, 421
 - white, 93, 108, 468
- noise power, 355, 356
- noise temperature, 360
- non-Markovian systems, 213
- number state, 453
- numerical optimization, 279, 386
- observable, 30
- OPA, 316
- open system, 137, 160
- operator norm, 384
- operator reordering, 479
- optical cavity, 127
- optical parametric amplifier, 316
- optimal control
 - for linear systems, 282
 - for nonlinear systems, 290
 - LEG control, 286, 289
 - LQG control, 286
- optimization, numerical, 279, 386
- optomechanics, 376
- optomechanical
 - coupling, 352, 353
 - system, 351, 352
- orthogonal polynomials, 214
- oscillator
 - classical damped, 189
 - mechanical, 346, 376
 - negative-mass, 313
 - strongly damped, 213
 - superconducting, 334, 335
 - weakly damped, 357, 467
- output channel, 128, 200
- output field, 140, 463
- output mode, 316
- output operator, 140
- Ozawa's theorem, 64
- parameter estimation, 150
- parametric amplification, 349
- parametric coupling, 348
- parametric driving, 349
- partial inner product, 25
- partial order, 59
- partial trace, 437
- Pauli matrices, 451
- Pegg–Barnett phase operator, 307, 453
- perturbation theory, time-independent, 372, 478
- phase operator, 453
- phase space, 218
 - distribution, 218
- photo-detector, 121
- photon-counter,
 - see* photon-detector
- photon-detector, 355
- photonic
 - cavity, 353
 - crystal, 353
 - wave-guide, 353
- piezoelectric, 347
- Poisson bracket, 216
- Poisson process, 125, 423
- polar decomposition, 34
- Pontryagin's principle, 267
- pooling knowledge, 9
- positive operator, 27
- post-selecton, 47
- posterior probability, 6
- POVM, 27
- power spectrum, 107, 146, 355
- principle of optimality, 269
- prior probability, 6

- probability
 - conditional, 5
 - joint, 5
 - posterior, 6
 - prior, 6
- probability density, 4
- probability distribution, 4
- probe, 22
- probe system, 23
- process, 166
- protocol, *see* control, protocol
- pure state, 17
- purity, 61
- Q, 190
- QCT, 215
- QMF, 313
- QND, 455
- quadrature operators, 454
- quality factor, 190, 351
- quantum field, 139
- quantum jumps, 119, 121
- quantum limit
 - standard, 308, 317, 358–360
 - to amplification, 360
- quantum noise, 137
- quantum trajectory, 189
- quantum-interference device, 331, 344
- quantum-mechanics-free subsystems, 312
- quantum-state tomography, 311
- quantum-to-classical transition, 215
- qubit, 251, 260, 394, 451
 - charge, 340
 - definition of, 77
 - flux, 346
 - superconducting, 336
- random function, 107
- random signal, 107
- rapid purification, 250
- Redfield equation, *see* master equation, Redfield
- regime of good control, 291, 418
- relaxation, *see* thermalization
- representation
 - operator-sum, 26, 492
 - unitary, 494
- resolving power, 30
- ring cavity, 316
- rotating-wave approximation, 332, 476
- RWA, 332, 476
- Schur-concave, 59
- SDE, 449
- separation principle, 290
- SIC, 311
- simultaneous measurements, 102
- SME, 98
- Solovay–Kitaev theorem, 384
- SQL, 317, 358
- squeezing via feedback control, 404
- SQUID, 331, 344
- SSE, 98
- stable process, 137
- standard quantum limit, 308, 317, 358, 360
- state
 - coherent, 219, 454
 - engineering, 394
 - entangled, 392
 - Fock, 453
 - Gaussian, 475
 - mixed, 17
 - number, 453
 - pure, 17
 - Schrödinger cat, 391
 - squeezed, 405
 - target, 233
- state-estimate, 290
- state-of-knowledge, 4
 - quantum, 16
- state-preparation, 389, 421
- state-swapping, 387, 391, 408
- Stirling’s approximation, 49
- stochastic differential equation, 449
- stochastic master equation, 98
 - linear, 113
 - nonlinear, 98
- stochastic Schrödinger equation, 98
 - for homodyne detection, 135
 - linear, 113, 422
 - for photon counting, 129
 - nonlinear, 98
- Stratonovich equation, 467, 468, 495
- Stratonovich noise, 120, 468
- stripline resonator, 335
- strong feedback, 291
- subderivative, 277
- superconducting circuits, 323
- superconducting nanowire, 355
- supercurrent wavefunction, 336
- superderivative, 277
- superjet, 278
- superposition, 18
 - mesoscopic, 390
- SWW bound, 69
- SWW theorem, 490
- system
 - auxiliary, 232, 243, 422
 - electromechanical, 323, 346, 376
 - non-Markovian, 213
 - optomechanical, 352, 376
 - primary, 232, 245
 - probe, 22
 - quantum-mechanics-free, 312
 - target, 22
- target, 22
- target state, 233
- tensor product, 432
- thermal bath, 138, 160
- thermal contact, 168

544

thermal environment, 138
 thermalization, 182
 thermodynamic entropy, 162, 163
 time-independent perturbation theory, 302
 TIPT, 372
 trace distance, 79
 transducer, quantum, 370
 transition, degenerate, 199
 transition, off-resonant, 477
 transitive group, 12
 transmission line, 334
 transmission-line resonator, 335
 transmon, 342
 two-envelopes problem, 13
 typical

- element, 51
- sequences, 49
- set, 167
- state, 167, 177, 185

 typicality, 182

- canonical, 183
- Hamiltonian, 185

 uncertainty, 51
 unistochastic, 60
 unitary-stochastic, 60
 unraveling, 136

Index

verification theorem, 273
 viscosity solution, 278
 voltage source, 329
 von Neumann entropy, 55, 233

 wavefunction, 19
 wavefunction Monte Carlo, 161, 189, 205

- Gaussian noise, 205
- for measured systems, 208
- Poisson noise, 206

 white noise, 93, 108
 wide-sense stationary, 108
 Widom, 375
 Wiener noise, 93
 Wiener–Kinchin theorem, 108
 Wigner function, 218
 Wigner–Dyson distribution, 187
 Wiseman–Milburn Markovian feedback, 241, 494
 Wiseman–Ralph protocol, 301
 work, 175, 176

 Zakai equation, 117
 Zassenhaus formula, 481
 Zeno-effect

- anti-, 46
- quantum, 45