

Index

- Γ_k , 220
- Λ_p , 200
- Ω , 258
- $\Omega^{(n)}$, 258
- Ω_A , 263, 266
- Ω_D , 261, 267
- Ω_E , 261, 267
- α_0 , 101
- α_i -height, 270
- $\text{Co}(\Gamma)$, *see* monoid, commutation
- δ , *see* root, imaginary
- λ -minuscule, 276, 296
- \leq , *see* Bruhat order
- \leq_L , left weak Bruhat order, 81
- \leq_R , right weak Bruhat order, 81
- μ , 160
- μ_S , 166
- μ_V , 166
- μ_W , 165
- μ_π , 166
- μ_{V_Γ} , 166
- $\bar{\Gamma}$, 160
- $\pi_{\text{Co}(\Gamma)}$, 46
- $<$, 108
- $<_\alpha$, 108
- $<_p$, 32
- ρ , 284
- \sim_{pq} , 32
- $>$, 108
- $>_\alpha$, 108
- $>_p$, 32
- θ^\vee , 90
- θ_t , 83
- θ_s , 83
- θ_s^\vee , 90
- $*_E$, 21
- $*$, 21
- 2-graph, 248, 258–265
 - and bitangents, 261
 - and generalized quadrangles, 265
 - complement of, 260
 - regular, 258, 273
 - trivial, 260
- 2_{21} , 210, 220, 249, 254
- 27 lines, 248–253, 280
- 3_{21} , 210, 220
- 4_{21} , 211
- A^0 , 85
- ad_x , $\text{ad } x$, 7, 271
- affine Dynkin diagram, *see* Dynkin diagram, affine
- affine hull, 202
- afford, 6
- algebra
 - Albert, 274
 - associative, 47
 - centralizer, 215
 - generators and relations for, 47
 - Hecke, *see* Hecke algebra
 - Jordan, 274
 - Lie, *see* Lie algebra
- algebraic group, 274
- alternating sign matrix, 297
- antichain, 299
- antisymmetry, 5
- Aronhold set, 231, 234, 251
- asymmetry function, 149
- aszygetic, *see* bitangent, azygetic
- automorphism, 302
- azygetic, *see* bitangent
- \mathcal{B} , 48
- Bédard, R., 68
- bifid transformation, 219, 233
- bilinear form
 - alternating, 10
 - skew-symmetric, 10
 - symmetric, 11

- bimultiplicativity, 149
- Birkhoff, G., 301
- bitangent, 216, 226–237, 247
 - and 2-graphs, 261
 - azygetic, 226, 229, 230, 233, 235, 250
 - syzygetic, 226, 229, 230, 233, 234, 250
 - triples of, 232
- Björner, A., 68
- blow up, 219
- Borel, A., 181, 215
- bound
 - greatest lower, 299
 - least upper, 299
 - lower, 299
 - upper, 299
- Bourbaki, N., 1, 117
- box, 290
- braid relation, 80, 276
 - long, 80
 - short, 80
- branching rule, 191
- Brenti, F., 68
- Bruhat decomposition, 1
- Bruhat order, 80, 117, 279, 296
 - weak, 81, 279, 296
- canonical basis, 147
- Cartan decomposition, 78
- Cartan subalgebra, 78, 181
- Carter, R.W., 3, 181
- Casselman, W., 215
- category, 301
 - concrete, 302
 - of graphs, 302
 - of posets, 302
 - small, 302
- Cayley–Salmon theorem, 249
- chain, 298
 - edge, 20
 - in a heap, 21
 - vertex, 20
- chamber, 82
 - fundamental, 82, 184
- Chevalley basis, 148, 181
 - non-simply laced case, 180
 - simply laced case, 159
- Chevalley group, 1, 215
- Chevalley, C., 181
- Clifford algebra, 147
- $c_{\lambda, \mu}^{\nu}$, *see* intersection number, Schubert
- coboundary, 258
- cochain, 258
- coclique, 265
- cocycle, 258
- coherent, 258
- collinear, 265
- comparable, 298
- compatible, 160
- complex projective plane, 219
- concurrency, 40
- conformal field theory, 2
- connected, 301
 - M -connected, 208
- connected component, 301
- content, *see also* heap
 - of a fully commutative element, 276
- contracting homotopy, 259
- convex, 299
- convex hull, 202
- Conway group C_{03} , 273
- Cooperstein, B. N., 274
- coroot, 78, 90
 - and H_{α} , 179
 - fundamental, 78, 82
- cover, 299
- Coxeter graph, 88
- Coxeter group, 88
- Coxeter number, 79, 84, 306
 - and principal subheaps, 146
- Coxeter, H. S. M., 214, 219
- crystal basis, 147
- cubic surface, 249, *see also* 27 lines
- cyclic sieving phenomenon, 275, 288
- d -complete poset, 290
- dashed box, *see* repeating motif
- del Pezzo surface, 216, 219, 247, 249
 - and cosets of Weyl groups, 220
- demihypercube, *see* half cube
- derivation, 7
- derived algebra, 6
- derived Kac–Moody algebra, 88
 - action on $V_{B(E)}$, 73
- design, 244
- desmic tetrahedra, triad of, 244, 247
- d_i , 212
- Dickson, L. E., 247
- dimension, 202
 - of a module, 6
- disconnected, 301
- distinguished coset representative, 82
 - and distributive lattices, 279
 - and minuscule elements, 277
 - minuscule, 296
- distributive lattice, 30, 284, 296, 300
 - and distinguished coset representatives, 279
 - Hasse diagram of, 31
 - $J(E)$, 31
 - partition of $J(E)$, 43
- Dolgachev, I., 247

- double six, 213, 216, 248, 252–258
 - and orthogonal roots, 257
 - and roots, 253
 - and Steiner complexes, 254
 - intersections of, 257
- doubly transitive, 189, 226, 227, 229, 261
- Doughty, M., 273
- $D_{p,i}$, 189
- du Val, P., 219
- duad, 267
- duad-syntheme model, 273
- Dynkin diagram, 27, 304–306
 - affine, 47–54, 304
 - automorphism group of, 91
 - type $A_{2l}^{(2)}$, 52
 - type $A_{2l}^{(2)}$, 101
 - type $A_l^{(1)}$, 48
 - type $B_3^{(1)}$, 28
 - type $B_6^{(1)}$, 108
 - type $C_l^{(1)}$, 50
 - type $D_l^{(1)}$, 54
- E_8 , 211, 269
- E_α
 - non-simply laced case, 180
 - simply laced case, 159
- Eckard plane, 274
- edge, 301
- edge labellable, 281
- Erdmann, K., 18
- Eriksson, H., 68
- extension, 298
- $E(\mathbb{Z})$, 118
- facet, 207
- fake Gaussian sequence, 297
- fan, 233
- Fermat cubic, 249
- $\text{FH}(\Gamma(p)) \rightarrow \Gamma$, 122
- filter, 152, 300
- flag, 207, 265
- flag variety
 - generalized, 289
 - minuscule, 289
- flex point, 274
- folding, 160
 - and bilinear forms, 169
 - and roots, 166
 - of full heaps, 162
 - of principal subheaps, 163
 - of simple Lie algebras, 164
 - of untwisted affine Weyl groups, 163
- Fon-Der-Flaass action, 289
- full heap, 28
- classification over affine Dynkin diagrams, 145
 - $\text{FH}(A_{2l-1}^{(2)}(l))$, 51, 53, 144
 - $\text{FH}(A_l^{(1)}(k))$, 124
 - $\text{FH}(A_l^{(1)}(l))$, 48
 - $\text{FH}(B_4^{(1)}(4))$, 135
 - $\text{FH}(B_6^{(1)}(6))$, 109, 110
 - $\text{FH}(B_l^{(1)}(1))$, 134
 - $\text{FH}(C_l^{(1)}(1))$, 50, 144
 - $\text{FH}(D_4^{(2)}(3))$, 138
 - $\text{FH}(D_7^{(1)}(7))$, 152
 - $\text{FH}(D_{l-1}^{(2)}(l-1))$, 137
 - $\text{FH}(D_l^{(1)}(1))$, 130
 - $\text{FH}(D_l^{(1)}(k))$, 129
 - $\text{FH}(D_l^{(1)}(l-1))$, 133
 - $\text{FH}(D_5^{(1)}(5))$, 130
 - $\text{FH}(D_l^{(1)}(1))$, 53, 144
 - $\text{FH}(E_6^{(1)}(1))$, 139
 - $\text{FH}(E_6^{(1)}(5))$, 139, 250
 - $\text{FH}(E_7^{(1)}(6))$, 140, 141, 217
- Local Structure Theorem for, 37
 - over $B_3^{(1)}$, 29, 33
 - over B_∞ , 120
 - over D_∞ , 120, 121
 - over \mathbb{Z} , 119
 - type $A_l^{(1)}$
 - classification, 124
 - type $A_l^{(1)}$, 118–125
- fully commutative, 276, 296
- Fundamental Theorem for finite distributive lattices, 301
- \mathfrak{g} -invariant, 8
- Geiser transformation, 227
- general position, 219
- generalized Cartan matrix, 26
 - affine type, 76, 89
 - doubly laced, 27
 - finite type, 76, 84, 89
 - determinant of, 91
 - indecomposable, 27
 - indefinite type, 76
 - simply laced, 27
 - symmetrizable, 27
 - transpose of, 78
 - type, 76
- generalized quadrangle, 248, 265–269
 - and 2-graphs, 265
- generators
 - of a Lie algebra, 6
- $G_i(\mathfrak{g}, \omega)$, 212
- $\mathfrak{gl}_J(V)$, 9
- Gosset graph, 216, 218

314

GQ(2,1), 266
 GQ(2,2), 266
 GQ(2,4), 266
 graph, 301
 dependence, 40
 from minuscule representation, 211
 Gosset, 213
 half cube, 213, 215
 Johnson, 215
 regular, 212
 Schläfli, 213
Graph, 302
 Grassmannian, 290, 295, 297
 affine, 297

h, *see* Coxeter number
 Hagiwara, M., 41
 half cube, 209, 225
 H_α , 153
 action in simply laced case, 157
 Hamiltonian, 2
 Hamming distance, 196
 Hartshorne, R., 247, 273
 Hasse diagram, 299
 heap, 11, 20, *see also* full heap
 content, 57, 108
 dual, 21
 labelling system $E(a, z)$ for vertices, 23, 33
 locally finite, 21
 minuscule, 41, 69, 181
 over a Dynkin diagram, 27
 periodic, 21, *see also* period, 101
 quotient, 40, 41, 120
 shorthand notation for, 22
 size of, 21
 support, 21, 57
 trivial, 21
Heap, 20
Heap(Γ), 21
 Hecke algebra, 47
 action on $V_{J(E)}$, 47
 relations for, 47
 type affine A , 49
 type affine B , 52
 type affine C , 50
 type affine D , 54
 height
 of a root, 79
 Helenius, F. W., 274
 Hesse–Cayley notation, 216, 231, 247
 $\mathcal{H}(\Gamma)$, *see* Hecke algebra
 highest weight module, 90
 highest weight vector, 82, 90, 112, 146
 Higman, G., 4, 273
 H_L , 110

Index

homomorphism
 of Lie algebra modules, 6
 of Lie algebras, 6
 H_p , 43
 Humphreys, J. E., 3
 hypercube, 202, 208
 hyperedge, 273
 hypergraph, 273
 hyperoctahedron, 209, 214
 hyperplane
 bounding, 82
 hypersimplex, 209

 ideal
 of a Lie algebra, 6
 order, 300
 principal, 300
 proper, 42, 55–62
 self-complementary, 280, 287
 weight of, 92
 incidence structure, 265
 incident, 217, 249
 incoherent, 258
 infusion, 293
 infus(T, U), 293
 intersection number, 219, 220
 Schubert, 290, 295
 interval, *see also* p -interval
 closed, 299
 open, 299
 invariant form, 248, 269–274
 3-form on $L(E_6, \omega_5)$, 272
 4-form on $L(E_7, \omega_6)$, 271
 bilinear, 89, 115–117, 269
 on a minuscule module, 115
 orthogonal, 8, 117
 symmetric, 269
 symplectic, 8, 117
 isomorphism, 302
 of Lie algebra modules, 6
 of Lie algebras, 6
 ${}^l W$, 81

 Jacobi identity, 5
 $J_\alpha^+(E)$, 111
 $J_\alpha^-(E)$, 111
 $J_\alpha^0(E)$, 111
 jdt, (T), 291
 $J(E)$, *see* distributive lattice, 31, 47
 jeu de taquin, 289–296
 $J_{n,k}$, 212
 Johnson graph, 212
 Johnson polytope, 209
 join, 299
 join irreducible, 300

- $J_p^+(E)$, 43
 $J_p^-(E)$, 43
 $J_p^0(E)$, 43
 $J(P)$, 301
- K_0 , 186
 K_7 , 186
 Kac, V. G., 3, 40, 88, 147, 160, 181, 182
 Kac–Moody algebra, 88, 90, 181
 derived, 71
 Kashiwara, M., 147
 Kazhdan, D., 41
 Kronecker delta, 10
 Kumar, S., 215
- Lakshmibai, V., 1
 lattice, *see also* distributive lattice, 296, 300
 root, 117
 weight, 117
 length
 of a root, 79
 of a Weyl group element, 80
 $L(\mathfrak{g}, \omega_p)$, *see* minuscule representation
 Lie algebra, 5–16, 70–71
 classical, 8–16
 free, 70
 generators and relations, 70
 irreducible module for, 90
 orthogonal, 11
 quotient, 6
 simple, 6, 18, 89
 dimensions of, 306
 symplectic, 10
 Lie bracket, 5
 line, 265
 linear operator
 on $V_{J(E)}$, 43
 Littelmann, P., 1, 296
 Littlewood–Richardson rule, 290
 $L(\lambda)$, 90
 Local Structure Theorem, *see also* full heap, 70, 72
 locally finite, *see* heap, poset
 longest element, 84
 action as -1 , 85, 117
 action on highest weight, 196
 loop, 301
 loop algebra, 181
 lowest weight vector, 82, 112, 146
 Lurie, J., 272, 273
 Lusztig, G., 41, 68, 147
 $\ell(w)$, *see* length
- Macdonald, I. G., 1, 297
 MacMahon, P. A., 297
 Manin, Yu.I., 247, 273
 Manivel, L., 247, 273
 Marsh, R. J., 147
 matrix unit, 13
 matroid, 215
 Matsumoto’s Theorem, 80, 276
 McGregor–Dorsey, Z. S., 41, 124, 128, 147
 meet, 299
 meet irreducible, 300
 m_i , 212
 microweight, 1
 minimal flux, 2
 miniscule, 1
 minuscule element, 275–280
 minuscule module, 90
 minuscule representation, 13, 90
 and flag varieties, 290
 and graphs, 211
 and principal subheaps, 114, 145
 distances between weights, 194
 from principal subheaps, 114
 $L(A_4, \omega_3)$, 222
 $L(A_5, \omega_3)$, 248
 $L(A_l, \omega_k)$, 212
 $L(A_l, \omega_1)$, 96
 $L(A_l, \omega_k)$, 127
 weights of, 186
 $L(B_l, \omega_l)$, 134, 146, 147
 restriction to type A_{l-1} , 192
 restriction to type B_{l-1} , 192
 symplectic/orthogonal form on, 137
 weights of, 184
 $L(C_l, \omega_1)$, 96, 146
 symplectic form on, 116
 weights of, 187
 $L(D_5, \omega_4)$, 222
 $L(D_6, \omega_6)$, 248
 restriction to type A_5 , 263
 $L(D_l, \omega_1)$, 96
 orthogonal form on, 116
 weights of, 185
 $L(D_l, \omega_{l-1})$, 132, 147
 restriction to type D_{l-1} , 193
 weights of, 187
 $L(D_l, \omega_l)$, 132, 147, 213
 restriction to type A_{l-1} , 193
 restriction to type D_{l-1} , 193
 weights of, 187
 $L(E_6, \omega_1)$, 139, 220, 224, 249, 269
 weights of, 188
 $L(E_6, \omega_5)$, 139, 213, 220, 224, 248, 249, 269, 272, 280, 291
 restriction to type D_5 , 193
 weights of, 188
 $L(E_7, \omega_6)$, 144, 216–246, 248, 251, 269, 271

- minuscule representation (*cont.*)
 - orbits of incident weights, 225
 - orbits of skew weights, 223
 - restriction to type A_6 , 194
 - restriction to type D_6 , 191, 261
 - restriction to type E_6 , 193
 - weights of, 186
- lowest weight, 146
- number of, 91
- restriction of, 191, 195
- weight spaces, 145
- minuscule system, 183
- minuscule weight, 146
- module, *see also* representation
 - adjoint, 7
 - exterior power, 127
 - for a Lie algebra, 6
 - fundamental, 90
 - highest weight, 89–92
 - irreducible, 6, 90
 - minuscule, *see* minuscule representation
 - quotient, 6
- monoid, 25
 - commutation, 26, 46, 275
 - free, 25, 47
- morphism
 - bijjective on labels, 21
 - bijjective on vertices, 21
 - composition of, 301
 - identity on labels, 21
 - identity on vertices, 21
 - injective on labels, 21
 - injective on vertices, 21, 22, 24, 25, 126
 - inverse of, 302
 - of graphs, 20, 302
 - of **Heap**, 20
 - of **Heap**(Γ), 21
 - of posets, 20, 302
 - surjective on labels, 21, 40
 - surjective on vertices, 21, 40
- multichain, 284, 298
- nondegenerate, 8
- octonion, 273
- opposite
 - bitangents, 238, 239, 241, 242
 - weights, 217, 228, 236
- orbital, 188
- order
 - linear, 298
 - opposite, 298
 - partial, *see* poset
 - total, 298
- orientation, 150, 153, 163
- orthogonal, *see also* invariant form
 - elements in V_Γ , 79
- outer automorphism, 268, 273
- parabolic subgroup, 62
 - faithful and transitive action of, 64
- parabolic subheap, 62–67
 - and irreducible representations, 95
 - as a set of roots, 197
 - of a Lie algebra, 95
 - self-dual, 94, 96
 - type A_l , 12, 65
 - type C_l , 14, 66
 - type D_l , 15
- parameter, 265
- parity, 152
 - relative, 152
- Parker, C., 215
- path, 301
- Payne, S. E., 273
- period, 97
 - of full heap, 101
- permutation group, 188
 - rank, 189
 - rank 4, 227
- Peterson, D., 276, 296
- Pfeiffer, G., 275, 279, 296
- $P(\mathfrak{g}, \omega)$, 203
- p -interval, 28, 41
- plane partition, 285, 296
 - cyclically symmetric, 297
 - self-complementary, 287, 288
 - symmetric, 286
 - totally symmetric, 297
 - TSSCPP, 297
- poids minuscule, 1
- point, 265
- polytope, 202
 - affine automorphism, 215
 - automorphism of, 202
 - combinatorial automorphism, 215
 - cross, 214
 - dimension, 202
 - Euclidean automorphism, 215
 - face, 207
 - classification, 208
 - main theorem for, 202
 - measure, 214
 - pure Archimedean, 219
 - regular, 207
 - vertex of, 202
 - weight, *see* weight polytope
- poset, 298
 - complemented, 280
 - connected, 299

- Gaussian, 284–288, 296
 irreducible, 299
 locally finite, 299
 quotient, 38, 303
 rank, 280
 rank symmetric, 280
 rank unimodal, 280
 ranked, 125, 299
 Sperner, 280
 strongly Sperner, 280
 uniquely modular, 280, 296
 wonderful, 296
- Poset**, 302
pq-string, 32
 presentation
 of Coxeter group, 88
 of derived Kac–Moody algebra, 71
 of Weyl group, 46, 88
 Serre, 88
 principal subheap, 114
 and minuscule representations,
 114
 as a Gaussian poset, 284
 as an abstract poset, 200
 of $\text{FH}(A_{2l-1}^{(2)}(l))$, 66
 of $\text{FH}(A_l^{(1)}(k))$, 125, 127
 of $\text{FH}(B_4^{(1)}(4))$, 135
 of $\text{FH}(B_l^{(1)}(l))$, 134
 of $\text{FH}(C_l^{(1)}(1))$, 66
 of $\text{FH}(D_5^{(1)}(5))$, 132
 of $\text{FH}(D_6^{(1)}(6))$, 262
 of $\text{FH}(D_l^{(1)}(k))$, 130, 132
 of $\text{FH}(D_5^{(1)}(5))$, 131
 of $\text{FH}(D_l^{(1)}(1))$, 68
 of $\text{FH}(D_l^{(2)}(l-1))$, 138
 of $\text{FH}(E_6^{(1)}(1))$, 139
 of $\text{FH}(E_6^{(1)}(5))$, 139, 140, 282
 of $\text{FH}(E_7^{(1)}(6))$, 142
 shorthand notation for, 189
- Proctor, R. A., 4, 275, 279, 280, 284, 289, 290,
 293, 296
- proper ideal, 108
 of $\text{FH}(B_l^{(1)}(l))$, 136
 of $\text{FH}(D_l^{(1)}(k))$, 132
 of $\text{FH}(D_l^{(2)}(l-1))$, 138
 type $A_l^{(1)}$, 125–128
- quartic curve, 216, 226
 quartic form, 274
- radical, 8
 random walk, 2
- rank
 of a poset, 280
 of permutation group, 189
 rank function, 299
 rank generating function, 280
 rectification, 291, 293, 295
 $\text{rect}(T)$, 291
 reduced expression, 80
 refinement, 298
 reflection, 108
 action on \mathcal{B} , 111
 formula for, 76, 80, 149
 fundamental, 80
 number that move a weight, 200
- Reiner, V., 275, 288
 relative content, 57
 relatively trivial, 57, 99
 repeating motif, 27
 representability, 61
 of imaginary roots, 101
 of real roots, 62
 representation, *see also* module
 adjoint, 7
 defining, *see* representation, natural
 half-spin, 147
 irreducible, 94
 from parabolic subheaps, 95
 minuscule, *see* minuscule representation
 natural
 type A_l , 74
 type B_l , 147
 type C_l , 74
 type D_l , 75
 of a Lie algebra, 6
 spin, 286
 type B_l , 13, 136
 type D_l , 129–134
- $\text{revjdt}_x(T)$, 293
 $\text{revrect}(T)$, 293
 R_i , 212
 Röhrle, G., 215, 275, 279, 296
- root
 fundamental, 60, 75
 type A_l , 186
 type B_l , 184
 type C_l , 187
 type D_l , 185
 type E_6 , 188
 type E_7 , 186
 weight of, 92
 highest, 84
 relationship with α_0 , 112
 stabilizer of, 85
 type A_l , 104
 type B_l , 185

- root (*cont.*)
 type C_l , 105
 type D_l , 106
 type E_6 , 205
 type E_7 , 204
 type E_8 , 270
 highest long, *see* highest root
 highest short, 84
 type B_l , 137, 185
 type C_l , 105
 imaginary, 79
 coefficient of α_0 in, 101
 relationship with highest root, 85, 101
 long, 79, 165–175
 type B_l , 107
 type C_l , 105
 negative, 79
 positive, 79
 type A_l , 104
 type C_l , 105
 type D_l , 106
 types A, B, C, D , 197
 real, 60, 76
 short, 79, 165–175
 type B_l , 107
 type C_l , 105
 simply laced case, 148
 type $A_l^{(1)}$, 103
 type A_l , 104
 type $C_l^{(1)}$, 104
 type C_l , 105
 type $D_l^{(1)}$, 106
 type D_l , 106
 type E_6 , 204
 type E_7 , 203
 root decomposition, 78
 root system, 77, 79
 dual, 78, 107
 R_p , 200
 Rush, D. B., 289, 297

 s_α , 108
 Satake, I., 215
 Schläfli double six, *see* double six
 Schubert basis, 289
 Schubert variety, 1, 289
 self-complementary
 ideal, *see* ideal
 plane partition, *see* plane partition
 self-intersection, 219
 semigroup, 25
 Seshadri, C. S., 1
 $S(\Gamma)$, 46, *see also* Weyl group, generators for,
 47
 shape, 290
 straight, 290
 Shi, J.-Y., 41, 68
 Shi, X., 289, 297
 size, *see* heap, size of
 skeleton, 207
 skew, 217, 220, 249
 skew shape, 290
 slide, 291
 reverse, 293
 $\mathfrak{sl}(n+1, V)$, 7, 11
 $\mathfrak{so}(2n+1, V)$, 11
 $\mathfrak{so}(2n, V)$, 11
 $\mathfrak{sp}(2n, V)$, 10, 11
 S_p , 43
 special functions theory, 2
 $S_{p,i}$, 190
 square, 233
 standard filling, 290
 Standard Monomial Theory, 1
 Stanley, R. P., 284, 296
 Stanton, D., 275, 288, 297
 Steiner complex, 216, 227, 239, 237–244,
 247
 and double sixes, 254
 and symplectic form, 246, 247
 Steiner triple system, 273
 Stembridge, J. R., 4, 40, 69, 88, 275–277, 279,
 287, 296, 297
 Stembridge's $q = -1$ phenomenon, 288
 strongly orthogonal, 86–87
 pair in type D_l , 86, 107, 243
 triple in type E_7 , 87, 237, 241
 structure constants, 7
 subalgebra
 of a Lie algebra, 6
 subcategory, 302
 full, 302
 subexpression, 80
 subheap, 21
 convex, 21
 parabolic, *see* parabolic subheap
 principal, *see* principal subheap
 submodule
 of a Lie algebra module, 6
 suborbit, 188
 subword, 80
 support, *see* heap
 of an element of V_Γ , 57
 Sylvester, J. J., 273
 symplectic, *see* invariant form
 symplectic group, 226, 247, 264
 syntheme, 267
 $\text{SYT}_{G/P}(v/\lambda)$, 290

- syzygetic, *see* bitangent
 Szpilrajn's Theorem, 26, 298

 T , 254
 tableau
 standard, 290
 standard skew, 295
 straight, 290
 Taylor, D. E., 273
 Thas, J. A., 273
 Thomas, H., 4, 275, 289,
 293–295
 Tits, J., 215
 $T_{p,q}$, 43
 trace, 26, 27, 98
 and minuscule elements, 277
 of a matrix, 7
 of $\text{FH}(A_l^{(1)}(k))$, 49, 128
 transposition
 simple, 17
 triangle, 233
 trivial
 module, 6
 representation, 6
 trivializable, 102
 monotonically, 99
 Trivialization Theorem, 89, 97, 102, 110, 207,
 212
 trivialize, 99

 uniform, 273
 $U_{p,i}$, 189

 Vavilov, N. A., 182
 $V_B = V_{\mathcal{B}(E)}$, 55
 vertex, 301
 of a polytope, 202
 vertex labellable, 281, 282
 Viennot, G. X., 40
 $v_{i,j}$, 186
 $V_{J(E)}$, 43
 V_Σ , 245

 weight, 82
 braided, 296
 dominant, 82
 dominant integral, 90
 fundamental, 82
 integral, 82
 minuscule, 90
 characterizations of, 116
 classification of, 91
 of an element of V_Γ , 92
 of an ideal, 92
 partial order on, 93
 quasi-minuscule, 116
 weight polytope, 203
 automorphisms of, 206
 dimension of, 203
 $P(A_l, \omega_k)$, 209
 $P(C_l, \omega_1)$, 209
 $P(D_l, \omega_1)$, 209, 214
 $P(D_l, \omega_{l-1})$, 210
 $P(D_l, \omega_l)$, 209, 225, 243
 $P(E_6, \omega_1)$, 210
 $P(E_6, \omega_5)$, 210
 $P(E_7, \omega_6)$, 210
 weight space, 82
 of minuscule representation, 145
 one-dimensional, 147
 weight vector, 82
 Weil, A., 181
 Wenzl, H., 215
 Weyl group, 46
 action on $\mathcal{B}(E)$, 61
 action on $\mathcal{B}(E) \times \mathcal{B}(E)$, 60
 action on lines of del Pezzo surfaces, 220
 action on pairs of weights, 195
 action on $V_{J(E)}$, 47
 action on \mathbb{Z}
 type affine A , 49
 type affine B , 52
 type affine C , 49
 type affine D , 54
 and $\text{FH}(A_l^{(1)}(k))$, 128
 centre, 85
 classical, 16–18
 generators for, 46
 order, 306
 in type D_l , 107
 in type E_6 , 210
 in type E_7 , 236
 permutation representation, 67
 type A , 65
 type C , 66
 rank as a permutation group, 195
 rank of, 46
 semidirect product constructions, 67, 68
 symmetric invariant bilinear form, 76
 transitive action on weights, 145
 Weyl's character formula, 296
 $W(\Gamma)$, *see* Weyl group
 White, D., 275, 288
 W_I , 81
 W^I , 81
 Wildberger, N. J., 69, 181
 Wildon, M. J., 18
 $\text{wt}(I)$, 92

Cambridge University Press

978-1-107-02624-7 - Combinatorics of Minuscule Representations

R. M. Green

Index

[More information](#)

320

 X_α , 153 X_L , 110 X_p , 43 Y_α , 153 $\mathbb{Y}_{G/P}$, 290

Index

 Y_L , 110

Yong, A., 4, 275, 289, 293–295

Young tableau, 147

 Y_p , 43

Zeilberger, D., 297