

Index

- algebra, 244
 - Jordan, 156, 245
 - tensor, 250
- bundle, 88
 - Hermitian line, 131
 - Hilbert-Schmidt, 256
 - principal, 88
 - tangent, 90
 - tautological, 131
 - trivial, 88
 - vector, 90
- cardinality, 468, 475
- channel, 282
 - binary, 291
 - capacity, 383
 - depolarizing, 288, 294
 - dual, 290
 - entanglement breaking, 304, 462
 - Pauli, 293
- characteristic equation, 222
- complex structure, 77, 147
- concurrence, 447, 476, 482, 487, 569
- cones
 - convex, 4
 - dual, 4, 304, 462
 - positive, 245
- connection, 69
 - affine, 69
 - dual, 74
 - exponential, 72
 - Levi-Civita, 69, 546
 - mixture, 72
 - on fibre bundle, 90, 131
 - preferred, 93, 131
- convex
 - body, 3, 19, 413
 - body of constant height, 413, 459
 - cone, 222, 245
- function, 8
- hull, 3
- jointly, 45
- polytope, 3, 195
- pyramid, 12
- roof, 475
- Schur, 34
- set, 2
- coordinates, 21, 24
 - affine, 69, 104, 134
 - barycentric, 2
 - complex, 74
 - embedding, 63
 - Euler angles, 87, 99
 - exponential, 224
 - geodesic polar, 99
 - gnomonic, 65
 - homogeneous, 104
 - mixture, 223
 - octant, 123
 - orthographic, 64
 - spherical polar, 10
 - stereographic, 65
- curvature, 69, 92
 - holomorphic, 80
 - sectional, 547
 - tensor, 69, 547
- distance, 18
 - L_p , 392
 - l_1 , 20, 387
 - l_p , 20, 26, 387
 - Bhattacharyya, 51
 - Bures, 258, 400, 404, 473
 - Bures angle, 258, 399
 - Fubini-Study, 117, 145, 260
 - geodesic, 18, 23
 - Hamming, 495, 529
 - Hellinger, 51, 260
 - Hilbert-Schmidt, 220, 400, 473

- Jensen–Shannon divergence, 383, 390
- Minkowski, 19
- Monge, 215, 218
- trace, 392, 393, 400, 473
- variational, 20
- distribution
 - Dirichlet, 56
 - Glauber–Sudarshan, 176
 - Husimi, 176, 197
 - joint, 27
 - marginal, 28
 - multinomial, 26
 - normal, 47
 - Wigner, 172
- duality, 105, 514
 - convex, 8, 239
- e-bit, 436
- effect, 271, 310
- embedding, 24
 - Segre, 111, 437, 514
- ensemble
 - classical, 55
 - Ginibre, 422
 - length, 475
 - optimal, 475
 - quantum, 402
- entanglement, 444
 - concentration, 453
 - dilution, 453
 - measures, 471, 480, 486
 - monogamy, 515
 - monotones, 452, 472
 - of formation, 475
 - persistence, 497
 - tangle, 515
 - three–tangle, 517
 - witness, 470
- entropy
 - average, 421, 431
 - Boltzmann, 46
 - Chebyshev, 59
 - conditional, 463
 - entanglement, 447
 - generalized, 57
 - Hartley, 58, 370
 - Havrda–Charvát, 58
 - linear, 57
 - mixing, 359
 - operation, 381
 - Page formula, 421
 - relative, 41, 52, 365, 407, 474
 - Belavkin–Staszewski, 371
 - generalized, 57, 371
 - Kullback–Leibler, 41
 - Rényi, 389
 - Umegaki, 365
 - Rényi, 58, 369, 447, 480
 - Shannon, 35
 - structural, 62, 557
 - sub–, 565
 - von Neumann, 359, 367, 421
 - Wehrl, 178, 202, 370, 560, 566
- equivalence
 - LOCC, 499
 - SLOCC, 498, 499, 512
- face, 5
 - exposed, 7, 468
 - facet, 5
 - of $\mathcal{M}^{(N)}$, 231, 234
- Fano form, 454, 483, 487
- fidelity, 145, 260, 396
 - average, 431, 567
 - classical, 51
 - maximal, 475, 487
 - root, 258
 - sub–, 566
 - super–, 566
- field, 317
 - cyclotomic, 353
 - finite, 319, 334
 - real quadratic, 353
- form, 22, 545
 - Kähler, 79
 - symplectic, 80, 129, 147, 316
- functions
 - Bargmann, 198
 - digamma, 205
 - Lipschitz, 427
 - Morozova–Chentsov, 403, 431
 - operator concave, 356
 - operator convex, 356
 - operator monotone, 356, 403
- gates
 - two–qubit, 310
 - universal, 310
- geodesic, 23, 67
 - Bures, 263
 - Clifford parallels, 85
 - on $\mathbb{C}\mathbb{P}^1$, 118, 132
 - on spheres, 67, 84
 - totally, 117, 264
- geometric phase, 132, 211, 257
- graphs, 159, 457
- group
 - Borel subgroup, 135
 - Clifford, 338, 347
 - coherence, 170
 - collineation, 314
 - extended Clifford, 340, 349
 - Galois, 352
 - Heisenberg, 166
 - homomorphism, 552
 - index, 314

616

group (cont.)
 invariant subgroup, 338
 isotropy, 100, 135
 Lie, 96, 186
 multipartite Heisenberg, 319, 340
 parabolic subgroup, 136
 projective, 110
 restricted Clifford, 341
 soluble, 314, 352
 special linear, 451, 498
 symmetric, 114
 symplectic, 339
 Weyl–Heisenberg, 314, 338

hidden variables, 157, 159, 161, 496
 holonomy, 92
 Hopf fibration, 86, 438
 hyperplane, 2
 support, 7

inequality
 Araki–Lieb, 363
 Bell, 161
 Berezin–Lieb, 379
 Cauchy–Schwarz, 20
 Hölder, 20
 Karamata, 34, 379
 Klein, 358
 Lieb, 359
 Peierls, 358
 Pinsker, 391
 strong subadditivity, 364, 366
 subadditivity, 38, 363
 triangle, 18
 Wehrl, 370
 Welch, 345

information, 36
 mutual, 390

insphere and outsphere, 10

invariants, 505
 covariants, 506
 cross ratio, 501
 discriminant, 505
 hyperdeterminant, 509, 514, 517
 local unitary, 508
 resultant, 506

isometry, 66

Jamiolkowski isomorphism, 305, 309

kernel, 221

Killing vector, 66
 on $\mathbb{C}\mathbb{P}^n$, 126, 145

Kraus
 operators, 282
 rank, 283

Latin squares, 323
 mutually orthogonal, 334, 338

Index

lattice, 5, 109
 orthocomplemented, 234

law
 area, 533, 538
 volume, 533

lemma
 Lévy, 427
 Choi, 289
 Fannes, 395, 473
 HLP, 32, 374
 Horn, 33, 375
 Mehta, 466
 purification, 255
 reshuffling, 298
 witness, 461

local invariants, 452, 487

LOCC, 448, 472, 498

majorization, 29, 449, 463

manifold, 21
 base, 88
 complex, 76
 flag, 133, 234, 408
 group, 95
 Hermitian, 78
 Kähler, 75, 79, 120, 147, 170
 Lagrangian submanifold, 81, 442
 minimal submanifold, 442
 parallelizable, 97
 Stiefel, 136
 stratified, 194, 236
 symplectic, 80

maps, 548
 affine, 2, 271
 binary, 295
 bistochastic, 288, 293, 424, 480
 CcP, 299
 Choi, 301, 563
 complementary, 286
 conformal, 66
 CP, 281, 292
 decomposable, 300
 diagonal, 295
 environmental representation, 423
 indecomposable, 302
 momentum, 523
 one–qubit, 291
 positive, 280, 298, 311, 461
 random, 424
 stochastic, 282
 super-positive, 304, 461, 462
 trace preserving, 280
 unistochastic, 286, 291, 424
 unital, 288, 292, 480

Markov chain, 35

matrix
 bistochastic, 31
 circulant, 329

- complex Hadamard, 323, 324, 340
- density, 139
- dynamical, 279, 286, 305
- Fourier, 323
- isometry, 233
- monomial, 325, 340
- normal, 220
- orthostochastic, 33
- positive, 221
- real Hadamard, 325
- reduced density, 252
- stochastic, 31
- unistochastic, 33, 375
- Wishart, 417
- mean
 - geometric, 73, 263, 357, 399
 - operator, 357
- measure, 47
 - Bures, 415, 420
 - concentration, 426
 - Fubini–Study, 129, 207, 416, 425, 491
 - Haar, 98, 408, 423
 - Hilbert–Schmidt, 411, 420
 - induced, 416
 - operation induced, 425
 - product, 408
- measurement, 269
 - POVM, 270
 - projective, 270
 - selective, 269
- metric
 - Bures, 258, 260, 397, 404
 - Fisher–Rao, 50, 69
 - Fubini–Study, 119, 123, 143, 405
 - induced, 24
 - Kubo–Mori, 404, 407
 - monotone, 52, 387, 394, 397, 403
 - Poincaré, 54
 - Riemannian, 22, 403
 - Wigner–Yanase, 431
- mixed
 - point, 5
 - state, 139
- monotonicity, 472
- neg rank, 297
- negativity, 460, 478, 487
- non-contextuality, 158
- norm, 19
 - L_p , 392
 - l_p , 19
- numerical range, 241
- operations, 267
 - canonical Kraus form, 283
 - coarse graining, 286, 374, 387
 - deterministic, 282
 - environmental representation, 284
 - local, 444, 448
 - LOCC, 448, 498, 499
 - LU, 444, 497
 - operator sum representation, 282
 - probabilistic, 268
 - proper, 282
 - random, 423
 - separable, 448
 - SLOCC, 450, 498, 499
 - Stinespring form, 282
 - unitarily similar, 288
- orbit, 99, 255
 - coadjoint, 136, 524
- partial trace, 268, 416
- polarity, 106
- polytope
 - Archimedean, 30
 - Birkhoff's, 34
 - complementarity, 327, 335, 337, 340
 - convex, 3
 - momentum, 524
 - Platonic, 14, 162, 196
 - stella octangula, 469, 520
- positivity, 302
 - block, 280
 - complete, 281, 292, 302, 311, 462, 563
 - complete co, 302
- POVM, 270, 344
 - informationally complete, 272, 347
 - pure, 272
- prior, 47
 - Jeffreys', 56
 - uniform, 55
- pure
 - point, 5
 - state, 139, 207
- purity, 57, 370
- quantum
 - gate, 310
 - state, 310
- quaternions, 153, 246, 251
- qubit, 142
- random
 - external fields, 288
 - mixtures, 418
 - operations, 423
- rank, 6, 229
 - Lie group, 549
 - Schmidt, 254
- reshaping, 274
- reshuffling, 276, 278, 464, 563
- ring, 317
- robustness, 474

618

Schmidt
 angle, 440, 569
 decomposable, 496
 decomposition, 253, 276, 290, 444, 534
 rank, 444
 simplex, 444, 449
 vector, 277
 Schur convexity, 34, 453
 section
 conic, 106
 global, 90
 of S^3 , 94
 of bundle, 89
 separability criteria, 301, 461
 separable ball, 467
 simplex, 3
 eigenvalue, 228, 229
 regular, 12, 347
 Schmidt, 254
 singular values, 222, 537
 SLOCC, 450, 498
 space
 affine, 1
 Bloch, 223
 bundle, 88
 complex projective, 108, 191, 436
 coset, 99, 135
 cotangent, 22
 Grassmannian, 109, 133
 Hilbert-Schmidt, 220
 holomorphic tangent, 78
 homogeneous, 100
 non-orientable, 107
 orbit, 194
 quotient, 99
 real projective, 103, 193, 553
 sample, 26
 tangent, 21, 48
 Teichmüller, 77
 spectrahedron, 243
 sphere, 63
 Berger, 98, 128
 Bloch, 141
 celestial, 191
 Heegaard decomposition, 553
 incontractible, 127
 round, 63
 squashed, 98, 128
 spinor, 115
 states
 absolutely separable, 469
 AME, 526
 Bell, 324, 434
 bipartite, 253
 Bloch coherent, 178, 197, 379
 bound entangled, 458
 cat, 175, 497
 coherent, 170, 273

Index

Dicke, 178, 193, 376
 distillable, 458
 entangled, 434, 454, 458
 EPR, 433
 Fock, 167, 175
 GHZ, 496
 intelligent, 181
 interconvertible, 444
 k-uniform, 526
 matrix product, 536
 maximally mixed, 223
 noon, 194
 PPT, 456
 projected entangled pair, 540
 pseudo-pure, 468
 random, 418
 separable, 434, 454
 squeezed, 175
 stabilizer, 340, 527
 SU(K) coherent, 184, 187, 206
 Svetlichny, 528
 tetrahedral, 502
 W, 497
 Werner, 455
 statistical inference, 47, 386
 support, 27, 221
 swap, 278, 453
 tangle, 447, 515
 teleportation, 435, 443
 tensor network, 541
 tensor product, 250
 theorem
 Čencov, 52
 BBRV, 330
 Birkhoff, 34
 Bruck-Ryser, 334
 Carathéodory, 5
 Chentsov, 403
 Chernoff, 389
 Choi, 281
 Chow, 110
 Cramér-Rao, 54
 de Finetti, 55
 Design, 344
 Dittmann, 264
 Dvoretzky, 243, 430
 Eckart-Young, 537
 Frobenius, 153
 Frobenius-Perron, 35, 286
 Gleason, 158
 Hahn-Banach separation, 7
 Hastings' area law, 538
 Hastings' nonadditivity, 429
 Helstrom, 394
 Hilbert, 507
 Hudson, 175
 Jamiołkowski, 280

- Kadison, 226
- Kochen–Specker, 159
- Lieb–Robinson, 538
- Lieb–Solovej, 377
- Löwner, 356
- Minkowski, 5
- Naimark, 274, 295, 562
- Nielsen, 448, 498
- Pythagorean, 43
- Sanov, 42
- Schmidt, 252
- Schrödinger, 232, 289, 484
- Schumacher, 365
- Schur, 34
- Schur–Horn, 374
- Shannon, 38
- Størmer–Woronowicz, 300
- Toeplitz–Hausdorff, 241
- Uhlmann’s fidelity, 259
- Vidal, 535
- Wigner, 120
- torus, 76
 - Cartan, 100
 - in $\mathbb{C}\mathbb{P}^n$, 123, 442
- transformation
 - anti-unitary, 121, 150, 192, 340
 - canonical, 81
 - Legendre, 70
 - local unitary, 254
 - Möbius, 115, 191, 340, 354, 500, 505
 - Radon, 174
- transposition, 297
 - partial, 278, 455, 466
- twirl, 347, 455
- vector
 - Bloch, 141, 223
 - quantum score, 406
 - score, 48
 - weight, 187
- volume
 - $\mathcal{M}^{(N)}$, 412
 - convex bodies, 14
 - flag manifolds, 408, 567
 - orthogonal groups, 431, 567
 - unitary groups, 409
- Weyl chamber, 235, 524