

Index

- accessibility 131
 - modes accessible from free space 134–135
 - modes not accessible from free space 134–135
- action integral 52
- adiabatic equation of state 164–166
- adiabatic invariants 52–64
 - first 55
 - harmonic oscillator 52–54
 - second 55–57
 - third 57–58
- Airy functions 141
- Alfvén
 - index of refraction 112, 145
 - Mach number 292, 315
 - mode 145, 208–210
 - speed 145, 208–209, 287, 292
 - time-scale 271
- Alfvén waves 112, 213, 219
 - generated by Jupiter’s moon Io 214, 215
 - solar wind 213
 - transverse 209–210, 214, 219, 287
- Ampère’s law 35, 37, 60, 97–98, 193, 194
- analytic continuation 331–341
- analytic function 330, 336
- anisotropic distribution 151, 414
- anisotropy factor 414, 425
 - electron 418, 419, 425
 - ion 421
- anti-shielding 8, 474, 475
- atmosphere 2
- aurora 2
- average
 - distance between neighboring particles 16
 - kinetic energy 5, 149
 - number density 149
 - velocity 149
- average (expectation) value 149
- axially symmetric magnetic field 38, 43, 54, 75
- beams 323–328
 - cold 323–328
 - oppositely directed 325
- Bennett pinch 229, 278
- Bennett relation 231
- Bernstein–Green–Kruskal (BGK) electrostatic potentials 470, 473–475
- Bernstein-like modes 394
- Bernstein mode 387–391, 423
- Bessel functions 384, 386, 405, 406
 - modified 388
- Bohm–Gross dispersion relation 170, 322–323, 340
- Boltzmann equation 151–155
- bounce frequency 343
- bounce resonance 62
- bounded integrable orbits 75, 78
- bounded volumes in CMA diagram 132
- bounding surfaces in CMA diagram 132
- bow shock 286, 305–306
- bump-on-tail instability 365–367, 436–437
- Buneman mode 327–328
- Cauchy residue theorem 330
- Cauchy velocity distribution function 336–337, 350–353, 358–359, 372–373
- caviton 468
- chaos 440
 - Hamiltonian chaos 74–81
 - Hamiltonian system 439
 - magnetic field 79
 - velocity space diffusion 437–441
- characteristic parameters of a plasma 4–18
- characteristic resonance energy
 - ion cyclotron mode 421
 - whistler mode 416
- charge continuity equation 158, 194
- charge density 6
- charge neutrality 1, 99
- charge separation 9

514

Index

- Chew–Goldberger–Low (CGL) equation of state 166–167, 193
- Clemmow–Mullaly–Allis (CMA) diagram 131–137
 - electrons and immobile ions 132–136
 - electron and ion species 136–137
- closure problem 163–167, 431
- collective motions 2
- collisional drag force 173
- collision cross section
 - charged and neutral particles 12
 - charged particles 13–14, 479
 - total 481
- collision frequency 12–14, 16–17, 142
 - charged and neutral particles 12–13
 - charged particles 13–14
 - effective 174, 189
 - electron–ion 14, 17, 494
- collision operator 155
- collisions 1, 151, 154–155, 479–498
 - fully ionized plasma 479
 - isotropic 173, 174
 - large angle 16
 - partially ionized plasma 173–174
 - small angle 16, 481–484
- complex $\bar{D}$ -plane 358
- complex frequency 433
- complex p -plane 333, 360
- conductivity
 - fully ionized plasma 491–495
 - Hall 176–177
 - Lorentz 278
 - Ohm’s law 174–176
 - parallel 177
 - Pedersen 176–177
 - perpendicular 177
 - sth species 175
- conductivity tensor 96–97, 403
 - cold magnetized plasma 107
 - cold unmagnetized plasma 99–100
 - hot magnetized plasma 406
- conjugate momenta 52, 64–65, 139
- conservation of energy 281, 282
- conservation of energy flux 284
- conservation of mass 281, 282
- conservation of mass flux 283
- conservation of momentum 281, 282
- conservation of momentum flux 283
- constancy of the magnetic moment 40–41
- constant- α surface 224, 225
- constants of motion 155–156
- continuity equation in six-dimensional phase space 154
- contour integral 330
- convective derivative 161, 189, 200
- co-rotational electric field 28
- cosmic rays 69
- Coulomb
 - collisions 480
 - force 2, 13
 - potential 7
 - scattering 13
- critical drift velocity 401
- critical electric field 497
- crossover frequency 116–118
- current-driven electrostatic ion cyclotron waves 399–403
- current-driven ion acoustic instability 368–370, 377
- cusp mirror geometry 246
- cutoff 111, 118, 127, 140–141
- cutoff frequency 112
- cyclic coordinates 66, 139
- cyclotron
 - frequency 11–12, 23, 413
 - harmonics 385, 386
 - radius 23, 385
 - resonance 59
 - resonant energy 416
 - resonance interactions 386, 396, 420
 - resonance velocity 415, 419
- cyclotron damping 378, 410–413
 - electron 115, 412–413
 - ion 118, 413
- cyclotron frequency 11–12, 23
 - electron 12, 412
 - ion 12
- cylindrical magnetic field geometries 229–233
- cylindrical velocity space coordinates 379
- damping constant 330
- dawn chorus 419–420
- de Broglie wavelength 17–18
- Debye–Hückel potential 7
- Debye length 6–9, 170, 340
- Debye shielding 6
- degrees of freedom 65
- de Hoffmann–Teller frame 288–290
- destructive transition in CMA diagram 132
- diamagnetism 25
- dielectric tensor 96–97, 403
 - cold magnetized plasma 107
 - cold unmagnetized plasma 100
 - hot magnetized plasma 406
- difference equation 438
- differential rotation of the Sun 201
- diffusion 178–181
 - ambipolar 178–181
 - coefficient 178, 180
 - equation 180, 202
 - tensor 485, 488–491, 496, 499
 - velocity 188
- dipole moment per unit volume 96
- Dirac delta function 89, 150, 434, 438
- discontinuities 281–315
 - contact 285–286
 - rotational 287–288

- shock waves 281–315
 - tangential 286
- dispersion 91, 116
- dispersion relation 89–92, 97, 103, 134, 169, 171, 387–389
- electromagnetic ion cyclotron waves in a hot magnetized plasma 420
- electromagnetic waves in a cold magnetized plasma 109, 112
- electromagnetic waves in a cold unmagnetized plasma 101
- electromagnetic waves in a hot magnetized plasma 403–408
- electron plasma oscillations 103, 169
- electrostatic waves in a cold beam plasma 324–326
- electrostatic waves in a hot unmagnetized plasma 319–370
- electrostatic waves in a hot magnetized plasma 382–386
- electrostatic waves in a magnetized Maxwellian plasma 387–391
- electrostatic waves in an unmagnetized Maxwellian plasma 346–349
- free space mode 112–113
 - (L,O) mode 134, 135
 - (R,X) mode 134, 135
- ion acoustic waves in a hot unmagnetized plasma 171–173
- Langmuir waves in a hot unmagnetized plasma 170, 339, 351
- Langmuir waves in an unmagnetized Maxwellian plasma 322, 346–349
- multi-component plasma 349–356
- transverse electromagnetic mode 101–103, 169, 211, 212
- weak-beam approximation 326
- displacement current 96
- displacement field 96
- distribution function 4–5, 148–151
 - bi-Maxwellian 151, 414, 425
 - Cauchy 181, 336–337, 358–359, 372–373
 - counter-streaming Cauchy 364–365, 375, 376
 - double-humped 362–363
 - kappa 373
 - loss-cone 395–396, 418, 419
 - Maxwellian 4–5, 150, 181, 346, 374, 424
 - non-equilibrium 5
 - non-thermal 5
 - reduced 321, 332, 349
 - ring-type 392
 - solar flare electrons 441
 - spatially averaged 430
 - spherical shell 371, 393
- Doppler shift 59, 164
- double layer 474
- drag force 160, 497
- Dreicer electric field 498
- drift velocities
 - curvature drift 33–36, 38
 - $\mathbf{E} \times \mathbf{B}$ drift 26, 28–30
 - gradient drift 31–36
 - near an x-type neutral line 60–62
 - perpendicular force 30
- dynamical friction vector 486–488
- Earth's magnetosphere 2, 28, 61, 114, 245, 246
 - bow shock 305–306
 - ionosphere 2, 259
 - magnetopause 286, 288
 - magnetotail 60
 - plasma pause 28
 - plasmasphere 28, 245
 - Van Allen radiation belt 71
- effective potential 42, 67–68, 70
- eigenfrequency 250
- eigenmodes 250
- eigenvectors 211–212
 - fast magnetosonic mode 211–213
 - slow magnetosonic mode 211–213
 - sound wave 211, 212
 - transverse Alfvén mode 209–211
 - waves in a cold magnetized plasma 110, 121–122
 - waves in a cold unmagnetized plasma 100–101
- eikonal 140
- electric dipole antenna 105
- electromagnetic
 - ion cyclotron waves 112–113, 413
 - waves in a cold magnetized plasma 105–137
 - waves in a cold unmagnetized plasma 98–105
 - waves in a hot magnetized plasma 403–422
- electron acoustic waves 171
- electron and ion pressure waves 167–173
- electron cyclotron harmonics 390, 391
- electron phase-space holes 474
- electron plasma oscillations 9, 169, 387
- electron plasma oscillations near Jupiter's bow shock 307
- electronic charge 6
- electrostatic
 - electron cyclotron waves 396
 - energy density 435
 - instabilities 364–370
 - ion cyclotron waves 396, 399
 - noise at Jupiter's bow shock 307
 - potential 6, 341, 342
 - waves in a cold magnetized plasma 110, 122, 123
 - waves in a cold unmagnetized plasma 103–105
 - waves in a hot magnetized plasma 378–422
 - waves in a hot unmagnetized plasma 319–370
- elementary plane wave 89
- elliptically polarized wave 119
- energy conservation equation 163
- energy dissipation 302
- energy equation (MHD) 202–206

516

energy equation for the s th species 162
 energy method of stability analysis 251–255
 enthalpy 205, 206, 282, 287, 291
 entropy 192, 301–304
 equations of state 163–164, 192–193
 adiabatic 164–166, 192
 Chew–Goldberger–Low (CGL) 166–167
 cold plasma 163–164
 incompressible 192
 isothermal 192
 power law 192
 error function 496, 498
 evanescent wave 102, 109, 112
 external sources 104–105
 extraordinary mode 122

 Faraday rotation 118–121
 Faraday’s law 44, 58, 98, 193
 Fermi acceleration 63
 field-aligned currents 245
 field-aligned density irregularities 114
 finite Larmor radius effects 276
 first law of thermodynamics 164
 first-order linearized Vlasov equation 379–382
 first-order quantity (definition) 99
 fluid-like motions 173
 flux
 coordinates 199
 function 234
 ropes 225
 surfaces in a toroidal magnetic field 233–237
 Fokker–Planck
 collision operator 485, 490
 equation 484–491
 foreshock 307
 Fourier representation of waves 87–95
 Fourier transforms 87
 free energy sources 395, 398, 422
 beam 398, 422
 current 399, 401–402
 loss-cone 398, 422
 free space L–O mode 134
 free space R–X mode 134
 frozen field theorem 197–202
 fusion 2–3

 Gardner’s theorem 356–357
 gaseous state 1
 Gaussian harmonic wave packet 88
 Gauss’ law 10, 101, 194
 Gauss’ theorem 158
 generalized coordinates 64
 generalized Ohm’s law 189–192
 gradient drift current 37–38
 Grad–Shafranov equation 236–237
 group velocity 92–95, 103, 144
 Alfvén mode 210
 whistler mode 144

Index

growth rate
 Buneman mode 328
 current-driven ion cyclotron instability 401–402
 electromagnetic ion cyclotron instability 421
 electromagnetic waves in a hot magnetized plasma 411
 electrostatic cold beam modes 325
 electrostatic waves in a hot unmagnetized plasma 337, 339
 ion acoustic waves in a hot unmagnetized plasma 352
 ion acoustic waves in an unmagnetized Maxwellian plasma 354, 356
 Langmuir waves 339, 340
 Maxwellian distribution 347, 349, 340
 whistler waves 417
 guiding center 24
 gyrotopic condition 380

 Hall current 276, 277
 Hall MHD 277
 Hamiltonian 52, 64, 75, 139
 Hamiltonian chaos 74–81
 Hamiltonian for a magnetic mirror field 66–69
 Hamilton’s equations 64–66, 139
 harmonic oscillator 9, 52–54, 330
 equation 10, 53, 241
 WKB solution 53
 Harris dispersion relation 382–386, 423
 heat capacity at constant pressure 192
 heat capacity at constant volume 192
 Heisenberg’s uncertainty principle 17
 heliopause 286
 helium whistler 116–118
 high-density approximation 124, 130
 high phase velocity approximation 322, 375, 397
 homogeneous equation 90, 97–98, 169, 208,
 403, 408
 electromagnetic waves in a cold magnetized plasma 108
 electromagnetic waves in a cold unmagnetized plasma 100
 electromagnetic waves in a hot magnetized plasma 408
 electrostatic waves in a hot unmagnetized plasma 169, 321
 magnetohydrodynamic waves 207, 208
 Hooke’s law 9
 H -theorem 5
 hybrid resonances 122, 123, 387
 ion 123–124
 lower 123–124
 upper 123, 390, 391, 396, 423

 ideal gas law 151, 165, 178
 ideal MHD 191
 ideal MHD force operator 250
 ideal MHD stability 253, 260

- index of refraction 94, 111, 426
 - surface 95, 127
 - vector 94, 108
- inhomogeneous plasmas 131
- initial value problem 328
- instabilities 391–403
 - anisotropy-driven 391, 392–399, 413–421
 - Buneman 327–328
 - cold beam 323–328
 - current-driven 368–370, 377, 391, 399–403, 401–402
 - electromagnetic ion cyclotron 420
 - electrostatic ion cyclotron 401
 - flute 243
 - interchange 241–246
 - kinetic 364
 - Kruskal–Schwarzschild 243, 255
 - parametric 459
 - Rayleigh–Taylor 243, 255–260
 - sausage-mode 245
 - two-stream instability 325–328, 474, 475
 - whistler-mode 414–420, 425
- integral invariant 57
- integrating factor 382, 405
- internal energy 205, 282
- internally trapped particles 71
- Io 214, 215
 - Alfvén waves 214, 215
 - radio emissions 214, 215
 - plasma torus 245, 246
- ion acoustic speed 370, 376
- ion acoustic waves 169, 171–173, 350–356, 376
- ion cyclotron
 - damping 402, 413
 - heating 118
 - resonance energy 426
 - resonance velocity 420
 - modes 113–413
 - whistler 116–118, 413
- ion–ion cutoff frequencies 113
- ion–neutral collisions 174
- ionogram 125
- ionosphere 2, 259
- ionospheric sounders 124–125, 391
- ion-to-electron mass ratio 9
- isentropic flow 192
- Jacobian 153
- Joule heating 163
- jump conditions 282–284
- jump symbol 283
- Jupiter's magnetosphere 214, 245, 246
 - bow shock 307, 308
 - Io plasma torus 245, 246
 - radio emission 214, 215
- kinetic energy density 149, 162–163, 205
- kinetic energy flux 162–163
- kinetic instabilities 364
- kinetic theory 148–157
- Kronecker Delta 195, 406
- $L = 0$ cutoff frequency 113
- Lagrangian 65
- Landau damping 171, 337, 341–346
 - linear 342–345
 - nonlinear 342, 345
 - physical origin 341–346
- Landau resonance velocity 400
- Langmuir waves 9, 169, 170–171, 322
- Langmuir waves generated by a solar flare 441
- Langmuir waves in the solar wind 367
- Laplace's equation 181
- Laplace transform 319, 328, 329–332, 372
 - first derivative 329
 - higher-order derivatives 330
 - integration contour 329, 333–335
 - inverse 329, 331, 335, 372
 - second derivative 330
- large-argument expansion of the plasma dispersion
 - function 347–348, 354, 400
- lattice-like structures 16
- left- and right-hand polarized free space modes 118
- left-hand polarized ordinary (L-O) mode 135
- left-hand polarized waves 107, 111–112, 116, 118, 410
- lightning 2, 113–118, 245
 - ball 2
 - bead 245
- linear force operator 246–248, 249, 251, 254, 278
- linearization of the Vlasov equation 345, 379–382
- linearly polarized wave 119, 120
- local thermodynamic equilibrium 165
- longitudinal waves 103–105, 110, 169
- long-range force 2, 151–152
- long-wavelength approximation 397
- loop antenna 105
- Lorentz force 23, 40
- Lorentz gas model 173–174, 491
- loss cone 43, 183, 417
- low-density approximation 124
- low phase velocity approximation 375, 376
- low-temperature, high phase velocity limit 423
- low-temperature, long-wavelength limit 386, 397, 410
- L-shell 57
- Lundquist number 269, 271
- macroscopic averages 14–15
- magnetic
 - amplification 201
 - beach geometry 118
 - bottle 3, 42–43
 - confinement 3
 - convection 196–202
 - diffusion 196–202
 - energy density 205

518

magnetic (*cont.*)
 field-aligned currents 399
 field strength 11, 42
 flux 45–46, 67
 flux annihilation 270
 flux constant 45, 58
 helicity 227
 merging 61
 mirror field 38–44, 45, 57, 83–84
 mirror force 39–40
 mirror machine 398, 417
 mirror ratio 83
 moment 24–25, 40–41, 70
 pressure 38, 194–196
 pressure tensor 194
 reconnection 270–277
 Reynolds number 196, 197
 magnetization 25
 magnetization current 25, 37, 96
 magnetohydrodynamics (*see also* MHD) 186–217
 magnetohydrodynamic waves 206–215
 fast magnetosonic mode 208, 211–213
 slow magnetosonic mode 208, 209, 211–213
 transverse (shear) Alfvén mode 209–211, 287
 magnetopause 286
 magnetorotational instability 261–263
 magnetosonic modes (*see* magnetohydrodynamic waves) 211–213
 magnetosphere 2
 Earth 2, 28, 61, 114, 245, 246
 Jupiter 214, 245, 246
 magnetostatic equilibrium 38, 222–237, 223
 marginal stability condition 356, 425
 marginal stability line 358
 Markov process 484
 mass continuity equation 187, 194
 Maxwellian electron and ion velocity distribution functions 353–356
 Maxwellian velocity distribution function 4–5, 355, 388
 Maxwell's equation 38
 mean-free path 276, 281, 306, 483
 method of successive approximations 323
 MHD (*also see* magnetohydrodynamics) 186–217
 diffusion time scale 271
 discontinuities 281–315
 equations 193–194
 jump conditions 282–284
 shocks 281, 305–308
 stability and instabilities 239–270
 MHD equilibria 221–277
 force balanced 228–237
 force-free 224–228
 microscopic length-scale 281
 mirror point magnetic field 56, 57
 mobility coefficient 178
 moment equations 157–163
 moments of the Boltzmann equation 157–163

Index

 first 158–161
 second 161–163
 zeroth 157–158
 momentum equation 161, 187–189, 194
 multi-component plasma 349

 neutron star 2
 Newton's law 152
 non-conservative electric field 44
 non-destructive transition in CMA diagram 132
 non-integrable equations 65
 nonlinear effects 428–475
 nonlinear evolution and stability of MHD shocks 304–305
 non-propagating wave 102
 normalized one-dimensional velocity distribution function 321
 normal mode method of MHD stability analysis 248–251
 normal modes 91
 number density 4–5, 149
 number of degrees of freedom 165, 192
 number of electrons per Debye cube 14–17, 155, 479
 Nyquist criterion 357–359

 oblique propagation 127–131
 cold magnetized plasma 127–131
 hot magnetized plasma 421–422
 Ohmic heating 176
 Ohm's law (*see also* conductivity and resistivity) 174–176, 189–192, 194
 operator substitutions 90
 ordinary mode 122

 parallel kinetic energy 64
 parallel propagation in a cold magnetized plasma 109–121
 parallel propagation in a hot magnetized plasma 408–421
 parallel resonance velocity 398
 parametric decay 459–461
 parametric instability 459
 Penrose condition 359–363, 376
 permeability of free space 35
 permittivity of free space 6
 perpendicular kinetic energy 64
 perpendicular propagation
 Bernstein modes 387–391
 cold magnetized plasma 121–127
 perturbed kinetic energy of an MHD equilibrium 252
 perturbed potential energy of an MHD equilibrium 252
 phase mixing 341
 phase space 148
 phase-space trajectories 343
 phase-space volume element 148, 152, 154–155
 phase velocity 89, 103
 ϕ -pinch 231, 232

- photoelectron current 9
- pitch angle 42–43, 417, 418
- pitch-angle scattering 419, 420
- Planck's constant 17
- planes of constant phase 89
- plane wave 89
- plasma
 - definition 1
 - fourth state of matter 1
 - recombination 1
 - sources of ionization 1
- plasma β 196
- plasma dispersion function 346–349, 373, 400
 - large-argument expansion 347–348
 - power series expansions 348
 - small-argument expansion 347–348
- plasma frequency 9–11
 - electron 10
 - ion 11
 - sth species 11
- plasma heating
 - via hybrid resonances 126–127
 - via ion cyclotron resonances 118
 - via Ohmic heating 176
- plasma parameter 14, 483
- plasmopause 28
- plasma sheaths 8–9
- plasmasphere 28, 245
- Plemelj relation 338, 347, 359, 394, 397, 410
- Poevlerlein construction 140
- Poincaré-Hopf theorem 224, 233
- Poincaré surface of section 77
- Poisson's equation 6, 319, 429, 432, 470
- polarization 117, 133
- polarization charge 30, 36, 96
- polarization drift 46–49
- polarization reversal 116–118
- poles of a complex function 329–332
- polytrope index 166, 192
- ponderomotive force 49–51, 458, 462
- positive ion sheath 8
- Poynting flux 103, 205, 210
- pressure 38
- pressure tensor 149, 159
- principal value integral 338, 339
- principle of superposition 91
- propagating wave 109
- propagation cutoff 102, 111, 127, 140–141
- propagation vector 89
- proton whistler 117, 413

- Q resonances 391, 423
- q -factor 232
- quantum effects 17
- quasi-linear
 - diffusion coefficient 436–437
 - diffusion equation 430–436, 475
 - theory 428–441
- $R = 0$ cutoff frequency 111–112, 118
- radial diffusion 63
- radiation belt 43–44, 69, 71, 398, 417, 418
- radius of curvature 33
- Raman scattering 461
- Rankine-Hugoniot equations 291
- ratio of collective to discrete interactions 16–17
- ratio of heat capacities 164
- ratio of kinetic energy to potential energy 15
- ratio of plasma pressure to magnetic field pressure 196
- Rayleigh-Taylor instability 202, 255–260
- ray path 94, 137–141
- real charges 96
- real current 96
- reconnection 288
- reduced mass 480
- reduced velocity distribution function 321, 332, 409, 441
- reflection point 140
- refraction 137
- relationship between the dielectric tensor and the conductivity tensor 96–97
- residue theorem 331, 333, 336
- resistive MHD equations 193–194
- resistive instabilities 263–270
- resistivity 190, 494–495
- resonance cone 129
- resonance cone angle 127–130
- resonant particles 341
- reverse-field pinch 226
- reversibility 301–304
- right-hand polarized mode 107, 112–113, 118, 410
- right-hand polarized extraordinary (R-X) mode 135
- ring current 34
- root-mean-square velocity 5
- Rosenbluth potentials 491, 495
 - first 488, 490, 496, 498
 - second 490, 496, 498
- rotational discontinuity 287–288
- runaway particles 497, 498
- Rutherford scattering cross section 13, 481, 486

- scale height 256
- scattering cross section (*see* Rutherford scattering cross section) 13, 481
- Schrödinger equation 465, 467, 468
- screw pinch 232
- secondary electrons 9
- second law of thermodynamics 302
- self-adjoint operator 249, 278
- separatrix 60, 343
 - magnetic field 60
 - phase space 343
- shear Alfvén mode (*see* magnetohydrodynamic waves) 209–211

520

shock 281–315
 adiabatic 296, 316
 coordinate system 288–290
 electrostatic 474
 fast 296–301, 306, 316
 field geometry 289, 297
 foot 307
 intermediate 296–301
 overshoot 306
 parallel 297–299
 perpendicular 297–299
 propagation speed 290–297, 300
 ramp 306
 slow 296–301
 strength 291–292
 strong shock limit 299–300
 switch-on 298
 transition region 307–308
 wave 63, 281–315
 weak shock limit 296–297
 short-range force 151–152, 154
 single-particle motion 22–81
 dipole magnetic field 69–72
 magnetic mirror field 38–43
 near an x-type neutral line 75
 parabolic magnetic field 76
 perpendicular electric and magnetic fields 25–30
 static uniform magnetic field 22–25
 time varying magnetic field 44–46
 small-amplitude waves 87, 206
 small-argument expansion of the plasma dispersion
 function 347–348, 354, 400
 Snell's law 139
 solar corona 62, 225
 solar flare 63, 305, 366, 441
 solar wind 61, 213, 286, 305
 interaction with a magnetized planet 286
 magnetic field 213, 214, 218, 366
 pressure 63
 velocity 213, 218, 306
 solitons 466
 soliton collapse 467–470
 Solov'ev equilibria 236
 sonic Mach number 292
 sound speed 281, 290
 species 4
 spectral density of the electric field 435
 Spitzer–Harm resistivity 494
 stability
 electromagnetic waves in a hot magnetized plasma
 413–421
 electrostatic waves in a hot unmagnetized plasma
 356–370
 magnetohydrodynamic 237–270
 Standard Map 438, 439
 static MHD equilibria 222–237
 static MHD equilibrium conditions 223
 stationary nonlinear electrostatic potentials 470

Index

stellarator 36
 Stokes' theorem 44
 strongly coupled plasmas 16, 479
 strong shock limit 299–300
 supernova 63, 305
 Sweet–Parker model of magnetic reconnection
 271–273
 tangent form of the cold plasma dispersion relation
 109
 temperature 4–5, 8
 thermal cyclotron radius 389
 thermal excitation of hybrid resonances 125–126
 thermal speed 5, 168
 electron 8
 ion 8
 thermodynamic state variables 302
 threshold drift velocity 402
 time-stationary electrostatic potentials 156, 342
 tokamak 36, 233
 tokamak aspect ratio 72
 toroidal magnetic field 35–36, 233–237
 total pressure 188
 total scattering cross section 13
 transverse waves 101–103, 110, 169, 211, 212
 trapped particles in phase space 343
 trapping of resonant electrons 418–419
 turning points 42
 two-stream instability 325–328, 474
 type III solar radio bursts 366–367, 440
 ultraviolet radiation 9
 uncertainty theorem of quantum mechanics 89
 uncertainty theorem for Fourier transforms 89
 unit tensor 97
 untrapped particles in phase space 343–344
 Van Allen radiation belts 71
 variational property of the perturbed MHD potential
 energy 253
 vector calculus identities 512
 vector differential operators 510
 vector Helmholtz equation 278
 vector potential 65, 227, 234
 violations of the adiabatic invariants 59–64
 first 59–62
 second 62–63
 third 63–64
 virial theorem 222
 Vlasov approach to the analysis of small amplitude
 waves 319–328
 Vlasov equation 151–155, 319, 320, 428, 470
 solutions based on constants of the motion 155–157
 spatially averaged 430
 time-stationary 470
 waveguide 141
 wavelength 88

wave normal angle 95	whistler-mode emissions in planetary radiation belts 417, 418
wave number 88	whistler-mode hiss 419
waves in a cold plasma 87–141	whistler-mode instabilities 414–420
waves in a hot magnetized plasma 378–422	whistlers 112, 113–118
waves in a hot unmagnetized plasma 319–370	winding number 360–362
wave steepening 281, 304	winding theorem 360–361
wave vector 89, 94–95	
wave–wave interaction 442–461	x-type magnetic field configuration 60, 270
weak-beam approximation 326–327	x-type neutral line 60–62, 75, 272, 273
weak growth rate approximation 337–341, 394, 397, 422	x-type neutral point 60, 75–76
weak shock limit 296–297	
Wentzel–Kramer–Brillouin (WKB) equation 53, 59, 139–141	Zakharov equation 462–467
whistler dispersion 115–116	first 463, 465, 467, 468, 476,
whistler mode 112, 134–135, 412, 414–420	second 464, 465, 476
whistler-mode chorus 419–420	zero-order quantities 99
	Z-mode 134–136
	Z-pinch 229–233