

Index

- AAs. *See* assigned amounts
- AAUs. *See* assigned amount units
- absorbed glass mat (AGM) lead acid batteries, 237
- ACCC HTC. *See* aluminum conductor, composite core HTC
- ACCR HTC. *See* aluminum conductor composite reinforced HTC
- accreditation by independent entity (AIE), 196
- ACSS HTC. *See* aluminum conductor, steel supported HTC
- additionality, in Kyoto Protocol, 194, 196
- ADS. *See* alternative depreciation system
- affordable housing projects, under CSI, 99
- afforestation, 197
- AGM lead acid batteries. *See* absorbed glass mat lead acid batteries
- agreements. *See also* commercial leases; municipal leases; Power Purchase Agreements; tax-exempt municipal leases
- CER units, international applications of, 192
- creditor, 75
- ERPA, 199
- intercreditor, 75
- in Kyoto Protocol, international non-treaty, 197
- lease-to-own, 114
- loan, 74–5
- off-take contractual, 74
- shareholder, 74
- SPPAs, 75–6, 79–81, 110–11, 115
- system operation and maintenance guarantee documents, 73
- agriculture, climate change effects, 2
- AIE. *See* accreditation by independent entity
- air mass (AM), 33
- air pollution
  - abetment considerations, 3
  - IPCC Directive, 200
  - solar energy power systems, 168
- air quality
  - climate change and, 3
  - management plan credit, in LEED, 230
- Albedo Effect, 32
- Algeria, FITs in, 118
- alkaline-type batteries, 238
- alliance of small islands states (AOSIS), 197
- alternative depreciation system (ADS), 57
- alternative transportation credits, for LEED, 225
- aluminum conductor, composite core (ACCC) HTC, 215–16
- aluminum conductor, steel supported (ACSS) HTC, 215, 216
- aluminum conductor composite reinforced (ACCR) HTC, 215
- AM. *See* air mass
- ambient humidity, PV technologies, 32
- ambient temperature, PV technologies, 32
- American Recovery and Reinvestment Act, 76
- analytical software, for cost analysis. *See also* Solar Advisor Model; Solar Power Econometric Analysis System
  - components, 150–1
  - construction costs, 156–57
  - CSI compliance, 151
  - for design calculations, 50–2, 153–55
  - for dual axis platform systems, 168–69
  - first life cycle, 161–62
  - first year performance, 157–60
  - for future cost-to-value calculations, 159–60
  - long-term energy savings, 162–5
  - power output computations, 155–56
  - PTC values, 152
  - PV module power output normalization, 151–2
  - second life cycle, 162
  - for single axis platform systems, 168–69
  - solar power economics analytical software, 150
  - summary overview, 165–8
  - system loss computation, 152–3
- AOSIS. *See* alliance of small islands states
- assigned amount units (AAUs), 197
- assigned amounts (AAs), 197
- Australia
  - FITs in, 118–19
  - Kyoto Protocol, 191
- automobile lead acid batteries, 237–8

- barometric pressure, 34
- batteries. *See also* flow batteries; foam lead acid batteries; lead acid storage batteries; Lithium-ion batteries
  - alkaline-type, 238
  - cold temperature operation for, 248–9
  - hot temperature operation for, 249–51
  - lead carbon batteries, 255
  - LFP, 257–9
  - lithium cobalt oxide, 257
  - lithium manganese oxide, 257
  - lithium nickel oxide, 257
  - Nickel-Metal Hydride, 243
  - SMC batteries, 259
  - sodium sulfur, 259–60, 261–4
  - VRBs, 263–5
  - ZnBr batteries, 265–7, 268
- bio-fuel power production, in U.S., 14
- BIPVs. *See* Building Integrated Photovoltaics
- bond issues, 83, 101
- Brownfield redevelopment credits, for LEED, 225
- bubble combination, in Kyoto Protocol, 197
- Building Integrated Photovoltaics (BIPVs), PBI, 90
- building reuse credit, in LEED, 228–9
- bypass diodes, 129
- California. *See also* California Solar Initiative; Green Building Action Plan
  - CPUC, 224
  - feed-in tariffs, 103–6
  - NEA applications in, 116
  - RPS in, 103–4
  - solar power system property tax exemptions, 57
- California Energy Commission (CEC), 85
  - feed-in tariffs report, 103–6
- California Public Utilities Commission (CPUC), 224
- California Solar Initiative (CSI), 48, 85–93.
  - See also* Performance-Based Incentive
  - affordable housing under, funding for, 99
  - application procedures, 94–5
  - calculation procedures, for incentive payments, 96–9
  - calculator, for solar power system design, 50
  - CEC regulation, 85
  - claims procedures, 95
  - energy efficiency audit, 92
  - EPBB, 85–6, 89–90, 93, 94, 96
  - equipment sellers under, 91, 99
  - fund distribution, 86
  - grid interconnection requirements, 93
  - host customers, 90–1
  - incentive payments, 88–124
  - inspection requirements, 93
  - insurance requirements, 93
  - limitations, 93–4
  - metering requirements, 93
  - PBI, 85, 90, 93, 94–5
  - performance permanency requirements, 92
  - power generation targets, 86–8
  - program budget, 86–7
  - public and charter schools under, funding for, 99
  - purpose, 85
  - PV system sizing requirements, 91–2
  - reservation form calculations, 97–9
  - by sector type, 87–9
  - solar power contractors under, 91
  - solar power economics analytical software, 151
- California Sustainable Building Task Force (SBFT), 223
- Canada, FITs in, 119
- cap and trade system, 197–8, 199
- carbon credit trading, 185, 190–200
  - AIE, 196
  - benefits of, 194
  - CER units, 191–2
  - crediting period for, 198
  - development of, 190
  - emission allowances, 191
  - within EU, 192
  - GHG reductions, 194–5
  - global warming and, 192–3
  - through international markets, 192
  - purpose of, 185
  - as scheme, 190–1
  - tax credits with, 194–5
- carbon cycle, 185
- carbon dioxide (CO<sub>2</sub>), 185–7. *See also* carbon credit trading
  - atmospheric concentrations, 185
  - carbon cycle, 185
  - carbonia glass, 186
  - carbonic acid, 188
  - in chemical industry, 189
  - commercial applications, 188
  - in decaffeination processes, 188
  - dry ice, 186
  - in fertilizer production, 189
  - in glass-making, 189
  - industrial manufacture of, 187
  - in leavening agents, 188
  - from limestone decomposition, 187
  - in paper-making, 190
  - in pesticides, 188, 189
  - in petroleum industry, 189
  - in plastic manufacturing, 189
  - production sources, 185
  - properties, 185–6
  - sequestration, 187–8
  - in soaps and detergents, 190
  - soda ash, 189
  - sublimation process, 186
  - toxicity levels, 186
  - from vegetable matter combustion, 185–6
  - in water treatment, 190
- carbon dioxide capture and storage (CCS), 198
- carbon dioxide (CO<sub>2</sub>) emissions, 2. *See also* carbon credit trading
  - AAs, 197
  - AAUs, 197

- banking of, under Kyoto Protocol, 197
- cap and trade system, 197–8, 199
- under carbon credit trading, 191
- CER units, 191–2
- coal-based power generation, 7
- emissions-to-cap calculations, 199
- future estimations, 2, 5
- solar energy power system, 168
- carbon dioxide equivalent (CO<sub>2e</sub>), 198
- carbon neutrality, 198
- carbon sequestration, 187–8
  - in ocean waters, 188
  - storage for, 188
  - terrestrial, 200
- carbonia glass, 186
- carbonic acid, 188
- carport-mounted solar power systems, 144
- Carter, Jimmy, 116
- CCS. *See* carbon dioxide capture and storage
- CDM. *See* Clean Development Mechanism
- CEC. *See* California Energy Commission
- certified emission reduction (CER) units, 191
  - for GHGs, 191–2
  - international agreements, 192
- certified wood use credit, in LEED, 230
- chemical industry, CO<sub>2</sub> production, 189
- China
  - energy production estimations, 11
  - FITs in, 119
  - Kyoto Protocol and, 195
  - solar energy production in, 16, 17
- CHPS. *See* Collaborative for High Performance Schools
- Clean Development Mechanism (CDM), 194, 198
  - additionality, 194, 196
  - limitations of, 195
- Clear Skies Act Initiative, 198
- climate change
  - agricultural effects, 2
  - CO<sub>2</sub> emissions, 2, 5, 7
  - electrical energy demand, 2
  - energy escalation cost projections, 3–4
  - environmental concerns, 4–7
  - forestry effects, 2
  - Greenhouse Effect, 1, 2, 5, 7
  - human health risks, 3
  - Kyoto Protocol, 8
  - natural habitat effects, 3
  - pollution abatement consideration, 3
  - regional air quality effects, 3
  - renewable fuels, 1–2
  - rising ocean levels, 3
  - smart grid systems and, 218–19
  - social concerns, 4–7
  - surface temperature changes, 1, 2
  - water resources, 2
- CO<sub>2</sub>. *See* carbon dioxide; carbon dioxide emissions
- CO<sub>2e</sub>. *See* carbon dioxide equivalent
- coal-based power generation, 7–9.
  - See also* electrical energy demand
- CO<sub>2</sub> emissions, 7
- ecological effects of, 13
- future cost projections, 7–8
- IGCC technology, 7
- new plant construction, 7
- resource limits, 14
- cogeneration systems, energy costs, 4
- cold temperature operation, for batteries
  - cold cranking, 248
  - foam lead acid batteries, 249
  - lead acid batteries, 248–9
- Collaborative for High Performance Schools (CHPS), 224
- commercial buildings, under Green Building Action Plan, 224
- commercial leases, 101–2
- communication systems
  - in electrical power grid systems, 208
  - in mesh networking, 216–17
- concentrated solar power (CSP) technologies, 17
  - in SAM, 52
- configuration, of solar power systems
  - inverter technologies, 131
  - operational costs, 131
  - power output performance, 130–2
  - PV modules, 139
  - real-time monitoring, 130
  - solar topology design, 131
- construction waste management credits, for LEED, 229
- consumer electronic devices, 208
- contracts. *See also* agreements; commercial leases; municipal leases; Power Purchase Agreements; tax-exempt municipal leases
  - ESPC, 54
  - EUL, 54–5
  - off-take agreements, 74
  - for solar energy power systems, 110
  - for SPPA timelines, 110–11
  - third-party ownership, 71
  - third-party ownership, in PPAs, 71
  - UESC, 54
- control devices
  - for EVs, 220
  - for grid monitoring, 220
  - load control switches, 219
  - for residential appliances, 219
  - for smart grid systems, 219–20
- corrosion failure, of lead acid batteries, 242
- costs
  - climate change, energy escalation projections, 3–4
  - coal-based electric power generation, 7–8
  - cogeneration systems, 4
  - configuration of solar power systems, 131
  - DCC, 58–9
  - from dust accumulation, 128
  - for electrical energy, 37, 204–5
  - electrical energy demand, parity with grid power, 17–18
  - engineering component analysis, 47

- MAC, 200
- maintenance, for SAM, 59
- per kilowatt, for flow batteries, 268
- PV model financing, 21–2
- SAM, 52–3, 59
- solar energy power efficiency, 107
- solar energy power systems, 12, 38, 59–62, 107
- solar energy production investment, 12
- solar power output performance, 132–3
- SPSEAS, 148–50
- system training curriculum, 44
- unit cost of electrical energy, 37
- cost analysis, solar power systems design, 46–9.
  - See also* Modified Accelerated Cost Recovery System; Solar Advisor Model
  - additional cost considerations, 59–62
  - in California, property tax exemptions, 57
  - construction and integration costs, 47–9
  - CSI calculator, 50
  - DCC, 58–9
  - electrical energy cost increases, 62
  - engineering cost component analysis, 47
  - ESPC, 54
  - EUL Contract, 54–5
  - financial analysis, 48
  - grid power energy expenditures, 49
  - indirect capital costs, 59
  - maintenance costs, 62
  - operational costs, 62
  - output performance analysis, 48
  - PBI, 48
  - PPAs, 47, 48, 49, 61
  - production investment, 12
  - ROI in, 65–6
  - sample econometrics case study, 49
  - software, 50–2
  - SPSEA, 47
  - UESC, 54
- cost per kilowatt, for flow batteries, 268
- CPUC. *See* California Public Utilities Commission
- credits, for LEED. *See also* carbon credit trading
  - air quality management plan credit, 230
  - alternative transportation credits, 225
  - Brownfield redevelopment credits, 225
  - building reuse credit, 228–9
  - certified wood use credit, 230
  - construction waste management credits, 229
  - development density credits, 225
  - habitat conservation credits, 225
  - heat island effect credits, 226
  - indoor chemical and pollutant source control credit, 231
  - innovation in design credits, 231–2
  - innovative water technologies credit, 226
  - landscaping credits, 226
  - light pollution reduction credits, 226
  - low-emitting materials credit, 231
  - material reuse credits, 229
  - One Point accreditation credit, 232
  - outdoor air delivery credits, 230
  - outdoor views credit, 231
  - rapid renewable materials use credit, 229
  - recyclable storage credits, 228
  - recycled content credits, 229
  - reduced water usage credits, 227
  - regional materials use credits, 229
  - site selection credits, 225
  - storm water management credits, 225–6
  - system controllability credit, 231
  - thermal comfort credit, 231
  - ventilation improvement credits, 230
- creditor agreements, 75
  - intercreditor, 75
- CSI. *See* California Solar Initiative
- CSP technologies. *See* concentrated solar power technologies
- customer technical training, solar system design, 42
- Czech Republic, FITs in, 119
- DACS. *See* Data Acquisition and Control System
- daily insolation, 26
- Data Acquisition and Control System (DACS), 140
- DC (direct current) power
  - PV strings, 140
  - solar energy system design maintenance, 46
- DCC. *See* direct capital costs
- DC-to-DC peak inverter technologies, 133
  - reliability, 137
- Debs Park Audubon center, 232–4
- de-bundling, 197
- decaffeination processes, 188
- declination angle considerations, 26
- deep-cycle lead acid batteries, 238
  - plates in, 239
- deep-discharge lead acid batteries, 238
- design, solar energy systems.
  - See also* configuration, of solar power systems; cost analysis, solar power systems design; system training curriculum, solar power system design
  - analytical software for, 50–2, 153–55
  - client technical representatives, 41–2
  - commissioning, 41–2
  - consultant responsibilities, 38
  - customer technical training, 42
  - DC current knowledge, 46
  - engineering details, 39–40
  - evaluation and analysis, 39–40
  - executive training seminar, 45–6
  - feasibility studies, 38–9
  - integration supervision, 40
  - maintenance, 46
  - project management, 40–1
  - project supervision, 41–2
  - scope of work, 40
  - topology, 131
- detergents. *See* soaps and detergent manufacturing
- development density credits, for LEED, 225
- direct capital costs (DCC), 58–9

- battery systems, 58
  - inverter systems, 58
  - PV systems, 58
- direct current power. *See* DC power
- dispatchable energy, 202
- dry ice, 186
- dual axis platform type, PV technologies, 27–8
  - analytical software for, 168–69
- dust accumulation, solar power output
  - performance and, 125–9
  - granular data acquisition system, 128
  - projected costs from, 128
  - shading strategies, 128–9
- earthquakes
  - ground-mounted solar power farms during, 145
  - roof mount solar power systems during, 142–3
- EEX. *See* European Energy Exchange
- efficiency, of power systems
  - under Green Building Action Plan, 223
  - smart grid systems, 218
  - solar energy power systems, costs of, 107
  - water, 226–7
- electrical energy. *See also* electrical power grid systems
  - demand and supply controls for, in smart grid systems, 203–4
  - kilowatt-hours, 37
  - in smart grid systems, use costs, 204–5
  - unit cost of energy, 37
  - use costs, 37, 204–5
- electrical energy demand
  - climate change effects, 2
  - cost parity with grid power, 17–18
  - HDI, 5–7, 13
  - in smart grid systems, demand and supply controls, 203–4
- electrical power grid systems, 207. *See also* high temperature conductors; mesh networking
  - communication systems in, 208
  - consumer electronic device use, 208
  - HTCs, 215
  - load control switches, 214
  - modernization of, with smart grid systems, 209–10
  - municipal grids, 207–8
  - peak power consumption controls, 211
  - residential networking systems, 208
  - synchronized interconnections, 211–12
  - VFTs, 212
  - Wide Area Synchronous Grid, 211–12
- electrical vehicles (EVs), 219
  - control devices for, 220
  - LIBs in, 243
  - Nickel-Metal Hydride batteries in, 243
- electrolytes
  - in flow batteries, 261
  - in LIBs, 256
  - in ZnBr batteries, 266
- electron charge transfer, in REDOX process, 263
- Emergency Economic Stabilization Act (U.S.), 75–6
- emission allowances
  - carbon credit trading, 191
  - CER units, 191–2
  - emissions banking, 197
  - emissions-to-cap calculations, under Kyoto Protocol, 199
  - under ERPA, 199
- Emission Reduction Purchase Agreement (ERPA), 199
- emissions-to-cap calculations, under Kyoto Protocol, 199
- energy conservation
  - in LEED, as credit, 227
  - with smart grid systems, 218
- energy efficiency audit, 92
- energy escalation costs, from climate change, 3–4
- Energy Policy Acts (U.S.), 62
  - PPAs under, 71
- energy production. *See also* renewable fuels
  - agricultural effects, 2
  - air quality effects, 3
  - in China, 11
  - collective responsibility for, 12–13
  - in developing nations, 11
  - Earth surface temperature changes, 1, 2
  - ecological effects, 11–12. *See also* climate change
  - feedstock for, 20
  - forestry effects, 2
  - human population growth, 13
  - in India, 11
  - natural habitat effects, 3
  - rising ocean levels, 3
  - in U.S., 11–12
  - water resources, 2
- Energy Savings Performance Contract (ESPC), 54
- Energy Service Company (ESCO), 54
- energy storage systems. *See also* batteries; flow
  - batteries; foam lead acid batteries; lead acid storage batteries
  - applications of, 269–7
  - categories, 235
  - characteristics of, 268–7
  - on demand needs for, 235
  - energy applications and, 236
  - load leveling, 236
  - power delivery and, 236
  - ramping, 236
- energy-efficiency lease, 82–3
- engineering cost component analysis, 47
- Engineering Procurement Construction (EPC) documents, 72–3
- Enhanced Use Lease (EUL) Contract, 54–5
- environmental design. *See* design, solar energy systems; Green Building Action Plan; leadership in energy and environmental design
- Environmental Protection Agency (EPA), 3
- environmental tobacco smoke (ETS), 230

- EPA. *See* Environmental Protection Agency
- EPBB. *See* Expected Performance-Based Buy Down
- EPBI. *See* Expected Performance-Based Incentive
- EPC documents. *See* Engineering Procurement Construction documents
- ERPA. *See* Emission Reduction Purchase Agreement
- ESCO. *See* Energy Service Company
- ESPC. *See* Energy Savings Performance Contract
- etching processes, 159
- ETS. *See* environmental tobacco smoke
- EU. *See* European Union
- EUL Contract. *See* Enhanced Use Lease Contract
- European Continental Grid, 206
- European Energy Exchange (EEX), 211–12
- European Union (EU)
  - carbon credit trading within, 192
  - EEX, 211–12
  - SuperSmart Grid in, 205, 206–7
  - synchronized electrical power grid interconnections, 211–12
- EVs. *See* electrical vehicles
- Expected Performance-Based Buy Down (EPBB), 85–6, 89–90
  - application steps, 94
  - BIPVs, 89
  - calculation procedures, 97–9
  - inspection requirements, 93
  - payment structure, 96
- Expected Performance-Based Incentive (EPBI), 50
- extended life cycle. *See* second life cycle, for solar power systems
- feasibility studies, solar energy system design, 38–9
  - project outlines, 39
  - project site surveys, 38–9
  - system training curriculum, 44
  - topology mapping, 39
- feed-in tariffs (FITs), 115–17
  - in California, 103–6, 124
  - in China, 119
  - electricity rates, 116–17
  - in Germany, 119–21
  - in Hawaii, 124
  - in India, 121
  - in international economic policies, 115, 118–23
  - objectives, 115
  - origins, 116
  - tariff digression, 115
  - tariff regression, 115
  - in U.S., 124
- feedstock
  - for alternative energy sources, 15
  - for energy production, 20
  - solar PV technologies, 20
  - for sustainable energy systems, 14–15
- fertilizer production, 189
- financing, solar power projects, 69–70, 102–3
  - limited resource, 72
  - long-term industrial, 71–2
  - PPAs, 72, 76
  - PV model costs, 21–2
  - risk allocation, 103
- fire hazards
  - ground-mounted solar power farms, 145
  - roof mount solar power systems, 142
- Firefly Energy, 244–5. *See also* foam lead acid batteries; Microcell foam lead acid batteries
- 3D cell technology, 245–7
- 3D2 cell technology, 254–5
- first life cycle, for solar energy systems, 161–62
- first year performance, for solar energy power systems, 157–60
- FITs. *See* feed-in tariffs
- fixed angle platform type, PV technologies, 27–8
- flooding hazards, for ground-mounted solar power farms, 145
- flow batteries, 261–9
  - cost per kilowatt, 268
  - electrolytes in, 261
  - future applications, 268
  - REDOX process, 261–3, 264–8
  - for solar energy power systems, 268
  - VRB technology, 263–5
  - ZnBr batteries, 265–7, 268
- foam lead acid batteries, 240–1, 244–5
  - architecture of, 244
  - charge per volume for, 245
  - cold temperature operation, 249
  - commercial applications, 245
  - design objectives, 240–1
  - electrode surface area, 246–7
  - historical development, 240
  - hot temperature operation, 249–51
  - life cycle improvements, 252–3
  - low self-discharge rates, 253
  - Microcell, 240, 244–5
  - OCV in, 247
  - performance summary for, 253–4
  - PSoC regimes in, 253
  - spatial efficiency, 247
  - sulfation failure, 248, 253
  - 3D2 technology, 254–5
  - 3D cell technology, 245–7
  - utilization levels, 247
- forestry, climate change effects, 2
- fossil fuels, 1. *See also* coal-based power generation; natural gas power generation
  - CO<sub>2</sub> emissions, 2
  - early historical uses of, 221
- gelled -type lead acid batteries, 237
- geothermal energy production, 1–2
  - feedstock, 15
  - in U.S., 14
- Germany
  - FITs in, 119–21
  - PV technologies in, 17

- solar energy production, 17
- Gevorkian, Peter, 10
- GHGs. *See* greenhouse gases
- GIS. *See* green investment scheme
- glass-making, 189
- global warming, carbon credit trading and, 192–3
- global warming potential (GWP), 199
- Green Building Action Plan, 222–34.
  - See also* indoor environmental quality requirements
  - additional commissioning credits, 228
  - air quality management plan credit, 230
  - alternative transportation credits, 225
  - Brownfield redevelopment credits, 225
  - building reuse credit, 228–9
  - certified wood use credit, 230
  - CHPS criteria for, 224
  - for commercial buildings, 224
  - construction waste management credits, 229
  - CPUC and, 224
  - Debs Park Audubon center, 232–4
  - design goal evaluation prerequisites, 227
  - development density credits, 225
  - energy calculations in, 227–8
  - energy efficiency standards, 223
  - energy optimization performance credit, 227
  - financing under, 223–4
  - habitat conservation credits, 225
  - heat island effect credits, 226
  - indoor chemical and pollutant source control credit, 231
  - innovation in design credits, 231–2
  - innovative water technologies credit, 226
  - for institutional buildings, 224
  - landscaping credits, 226
  - leadership principles, 224
  - light pollution reduction credits, 226
  - low-emitting materials credit, 231
  - material reuse credits, 229
  - materials and resources in, 228–30
  - measurement and verification credits, 228
  - minimum energy performance prerequisites, 227
  - municipal/state code compliance, 227
  - One Point accreditation credit, 232
  - on-site renewable energy credit, 227
  - outdoor air delivery credits, 230
  - outdoor views credit, 231
  - for public buildings, 222
  - rapid renewable materials use credit, 229
  - recyclable storage credits, 228
  - recycled content credits, 229
  - reduced water usage credits, 227
  - refrigerant management criteria, 227, 228
  - regional materials use credits, 229
  - SBTF, 223
  - for schools, 224
  - site selection credits, 225
  - smart grid system use credits, 228
  - storm water management credits, 225–6
  - sustainable building credits, 224–6
  - system controllability credit, 231
  - thermal comfort credit, 231
  - USGBC rating systems, 222–3
  - ventilation improvement credits, 230
  - water efficiency measures, 226–7
- green energy pricing programs, 114
- green investment scheme (GIS), 199
- Greenhouse Effect, 1
  - CO<sub>2</sub> emissions, 2, 5, 7
  - fossil fuels, 1
  - Kyoto Protocol, 8
- greenhouse gases (GHGs)
  - AAs in, 197
  - AAUs, 197
  - auctioning of, under Kyoto Protocol, 197
  - carbon credit trading, 194–5
  - CER credit transactions, 191–2
  - under Kyoto Protocol, 194–5, 199
  - smart grid systems and, 218
- grid parity, 117
- grid power energy expenditures, 49
  - sodium sulfur batteries and, 259–60
  - SPSEAS, 150
- ground-mounted solar power farms, 144–7
  - during earthquakes, 145
  - fire hazards, 145
  - floods, 145
  - WISPR, 145–7
- Gsänger, Stefan, 122
- GWP. *See* global warming potential
- habitat conservation credits, for LEED, 225
- Hawaii, FITs in, 124
- hazard mitigation, for solar power systems
  - for dust accumulation, 125–9
  - fire, 142, 145
  - for flooding, 145
  - for ground-mounted solar power farms, 145
  - for roof mount solar power system, 142
  - WISPR, 141–2, 146
- HDI. *See* Human Development Index
- heat island effect credits, for LEED, 226
- high temperature conductors (HTCs), 215
  - ACCC, 215–16
  - ACCR, 215
  - ACSS, 215, 216
- host countries, under Kyoto Protocol, 198, 199
- host customers, 90–1
- hot temperature operation, for batteries, 249–51
  - sodium sulfur batteries, 259
- HTCs. *See* high temperature conductors
- Human Development Index (HDI), 5–7, 13
- humidity. *See* ambient humidity, PV technologies
- hydroelectric power generation, 13
  - early historical uses of, 221
  - feedstock, 15
  - in U.S., 14
- IEQ requirements. *See* indoor environmental quality requirements

- IGCC technology. *See* Integrated Gasification Combined Cycle technology
- incentives. *See also* Performance-Based Incentive for commercial solar energy production, 63–4
  - CSI, 88–124
  - EPBI, 50
- independent power providers (IPPs), 71
- India
  - energy production estimations, 11
  - FITs in, 121
  - Kyoto Protocol and, 195
- indoor chemical and pollutant source control
  - credit, for LEED, 231
- indoor environmental quality (IEQ)
  - requirements, 230–1
  - air quality management plan credit, 230
  - ETS control prerequisites, 230
  - indoor chemical and pollutant source control credit, 231
  - low-emitting materials credit, 231
  - minimum prerequisites for, 230
  - outdoor air delivery credits, 230
  - outdoor views credit, 231
  - system controllability credit, 231
  - thermal comfort credit, 231
  - ventilation improvement credits, 230
- Industrial Revolution, 5
- innovation in design credits, for LEED, 231–2
- innovative water technologies credit, for LEED, 226
- institutional buildings, under Green Building Action Plan, 224
- insurance, for solar energy production, 55
  - under CSI, 93
- Integrated Gasification Combined Cycle (IGCC) technology, 7
- Integrated Pollution Prevention and Control (IPCC) Directive, 200
- Intergovernmental Panel on Climate Change (IPCC), 199
- international smart grid systems, 206
- international transaction log (ITL) database, 199
- inverter technologies
  - configuration of solar power systems, 131
  - DC-to-DC peak, 133, 137
  - micro-inverters, 134, 136–8
  - micro-power, 133
  - MPPT circuits, 136
  - string, 134, 136–8
- investment tax credit (ITC), 63–5
  - MACRS, 64–5
- IPCC. *See* Intergovernmental Panel on Climate Change
- IPCC Directive. *See* Integrated Pollution Prevention and Control Directive
- IPPs. *See* independent power providers
- Iran, FITs in, 121
- Isc. *See* short circuit current
- Israel, FITs in, 121
- ITC. *See* investment tax credit
- ITL database. *See* international transaction log database
- Japan
  - PV technologies in, 17
  - solar energy production, 17
- Kats, Greg, 222
- Kelley, Kurt, 240
- kilowatt-hours, 37
  - flow batteries, costs per kilowatt, 268
- Kyoto Protocol, 8. *See also* carbon credit trading
  - AAs in, 197
  - AAUs in, 197
  - additionality in, 194, 196
  - afforestation under, 197
  - AIE in, 196
  - allocation plans under, 197
  - allowance restrictions under, 195
  - AOSIS under, 197
  - auctioning of GHGs, 197
  - Australia and, 191
  - baseline scenario in, 197
  - bubble combination in, 197
  - cap and trade system, 197–8, 199
  - carbon neutrality, 198
  - CDM, 194, 195, 196, 198
  - CER units, 191–2
  - certification process, 198
  - China and, 195
  - Clear Skies Act Initiative, 198
  - CO<sub>2e</sub> units, 198
  - crediting period in, 198
  - de-bundling in, 197
  - emission allowances under, 191
  - emissions banking, 197
  - emissions-to-cap calculations, 199
  - ERPA, 199
  - establishment of, 190
  - GHG reductions, 194–5, 199
  - GIS, 199
  - Greenhouse Effect and, 8
  - GWP in, 199
  - host country approval guidelines, 198, 199
  - India and, 195
  - international non-treaty agreements within, 197
  - IPCC Directive, 200
  - ITL database in, 199
  - LDCs economic underwriting, 197
  - limitations of, 195–6
  - MAC under, 200
  - operators, 191
  - reforestation under, 197
  - tax credits under, 194–5
  - Umbrella group and, 200
  - U.S. and, 191, 195
  - validation organizations under, 198
- landscaping credits, for LEED, 226
- LDCs. *See* least developed countries
- lead acid storage batteries. *See also* foam lead acid batteries
  - AGM, 237
  - automobile, 237–8
  - cold cranking, 248

- cold temperature operation, 248–9
- corrosion failure, 242
- deep-cycle, 238, 239
- deep-discharge, 238
- definition of, 237
- electric charge generation in, 237
- energy discharge rates, 239–40
- failure modes, 241–3
- foam technology, 240–1
- gelled-type, 237
- hot temperature operation, 249–51
- life cycle, 243, 251–2
- life span, 238–40
- major types, 237–8
- in marine engines, 238
- power output, 240
- in PV systems, 238
- spatial efficiency in, 247
- sulfation failure, 243
- utilization levels, 247
- lead carbon batteries, 255
- leadership in energy and environmental design (LEED). *See also* design, solar energy systems; Green Building Action Plan; indoor environmental quality requirements
  - additional commissioning credits, 228
  - air quality management plan credit, 230
  - alternative transportation credits, 225
  - Brownfield redevelopment credits, 225
  - building reuse credit, 228–9
  - certified wood use credit, 230
  - CHPS, 224
  - construction waste management credits, 229
  - Debs Park Audubon center, 232–4
  - design goal evaluation prerequisites, 227
  - development density credits, 225
  - energy calculations in, 227–8
  - energy optimization performance credit, 227
  - habitat conservation credits, 225
  - heat island effect credits, 226
  - indoor chemical and pollutant source control credit, 231
  - innovation in design credits, 231–2
  - innovative water technologies credit, 226
  - landscaping credits, 226
  - light pollution reduction credits, 226
  - low-emitting materials credit, 231
  - materials and resources in, 228–30
  - materials reuse credits, 229
  - measurement and verification credits, 228
  - minimum energy performance prerequisites, 227
  - municipal/state code compliance, 227
  - One Point accreditation credit, 232
  - on-site renewable energy credit, 227
  - outdoor air delivery credits, 230
  - outdoor views credit, 231
  - rapid renewable materials use credit, 229
  - recyclable storage credits, 228
  - recycled content credits, 229
  - reduced water usage credits, 227
  - refrigerant management criteria, 227, 228
  - regional materials use credits, 229
  - site selection credits, 225
  - smart grid system use credits, 228
  - storm water management credits, 225–6
  - sustainable building credits, 224–6
  - system controllability credit, 231
  - thermal comfort credit, 231
  - USGBC and, 221, 222
  - ventilation improvement credits, 230
  - water efficiency measures, 226–7
- lease-to-own agreements, for ownership of solar energy power systems, 114
- least developed countries (LDCs), 197
- leavening agents, 188
- LEED. *See* leadership in energy and environmental design
- LFP batteries. *See* lithium-iron phosphate batteries
- LIBs. *See* lithium-ion batteries
- life cycle
  - first, analytical software for cost analysis, 161–62
  - for lead acid storage batteries, 243, 251–3
  - Microcell foam lead acid batteries, 252–3
  - second, analytical software for cost analysis, 162
  - SPSEAS financial analysis, 149–50
- light pollution reduction credits, for LEED, 226
- limestone decomposition, 187
- lithium cobalt oxide batteries, 257
- lithium manganese oxide batteries, 257
- lithium nickel oxide batteries, 257
- lithium-ion batteries (LIBs), 243, 255–9
  - charge transfer electrochemistry, 256–7
  - components, 256
  - development of, 255–6
  - electrochemistry in, 256
  - electrolytes in, 256
  - intercalation in, 256
  - properties, 257–61
- lithium-iron phosphate (LFP) batteries, 257–9
- load control switches, 214
  - in control devices, 219
- load leveling, 236
- loan agreements, 74–5
- longevity, of solar power system, PV modules, 20–1, 159
- low-emitting materials credit, for LEED, 231
- low-voltage ride-through (LVRT), 205
  - synchronous generators, 205
  - wind energy technology, 205
- MAC. *See* marginal abatement cost
- MACRS. *See* Modified Accelerated Cost Recovery System
- MANET. *See* Mobile Ad Hoc Networks
- marginal abatement cost (MAC), 200
- marine engine lead acid batteries, 238
- material reuse credits, in LEED, 229
- maximum power point tracking (MPPT) circuits, 134–6
  - inverter technologies, 136
  - solar power charge regulators, 136
- mean time between failures (MTBF), 132

- mean time to repair (MTTR), 132
- mesh networking
  - communication systems in, 216–17
  - MANET, 216
  - OLPC mesh communication system, 217
  - smart grid systems and, 216–18
  - SMesh, 217–18
  - structure, 216
  - in U.S., 217–18
- Microcell foam lead acid batteries, 240, 244–5
  - life cycle improvements for, 252–3
  - 3D cell technology, 245–7
  - 3D2 cell technology, 254–5
- micro-inverters, 134
  - advantages/limitations of, 136–7
  - reliability calculations, 137–8
- micro-power inverters, 133
- Mobile Ad Hoc Networks (MANET), 216
- Modified Accelerated Cost Recovery System (MACRS), 56–7
  - ADS, 57
  - depreciable lives by class, 56
  - depreciation methods, 56–7
  - federal accelerated depreciation, 56, 57–70
  - ITC, 64–5
- mono-silicon power cell construction, 159
- MPPT. *See* maximum power point tracking circuits
- MTBF. *See* mean time between failures
- MTTR. *See* mean time to repair
- municipal electrical power grid systems, 207–8
- municipal leases, 82–3, 100–2. *See also* Power Purchase Agreements
  - advantages, 84, 102
  - energy-efficiency, 82–3
  - payment options, 102
  - qualifying entities, 100–1
  - tax-exempt, 83–4, 100, 101–2
- National Energy Act (NEA) (U.S.), 116
- National Renewable Energy Laboratories (NREL), 48, 114. *See also* Solar Advisor Model
- natural gas power generation, resource limits, 14
- NEA. *See* National Energy Act
- Nickel-Metal Hydride batteries, 243
- nonprofit organizations, PPAs for, 77
- North American Grid. *See* Wide Area Synchronous Grid
- NREL. *See* National Renewable Energy Laboratories
- nuclear energy, 13
- Obama, Barack, 205
- oceans
  - carbon sequestration in, 188
  - carbonic acid, 188
  - sea level changes, 3
- ocean wave-power energy production
  - early historical uses of, 221
  - feedstock, 15
  - in U.S., 14
- OCV. *See* open circuit voltage
- off-take contractual agreements, 74
- OLPC mesh communication system, 217
- One Point accreditation credit, from LEED, 232
- open circuit voltage (OCV), 126–7
  - in foam lead acid batteries, 247
- outdoor air delivery credits, for LEED, 230
- outdoor views credit, for LEED, 231
- ownership, of solar energy power systems
  - advantages of, 113–14
  - cash investment options, 111
  - debt or loan options, 112
  - lease-to-own agreements, 114
  - operating lease options, 112
  - purchasing options, 113
  - responsibilities, 113–14
- paper-making, 190
- partial-state-of-charge (PSoC) regimes, 253
- PBI. *See* Performance-Based Incentive
- peak power consumption controls, 211
- Peak Power Shaving, 29
- Performance-Based Incentive (PBI), 48
  - application procedures, 94–5
  - BIPVs, 90
  - CSI, 50, 85, 90
  - EPBI, 50
  - inspection requirements, 93
  - payment structure, 96
  - SPSEAS, 149
- pesticide manufacture, 188, 189
- petroleum industry, 189
- plastic manufacturing, 189
- platform types, PV technologies, 27
  - dual axis, 27–8
  - fixed angle, 27–8
  - single axis, 27–8
- pollution. *See* air pollution; air quality
- poly-silicon power cell construction, 159
- power grid systems. *See* electrical power grid systems; smart grid systems
- power output performance. *See also* solar power output performance
  - for lead acid batteries, 240
- Power Purchase Agreements (PPAs), 47, 48, 49, 61
  - advantages of, 77
  - creditor agreements, 75
  - disadvantages of, 77–8
  - under Energy Policy Act, 71
  - EPC documents, 72–3
  - evaluation, 81–2
  - financing participants, 72
  - financing responsibilities, 76
  - intercreditor agreements, 75
  - IPPs, 71
  - limited resource financing, 72
  - loan agreements, 74–5
  - long-term industrial financing, 71–2
  - for nonprofit organizations, 77
  - off-take contractual agreements, 74

- power purchase price, 76–7
- preparation for proposal, 78–9
- under PURPA, 72
- regulations, 71
- shareholder agreements, 74
- SPPAs, 75–6, 79–81, 110–11, 115
- SPSEAS, 150
- system operation and maintenance guarantee
  - agreement documents, 73
- term sheets, 75
- termination date, 76
- third-party ownership contracts, 71
- power test condition (PTC) value, 152
- PPAs. *See* Power Purchase Agreements
- price-dampening effect, 116
- project managers, solar system design, 41
- PSoc regimes. *See* partial-state-of-charge regimes
- PTC value. *See* power test condition value
- public and charter schools
  - CHPS criteria for, 224
  - under CSI, 99
  - under Green Building Action Plan, 224
  - solar energy production for, 82
- public buildings, under Green Building Action Plan, 222
- Public Utility Regulatory Policy Act (PURPA) (U.S.), 72
- PV strings, 139–40
  - DC power, 140
  - solar arrays, 140
- PV technologies. *See* solar photovoltaic technologies
- ramping, 236
- rapid renewable materials use credit, in LEED, 229
- rechargeable batteries. *See* lithium-ion batteries
- recyclable storage credits, in LEED, 228
- recycled content credits, in LEED, 229
- REDOX flow batteries. *See* flow batteries
- REDOX process. *See* reduction-oxidation process
- reduced water usage credits, for LEED, 227
- reduction-oxidation (REDOX) process, 261–3, 264–8
  - carbon oxidation in, 262–3
  - electron charge transfer, 263
  - SPM in, 261
- reforestation, 197
- refrigerant management, in LEED, 227, 228
- Regional Greenhouse Gas Initiative, 200
- regional materials use credits, in LEED, 229
- reliability, of solar power systems, 132–3
  - DC-to-DC peak inverters, 137
  - micro-inverters, 137–8
  - string inverters, 137–8
- renewable energy
  - early historical uses of, 221
  - grid parity, 117
  - in LEED, 227
  - quota-based policies, 117–18
  - in smart grid systems, 203, 211, 218, 220
- renewable fuels, 1–2. *See also* geothermal energy
  - production; ocean wave-power energy
  - production; solar energy; wind energy
  - production
  - cells, 1–2
  - educational awareness of, 12–14
- Renewables Portfolio Standard (RPS), 103–4, 117
- Republic of Ireland, FITs in, 121
- residential appliances, control devices for, 219
  - smart thermostats, 219
- residential electrical power grid systems, 208
- return on investment (ROI), 65–6
- ROI. *See* return on investment
- roof mount solar power systems
  - during building fires, 142
  - during earthquakes, 142–3
  - hazards, 142–4
  - maintenance and repair, 143–4
- rotational axis considerations, 27
- RPS. *See* Renewables Portfolio Standard
- SAI. *See* Solar America Initiative
- salvage value, of solar power systems, 66–9
  - computation methodology, 67–9
  - by utility companies, 68
- SAM. *See* Solar Advisor Model
- SAS. *See* Solar Analytic Solutions
- SBFT. *See* California Sustainable Building Task Force
- schools. *See* public and charter schools
- SDA. *See* systems-driven approach
- second life cycle, for solar power systems, 162
- semi-permeable membrane (SPM), 261
- SETP. *See* Solar Energy Technologies Program
- shading
  - bypass diodes, 129
  - dust accumulation and, 128–9
  - over PV technologies, 34–5
  - solar power output performance, 129–30
- shareholder agreements, 74
- short circuit current ( $I_{sc}$ ), 126
- single axis platform type, PV technologies, 27–8
  - analytical software for, 168–69
- site selection credits, for LEED, 225
- Skyllas-Kazacos, Maria, 264
- smart grid systems. *See also* electrical power grid
  - systems; high temperature conductors
  - advanced services and devices, 212
  - advantages of, 204–5
  - architecture of, 208–11
  - benefits of, 219, 220
  - climate change and, 218–19
  - control devices, 219–20
  - dispatchable energy in, 202
  - economic challenges of, 204–5
  - efficiency of, 218
  - electrical energy demand and supply controls, 203–4
  - energy conservation with, 218
  - energy storage, 203
  - energy user benefits, 220

- smart grid systems (*cont.*)
  - essential features, 219
  - in EU, 205, 206
  - with EVs, 219
  - future prospects, 206–7
  - GHG reductions with, 218
  - HTCs, 215
  - intelligent monitoring systems in, 201, 204
  - international, 206
  - in LEED, 228
  - load control switches, 214
  - LVRT, 205
  - mesh networking and, 216–18
  - modernization of traditional systems and, 209–10
  - objectives, 201
  - peak power consumption controls, 211
  - power controls, 207
  - power routing within, 201–3
  - pricing fluctuations, for electricity, 204–5
  - principle functions, 208–11
  - renewable power generation, 203, 211, 218, 220
  - for residential customers, 205
  - scope of, 207
  - special features, 206–7
  - SuperGrid systems, 207
  - SuperSmart Grid, 205, 206–7
  - surplus power management, 207
  - technological challenges of, 204
  - technology components, 203–4
  - transitions to, 202–3
  - Unified National Smart Grid, 205–6
  - utility provider benefits, 220
- smart thermostats, 219
- SMC batteries. *See* sulfur-metal-chloride batteries
- SMesh, 217–18
- soaps and detergent manufacturing, 190
- soda ash, 189
  - in glass-making, 189
- sodium sulfur batteries, 259
  - components, 259
  - for grid power energy, 259–60
  - hot temperature operation for, 259
  - SMC batteries, 259
  - worldwide deployment of, 261–4
- software. *See* analytical software, for cost analysis;  
Solar Advisor Model
- Solar Advisor Model (SAM), 52–3
  - annual system performance, 59
  - CSP technologies, 52
  - DCC, 58–9
  - indirect capital costs, 59
  - maintenance costs, 59
  - operation costs, 59
  - PV costs, 53
  - SAI, 52
  - SDA approach, 52
  - SETP, 52
  - system cost data, 52–3
  - users guide, 53–5
- Solar America Initiative (SAI), 52
- Solar Analytic Solutions (SAS), 138, 141
- solar arrays, 140
- solar energy power systems, 26–8.
  - See also* configuration, of solar power systems; cost analysis, solar power systems design; design, solar energy systems; financing, solar power projects; ownership, of solar energy power systems; solar photovoltaic technologies; system training curriculum, solar power system design
- additional cost considerations, 59–62
- carport-mounted, 144
- in China, 16, 17
- as CO<sub>2</sub>-free energy source, 168
- collaboration between principals, 110
- as collective responsibility, 12–13
- contract negotiations for, 110
- CSP technologies, 17
- daily insolation, 26
- direct funding, 55
- disadvantages of, 7
- early historical uses of, 221
- Earth declination angle considerations, 26
- economic benefits of, 7
- education awareness, 12–14
- energy use efficiency costs, 107
- engineering consultants for, 108–9
- engineering principles in, 12
- ESCO, 54
- ESPC, 54
- EUL Contract, 54–5
- federal depreciation, 55, 57–70
- federal tax credits, 62–5
- first life cycle, 161–62
- first year performance, 157–60
- flow batteries for, 268
- in Germany, 17
- ground-mounted, 144–7
- human lifestyle effects, 15–17
- incentives for commercial production, 63–4
- insurance, 55
- investment costs, 12
- ITC, in U.S., 63–5
- in Japan, 17
- long-term energy savings, 162–5
- long-term operations, 110–11
- maintenance monitoring, 110–11
- power integrator criteria, 109–10
- power platform identification, 108
- preliminary project evaluation, 107
- project financing, 102–3
- for public and charter schools, 82
- as renewable source, 1–2
- resource limits, 15
- ROI for, 65–6
- roof mount, 142–4
- rotational axis considerations, 27
- second life cycle, 162
- system costs, 38
- system salvage value, 66–9
- taxes, 55

- trellis-mounted, 144
- UESC, 54
- in U.S., 13–14, 63
- Solar Energy Technologies Program (SETP), 52
- solar photovoltaic (PV) technologies, 19–26.
  - See also* roof mount solar power systems;
  - Wireless Intelligent Solar Power Reader
- additional reflective sources, 32
- Albedo Effect, 32
- AM, 33
- ambient humidity effects, 32
- ambient temperature effects, 32
- analytical software for, 151–2
- barometric pressure effects, 34
- bypass diodes, 129
- carport-mounted systems, 144
- clouds' as influence on, 34
- under CSI, sizing requirements, 91–2
- daily insolation, 26
- DCC for, 58
- Earth angle declination considerations, 26
- etching processes, 159
- executive training seminar, 45–6
- feedstock, 20
- financial model costs, 21–2
- in Germany, 17
- ground-mounted solar power farms, 144–7
- hazard mitigation for, 141–2, 146
- Isc, 126
- ITC for, 63–5
- in Japan, 17
- knowledge base for, 22–6
- lead acid storage batteries in, 238
- output performance characteristics, 31–6
- OVC, 126–7
- Peak Power Shaving, 29
- photons, 19
- platform types, 27–8
- power cell construction, 159
- power output performance, 125–6
- power production, 28–9
- product longevity, 20–1, 159
- PTC values, 152
- roof mount systems, 142–4
- rotational axis considerations, 27
- SAM cost analysis, 53
- shading over, 34–5
- STC for, 33–4
- strings, 139–40
- in system configuration, 139
- system training curriculum, 43
- Tedlar, 35–6
- tilt angle considerations, 27
- trellis-mounted systems, 144
- windy conditions, 32
- WISPR, 140–1
- solar power charge regulators, 136
- Solar Power Econometric Analysis System (SPSEAS), 47, 148
  - comparative analyses functions, 150
  - engineering cost component analysis, 148–9
  - life cycle financial analysis, 149–50
  - output performance analysis, 149
  - PBI, 149
  - PPAs, 150
  - system construction and integration costing, 148–50
- solar power economics analytical software, 150
- solar power farms, 139
  - ground-mounted, 144–7
- Solar Power in Building Design* (Gevorkian), 10
- solar power output performance. *See also* inverter technologies
  - analytical software for, 155–56
  - bypass diodes, 129
  - by circuit type, 126–7
  - configuration effects, 130–2
  - dust accumulation effects, 125–9
    - as economic cost variable, 132–3
  - during emergencies, 141
  - module shading effects, 129–30
  - MPPT circuits, 134–6
  - MTBF, 132
  - MTTR, 132
  - oil particulates, 125
  - physical configuration effects, 130–2
  - precipitation, 125
  - PV modules, 125–6
  - SPSEAS, 149
  - system availability, 132
  - system reliability, 132–3
- Solar Power Purchase Agreements (SPPAs), 75–6
  - advantages of, 115
  - contract structure, 79–81
  - contract timelines, 110–11
  - large-scale installation experience, 81
  - technical considerations, 80–1
- solar power system technologies. *See* hazard mitigation, for solar power systems; *specific technologies*
- solar topology design, 131
- South Africa, FITs in, 121–2
- Spain, FITs in, 122
- SPM. *See* semi-permeable membrane
- SPPAs. *See* Solar Power Purchase Agreements
- SPSEAS. *See* Solar Power Econometric Analysis System
- Standard Test Conditions (STC), 33–4
- storm water management credits, for LEED, 225–6
- string inverters, 134
  - advantages/limitations, 136–7
  - reliability calculations, 137–8
- sublimation process, 186
- sulfation failure
  - foam lead acid batteries, 248, 253
  - lead acid batteries, 243
- sulfur-metal-chloride (SMC) batteries, 259
- SuperGrid systems, 207
- SuperSmart Grid, 205
- special features, 206–7

- surface temperature changes, from climate change, 1, 2
- surplus power management, smart grid systems, 207
- sustainable energy systems. *See also* renewable fuels
  - feedstock, 14–15
  - human lifestyle effects, 15–17
  - as long-term investment, 17–18
- Switzerland, FITs in, 122–3
- synchronous generators, 205
- system availability, solar power output
  - performance and, 132
- system controllability credit, for LEED, 231
- system operation and maintenance guarantee
  - agreement documents, 73
- system training curriculum, solar power system design
  - case study review, 44
  - cost analysis, 44
  - design methodology, 44
  - feasibility study, 44
  - manufacturing overview, 43
  - PV technology principles, 43
  - student project design workshops, 44
  - systems applications, 43
  - systems integration overview, 43–4
- systems-driven approach (SDA), 52
- tariffs. *See also* feed-in tariffs
  - digression, 115
  - regression, 115
- taxation, for solar energy production, 55
  - carbon credit trading, 194–5
  - ITC, 63–5
- tax-exempt municipal leases, 83–4, 100
  - benefits, 83
  - bond issues, 83, 101
  - commercial leases compared to, 101–2
- Tedlar, 35–6
- temperature. *See also* high temperature conductors
  - ambient, for PV technologies, 32
  - cold cranking, 248
  - cold temperature operation for batteries, 248–9
  - foam lead acid battery operation, 249–51
  - hot temperature operation for batteries, 249–51, 259
  - lead acid battery operation, 248–9
  - sodium sulfur battery operation, 259
  - surface, climate change influences on, 1
- terrestrial carbon sequestration, 200
- Thailand, FITs in, 123
- thermal comfort credit, for LEED, 231
- thermostats. *See* smart thermostats
- third-party ownership contracts, 71
- 3D cell technology, in foam batteries, 245–7
  - power performance attributes, 246–7
- 3D2 cell technology, in foam batteries, 254–5
- tidal power. *See* ocean wave-power energy production
- tilt angle considerations, 27
  - solar power output performance, 125
- topology mapping, 39
- trellis-mounted solar power systems, 144
- UESC. *See* Utility Energy Savings Contract
- Ukraine, FITs in, 123
- Umbrella group, 200
- Unified National Smart Grid, 205–6
- unit cost of energy, for electricity, 37
- United Kingdom, FITs in, 123
- United States (U.S.). *See also* California;  
California Solar Initiative; Hawaii, FITs in
  - alternative energy generation technologies, 14
  - American Recovery and Reinvestment Act, 76
  - Clear Skies Act Initiative in, 198
  - CSP technologies in, 17
  - Emergency Economic Stabilization Act, 75–6
  - Energy Policy Acts, 62, 71
  - federal grants, for solar power production, 63
  - FITs in, 124
  - hydroelectric power generation, 14
  - ITC, for solar energy production, 63–5
  - Kyoto Protocol and, 191, 195
  - mesh networking in, 217–18
  - NEA, 116
  - overall energy production in, 11–12
  - PURPA, 72
  - smart grid systems, 205–6
  - solar power energy production, 13–14, 63–5
  - synchronized electrical power grid
    - interconnections within, 211–12
  - Unified National Smart Grid proposal, 205–6
- United States Green Building Council (USGBC)
  - development of, 222
  - LEED and, 221, 222
  - rating systems, 222–3
- Utility Energy Savings Contract (UESC), 54
- vanadium redox batteries (VRBs), 263–5
  - advantages of, 264–5
  - characteristics, 265
  - construction of, 264
- variable frequency transformers (VFTs), 212
- vegetable matter combustion, 185–6
- ventilation improvement credits, for LEED, 230
- VFTs. *See* variable frequency transformers
- VRBs. *See* vanadium redox batteries
- water efficiency, in LEED, 226–7
  - innovative technologies credit, 226
  - landscaping credits, 226
  - reduced usage credits, 227
- water resources, climate change, 2
- water treatment, 190
- Wide Area Synchronous Grid, 211–12
- wind energy production, 1–2
  - early historical uses of, 221
- feedstock, 15
- LVRT, 205
- in U.S., 14

Wireless Intelligent Solar Power Reader (WISPR), 138, 140–1	zero-emission fuels, 1–2. <i>See also</i> renewable fuels
DACS, 140	zinc bromine (ZnBr) batteries, 265–7
functions, 140–1	charge process, 267
ground-mounted solar power farms, 145–7	development of, 267
hazard mitigation, 141–2	electrochemistry in, 265–6
hazard signals, 146	electrolytes in, 266
special features, 146–7	performance characteristic variations, 268