

Index

- AIC (Akaike's Information Criterion)
 AIC, 40, 116, 117, 197
 AICC, 117, 118
 AIC_{FS}, 117
 AIC_H, 118, 120, 121, 209
 CAIC (Consistent AIC), 117
 Akaike, H., 43, 116–117, 269
 Akantziliotou, C., 253, 274
 alpha parameter, 11–14, 134, 135, 152, 159,
 163, 165, 168, 179
 Amemiya, T., 224, 269
 Anscombe, F. J., 169
 Anscombe residual. *See* residual
 apparent overdispersion, 39–41
- Bailey, M., 233, 269
 Barnett, A. G., 118, 269
 Bayesian information criterion. *See* BIC
 Bayesian models, 8, 15, 22, 23, 118, 119,
 248–253
 Bernoulli, 20, 249
 beta, 4, 111
 beta-binomial, 252
 BIC, 44, 199
 Hannan and Quinn BIC_{HQ}, 119, 120
 Raftery BIC, 121, 122
 Schwarz BIC_L, 119
 binomial
 distribution, 10, 11, 127, 129, 132, 133,
 136, 163, 170, 179, 182, 196, 211, 226,
 249
 logistic regression, 20, 106, 187
 logit, 20, 41, 97, 113, 165, 184–186, 188,
 193–196, 208, 230, 231
 bootstrap, standard errors, 37, 40, 103–106,
 107, 125
 Borle, F., 274
 boundary likelihood ratio test, 214
- Cameron, A. C., 269
 canonical
 link, 24, 31, 127, 128
 negative binomial (NB-C), 127, 128
 Carroll, R. J., 96, 269
 censored negative binomial, 115
 censored Poisson, 20, 40, 115, 217, 230,
 231, 268
 survival (Hilbe), 229
 centering, 50
 chi-square (χ^2)
 dispersion, 37, 38, 93, 94
 distribution, 76, 115
 statistic, 78, 79, 81, 87, 111, 136, 156
 test, 38, 87, 88, 91, 107, 115, 155
 Close, A., 270
 Collins, M. A., 269
 complementary loglog (cloglog), 189, 195
 Conde-Sánchez, A., 274
 conditional distributions, 218
 fixed effects, 241
 maximum likelihood, 22
 mean, 238

- confidence intervals
 bootstrap, 105
 exact, 223–234
 Poisson, 58
 profile likelihood, 106
 risk ratio, 59, 206
- consistent estimator, 34
- Consul, P. C., 211, 269
- Conway, R. W., 245, 269
- correlation
 between panels, 241
 within panels, 132
- correlation structures
 autoregressive, 239
 exchangeable, 230–240
 independence, 239
 unstructured, 239
- count-related distributions
 inverse Gaussian, 162–166, 170, 172, 192, 206, 245
 lognormal, 195
 Poisson inverse Gaussian, 161–171
 shifted Poisson, 174
 uniform, 42, 63, 132, 134, 135, 157, 250
 Wald, 106
See also negative binomial; Poisson
- covariate pattern, 64
- Cox regression, 52
- Cragg, J. C., 184, 269
- CRAN, xiii, 11, 48, 80, 93, 135, 185, 247, 250, 252
- credible interval, 22, 250, 251
- cumulant, 31, 32, 128
- Cytel, 218, 224, 252, 255
- Dean, C., 269
- degrees of freedom, 43, 48, 76, 77, 79
- delta, 59, 82, 95, 142, 214
 method, 59, 60, 62, 95
 parameter, 145, 181, 214, 215
- Demietrio, C. G. B., 272
- Desmarais, B.A., 201, 270
- deviance
 dispersion, 46–48, 79
 function, 96, 97, 121
 goodness-of-fit test, 77
 residuals, 158
 statistic, 75, 76, 78, 98, 113
- Dhaval, S. S., 245, 270
- discrete change, 35, 68, 71–72
- dispersion
 equi-, 9, 35, 82, 84, 129, 134, 152, 153
 extra-, 39, 41, 73, 84, 103, 107, 125, 132, 158, 161, 196, 221, 223
 over-, 9–12, 74–107, 123–125, 156–160
 Pearson, 43, 46, 47, 79, 81, 92, 93, 97, 98, 107, 196, 221, 257
 under-, x, 11, 12, 33, 48, 83, 124, 136, 156, 212–214, 221, 245
- dispersion statistic, 35, 37, 39–41, 43–47, 51, 79–84, 92, 93, 97, 126, 127, 131–137, 149–153, 157, 181, 196, 221, 245
- distributions, probability
 Bernoulli, 20, 249
 beta, 4, 46, 92, 111, 224, 248, 252
 binomial, 41, 92, 206
 binomial-logit, 189, 209
 chi-square (χ^2), 37, 38, 76–94, 107, 111, 115, 131, 136, 155, 156, 262
 complementary loglog (cloglog), 184, 189, 195
 double Poisson, 208, 245
 exponential, 23, 31, 96, 127, 128, 163
 frequency, 8, 19, 34, 38, 122, 137, 250, 252
 gamma, 10, 11, 129, 132, 133, 135, 162, 163, 249
 generalized Famoye negative binomial, 226
 generalized Waring negative binomial, 209, 245–248
 generalized Poisson, 210–215, 226–246
 geometric, 110, 129, 184
 inverse Gaussian, 162–166, 170, 172, 192, 206, 245
 lognormal, 195
 Poisson inverse Gaussian, 161–171
 shifted Poisson, 174
 uniform, 42, 63, 132, 134, 135, 157, 250
 Wald, 106
See also negative binomial; Poisson
- Dobson, A., 269

Index**279**

- Dohoo, I., 270
 double Poisson, 208, 245
- Efron, B., 245, 270
 Ellis, D. D., 270
 empirical standard errors, 40, 102–106, 133, 149
 equidispersion, 9, 35, 82, 84, 129, 134, 152, 153
 estimation
 EM (expectation maximization), 243
 maximum likelihood (MLE), 23
 quadrature 23, 31, 183, 243, 251
 See also IRLS
 estimators
 biased, 10, 48, 78, 84, 197, 201
 robust variance, 98–101, 138, 159, 168–169, 257
 unbiased, 8, 34
 exact Poisson regression, x, 11, 15, 22, 217–224, 253
 expected information matrix, 128
 exponential distribution, 184
 exposure, 62–66
 extradisersion, 39, 41, 73, 84, 103, 107, 125, 132, 158, 161, 196, 221, 223
- Fabermacher, H., 183, 270
 Faddy, M., 245, 270, 274
 Famoye, F., 211, 245, 270
 Faraway, J., 243, 270
 finite mixture models, 232–235
 Fisher, R. A., 8
 scoring, 97, 223
 fixed effects, 241
 Flaherty, S., 156, 270
 Freese, J., 138, 273
 frequentist, 249–251
- gamma distribution. *See* distributions
 Geedipally, S. R., 245, 270, 273, 275
 Gelman, A., 270
 generalized additive models, 21, 235
 generalized estimating equations (GEE), 15, 23, 239
 Genmod, 31, 128, 131, 240, 252
 Gillooly, D., xv
- GOF. *See* goodness-of-fit
 Goldberger, A. S., 224, 270
 goodness-of-fit (GOF)
 boundary likelihood ratio, 38, 108, 112, 114, 125, 153, 197
 chi-square (χ^2), 88–91
 deviance, 75–78
 likelihood ratio test, 59, 78, 106, 108, 112–115, 123, 136, 155, 205, 207, 214, 244
 Pearson. *See* chi-square
 Gordon, J. M., xv, 269
 Greene, W. H., xv, 9, 11, 153–155, 270, 272
 Griliches, Z., 271
 grouped logistic, 106
 Gruen, B., 273
 Guikema, S. E., 245, 273
- Hall, B. H., 271
 Hamilton, L. C., 270
 Hannan, E. J., 119, 270
 Harden, J. J., 201, 269
 Hardin, J. W., xiii, 11, 101, 110, 111, 118, 165, 194, 201, 211, 226, 240, 246, 248, 271
 Harris, T., 211, 246, 248, 271
 Hastie, T., 236, 271
 hat matrix diagonal, 109, 168
 Hausman, J., 122, 271
 Hausman test, 122
 He, H., 274
 Heckman, J., 271
 Heilbron, D., 271
 Henning, K. S. S., 275
 Hessian matrix, 25, 30, 57, 98
 heterogeneity, 10, 110, 133, 182
 gamma, 10
 parameter, 11
 Poisson, 11
 heteroskedastic, 99
 hierarchical (multilevel) models, 218, 239, 241
 Hilbe, J. M., xiii, 11, 22, 23, 25, 101, 105, 106, 110–112, 118, 128, 142, 154, 156, 165, 188, 191, 224, 226, 229, 233, 238, 240, 243, 246, 248, 252, 253, 270, 271–275

- Hill, J., 270
 Hin, L., 272
 Hinde, J., 272
 Huber, P. J., 272
 hurdle models, 15, 19, 20, 165, 173, 174,
 180, 184, 185, 187, 189, 191–196, 208,
 230
 negative binomial-logit, 189, 209
 PIG-logit, 165, 192–194
 PIG-Poisson, 194, 195, 208, 209
 Poisson-logit, 231
 Poisson-lognormal, 195
 Hurvich, C. M., 273
 hypergeometric2F1 function, 110, 111
 hypothesis test, 205
- Ieno, E. N., 23, 156, 233, 243, 252,
 275
 incidence rate ratio (IRR), 62–64
 information, 10, 21, 22, 43, 44, 103, 108,
 116, 117, 119, 121, 124, 128, 139, 141,
 156, 189, 209, 227, 249
 Fisher, 97, 223
 criterion, 108, 116, 117, 119, 121, 124,
 156, 189; QIC (quasi-likelihood), 40,
 74, 75, 96–98, 100, 118, 129, 130, 239
 matrix(-ces): expected, 128; observed,
 128
 informative prior, 250
 interaction, 18, 41, 51, 56, 76, 79, 82, 83,
 111, 136
 inverse link, 29, 32, 202–203
 IRLS, xii, 22, 23, 25, 31–33, 75, 92, 97–98,
 108, 127, 147, 152, 160, 236
 Irwin, J. O., 246, 273
- JAGS, 252
 jitter(ing), 237, 239
- Koper, N., 269
- Lagrange multiplier test, 85, 87
 Lawless, J. F., 269, 273
 least squares estimation
 weighted, xii, 23, 32, 79, 236
 See also ILRS
- Leisch, G., 273
 likelihood, 22–25, 29–33, 97–99, 112–115,
 249–251
 boundary, 38, 108, 112, 114, 115, 125,
 136, 153, 197, 205
 function, 24, 25, 237
 quasi-, 96–97, 101
 ratio test, 112–115, 205
 Limdep, 11, 31, 119, 131, 134, 153, 160,
 226, 253
 linear predictor, 6, 7, 16, 17, 29, 51, 67, 108,
 109
 link
 canonical. *See* canonical link
 complementary loglog. *See* distributions
 function, 17, 24, 29, 31, 32, 109, 131
 inverse, 29
 log, 145
 logit, 96, 97
 noncanonical, 128
 log-gamma, 130
 logistic, 11–20, 52, 106, 108, 113, 189, 190,
 201, 206, 218, 252
 log-likelihood
 hurdle, 185, 188
 NB-C, 189
 NB-P, 9, 12, 126, 145, 153–156, 160, 163,
 174, 182, 194, 197, 209, 226, 228, 229,
 245
 negative binomial, 126–161
 Poisson, 35–73; censored, 229–231;
 generalized, 210–216; zero-inflated,
 199–202; zero-truncated, 174–177,
 225–228
 lognormal distribution. *See* distributions
 LogXact, 218, 224, 252
 Long, J. S., 138, 273
 Lord, D., 245, 270, 273, 275
 Lutz, P. W. W., 270
- Machado, J. A. F., 237
 Maindonald, J., 273
 Manseau, M., 269
 marginal effects, 68–72, 191, 239, 259
 Markov Chain Monte Carlo (MCMC), 22,
 23, 250

Index**281**

- Martin, W., 270
 Martínez-Rodríguez, A. M., 274
 matrix(-ces)
 hat matrix diagonal, 109, 168
 Hessian, 25, 30, 57, 98
 Maxwell, W. L., 245, 269
 McCullagh, P., 273
 McCulloch, C. E., 53, 274
 MCMC. *See* Markov Chain Monte Carlo
 Merkle, E. C., 274
 Metropolis-Hastings, 23, 252
 Miranda, A., 245
 misspecification, 111, 223
 modified sandwich variance, 101
 Monte Carlo, 35, 43, 45, 47, 224
 Morel, J. G., 185, 273
 Muenchen, R. A., 273
 Mullahy, J., 184, 273
- Neerchal, N. K., 185, 273
 negative binomial (NB)
 Bayesian, 252
 censored, 115
 generalized, 11, 134, 153, 182, 245
 generalized Faddy, 245
 generalized Waring, 245
 heterogeneous (NB-H), 153, 159, 160
 NB1 (linear), 141
 NB2 (quadratic): censored, 115;
 overdispersed, 10, 33, 95, 129, 131,
 132, 134, 136, 152, 160, 163, 168, 170,
 181, 182, 196; regression, 245;
 zero-inflated, 196, 197, 202;
 zero-truncated 177–180
 Nelder, J., xiv, 96, 273
 Newbold, E. M., 246, 273
 Newton-Raphson, 30, 108
 noninformative prior, 250
- observed frequency, 137
 observed information matrix, 128
 offset, 63, 64, 233
 Olmo-Jiménez, M. J., 274
 OpenBUGS, 252
 outliers, 41, 82, 83, 110, 124
 overdispersion
 apparent, 39, 72, 81, 85
 real, 72, 85, 86, 106
 See also Poisson
- Pan, W., 118, 273
 panel models, 15, 23, 241
 parameterization, 15, 63, 115, 119, 120, 127,
 129–131, 133–135, 151, 211, 229
 parameters
 ancillary, 10
 canonical. *See* link function
 heterogeneity. *See* heterogeneity
 parameter
 liability, 246, 247
 mean, 12, 130
 proneness, 246–248
 randomness, 246
 scale, 12, 24, 76, 110, 118, 215, 229,
 245
 partial effects, 68, 71, 72
 Patenaude, G., 270
 Pearson
 dispersion, 43, 47, 51, 79, 81, 84, 92, 93,
 97, 98, 107, 196, 221
 residuals, 79, 81, 111, 135
 See also chi-square (chi²)
- Poisson
 canonical, 24, 31, 128
 censored. *See* censored Poisson
 double, 208, 245
 gamma mixture, 10, 129, 132, 245
 generalized, 9, 12, 38, 207, 209, 210, 211,
 213–215, 226, 245, 246
 inverse Gaussian, 9, 11, 19, 73, 161–163,
 170, 172
 inverse Gaussian, zero-inflated, 206
 inverse Gaussian, zero-truncated, 174,
 180
 overdispersion, 9–11, 39, 78, 84, 157,
 158, 168, 214, 245
 probability, 25–27, 36, 211, 225
 process, 245
 quasi-, 223
 shifted, 174
 truncated, 225–228
 zero-inflated, 19, 125, 196–199, 207

- Poisson (*cont.*)
 zero-truncated, 20, 37, 115, 174, 176,
 196, 222, 225
 population averaged models, 239
 posterior distribution, 23, 249–251
 Pregibon, D., 96, 273
 Priede, I. G., 269
 prior, 249–250
 probability distribution. *See* distributions,
 probability
 profiling, 59
 probit, 19–20, 184, 195, 198
 proneness, 82, 111, 246–248
- QIC, 118
 quadrature
 estimation (in general), 23, 31, 243,
 251
 Gaussian-Hermite, 183
 quantile count models, 21, 218, 237,
 239
 quasi-deviance, 97
 quasi-likelihood, 75, 96–98, 101, 129, 130,
 239
 quasi-likelihood information criterion
 (QIC). *See* QIC
 quasi-Poisson, 223
 Quinn, B. G., 270
- Rabe-Hesketh, S., 273
 rate parameter, 63, 64
 rate ratio. *See* incidence rate ratio
 real overdispersion, 73, 85, 86, 106
 relative rate ratio (RRR). *See* risk ratio
 residual, 110, 111
 rho, 12, 20, 154, 245, 247
 Rigby, R., 11, 165, 253, 273, 274
 risk ratio, 100, 105, 147
 Robinson, A., xiii, xiv, 25, 106–107, 252,
 272
 robust estimator, 99, 101, 159, 222, 223,
 235
 robust standard errors, 98, 99, 103, 106,
 125, 130, 148, 150, 176, 189, 199
 Rodríguez-Avi, J., 274
 Rouse, D. M., 274
 Ruppert, D., 269
- Sáez-Castillo, A. J., 274
 sample selection, 224
 sandwich standard errors, 99–105
 Santos Silva, J. M. C., 237, 273
 SAS, 56, 252, 255–268
 scaled standard errors. *See* standard errors
 Schmiegelow, F., 269
 Schwarz, G. E., 119, 120, 122, 274
 Sellers, K., 245, 274
 Shmueli, G., 245, 274
 Shults, J., 118, 274
 Sichel distribution, 164
 Skrondal, A., 273
 Smith, D., 245, 248, 270, 274
 Smithson, M., 274
 standardized coefficients, 56
 standardized deviations, 110, 111
 standard errors, 92–96
 standardized residuals, 109–111
 Stasinopoulos, M., 11, 165, 253, 273,
 274
 Stat/Transfer, xiii
 Stone, C. C., 236, 274
 Stryhn, H., 270
 studentized residuals, 109
 Sveliev, A. A., 275
- Tang, W., 274
 Taylor expansion, 32
 Terza, J. V., 274
 Tibsharani, R., 271
 treg command, 226, 227, 228
 Trivedi, P. K., 269
 truncated. *See* treg command
 Tsai, C., 117, 273
 Tu, X. M., 274
 Tutz, G., 274
- underdispersion, xii, 11, 12, 33, 48, 83, 124,
 136, 156, 212–214, 221, 245
 unstructured correlation. *See* correlation
 structures
- validation, 112
 Vickers, A., 274
 Vittinghoff, E., 53, 274
 Vuong, Q. H., 274

Index**283**

- Vuong test, 183, 197, 200, 201, 205, 207,
215, 247
- Wald test, 106
- Wang, Y.-G., 118, 272
- Wang, Z., 113, 274
- Waring, E., 246
- Waring, generalized, 209, 245–248
- Wedderburn, R. W. M., 96, 275
- Westfall, P. H., 275
- White, H., 99, 274
- WINBUGS, 252
- Winkelmann, R., 275
- Xekalaki, E., 245, 246, 275
- Yang, Z., 211, 255, 271
- Zhu, F., 275
- Zou, Y., 275
- Zuur, A. F., xiv, 22, 23, 156, 199, 233, 243,
252, 253, 269, 275