

Index

- $(w \times h)$ -tiling problem, 422
- AC^2 , 207
- acceptance, 547, 599, 601, 607
- acceptance condition, 547
- acceptance game, 431
- action, 38, 331
 - coalitional, 334
- action label, 37
- action name, 37
- action profile, 331
- action vector, 332
- admittance, 310
- agent, 331
- alphabet, 546, 677, 689
- alphabet mapping, 550
- alternation depth, 292
- ancestor, 23
- approximant, 282
- arena, 28, 29
- assumption, 95
- ATL, 338
- ATL^+ , 356
- ATL^* , 337
- attractor, 633
- automaton
 - alternating, 571
 - alternating Büchi, 573
 - alternating co-Büchi, 573
 - alternating parity, 573
 - alternating tree, 607
 - amorphous, 610
 - Büchi, 546
 - Büchi tree, 599
 - Büchi, 169
 - deterministic, 546, 571
 - finite-state, 552
 - generalised, 606
 - generalised Büchi, 548, 573
 - nondeterministic, 571
 - product, 549
 - pseudo-, 601
 - Rabin, 259
 - universal, 571
 - very weak alternating, 579
 - very weak alternating Büchi tree, 608
 - weak alternating, 578
 - weak alternating Büchi tree, 608
- axiom, 95, 97
 - induction, 253
- axiom scheme, 97
- Büchi automaton
 - generalised, 54
- Bekić Lemma, 291
- bi-conditional, 86
- bi-implication, 86
- bisimilarity, 56
- bisimulation, 55, 57
 - alternating, 344
 - bounded, 58
 - closure, 309
 - finite, 58
 - full alternating, 344
 - global, 56
 - global alternating, 344
 - largest, 65
 - local, 56
 - quotient, 66
 - two-way, 318
- bisimulation equivalence, 56
- bisimulation invariance, 112
- bisimulation type, 57, 58
- block, 695
- BML, 102
- bound
 - lower, 22
 - upper, 22
- branch, 23, 599
- branching
 - uniform, 231
- BTL, 131
- Burgess’s formula, 226

738

C-complete, 28
C-hard, 27
cache node, 449
canonical mapping, 21
cardinal, 25
chain
 ascending, 23
 descending, 23
child, 23
closure, 88, 89, 127, 164
 extended, 480
 fusion, 222
 limit, 222
 prefix, 221
 reflexive, 49
 reflexive and transitive, 20
 transitive, 20
 under bisimulation, 116
closure ordinal, 285
cluster, 20
coalition, 331
compactness, 257
completeness, 95, 672
component, 480
 main, 88
composition, 19
computation, 40, 334, 425, 428
 abstract, 41
 accepting, 429
 accepting core, 428
 terminating, 40
computation tree, 60, 61
computational equivalence, 72
concurrent game model, 331
 tree-like, 347
concurrent game structure, 331
 interpreted, 331
condition
 locality, 218
 winning, 29, 575, 576
conditional, 86
configuration, 38, 50, 62, 119, 424,
 428
 accepting, 428
 existential, 428
 false, 672
 falsity, 307
 final, 668
 initial, 428
 rejecting, 428
 true, 672
 truth, 305
 universal, 428
conjunction, 86
connection relation, 670, 695
connective
 main, 87

Index

consequence
 logical, 91
consistency, 95
 maximal, 127
 one-step, 618
contraction, 401
contraction factor, 401
control state, 38
correctness
 partial, 46
Correspondence Theory, 147
counter machine, 42
cover, 18, 221
 CTL^2 , 244
cycle, 40

deadlock, 40, 47
decision problem, 51
Deduction Theorem, 98
deductive system, 94
 adequate, 96
 correct, 95
 sound, 95
dependency order, 286
depth
 modal, 46, 88, 154
derivability, 95
derivation, 94, 95, 97
description, 37
determined, 32
dimension, 50
disjunction, 86
distance, 399
distinguishing power, 268
domain, 18

element
 greatest, 22
 least, 22
 maximal, 22
 minimal, 22
elimination
 prestate, 523
equivalence, 439
 initial, 178, 251
 logical, 110
 stuttering, 184
equivalence class, 20
equivalence closure, 58
ETL, 186
eventuality, 486
 existential, 486
 realisation, 527
 realisation witness fragment, 534
 universal, 486
 realisation, 528
 realisation witness, 528

- realisation witness fragment, 533
 - realised, 528
- eventuality realisation, 506
- execution, 40
- existential model checking
 - problem, 49
- expansion step, 485
- expression
 - Boolean, 189, 364
 - left-deletable, 369
 - regular, 364, 365
- expressive
 - strictly more, 216
- expressive power, 93
- expressiveness, 93, 216
 - equi-, 93, 217
- extended closure, 481
- extension, 39, 90, 103
- fairness, 219
 - strong, 248
- falsum, 86
- filtration, 123
 - maximal, 124
 - minimal, 124
- finiteness
 - transition system, 39
- Fischer–Ladner closure, 298, 541, 665
- fixpoint, 25
 - greatest, 26, 225, 253, 275
 - least, 25, 225
 - parametric, 291
 - simultaneous, 291
- fixpoint iteration, 288
- fixpoint map, 274
- formula
 - alternation-free, 292
 - characteristic, 113, 310
 - component, 479
 - connected, 670
 - constant, 86
 - dual, 574
 - equivalent, 276
 - existential successor, 480
 - guarded, 300
 - path, 212, 217, 247, 249, 337
 - positive Boolean, 571
 - primitive, 480
 - pure future, 374
 - pure past, 374
 - pure path, 218, 227
 - pure state, 218
 - separated, 377
 - simple, 109, 228
 - size, 273
 - state, 212, 217, 247, 249, 337
 - type, 479
 - universal successor, 480
 - valid, 91
 - Walukiewicz, 406
 - well-formed, 273
- formula scheme, 96
- formula set
 - closed, 481
 - fully expanded, 484
 - patently inconsistent, 483
- fragment, 88, 154
 - guarded, 105
- fulfilment, 165
- full expansion, 484
 - lean, 497
- fusion, 222
- Gabbay’s Separation Theorem, 375
- game, 29
 - Büchi, 631
 - bisimulation, 62, 63
 - co-Büchi, 631
 - dual, 629
 - finite, 28
 - focus, 714
 - infinite duration, 28
 - model checking, 119
 - 1-player, 642
 - parity, 628
 - perfect information, 28
 - reachability, 630
 - safety, 630
 - turned-based, 29
 - 2-player, 28
 - weak, 632
 - zero-sum, 28
- game arena, 29, 575
- game position, 331
- game rule
 - symbolic, 643
- generated subsystem, 61
- graph
 - function, 20
- hardness, 27, 420
- Hennessey–Milner Theorem, 65
- Hintikka structure, 518
 - for BML, 487
 - for CTL
 - partial, 534
- Hintikka trace, 501
- satisfiability, 501
- Hintikka tree, 603, 605
- history, 31, 334
- history tree, 650
 - initial, 650
- HML, 102

740

image
 bounded morphic, 61
 implication, 86
 deductive, 95
 logical, 91
 inconsistency, 95
 inference rule, 94, 97
 infimum, 22
 input state, 523
 interior nodes, 534
 interpreted transition system, 38
 invariance
 stuttering, 184
 iteration
 downwards, 25
 upwards, 25

 K, 146
 Kanellakis–Smolka algorithm, 70
 kernel equivalence, 21
 Knaster–Tarski Theorem, 26
 Kripke frame, 80
 Kripke model, 80

 label, 37, 546
 labelling, 37, 237
 language, 365, 429, 547, 599, 601, 607
 left-deletable, 369
 omega-regular, 551
 language of b , 364
 latest introduction record, 654
 lattice
 complete, 50
 leaf, 23, 600
 leaves, 534
 level, 23, 572, 607
 limit closure, 226
 Lindenbaum’s Lemma, 139
 LIR, 654
 liveness, 215
 $\mathcal{L}_\mu$, 272
 location, 38
 logic, 91
 modal, 85
 Ockhamist, 267
 Piercean, 267
 temporal, 85
 logical equivalence, 91
 loop, 40, 160
 length, 160
 LTL, 153
 LTL+Past, 177

 manager
 action, 331
 matching

Index

horizontal, 422
 vertical, 422
 maximal trace, 565, 566, 618
 memoryless determinacy, 32, 628
 MES, 296
 representation, 298
 metavariable, 86
 Minsky machine, 42
 Modal Equation System, 296
 modality
 converse, 318
 reachability, 213
 universal, 314
 model, 91, 178
 canonical, 139
 deterministic, 693
 extracted, 202
 finitary, 160
 generated, 221
 linear, 154
 size, 160
 ultimately periodic, 160, 164
 model checking, 92
 existential, 161
 game, 303
 for CTL*, 666
 global, 48, 92
 local, 48, 92
 universal, 161
 Modus Ponens, 97, 135, 191, 253, 258
 mono-transition system, 38
 morphism
 bounded, 61
 move, 331
 μ -calculus, 272
 linear-time, 315
 past, 318

 necessitation, 135, 191, 253, 258
 negation, 86
 negation normal form, 177, 276
 nesting depth, 290
 node, 22, 23
 stable, 652
 successful, 651

 Ockhamist past, 250
 offspring states, 489
 operator, 25
 always, 152
 and-then, 190
 before, 196
 closure, 190
 coverability, 213
 dual, 213

- logical, 86
- monotone, 25
- next time, 152
- previous, 176
- reachability, 213
- release, 153, 581
- since, 176
- sometime, 152
- strong before, 196
- triggers, 190
- until, 152, 153
- weak until, 153
- order
 - complete, 24
 - lexicographic, 24
 - linear, 19
 - partial, 19
 - topological, 55
 - total, 19
- order type, 24
- ordinal, 24, 70
 - closure, 70
 - limit, 24
 - successor, 24
- ordinal process, 268
- outcome set, 335
- pair
 - one-step consistent, 167
- parent, 23
- parity game, 471, 628
 - global, 637
 - index, 628
 - local, 637
- partial order, 19
- partition, 18, 21
 - bisimulation, 66
 - stable, 71
- patently inconsistent, 89
- path, 39
 - fulfilling, 532
 - length, 39
 - maximal, 40
- path model checking
 - problem, 48
- PDL, 79
- play, 29, 333, 334, 575, 670
 - enabled, 335
- player, 331
- polynomial-time hierarchy, 248
- poset, 22
- position, 334
- post-condition, 45
- post-fixpoint, 25, 253
 - greatest, 26, 253
- pre-condition, 45
- pre-fixpoint, 25, 256
- least, 25
- predecessor, 38, 599
 - immediate, 44
- prefix, 160, 372
 - length, 160
- premise, 95
- pre-order, 19
- priority, 296
- priority function, 628
- problem, 26
 - decision, 26
 - inclusion, 544
 - nonemptiness, 544, 547
 - path model-checking, 160
 - satisfiability, 159
 - universality, 544
 - validity, 159
- process, 38
- product
 - synchronised, 569
- property
 - back-and-forth, 67
 - eventuality, 47, 213
 - fairness, 219
 - finite tree model, 126
 - guarantee, 203
 - invariance, 46
 - liveness, 47
 - progress, 215
 - safety, 46, 213
- proposition
 - atomic, 37, 38
- PSL, 189
- p*-variant, 107
- QLTL, 187
- quantifier, 273
 - depth, 289
- quasi-order, 19
- quotient
 - left, 369
- quotient element, 21
- quotient set, 21
- range, 18
- reachability
 - constrained, 51, 215
 - generalised recurrent, 51
 - recurrent, 51
 - repeated, 53
 - set-to-set, 51
 - state-to-set, 51
 - state-to-state, 51
- reachability logic, 213
- reachability relation, 213
- realisation
 - eventuality, 506, 527

742

recognisability
 Büchi-, 547
 reduction, 420
 master, 421
 regular expression
 ε -free, 365
 semi-extended, 189
 relation
 antisymmetric, 19
 binary, 18
 complement, 18
 connected, 19
 deterministic, 19
 diagonal, 18
 empty, 18
 equality, 18
 equivalence, 19
 functional, 19
 identity, 18
 inverse, 19
 irreflexive, 19
 reflexive, 19
 serial, 19
 symmetric, 19
 total, 19
 transitive, 19
 universal, 18
 renaming, 107
 root, 22, 37, 40, 599
 rule, 120
 run, 40, 546, 572, 599, 607
 accepting, 546, 548, 572, 599, 601, 606, 607
 minimal, 584, 610

 S4, 145
 SAT, 421
 satisfaction, 91, 276, 566, 618
 satisfaction relation, 154
 satisfiability, 48, 91, 158, 519
 checking, 92
 constructive, 347
 in Hintikka structure, 487
 path, 49
 testing, 92
 satisfiability witness, 167
 small, 167
 Savitch's Theorem, 27, 426
 SCC, 54
 maximal, 54
 nontrivial, 54
 semantics
 loose, 346
 tight, 346
 sentence, 273
 sequence
 Cauchy, 400

Index

SERE, 189
 set
 closed, 89
 expanded, 89
 maximally consistent, 90
 partially ordered, 22
 Σ , k -tree, 599
 finite, 601
 signature, 37, 85, 102, 286, 287
 size, 87, 547, 548
 soundness, 672
 space, 27
 complete, 400
 metric, 399
 splitter, 71
 standard model, 221
 state, 37, 331, 546, 599, 607
 accepting, 546, 599, 607
 control, 50
 existential, 427
 idle, 40
 initial, 37, 546, 599, 607
 terminating, 40
 universal, 427
 state space, 37
 strategy, 31, 628
 attractor, 634
 finite-memory, 33
 memory-based, 333, 334
 memoryless, 32, 334, 576, 628
 winning, 576
 perfect recall, 334
 positional, 32, 333, 334, 628
 winning, 31, 628
 strategy context, 358
 strict partial order, 19
 strongly connected component, 54
 structure
 generalised, 221
 stuttering collapse, 183
 subformula, 87, 273
 main, 87
 subset construction, 558
 substitution, 88
 substitution instance, 96
 successor, 37, 38, 599, 650
 immediate, 44
 successor state, 331
 succinctness, 180, 247, 385
 suffix, 556
 suffix closure, 221
 Superadditivity axiom, 343
 supremum, 22
 system
 concurrent, 47
 multiagent, 329
 open, 329, 355

- tableau, 483
 - branching
 - conjunctive, 490
 - disjunctive, 490
 - existential, 490
 - search, 490
 - structural, 490
 - universal, 490
 - closed, 489, 493, 507, 529
 - completeness, 496
 - construction phase, 488
 - construction rules, 488
 - elimination phase, 489, 493, 506
 - final, 489, 493, 507, 529
 - fragment, 496
 - local, 533
 - root, 534
 - initial, 489, 492, 505, 523
 - local, 483
 - offspring state, 489
 - open, 489, 493, 507, 529
 - prestate, 488
 - elimination rule, 491
 - successor, 489
 - pretableau, 488
 - soundness, 494
 - state
 - input, 492
 - states, 488
 - termination, 494
- tableau branch, 483, 527
 - closed, 483
 - open, 483
- Tarjan's algorithm, 246
- theorem, 95, 97
- thread, 671, 684, 697
 - mu-, 671, 684, 697
 - nu-, 671, 684, 697
- tile, 422
- tiling game, 433
- tiling game problem, 433
- tiling problem, 423
- tiling system, 422
- time, 27
- TLR, 213
- trace, 40, 696
 - bad, 697
 - good, 697
- trace equivalence, 72
- trace inclusion, 72
- transducer, 560
- transfinite induction, 25
- transition function, 331, 607
 - dual, 574
- transition relation, 37, 50, 546, 599
 - serial, 40
- transition system, 37, 38
 - acyclic, 40
 - complete, 162
 - finitely branching, 59
 - forest-like, 40
 - labelled, 38
 - rooted, 37
 - total, 40
 - tree-like, 40
 - unfolding, 59
- translation
 - functional, 147
 - relational, 147
 - semantical, 147
 - standard, 104, 147
 - syntactical, 147
- tree, 22, 40
 - branching, 231
 - finite, 600
 - labelled, 23
- triangle inequality, 399
- truth, 86, 90, 155, 157, 339
 - existential, 157
 - path formula, 219
 - universal, 157
- truth assignment, 39
- truth lemma, 139
- truth witness, 532
- Turing machine
 - alternating, 427
 - nondeterministic, 424
 - space-bounded, 424
 - time-bounded, 425
- type, 37
- UB, 265
- UB⁻, 265
- unfolding, 26, 59, 224
 - tree, 346
- union transition system, 38
- universal model checking
 - problem, 48
- validity, 92, 158
- valuation, 39
 - extended, 39
- van Benthem's Theorem, 112
- variable
 - assignment update, 276
 - bound, 273, 277
 - free, 273
 - guarded, 300
 - outermost, 304
 - propositional, 273
 - type, 292
 - weakly guarded, 300
- variable assignment, 276

744

VASS, 50
vector addition system, 50

Walukiewicz formula, 662
well-foundedness, 23
well-order, 24
winning condition, 28, 303

Index

recognisable, 644
regular, 643, 644
witness, 672
 small, 172
witness position, 202

zip, 205