

INDEX

- 1/10th power law, 245
- 1/7th power law, 56
- absorptivity (α), 208, 410
- acid rain, 15
- air mass, 131
 - solar noon, 133
- air/fuel ratio, 293
- albedo, 121
- altitude of the sun at solar noon, 128
- anaerobic digestion, 306
- Annual Capacity Factor, 142
- apparent motion of the sun, 124
- assessment of the renewable energy resource, 320
- batteries, 162
- Bernoulli theorem, 34, 90, 425
- Betz limit, 35
- biodiesel, 311
- bioenergy, 277, 278
 - combustion, 294
 - conversion processes
 - thermochemical, biochemical, extraction, 282
 - land required, 282
 - small combustion plant in Sri Lanka, 285
 - sources of, 278
- biofuels, 278
- biogas, 306
 - calorific value, 306
- biomass, 277, 278
 - combustion, 283, 296
 - furnace, 283
 - in large power stations, 298
 - stages, 283
 - conversion into transport fuel, 309
 - gasification, 302
 - general formula, 281
 - properties of fuels, 287
 - properties of solid, 287
- black body, 408
 - spectra, 409
- blocking diode, 156
- BP Statistical Review of World Energy, 2, 14
- bulb turbines, 239
- bypass diode, 156
- capacitive loads, 384
- capacitors, 381
- carbon intensity, 17
- cavitation, 98
- cellulose, 281
- characteristics of flat plate solar collectors, 207
- charge regulator, 159
- climate change, 15
- coincidence factor, 335
- combined heat and power, 285, 307
- combustion, 291
 - 3Ts, 291
 - stoichiometric, 292
- Concentrating Solar Power (CSP), 210
 - advantages and disadvantages, 211
 - technologies, 211
- conduction, 402
- connection of 3-phase windings, 390
- connection of PV systems, 367
- connection of renewable energy schemes
 - offshore wind farms, 365
 - onshore, 365
- consumption of primary energy, 2
- continuity of mass flow, 424
- convection, 405
- Cumulative Sum of the Differences (CUSUM), 196
- Czochralski process, 171
- Daily Capacity Factor, 142
- degree days, 193
 - base temperature, 193
 - monitoring the energy consumption of a building, 194
 - predicting the energy consumption of a building, 198
 - useful internal heat gain, 195
- Demand Side Participation, 12, 360
- depleted reach, 112
- diffuse radiation, 121
- Digest of UK Energy Statistics, 17, 183
- diode
 - forward voltage drop, 148
 - V – I characteristic, 147
- Direct or beam radiation, 121
- discount rate, 10
- Discounted Cash Flow (DCF), 9, 324, 325
- dispersion equation, 258
- diversity of loads, 335
- doubling time, 6
- draft tube, 98
- Drax Power Ltd, 298, 299
- Drax power station, 298
- droop characteristics of a governor, 348
- ecliptic plane, 124
- economic appraisal
 - of energy efficiency measures, 9
 - of renewable energy schemes, 324
- effect of PV generation on system inertia, 350
- effective head, 104
- electrical energy
 - growth of use, 333
 - power losses, 338
 - power system, 336
 - frequency control, 347
 - voltage control by reactive power, 344
 - voltage levels, 336, 340
 - power transmitted, 338
- electrical engineering
 - alternating current, 376
 - direct current, 375
 - frequency, 377
 - modern power systems, 376
 - RMS values, 377
 - sinusoidal waveforms, 377
- emissivity (ϵ), 209, 410
- energy conservation, 11
- energy efficiency, 7
 - difficulties, 8
- energy storage, 362
- batteries, 363
- energy use
 - annual, 4
 - limiting, 7
- environmental impact
 - of bioenergy, 279
 - of burning fossil fuels, 15
 - of hydro power, 72
 - of renewable energy schemes, 17
 - of tidal range generation, 229
 - of transport fuel derived from biomass, 311
 - of wind farms, 60

- Environmental Impact Assessment, 17, 328
 of hydro schemes, 112
 of tidal range scheme, 240
 of wind farms, 62
Environmental Statement, 328
 contents, 328
ethanol, 309
evacuated tube solar collector, 202
exponential growth, 5
external costs, 11
extraction of oils, 310

fermentation
 of sugars into ethanol, 310
fixed speed induction generator, 344
flat plate solar collector, 201
 performance, 205
flow duration curve, 79
fluid flow, 422
 in a pipe, 430
 turbulent and laminar, 422
fluidised bed combustor, 284
fossil fuels
 energy density, 334
 energy storage, 335
Francis turbine
 analysis, 95
 operation, 97
fuel cells, 364
Fuel/Air Equivalence Ratio, 293

gasifier, 302
 bubbling fluidised bed, circulating
 fluidised bed, 304
 generator, 386
 geocentric view, 126
Gilkes, 78, 84, 86, 92, 94
greenhouse
 effect, 16
 gases, 16
grid access, 318, 322

heat loss of a small building, 192
heat transfer, 401
 at low temperature, 401
 from a steam pipe, 416
heat transfer due to air changes, 191
heat transfer in a flat plate solar water
 heater, 415
heat use in the UK, 182
heating value
 HHV, LHV, 287, 289
hemicellulose, 281
high voltage switchyard, 338
Hill chart, 102
hour angle, 129
hydro power, 72
 60 MW plant in Sri Lanka, 336
 advantages and disadvantages, 75
 capacity factor, 72, 82
 crossflow turbine (Michell–Banki), 92
 history, 73
 impulse turbine, 84, 85
 operation, 89
 operation, 77
 reaction turbine, 84
 resource, 72
 Turgo turbine, 91
hydro power scheme
 high head, 82
 low head, 82
 medium head, 82
hydro scheme
 intake, 75
 operation, 75
 penstock, 75
hydro turbines
 bulb, 98
 inclined shaft, 98
 reduced flow, 101
 transient conditions, 107
 variable speed, 101
hydrograph, 79
hydrological cycle, 79

incremental conductance, 167
induction generator, 40, 388
inductive loads, 383
inductors, 379
industrial load, 339
inertia constant (H), 349
infant mortality and energy use, 5
insolation or irradiation (J/m^2 or
 kWh/m^2), 122
Internal Rate of Return (IRR), 326
International Energy Agency, 4, 5
irradiance (W/m^2), 122

joule (J), 3

kilowatt-hour (kWh), 3

landfill gas, 308
landlord–tenant problem, 9
Lanka Transformers Ltd, 305
lead–acid battery, 162
life expectancy and energy use, 5
light output of lamps, 8
lignocellulose, 281
linear and angular momentum, 429
linear Fresnel solar collector, 215
linear momentum or actuator disk
 theory, 33, 250
load flow program, 343
load rejection, 108
low carbon electricity generation, 18
low temperature thermal systems, 189
 thermal conductance, 190
 thermal resistance, 190
low voltage disconnect, 159
 management of energy demand through
 price, 11
Marine Current Turbines, 248
marine energy, 225
Maximum Power Point Tracking
 (MPPT), 167
measure–correlate–predict, 61, 321
method of bins, 52
moisture content, 287, 288
Moody chart, 430

net head, 104
Net Present Value, 11
New Mills Engineering, 86, 99
Nominal Operating Cell Temperature
 (NOCT), 156

Ocean Power Delivery, 271
Openhydro, 249
operating the power system, 351
 generator scheduling, 351, 354
 with CO_2 cost, 356
 reserve generation
 requirements, 358
 stability, 359

parabolic troughs, 212
particulate emissions, 15
payback period, 9
peak sun hours, 142
Pelton turbine, 86
Penstock diameter
 determination, 106
Penstock losses, 104
performance line, 196
performance of glass, 199
Perturb and Observe (P&O), 167
phasor diagram, 339
phasor representation, 381
photosynthesis, 280
photovoltaic cell
 open-circuit voltage, 149
 short-circuit current, 148
 technologies, 170
photovoltaic energy conversion, 139
 advantages and disadvantages, 139
 history, 139
photovoltaic inverter (grid
 connected), 168
photovoltaic module, 155
photovoltaic systems, 138
 estimation of performance, 142
 generations of, 143
 grid-connected, 166
 performance assessment
 Performance Ratio, 158
 Specific Yield, 157
 stand-alone, off-grid, 158
 example, 164
 pitch and stall regulation, 46

- Planck’s constant, 133
- Planck’s distribution, 408
- Power Coefficient (C_p), 28
- power density of renewable energy
 - sources, 335
- power electronics, 395
- power in a 3-phase system, 394
- power in deep water waves, 262
- power purchase agreement
 - feed-in-tariff, 322
- PQ quadrant diagram, 339
- projects, 317
 - agreements and contracts, 323
 - development, 317, 322
 - feasibility assessment, 319
 - phases of development, 318
 - planning permission, 319
- proximate (thermo-chemical)
 - analysis, 295
- Pure Plant Oil (PPO), 310
- pyrolysis, 302
- radiation, 408
- reaction turbine, 93
 - Francis, 93
 - Kaplan, 95
 - Propeller, 93
- real and reactive power, 338
 - considered independently, 340
 - summation at a node, 339
- Renewable Energy Systems, 27, 39, 140, 141, 319, 320
- requirements for connection of PV
 - systems, 166
- reserves of fossil fuels, 13
- Reserves/Production ratio, 13
- resistors, 378
- Rhico, 204
- Richard Jones, 18
- rim generator, 240
- runoff, 79
- RWE Innogy UK, 27, 29
- sea state
 - scatter diagram, 266
- selective absorber surface, 209
- self-regulating module, 161
- small hydro schemes, 109
 - Archimedes screw, 113
 - generators, 112
 - stand-alone
 - governors, 113
- smart meters, 12
- solar
 - altitude angle, 126
 - azimuth angle, 126
 - declination angle,
 - day number, 126
 - equinox, 124
 - solstice, 124
- solar cell
 - amorphous silicon, 172
 - band model, 146
 - bond model, 144
 - current source, 154
 - equivalent circuit, 149
 - Fill Factor, 150
 - mono- or poly-crystalline silicon, 138
 - operation, 148
 - p-n junction, 146
 - silicon, 143
 - varying irradiance, 151
 - varying temperature, 151
 - $V-I$ characteristic, 176
- solar constant, 131
- solar gain from glazing, 188
- solar heating of buildings, 185
 - direct, 186
 - indirect, 186
 - Trombe wall, 187
- solar irradiance
 - example, 122
- solar irradiance entering the atmo-
 - sphere, 121
- solar panel
 - orientation, 130
 - tilt angle, 130
 - minimum, 130
- solar power tower, 215, 216
- solar resource, 121
- solar spectrum, 131
- solar thermal energy, 182
 - advantages and disadvantages, 184
 - high temperature systems, 210
 - low temperature systems, 184
- solar water heating, 201
- Spear valve, 91
- Special Purpose Vehicle (SPV), 323
- specific speed, 99
 - use of, 100
- spectrum of sunlight, 132
- Standard Test Conditions (STC), 132, 141
- steam (Rankine) cycle, 284
- Stefan–Boltzmann constant, 408
- Straight Vegetable Oil (SVO), 310
- sun–earth geometry, 124
- synchronous generator, 388
- syngas, 302
- temperature of a flat metal plate in sun-
 - light, 411
- thermal circuits, 191
- Thrust Coefficient (C_T), 36
- Tidal Energy Ltd, 243, 244, 249
- tidal lagoon, 241
- tidal range
 - ebb generation, 236
 - energy resource, 229
- tidal range barrage
 - main components, 238
- tidal range generation, 225, 235
 - Annapolis Royal, 228
 - Cardiff–Weston tidal barrage, 228
 - disadvantages, 229
 - history, 227
 - La Rance, 227
 - Sihwa Lake, 228
 - turbine generators, 238
- tidal range power plants, 226
- tidal stream
 - currents, 242
 - harmonic constituents, 242
 - generation, 226, 242
 - polar plot, 243
 - speed, 243
 - turbulence, 243
 - variation of speed with depth, 245
- tidal stream project development, 246
- tidal stream turbine, 246
 - comparison with wind turbine, 250
 - ducts or shrouds, 247
 - performance, 252
 - rotating kinetic energy, 252
- tides
 - declinational, 230
 - effect of sun, 231
 - Form Factor, 234
 - harmonic constituents, 232
 - example, 233
 - semi-diurnal, 230
 - spring and neap, 232
 - types of, 235
- time value of money, 324
- tip speed ratio (λ), 37
- tonne of oil equivalent, 3
- Torque Coefficient (C_Q), 37
- transformer, 389
- transformer tap changing, 341
- transmission line, 392
- turn-key
 - procurement, 323
- ultimate (elemental composition)
 - analysis, 295
- units of energy, 3
- useful energy from wet biomass, 290
- U -value, 191
- Van der Hoven spectrum, 51
- vertical axis wind turbines, 29
- viscosity, 423
- voltage drop on a circuit, 342
 - P and Q flows, 342
- voltage rise at the connection of a genera-
 - tor, 345
- water hammer, 108
- waterwheels, 73
- wave–particle duality of light, 133
- wave energy resource (UK), 255

wave power generation, 226, 254	wind energy	lift and drag forces, 44
devices, 267	advantages and disadvantages, 26	linear momentum or actuator disk
difficulties, 254	wind farm development, 58	theory, 33
wavelength of light to operate a silicon	wind speed	limitations, 37
solar cell, 134	extreme, 58	noise, 62
waves, 256	variation with height, 54	operation, 28, 40
deep, intermediate depth,	wind structure and statistics, 49	power control, 41
shallow, 258	wind turbine	pitch control, 44
description of, 263	C_p/λ curve, 38	stall control, 44
formation, 254	axial flow induction factor (a), 34	Power Curve, 30
speed of propagation, 257	control	wind turbine rotor, 43
Weibull and Raleigh statistics, 53	variable speed, 46, 47	wind turbines
Weibull parameters, 56	Doubly Fed Induction Generator, 49	history, 26
wind	energy output, 31	offshore, 26
cumulative distribution function,	fixed speed, 38	World Bank, 3, 5
$F(U)$, 52	generator, 40	world population, 2
probability density function, $f(U)$, 52	forces on aerofoil section, 42	
turbulence, 57	Full Power Converter, 47	zenith angle, 133