

Index

- Abelian groups, 251, 419
- accidental degeneracy, 255
- action table
 - AB_2 molecule, 41, 63, 190
 - diatomic molecules electronic states, 195–197, 207
 - graphene energy bands, 369–372, 377, 378, 427, 429
 - H_2O electronic states, 183, 184
 - octahedral complex, 213, 214, 222, 223, 450
 - perovskite energy bands, 281, 285, 286
 - plane wave energy bands, 270, 271
 - squarene electronic states, 170, 172
 - squarene vibrations, 7–9, 23, 169
 - tetrahedral complex, 228, 230, 238, 457, 458
- angular momentum
 - crystal field, 93, 112
 - diatomic molecules, 198, 202, 203, 205
 - double group, 150, 198–199, 202, 203, 205
 - multi-electron systems, 95, 98–100
 - nuclear-shell model, 150
 - operators, 100, 112, 129, 131, 133, 155, 338
 - quantum numbers, 66–67, 93, 100, 112, 135, 140, 150, 198–199, 442, 444
 - rotation group, 67, 85
 - spin, 123, 127, 129–132, 135, 138, 140
 - tensors and vectors (Appendix D), 442, 444
 - time reversal, 337, 338
- antiferromagnetic structures, 346, 351–352
- anti-Stokes transitions, 33
- antisymmetric, 79, 99–100, 181, 427, 428, 443
 - representations, 447, 448
 - functions, 96, 98, 99, 101, 109, 131, 132, 145, 156, 172–174, 195, 445, 447
 - vibration, 32–33, 94
- antiunitary operators, 342, 348–350, 354, 356
- axial vector, 89, 443
- band, *see* energy bands
- basis functions
 - AB_2 molecules, 39–42
 - Bloch-wave states, 254, 259, 261
 - character table, 428
 - co-representations, 353
 - crystal field, 96, 97, 101–103
 - D_{4h} splitting, 273, 302
 - $D_{\infty h}$, 195
 - definition, 423
 - diatomic molecules, 195, 197, 210
 - direct product, 82–85, 98, 99, 428
 - double group, 151
 - 3F ground state, 99, 101, 102, 108
 - generation of (symmetry-function-generating machine), 22, 23, 36, 47, 48, 63, 83, 84, 89, 108, 180, 213, 223, 264, 269, 270, 272, 288, 291, 302, 370, 372, 374, 378, 380, 426
 - graphene, 371, 372, 380
 - half-integer angular momentum, 104, 127, 140
 - H_2O , 182–184
 - hybrid, 167
 - irreducible representation for O group, 451–454, 456
 - irreducible representation for T_d group, 459–461
 - Jahn–Teller, 117, 118
 - Löwdin orbitals, 165
 - multi-electron, 97, 99, 101
 - octahedral complex, 212, 213, 217, 222
 - perovskite (vibrations), 284, 285, 296
 - phonon, 310, 315, 318
 - plane-wave states, 268, 270, 273, 274
 - product wavefunction, 444
 - projection operator, 426
 - rotation group, 66, 71, 74–76, 78, 79, 85, 88, 89, 99, 108
 - space groups, 250, 254, 259
 - squarene (electronic states), 168–171
 - squarene (vibrational states), 5, 7–10, 12, 14, 15, 17, 20, 21, 23–26, 32, 33
 - tetrahedral complex, 229, 233, 238
 - vector model, 97–99
- basis vectors, *see* basis functions
- Bloch theorem, 249–250

- Bloch waves (functions), 249–252, 255, 259, 260, 263, 381
 Brillouin zone, 250
 character, 338–339
 compatibility, 260, 264
 graphene, 368, 375, 379
 lattice vibrations, 283
 plane waves, 264, 268, 270–272
 point-group symmetry, 252–254
 representation by, 255, 259, 263
 space group, 283
 time reversal, 307, 308, 364
 block-diagonal matrices, 15, 21, 22, 26–28, 37, 43, 50, 175, 229, 295, 317, 323, 334, 422
 block-diagonalized secular equation, 175, 184, 198, 213, 238, 288, 290, 297, 302, 320, 322
 bonds, 31, 117, 168, 184, 199, 204, 208, 209, 213, 307, 383, 385, 393, 462
 Bragg condition, reflection, 247, 278
 Bravais lattice, 239–247, 249, 253, 259, 260, 267, 278, 281, 314, 363
 Brillouin zone, 249, 250, 252, 253, 260, 267, 270, 290, 304
 cubic, 248, 260
 graphene, 364, 366, 367, 369, 377, 381, 382, 395, 401
 hexagonal, 247, 257–258, 260, 266, 271, 276, 283–284, 310–313, 318
 nanotube, 390, 395, 396, 398, 399, 401–403, 408
 perovskite, 290, 302
 square, 243
 Cartesian, 5, 9, 31, 305
 cell, *see* unit cell
 center of mass, 29, 45, 64, 315, 326
 character
 C_{4v} group, 16, 19, 22, 23, 32, 248, 262
 crystal field, 96, 107, 108
 crystal double group, 150, 151
 $D^{(I)}$, 75, 76, 85, 121
 definition, 16, 18, 412, 428
 diatomic molecule, 196, 197, 209
 direct product, 11, 79, 82, 96, 97, 446
 graphene, 373, 377, 393
 H_2O , 62, 183, 188
 Herring rules, 345
 inversion, 78, 213
 irreducible representations, 18
 magnetic groups, 350, 357
 non-symmorphic group, 264
 O_h , 78, 79, 88, 108, 211, 261, 273, 287
 octahedral complex, 213, 222, 223, 228
 orthogonality, 16, 18, 20
 perovskite (electronic), 284–286, 289, 291, 293, 296
 plane wave, 270, 272, 273
 projection operator, 427
 rotations, 73, 74
 same class, 423
 similarity transformation, 421, 422
 square (electronic), 183
 time reversal, 342, 344, 345
 character tables
 description of, 427–428
 for all point groups (Appendix C), 430–437
 for nanotubes, 437
 C_2 , 42, 360
 C_{2v} , 187, 297, 310, 320
 C_3 , 346
 C_{3v} , 171, 261, 263
 C_{4v} , 16, 26, 33, 190, 261, 262, 293, 310, 428
 C_5 , 374
 $C_{\infty h}$, 193, 194
 $D^{(1/2)}-D^{(2)}$, 87
 D_2 , 374
 D_4 , 89, 117, 118
 D_{3h} , 376, 377
 D_{4h} , 272, 273
 D_6 , 369, 370
 $D_{\infty h}$, 193–196, 205
 O , O_h groups, 76, 107, 108, 211, 212, 261, 287, 310, 449, 450
 O' crystal double group, 152, 153
 T_d , 229, 456
 chiral nanotubes, 385, 386
 class, 15–18, 73, 75, 81, 85, 151, 170, 215, 246, 251, 257, 280, 286, 361, 417–418, 421, 423, 427, 428, 455
 character of, 17, 20
 definition of, 15
 elements of, 17, 418, 449
 co-representations, 350, 356, 357
 conduction band, 301, 366, 368, 404, 408
 configuration
 bond order, 204
 crystal field, 98, 111
 d^1 , 91, 92, 94, 117, 226
 d^2 , 95, 96, 99, 103, 107, 114–116, 226
 d^3 , 121, 153, 155, 226, 236
 d^4 , 92, 95, 226, 227, 236
 d^5 , d^6 , 94, 227, 236
 d^7 , 236
 d^8 , 107, 227, 236
 d^9 , 94, 95, 117
 d^{10} , 94
 diatomic molecule, 204
 double group, 152, 153
 graphene, 363
 H_2O electronic states, 186
 heteronuclear molecule, 208
 high/low-spin states, 226, 227, 236, 238
 molecular, 199, 201–202, 204, 209, 220
 nanotubes, 391
 octahedral complex, 220
 perovskite energy bands, 300
 spin–orbit interaction, 144, 149

- square electronic states, 179
- Zeeman effect, 155
- conjugate-group elements, 338, 375
- correlation diagram, 179, 192, 201
- covering group, 62, 64, 77, 83, 96, 166, 190, 193, 198, 200, 206, 211, 244, 349, 416, 419, 422, 429
- covering operations, 3, 75, 77, 168, 227
- crystal double group, 150–153
- crystal field, 90, 93–96, 99, 152, 153, 211, 222
 - potential, 92, 103–105, 109
 - splitting, 91, 107, 109, 120, 153, 219, 260
- cyclic groups, 419, 428
- decomposition
 - of a representation, 14, 15, 17, 20–22, 27, 28, 35, 36, 42, 43, 75, 79, 83–85, 96, 108, 117, 118, 121, 125, 132, 140, 144, 145, 151–153, 170, 172, 183, 184, 213, 231, 260, 270–273, 287, 288, 291, 293, 297, 311, 315, 321–323, 370, 371, 374, 378
 - of a tensor, 442–444, 447–448
- degeneracy, 27, 90, 116, 148, 154, 198, 221, 263, 268, 271, 275, 340, 342, 344–346, 357, 408
 - accidental, 254
 - energy bands, 396
 - time reversal, 99
- diagonal matrix, 21, 23, 26, 40, 47, 50, 52, 109, 171, 176, 224, 244, 266, 271, 288–290, 295, 331, 413, 414
- diagonalization of a matrix, 2, 43, 198
- diamagnetic, 226, 238, 347, 348
- dimensionality of a representation, 19, 72, 354, 362, 412, 425
- Dirac
 - points, 368, 381, 401, 408
 - relativistic quantum theory, 139
- direct product, 76–83, 89, 96–98, 108, 119, 120, 140, 144, 145, 157, 193, 202, 205, 252, 259, 283, 369, 413, 419, 428, 442, 445, 447, 449
- double groups, 150–153, 346
- double-valued representation, 87
- effective mass, 368, 382
- eigenvalues, 1–2, 21, 26–31, 39, 43, 52, 99–102, 105, 107, 113, 114, 124–125, 129, 130, 136, 139–143, 145, 156, 165, 167, 175, 176, 179, 185, 189, 191, 194, 206, 213, 219, 232, 235, 244, 266, 288, 295, 296, 306, 312, 319–321, 327, 329, 330, 333, 340, 381, 412, 413, 422
- eigenvectors/eigenfunctions, 23, 27, 32, 37, 46, 48, 64, 111, 126, 184, 198, 293, 312, 323, 332, 342, 375, 413
- electric-dipole transition, 187, 205, 237
- electron, 86, 94, 107, 113, 117, 123, 126, 144, 187, 190, 199, 201, 203, 215, 220, 225–227, 231, 236, 241, 265, 276, 277, 301, 341, 368, 383
 - crystal-field splitting of, 90, 91, 93, 96, 98, 109
 - electron–electron interactions, 103, 107–109, 159, 280
- lone pair, 184
- multi-electron systems, 66, 74, 82, 95, 96, 98, 129–131, 138–140, 143, 153, 158–160, 171, 181, 195, 339, 340
- one-electron approximation, 66, 74, 82, 282, 338, 339
- spin, 123, 125, 129, 131, 138–139, 143, 144
- two-electron wavefunctions, 82, 96–101, 103–105, 132, 447
- empty-lattice approximation, 266, 276
- energy bands, 243, 244, 254, 260, 262–264, 266–270, 272–282, 284, 286, 294, 296–303
 - bcc, 278
 - cubic, 362
 - degeneracy, 268, 272, 275, 278, 345, 396–398
 - graphene, 363–368, 382, 393
 - LCAO or tight-binding, 291, 293, 304, 320, 363
 - LDA, 299–300
 - nanotube, 393–400, 403–409
 - theory, 261, 280
 - time reversal, 342, 344
 - wavefunctions/states, 275, 288, 290–291, 294
- equivalent
 - atomic sites, 77, 285–287, 289, 314, 318, 334, 372, 378
 - electrons, 98, 136, 145–149, 156, 294, 296, 442–447
 - groups, 4, 347
 - irreducible co-representations, 356
 - irreducible representation, 15, 252, 372, 423
 - oxygen sites, 228, 290, 322
 - representations, 12, 121, 356, 362, 423, 424
 - wavevectors, 253–254, 256, 258, 261, 272, 283, 290, 345, 364, 368, 369, 372, 375
- Euler angles, 72
- even modes, 34
- exclusion principle, 96, 98, 99, 145, 150, 221
- face-centered cubic, 247–249, 276, 278, 313
- factor group, 259, 418, 419
- faithful representation, 421
- Fermi, 150, 366, 382
- ferromagnetic, 346, 359
- force constant, 40, 50, 54, 59–60, 305–307, 327
- Frobenius–Schur test, 357, 359, 361, 362
- full rotation group, 66, 68, 71, 75, 85, 442–444
 - representations of, 71, 85, 87, 444
- glide plane, 246, 350
- group, 11, 32, 73, 117, 168, 169, 182, 263, 270, 289, 290, 295, 296, 302, 310–312, 314, 318–321, 325, 345, 350, 353, 355, 356, 362, 368–370, 372–374, 377, 382, 389, 417, 420–428, 438–441, 445, 450–452, 456, 457
- Abelian, 251, 419
- classes of a , 15, 18
- covering, 62, 63, 77, 83, 96, 166, 190, 193, 198, 200, 206, 211, 227, 244

- cyclic, 251, 252, 419, 428
 definition/properties of, 4, 5, 15
 direct-product, 76, 79, 81, 82, 96
 double, 150–153
 elements of a , 4, 8, 10, 16, 17, 33, 38, 41, 68
 factor, 259, 418
 full rotation, 66, 68, 71, 75, 85, 87
 inversion, 77, 78
 magnetic, 337, 346–351, 357–359, 361
 multiplication table, 8, 10, 16, 37
 octahedral, 74–77, 79, 83–85, 88, 99, 108, 117, 121, 151, 152, 211, 212, 221, 224, 259, 260, 361, 449
 operators, 7, 10, 15, 19, 21, 38
 order of, 10, 171, 362, 415, 418, 423
 point, 3, 12, 17, 39, 245, 252, 259, 346, 348, 349, 351, 353, 356, 357, 393, 415, 430, 462–464
 representations of a , 12, 443
 rotation, 70, 95, 97, 127, 150, 151
 space, 239, 241, 244–246, 252–260, 264, 268, 269, 280, 282, 304, 333, 342–344, 346, 353, 357, 362, 393, 415
 symmorphic, 249, 250, 252, 255, 258, 259
 theory, 1, 2, 4, 10, 14, 17, 18, 20, 29, 30, 34, 39, 79, 88, 95, 98, 156, 165, 200, 386
 tetrahedral, 455
 of the wavevector ($\mathbf{g}_k$), 253–255, 258–261, 264, 269, 271, 279, 283–384
- Hamiltonian, 15, 75, 76, 79, 82, 83, 91, 95, 158, 337–344, 423
 atomic, 282
 crystal-field, 91, 109
 effective, 382
 eigenfunctions of, 249, 254
 electronic, 245
 group of, 82, 96, 98
 Hartree–Fock, 161, 162
 hydrogen-like, 93, 98, 129
 many-electron, 339
 matrix elements of, 163–165, 174–177, 189, 194, 198, 206, 244
 molecular, 198
 one-electron, 66, 282, 338, 339
 perturbation, 209
 spin–orbit, 338
 spinless, 343
 two-electron, 96, 103, 108
 Hartree–Fock equations, 159–160
 Hermitian, 21, 27, 29, 35, 37, 83, 309, 341, 410, 412
 adjoint, 412
 matrix, 309
 hole, 92, 95, 107, 117, 368
 homomorphic, 421
 Hund’s rules, 98, 99, 107, 120, 204, 210, 222, 223, 225, 226, 237
 hybrid orbitals, 167, 168, 217, 232
 hydrogen, 39, 54, 123, 140, 157, 183–185, 208, 381
 angular symmetry of orbitals, 161
 hydrogen-like orbitals/hydrogenic orbitals, 130, 161, 167, 193
 improper rotation, 416
 inequivalent
 carbons, 384, 385
 electrons, 145, 304
 irreducible representations, 72, 356, 362, 423, 424
 wavevectors, 256–257, 364, 368, 382, 404, 405
 integral
 Green’s function, 331
 interaction, 162, 178, 215, 217, 233
 overlap, 162–164, 167, 179, 189, 191, 215, 233, 237, 238, 289, 291, 382
 internal coordinates, 5, 31
 invariant, 96, 111, 238
 under full rotation group, 66, 95, 443
 under $\mathbf{g}_k$, 270, 283–284, 369, 372
 under inversion, 172, 203
 under O_h , 296, 314
 under point group, 253, 415
 under reflection, 203, 243
 under similarity transformation, 412, 413
 under space group, 245, 320
 under subgroups, 346–349, 351, 353, 356–360, 362, 416–418
 under time reversal, 346
 under translation, 241, 249, 263, 346
 inverse, 5, 10, 16, 26, 70, 167, 245, 254, 316, 331, 409, 411, 412, 415, 416, 419, 421, 422, 424
 inversion, 4, 33, 34, 66, 77–79, 89, 94, 99, 100, 114, 117, 168, 172–174, 180, 195, 196, 199, 203–206, 213, 227, 245, 272, 302, 310, 337, 343–346, 350, 358, 369–372, 377, 392, 393, 415, 416, 421, 427–428, 462–464
 irreducible
 representations, 14, 17, 22, 25, 42, 72, 197, 198, 268, 310, 360, 362, 450, 457
 tensors, 442, 444
 isotope, 3, 327, 328, 331–333
 isotopic substitution, 54, 56, 58
- Jahn–Teller effects, 116
- Koopman’s theorem, 160
- lattice, 241, 243, 249–255, 259, 262–264, 278, 280–285, 290, 294, 295, 299, 302, 304, 305, 307, 309–313, 317, 320, 322, 327–331, 333, 336, 350, 358, 378, 380–382, 384–387, 390
 Bravais, 239, 241, 242, 259, 260, 312
 reciprocal, 243–244, 246–247, 252–254, 257, 258, 265–268, 276, 277, 283, 335, 343–345, 363, 364, 368, 376, 389, 395, 399, 401, 402, 408
 LCAO method, 161, 162, 282, 290
 longitudinal, 311–313, 317, 319, 334–336, 375

- magnetic, 67, 72, 74, 75, 90, 100, 112, 138, 150,
 153–155, 226, 280, 337, 338, 341–344, 346–350,
 353, 356–359, 361, 367, 444
 matrix elements, 2, 10, 21–23, 27, 28, 34, 43, 50–55,
 58, 60, 79, 83, 84, 88, 89, 99, 103–104, 109, 111,
 113, 114, 120, 127, 129, 139, 161–165, 171, 174,
 176, 179, 185, 189, 206, 215, 224, 237, 238, 255,
 259, 270, 271, 275, 283, 289, 294, 296, 306, 309,
 312, 317, 319, 327, 335, 336, 361, 371, 413, 422,
 425, 426
 matrix representations, 8, 10, 41, 80, 81, 85, 170, 421
 Miller indices, 277
 mirror plane, 257, 350, 392, 464
 molecular, 9, 59, 158, 182, 183, 211, 223, 327, 361
 bond, 163, 168, 179, 185, 222
 complex, 90, 116, 227, 228
 configurations, 192, 199–201, 204, 209, 210, 227
 Green's function, 52–54
 orbitals, 192, 193, 198, 199, 202, 209, 210,
 219–222, 225, 236, 237
 state/level, 32, 159, 161, 171, 179–181, 185–188,
 190, 192, 193, 195, 198–203, 205, 209–210, 212,
 213, 219–221, 224, 225, 233, 236–238, 282, 429
 vibrations, 1–3, 5, 15, 23, 29, 32, 35, 40, 52, 53,
 165, 219, 304, 429
 nanotube, 363, 383–407
 curvature and energy gap, 406, 407
 density of states, 403–406
 energy bands, 393–401
 metallic and semiconducting, 401
 Néel temperature, 358
 neutron scattering, 313, 317
 normal divisor (factor subgroup), 347, 418
 normal modes of vibration
 AB₂ molecules, 39, 44–51, 53
 AB₃ molecules, 64
 crystalline solids, 304–328
 graphene, 370–381
 infrared-active, 31, 34, 42
 parity, 32
 Raman-active, 33
 squares, 1–30
 octahedral complex
 correlation diagram, 115
 d^1 crystal-field theory, 90
 d^2 crystal-field theory, 94
 d^4 splitting of energy levels, 117
 e_g – t_{2g} splitting, 76, 94
 high- and low-spin states, 226
 Jahn–Teller effects, 116
 ligand-field theory, 211
 octahedral group (O and O_h), 74–77, 83, 361,
 449–454
 action table, 450
 character table, 449
 elements and operators, 449
 optical
 infrared absorption, 31–34, 42, 314
 modes, 316–317, 324, 326, 333
 properties, 31, 158, 301
 Raman scattering, 33, 34, 43, 84
 optical modes of vibration
 optical branches, CsCl structure, 314, 327
 optical branches, graphene, 372
 optical branches, perovskite structure, 320
 order
 bond order, 204, 205
 group, of, 10, 170, 415, 418
 levels of a transition-metal complex, 235
 magnetic, 346–350
 molecular levels, 222
 orthogonal/orthogonality of
 atomic/atomic-like orbitals, 93
 characters of different irreducible representations,
 16, 423
 Löwdin orbitals, 166
 matrix elements between different irreducible
 representations, 21, 111, 275
 matrix elements of different irreducible
 representations, 423–425
 orthonormal vectors, 411, 413
 overlap integral/matrix, 162–167, 174, 176, 179, 189,
 191, 194, 198, 215, 233, 237, 238, 289, 291, 382
 oxygen
 ABO₃ phase factor, 285, 286
 atoms, 183, 185
 bands in perovskites, 299–301
 H₂O molecules, 184
 LCAO interactions, 294
 π and ζ orbitals, 286, 287
 sites in perovskites, 190, 191
 paramagnetic, 226
 type II magnetic group, 347
 type III magnetic group, 348
 parity, 32, 94, 150, 199, 261, 447
 partner basis functions, 173, 343, 375, 426
 Pauli, 155
 exclusion principle, 96, 98, 99, 145, 150, 159, 221
 spin matrices, 123–128, 130, 339, 382
 periodic boundary conditions, 239, 245, 251, 264,
 381, 389
 point groups
 basic theory (Appendix B), 415
 character tables (Appendix C), 430
 covering group, 3, 62, 64, 415, 416, 419, 420, 422,
 429
 irreducible representation, 12–20, 42, 72, 127
 irreducible representations for O , O_h (Appendix
 E), 449
 irreducible representations for T , T_d (Appendix F),
 455
 polarizability, 33, 317
 primitive

- lattice vector, 239–243, 246–248, 251, 276, 277, 363, 364, 384–386, 390, 391
- reciprocal-lattice vector, 246–248, 257, 276, 277, 363
- projection operator, 22, 426–427
- proper rotation, 66
- quantum
 - coupling of two systems, 442
 - phonon, 304
 - probability, 32, 33
 - theory, 126, 139, 304, 341
 - tunneling, 118
- quantum numbers, 66, 72, 82, 93, 100, 112, 122, 422, 442, 444
 - diatomic molecules, 198
 - j – m_j coupling, 140, 141
 - L – S coupling, 130, 135
- rearrangement theorem, 38, 345, 417, 418
- reciprocal lattice, 243–244, 246–249, 343, 344
 - body-centered cubic, 247, 276, 278
 - Brillouin zone, 247
 - energy bands, 265–268
 - face-centered cubic, 248, 278
 - graphene, 363, 364, 366, 372, 389
 - Herring rules, 345
 - hexagonal, 247, 248, 257, 259, 276
 - nanotube, 395, 401, 402, 408
 - simple cubic, 248, 276, 277, 284, 335
- representations
 - C_{4v} , 9–11, 126, 318, 428, 431
 - character of, 16, 17, 170
 - compatibility, 260
 - constructing, 8–12
 - co-representation, 350–357
 - D_{4h} , 116, 272, 363
 - decomposition of, 13–15, 27, 28, 42, 75, 76, 83–84, 173, 183, 191, 213, 229, 269, 286–287
 - dimensionality, 423–424
 - direct product, 76, 79–83, 96, 97, 121
 - equivalent, 4, 9, 12, 72, 121, 211, 252, 356, 423, 425
 - faithful, 421
 - full rotation group, 68–72, 85
 - half-integer, for, 86, 127, 130, 150–152, 359
 - irreducible, 12, 17, 22, 25, 47, 75, 197, 198, 268, 315, 360, 362, 450, 453
 - matrix, 8–12, 19, 41, 85, 170, 195, 250, 421
 - non-symmorphic, 264
 - number and type of irreducible representations, 15–19
 - O and O_h , 310, 450–454
 - orthogonality, 17–20, 423–425
 - perovskite, 284
 - plane-wave, 265–267
 - regular, 37–38
 - reducible, 12–15, 72
 - space group, 258, 268
 - symmorphic group, 255
 - T_d , 459–461
 - unitary $D^{(l)}$ matrices, 72–86
- rotation group, 66–72, 75
 - characters of a rotation, 76
 - decomposition, 97
 - representations of, 70, 71, 85, 87, 127, 446–448
- Russell–Saunders coupling (L – S coupling), 95, 96, 99, 129–132, 135
- scalar
 - constant, 2, 35, 41
 - operator, 125, 253
 - product, 18, 125, 341, 394, 410, 411, 444
 - tensor, 442–444
- Schrödinger equation, 123, 150
- Schröfnlies notation, 350
- Schur's lemma, 424, 425
- screw
 - axis, 246, 350
 - operation, 391, 392
 - rule, 422, 449
- selection rules, 33–34, 82–85, 94, 113, 205, 302, 312, 443
- similarity transformation, 12–16, 19, 21, 26, 29, 30, 50, 165, 227, 316, 421–423
- simple cubic lattice, 262, 266, 269, 283, 309, 310, 312
- singularity, 332, 405, 406
- Slater determinant, 74, 98, 101, 106, 107, 121, 131, 159, 161, 182
- space groups, 239, 242, 244–246, 248, 249, 268, 282, 304, 333, 342, 343, 346, 353, 358, 369, 391, 393, 415
 - definition of, 244
 - non-symmorphic, 246, 264
 - symmorphic, 246, 249, 252, 255, 258, 283
- spherical harmonics, 67, 76, 85, 88, 104, 119, 121, 150, 158, 161, 443
- spin–orbit
 - Hund's rules, 98, 99
 - interaction, 67, 138–140
 - j – j states, 95, 143–149
 - j – m_j states, 140
 - L – S states, 129
 - molecular orbitals, 199
 - nuclear-shell model, 149
 - splitting, 140
 - time reversal, 338–340
 - Zeeman effect, 153
- spinors, 124, 125, 127, 129
- square, 1–3, 6, 7, 11, 15, 16, 20, 22–23, 26, 28–30, 32, 33, 36, 38, 68, 168–171, 175, 179, 180
- star of the wavevector (of $\mathbf{k}$), 255–258, 261
- Stokes transition, 33
- subgroup, 246, 250–256, 258–260, 267, 283, 346–349, 362, 416, 418
 - factor group, 259, 418

- invariant, 346–349, 351, 353, 356–358, 360, 362, 417–418
- symmetry-function-generating machine
 - crystal field, 108
 - direct product, 84
 - graphene, 370, 372, 375, 378, 380
 - H₂O, 46, 49
 - LCAO model, 181
 - octahedral complex, 215, 223
 - perovskite energy bands, 288
 - plane wave, 269, 270
 - projection operator, 426, 427
 - space group, 264, 272, 288
 - square, 22, 23
 - tetrahedral complex, 231
- tensor, 33, 83, 442–448
- tetrahedral
 - group, 455–461
 - splitting in crystal field, 235
- time-reversal symmetry
 - antiunitary operators, 342
 - band theory, 342–345
 - C₅, 428
 - co-representation, 350
 - external field, 341
 - Frobenius–Schur test, 357
 - Herring test, 344–346
 - Kramers' theorem, 427–428
 - magnetic group, 346–352
 - MnF₂, 357–358
 - operator, 338–342
 - partners, 375
 - quantum systems, 337–340
- trace of a matrix, *see* character
- transformation
 - AB₂ molecule, 50, 51, 60
 - ABO₃, 323
 - Bloch waves, 272
 - graphene, 370
 - inversion, 240
 - LCAO model, 165, 176, 180
 - matrices, 421
 - point group, 421–423
 - rotation group, 66, 69
 - similarity, 121, 412, 413
 - spin, 128, 145
 - square, 12–16, 19, 21, 26, 30
 - tensor, 443, 444
 - time reversal, 354
 - two atoms per unit cell, 316
- translation
 - AB₂ vibration modes, 43, 44, 49
 - perovskite vibration modes, 323, 325
 - space-group operations, 241, 244–246
 - square electronic states, 170
 - square vibration modes, 2, 23–33
- unit cell, 239, 241, 243, 247, 262, 266, 276, 280–282, 284–286, 289–292, 295, 296, 298, 301, 302, 304–312, 314–315, 320–322, 324, 327, 333, 334, 336, 358, 363, 364, 371, 375, 376, 384, 386, 389, 392–393, 401, 404, 429
- unitary
 - co-representations, 353–357
 - Hamiltonian, 166
 - magnetic group, 346–349
 - matrices, 12, 59, 330, 356, 362, 412, 413, 421, 423, 425
 - rotation group, 85
 - time reversal, 337, 341–342
- valence
 - graphene bands, 364, 366, 408
 - H₂O states, 186
 - ML₄ complex, 228
 - nanotube bands, 383, 396–398, 400, 401, 405, 407
 - perovskite bands, 300–301
- variational principle, 159
- vector
 - angular momentum, 86, 95
 - basis, 21
 - displacement, 2, 5–9, 21–23, 26, 40, 41, 44–45
 - electric dipole, 32
 - inversion, 77
 - normalized, 24
 - orthogonal, 17–20, 25, 31
 - rotation group, 68, 70–73
- vibrations (lattice vibrations)
 - axially symmetric model, 307–308
 - eigenvalue equation, 305
 - graphene, 369–381
 - localized modes, 327–337
 - perovskites, 320–327
 - simple cubic crystal, 314
 - two atoms per unit cell, 316–320
- vibrations (molecular vibrations)
 - AB₂ molecules, 39–52
 - isotopically substituted AB₂ molecules, 52–60
 - isotopically substituted H₂O molecules, 60, 61
 - square, 1–34
- water (H₂O molecule)
 - force constants, 61
 - isotopically substituted vibrational frequencies, 60
 - vibrational frequencies, 61
- Zeeman effect, 153–155