

Index

- access policy, *see* sensing and access policy
- ADC, 21
- alphabets
 - input/output, 56
- antennas, 20
 - frequency reconfigurable, 20
 - narrowband, 20
 - radiation pattern reconfigurable, 20
 - wideband, 20
- autocorrelation function, 122, 125, 126, 131
 - cyclic, 162
- autocorrelation-based detection, *see* detection, distributed detection
- automatic-repeat-request, 54
- awareness
 - location, 242
 - situational, 184–186
- bandit problems, 220–227, *see also* reinforcement learning
 - arm-acquiring multiarmed bandit problems, 222–223
 - contextual bandit problems, 222–223
 - goal (objective function), 221
 - multiarmed bandit problems, 220–227, 246
 - Gittins index, 221, 223
 - multiarmed bandit problems with availability constraints, 222–223
 - multiarmed bandit problems with dependent arms, 222–223
 - multiarmed bandit problems with multiple plays, 222–223
 - multiarmed bandit problems with side observations, 222–223
 - multiarmed bandit problems with switching penalties, 222–223
 - one-armed bandit, 220
 - regret, 221, 225–227, 235
 - restless multiarmed bandit problems, 222–227
 - indexable, 223, 224
 - Whittle index, 223–225
 - upper confidence bound (UCB), 226
- bandwidth exchange, 26
- Bayesian detection, *see* detector, distributed detection
- Bellman equation, 215
- Bellman optimality equation, 215, 228
- binning, 86, 88
- bits
 - per channel use or dimension, 56
- capacity, 55
 - AWGN channel, 56
 - ergodic, 49, 58
 - multiuser channels, 59
 - outage, 49
 - overlay channel, 89
 - parallel set of channels, 57
 - per unit energy, 54
 - pre-log, 53
 - random-switch channel, 81
 - region, 48, 60, 62
 - cut-set bound, 61, 62, 64
 - sum-rate, 61, 66
 - sum-rate point, 52
 - scaling laws, 51, 62
 - Shannon, 48
 - versus outage probability, 50
- channel
 - broadcast, 48
 - cognitive radio, 52
 - downlink, 48
 - interference, 51
 - memoryless, 55
 - MIMO, 57
 - model
 - inaccurate, 174
 - spatial, 144
 - multiple access, 48
 - multiuser, 48
 - point-to-point, 47
 - random-switch, 80
 - relay, 51
 - state, 49
 - time-varying, 49
 - uplink, 48

- with random interference state, 87
- with random state, 87
- codebook, 43
 - Gaussian, 67
- codes
 - structured, 68
- codeword, 60
- cognitive radio bands, 4
 - cellular, 5
 - fixed wireless access, 5
 - UHF, 4
- coherence
 - bandwidth, 132
- common information, 91
- constraint
 - average received power, 71
 - interference, 71
 - received peak power, 71
 - spectral mask, 71
- convergence, 7
- cooperation, 88
- cooperative detection, *see* distributed detection
- CORNET, 32
- correlation
 - distance, 111, 112, 122, 136
 - function, 112
 - time, 122
- cost
 - per-symbol, 70
- cost function, 70
- cross-layer design, 30
- cross-pol discrimination, 139
- curse of dimensionality, 215
- cyclostationarity, 162
 - wide-sense, 162
- cyclostationarity-based detection, *see* detection, distributed detection
- DARPA XG program, 31
- data sequence, 59
- DDIR, 138
- decoding error, 60
- decoding function, 60
- degrees of freedom, 53
- denial-of-service attacks, 18
- detection, *see also* distributed detection, quickest
 - detection, sensing, sequential detection
 - autocorrelation-based, 163, 169
 - coherent, 160, 178
 - with pilot tone, 161
 - cyclic prefix, 170
 - cyclostationarity-based, 161, 162
 - energy, 216, 218, 220
 - sliding window, 170
- detector
 - cyclostationarity-based, 173
 - nonrobust, 171
- optimization, 155
 - Bayesian criterion, 155
 - generalized likelihood-ratio test, 157
 - likelihood-ratio test, 156
 - minimax criterion, 155, 156
 - Neyman–Pearson criterion, 155, 156, 167
 - robust, 171
- DHCP, 16
- dirty paper coding, 44
- dispersion
 - angle, 105, 134
 - angular, 136
 - delay, 105, 127, 128
 - models, 141
 - frequency, 127
 - models, 142
- distributed detection, *see also* detection, fusion
 - rules, quickest detection, sensing, sequential detection
 - autocorrelation-based, 196
 - bit-error probability (BEP) wall, 201–202
 - centralized, 189
 - cyclostationarity-based, 196–199
 - decentralized, 189–192
 - energy, 188, 194–196, 205, 206, 217
 - fusion center, 189–190
 - optimization
 - Bayesian criterion, 192
 - Neyman–Pearson criterion, 191, 193, 201
 - quantization, 200–202
 - reporting-channel errors, 200–202
 - spatial diversity order, 188
 - topology
 - ad hoc configuration, 190
 - parallel, 190–192
 - serial, 190
 - tree, 190
- distribution
 - chi-square, 158
 - noncentral chi-square, 158, 176
- diversity, 53
 - gain, 53
- diversity versus multiplexing tradeoff, 53
- DOA, 135, 139
- DOD, 135, 139
- Domain name service, 14
- Doppler
 - frequency, 123–125
 - spectrum, 104, 122, 123, 125–127, 130
 - spread, 104
- DPC, 87, 88, 90, 92
- DSA, 2, 9
- dynamic programming, 210, 213–216, 219, 246, *see also* reinforcement learning
 - value function, 214

- optimal, 215
- encoder
 - cognitive, 85, 86, 88
- encoding
 - Markov block, 88
- encoding function, 60
- energy
 - energy–rate tradeoff, 54
 - minimum per-bit, 54
- energy detection, *see* detection, distributed detection
- energy scaling law, 54
- erasures, 79
- exploitation vs. exploration dilemma, 227
- fading, 152
 - multipath, 102, 119
 - Nakagami, 121
 - Rayleigh, 119–121
 - shadow, 110, 111, 113, 114
 - small-scale, 103, 105, 118, 119, 122, 123
 - temporal, 122, 123
- false alarm, 79, 185, 191, *see also* probability
- feature detector, 157
- field strength, 118
- frequency
 - correlation function, 131
 - cyclic, 162, 163
- frequency reuse, 51
- FTTH, 11
- function
 - autocorrelation, 162, 196
 - cyclic, 162
 - Euler’s Gamma, 158
 - Gaussian tail, 160, 161, 196
 - generalized Marcum Q , 159, 176
 - incomplete Gamma, 158
 - Kronecker delta, 221
 - modified Bessel, 159
- fusion rules, *see also* distributed detection
 - belief propagation (BP), 193
 - Boolean rules, 192
 - Dempster–Shafer theory, 193
 - generalized likelihood ratio test (GLRT), 193, 197
 - K -out-of- N rule, 192, 193, 201, 202, 206
 - AND rule, 192, 193
 - MAJORITY rule, 192, 193
 - OR rule, 192, 193, 201
 - likelihood ratio test (LRT), 191–192
 - selection combining, 194, 197
 - weighted linear combining, 193–196
 - equal gain combining (EGC), 188, 194
 - maximal ratio combining (MRC), 194
- gain
 - antenna, 114
- reduction factor, 114
- game theory, 237–242
 - auction games, 241
 - second-price sealed-bid auction, 241
 - cooperative games, 237, 239–241
 - coalitional games, 239–241
 - core, 240
 - grand coalition, 239
 - noncooperative games, 237–239
 - Nash equilibrium, 238, 239
 - normal form game, 237
 - stochastic games, 230, 241–242
 - strategic game, 237
 - strategy, 237
- Gelfand–Pinsker
 - encoding, 86–88, 91
 - problem, 87
- geolocation, 242
- global control plane, 14
- impulse response
 - double-directional, 135, 136
- interference
 - PSD, 43
 - strong, 65, 89
 - temperature, 43
 - threshold, 43
 - very strong, 66
 - weak, 66, 89, 90
- interference alignment, 68, 92
- interference cancellation, 88
- interference channel
 - AWGN, 65
 - K -user, 63
 - two-user, 52
- interference channels, 68
- interference constraint
 - average power, 75
- interference temperature, 151, 152
- interweave, 45, 68
 - paradigm, 45
- interweave channel
 - capacity versus outage, 83
- interweave network
 - capacity region, 77
 - scaling laws, 83
- interweaving, 105, 150, 184
- KNOWS, 33
- KUAR, 32
- last mile problem, 11
- location awareness, *see* awareness
- M2M communications, 10
- MAC protocol, 46, 68, 77, 78

- Markov decision process (MDP), 214, 227
 - partially observable Markov decision process (POMDP), 225
- medium access
 - time-sharing, 77
- medium access control, 42
- MEMS technology, 21
- message, 43, 60
- MIMO, 134, 138
- missed detection, 79, 185, 191, *see also* probability
- moment space, 174
- moment-bound theory, 174
- multicasting, 50
- multihop routing, 51, 63
- multipath
 - components, 119, 120, 122, 127, 129–131, 133–136, 138
- multiplexing, 53
 - gain, 53
- mutual information, 55

- Nakagami
 - pdf, 121
- Nakagami m -factor, 121
- Neyman–Pearson detection, *see* detector, distributed detection
- noise
 - nonwhite, 164
- null space, 45

- OFDM, 22, 104, 166
 - noncontiguous, 23
 - PAPR, 24
 - spectrum sensing with, 166
- opportunistic communication, 45
- overlay, 43
 - paradigm, 43
- overlay channel
 - two-user, 86
- overlying, 104, 105, 150, 184

- parallel channels, 59
 - interference, 68
- path loss, 102, 105, 107, 112, 113, 118, 120, 121, 123
 - exponent, 109
 - free-space, 105, 107, 114
 - median, 109, 111, 112
 - models, 108, 113, 115, 141
- performance
 - metrics, 48
 - region, 52
- phase uncertainty, 92
- polarization, 105, 138
- power
 - delay profile, 104, 130
 - gain, 106
 - median, 109
 - spectrum
 - angular, 136
- precoding against interference, 86, 87, 92
- primary exclusive region, 84
- probability
 - of correct detection, 154
 - of false alarm, 154, 159, 160, 192, 195
 - of missed detection, 154, 159, 160, 192, 195
- probability of error, 60
- process
 - cyclostationary, 166
 - wide-sense cyclostationary, 162

- quickest detection, 207–212
 - Bayesian, 207–209
 - cooperative, 210–212
 - cumulative sum (CUSUM) test, 207
 - Shiryayev–Roberts (SR) stopping rule, 209
 - Shiryayev–Roberts–Pollak (SRP) stopping rule, 210
 - SR- r stopping rule, 209

- rate
 - achievable, 60
- rate-splitting, 67, 88, 91
- Rayleigh
 - pdf, 119
- receiver operating characteristic (ROC), 170, 188, 195
- reinforcement learning, 227–237, *see also* bandit problems, dynamic programming
 - Q -learning, 229–231, 234–236
 - action selection
 - ϵ -greedy algorithm, 229–231
 - softmax, 229, 234
 - action-value function, 228, 229, 237
 - optimal, 228
 - goal (objective function), 221, 228, 230–231
 - off-policy algorithm, 229
 - on-policy algorithm, 229
 - Sarsa, 229, 230, 235
 - value function, 214
 - optimal, 215
- Rice
 - K -factor, 104, 121, 122, 141
 - temporal, 122
- factor, 120
- pdf, 120, 121

- sensing, *see also* detection, sensing and access
 - policy
 - autocorrelation-based, 153
 - coherent, 153, 172
 - cooperative, 80, 151, 153

- malicious users, 207
- cyclostationarity-based, 153
- energy, 153, 157, 171, 176
- energy-efficient, 188, 198–200
 - censoring, 198–200
- maximizing throughput, 211, 214–220
- passive primary receivers, 243
- periodicity, 151
- time, 154, 160, 170
- sensing and access policy, 185–186, 193, 212–213
- multiuser
 - auction games, 241
 - cooperative game theory, 240–241
 - multiagent reinforcement learning-based, 234–237
 - myopic (greedy), 225
 - noncooperative game theory, 238–239
 - restless multiarmed bandit-based, 225–227
 - single-agent reinforcement learning-based, 231–232
- single-user
 - dynamic programming-based, 210
 - myopic (greedy), 224–225
 - partially observable Markov decision process (POMDP), 225
 - restless multiarmed bandit-based, 223–226
 - single-agent reinforcement learning-based, 232–234
- sequential detection, 203–207
 - Bayesian, 205
 - composite hypotheses, 204–205
 - cooperative, 205–207
 - decentralized sequential probability ratio test (D-SPRT), 205
 - M -ary sequential probability ratio test (MSPRT), 206
 - sequential probability ratio test (SPRT), 203–205
 - truncated test, 205, 206
 - weighted sequential probability ratio test (WSPRT), 207
- shadowing, 152
- side information, 41, 46
 - network, 41, 46
- situational awareness, *see* awareness
- SNR
 - low-SNR regime, 68
- spatial diversity
 - in spectrum sensing, 187–188
- spectral density
 - cyclic, 162
- spectral mask, 43, 69
- spectral opportunity, 184–187, 202, 213, 234, 235, 241
- spectral pooling, 78
- spectrum
 - agility, 2, 4
 - allocation, 1, 5, 29, 31
 - broker, 16
 - coexistence, 3, 25, 28
 - governance, 1, 5, 6
 - hole, 4, 9, 19, 20
 - policy, 2, 5
 - pooling, 26
 - property rights, 6
 - sensing, 3, 18–20, 28, 33, 35, 150
 - servers, 15, 29
 - space, 150
 - utilization, 1, 5, 18, 31
- spectrum hole, 45, 184
- spread
 - angular, 134, 136, 137
 - delay, 131, 132, 137
- spread spectrum, 43
- structured codes, 92
- superposition coding, 67, 88, 89, 91
- supervised learning, 227
- two-switch model, 80
- ultra-wideband, 43
 - systems, 129
 - channel, 130, 133
- underlay, 42
 - paradigm, 42, 69
- underlay channel capacity
 - AWGN, 72
 - ergodic, 74
 - MIMO, 73
- underlying, 105, 133, 150, 151, 184
- unsupervised learning, 227
- usage scenario, 3
 - interweave, 3, 4
 - underlay, 4
- user hierarchy, 3
 - capable users, 3
 - primary users, 3
 - secondary users, 3
- USRP, 31
- vehicle-to-vehicle
 - propagation, 139
- WARP, 32
- waterfilling, 57
- white space, 3, 4, 45
- wireless
 - fixed, 113, 122, 123, 126, 127
 - sensor networks, 140
- wireless network, 47
 - ad hoc, 48
 - two-tier, 48