

---

## Index

- alignment of origin, mode, mean 140, 178
- applications to
- clinical trials 225
  - data confidentiality 185
  - econometrics 89–93, 122, 185, 224
  - environmental risk 186
  - film returns 119
  - finance 101, 119, 158–160, 163, 186, 223–224
  - flow cytometry 222
  - hydrology 186
  - income distribution 53
  - industrial statistics 225
  - insurance 159
  - medical statistics 222, 225, 227–229
  - pharmacokinetics 160
  - social sciences 89–90, 128, 185, 217
  - soil study 160
- asymmetric Subbotin
- distribution 98–101, 116
  - multivariate 213
  - statistical aspects 101, 105–108
  - type I 101, 119–120, 123, 213
  - type II 101
- autoregressive process
- linear 222
  - threshold 43, 223
- Balakrishnan distribution 201–202
- base density 9, 12, 17, 18, 168
- bivariate Beta 23
  - bivariate normal 4, 7, 15
  - definition 2
  - elliptical 171, 175
  - Laplace distribution 95
  - multivariate normal 23, 124, 191, 193
  - multivariate Student's  $t$  176
  - non-elliptical 23, 212–213
  - normal 24, 188, 204
  - Student's  $t$  102
  - Subbotin distribution 98, 123
  - with heavy tails 95
- Bayesian approach 82–85, 192, 219–220, 222, 226–227, 228
- Beta distribution 23, 100
- Beta function, incomplete 100, 120
- bimodal distribution 20, 50, 69, 208, 213–214
- binary data 226–227
- binomial distribution 215
- degenerate 78
- Black–Scholes equation 223
- Brownian motion 223
- canonical form 137–141, 160–161, 163, 164, 166, 175
- of SN scale mixtures 174
  - of ST variables 178
- case-control data 216
- Cauchy distribution 47, 190, 217
- wrapped 210
- central symmetry 2, 17
- see also* symmetric distribution, centrally
- centred parameters 66–75, 112–114, 147–149, 180
- definition 67
  - example 73–75
  - inverse transformation 67, 114
  - pseudo- 113–115, 180
- characteristic function, empirical 146
- circular distributions 208–210
- classification 116
- closed skew-normal distribution 200, 225
- see also* SUN distribution
- cluster analysis, model-based 221

- completing the square 126  
 compositional data 210–211  
 computational aspects 75–77, 144, 175, 217, 218  
 concentration matrix 154, 155  
 conditional tail expectation 159–160  
 conditioning constraints  
   multiple 13, 191, 197  
   two-sided 13, 166  
 confidence intervals *see* confidence regions  
 confidence regions  
   construction of 62, 239–240  
   convexity of 63, 111, 182  
   elliptical 63  
   example 62–63, 72–73, 111  
 conjugate families 40  
 convolution 27, 37, 199  
 copula 186  
 cross-ratio function 228  
 cumulant 30, 31, 38–41, 104, 131, 153, 158  
 data perturbation 185  
 density contour lines 140, 144, 163, 170, 172, 180  
   convexity of 126, 161, 190  
   with given probability 161–163, 179  
 density generator 168–171, 191, 200  
   decreasing 189  
   definition 168  
   generalized 213  
   normal 170  
   Pearson type II 194  
   Pearson type VII 170, 190  
 depth function 180  
 deviance function 57  
   confidence regions from 62  
   definition 239  
   example 61–63, 72–73, 88  
   non-regular 61, 63  
   profile 61, 110, 240  
 diagnostic plots 75  
 digamma function 109  
 direct parameters 63–67, 75, 86, 109, 114, 142–147, 179–180  
   definition 57, 143  
   example 73–75  
 directional data *see* circular distributions  
 discrete distribution 17, 215  
 domain of attraction 53, 55, 122  
 Edgeworth expansion 44, 216  
 ellipsoid 161, 168, 169, 221  
   generalized 213  
 elliptical distributions 1, 168–171, 184, 216  
   consistency under marginalization 171  
 EM-type algorithm 76–77, 93–94, 143, 179, 192, 219–220, 222, 223, 226, 229  
 entropy 142  
 equivariance  
   lack of 73  
   *see also* maximum likelihood estimate, equivariance; mode, equivariance  
 even function 7, 18, 94, 188, 205  
   generalized sense 16  
   periodic 209  
 evolutionary algorithms 218  
 exponential family 55, 188  
 exponential power distribution  
   *see* Subbotin distribution  
 exponential tilting 55  
 extended version of distributions 12  
 extreme values 192–193  
*F*-distribution 102, 111, 177, 181  
 Fechner-type distributions 21–22  
 FGSN distribution 50, 53, 204, 214, 217  
   wrapped 208  
 Fisher–Cochran theorem 136  
 flexible generalized skew-normal distribution *see* FGSN distribution  
 flexible skew-symmetric distributions 203–205  
 Fourier series 204  
 frailty models 192, 227–229  
 Fréchet distribution 122  
 fundamental skew-normal distribution 200  
 fundamental skew-symmetric distribution 14  
   *see also* selection distribution  
 Gamma distribution 84, 97, 228  
 Gamma function, incomplete 98  
 GARCH models 224  
 Gaussian distribution *see* normal distribution  
 generalized error distribution *see* Subbotin distribution  
 Gibbs sampling 84, 222, 226  
 graphical diagnostics 59–63, 111, 144–146, 180–182

- Healy's plots 144, 180  
 graphical models 152, 154–158, 166–167  
 Gumbel distribution 53, 55  
 half-normal distribution *see*  $\chi$  distribution  
 half-normal probability plot 61  
 hazard function 227, 228  
 Heckman selection model 89–90, 185–186, 200, 227  
 hypergeometric distribution 215  
 information criterion 204  
 information matrix 63–68, 114, 146–147, 149  
   expected 63–65, 79, 187–188, 238  
   non-singular 110, 180  
   observed 67, 238  
   penalized 80  
   singular 65–72, 87, 94, 184, 187–188  
 item response 227  
 Jones' skew- $t$  distribution 106–108  
 Kalman filter 41, 224  
 Kullback–Leibler divergence 118, 142  
 kurtosis, coefficient of 31–32, 100, 104, 166  
   negative 39, 97  
   sample 122  
   *see also* skewness and kurtosis, multivariate measures  
 Laplace distribution 47, 95, 97  
   asymmetric 22, 123  
 latent variable 76, 226, 227  
   multiple 190–192, 196–201  
 least squares 59, 74, 76, 114, 116, 119  
   inappropriateness of 90  
   non-linear 217  
   trimmed 116  
 likelihood function  
   complete data 93  
   definition 237  
   factorization 158  
   marginal invariant 86  
   monotone 77, 88  
   penalized 79–82, 111, 144, 205  
   profile 58, 61, 88, 110, 143, 185, 188  
   prospective 216  
   robust 101, 116  
   stationary point 58, 59, 62, 63, 69, 110, 112  
   *see also* deviance function  
 linear models 59, 116  
   hierarchical 200  
   normal 63  
   *see also* mixed effect models; regression least squares  
 link function 226, 227  
   asymmetric 227  
 location parameter, definition 24, 124  
 log-concavity 33, 100, 123, 126, 161, 189  
   connection with strong unimodality 19  
   definition 19  
   *see also* SN distribution, log-concavity  
 log-normal distribution 53  
 log-skew-normal distribution 53  
 logistic distribution 4, 23, 47, 226  
 logistic regression 226  
 longitudinal data *see* mixed effect models  
 $L^p$ -norm 212  
 M-estimates 96, 116–118  
 Mahalanobis distance 144  
 matrix-variate distributions 211–212  
 maximum likelihood estimate  
   asymptotic theory 65–68, 80, 87, 101, 146–149, 187–188  
   non-standard 68–72, 78, 112, 149  
 bias correction 79  
 boundary values 77–82, 88  
 definition 238  
 equivariance 76, 144, 149  
 multiple maxima 76  
 penalized 80–82, 111, 112, 144  
 scores and equations 58–59, 109–110, 144, 238  
 uniqueness 94  
   *see also* likelihood function; information matrix; deviance function  
 MCMC technique 192, 219, 220, 222, 228  
 mean residual life 159  
 mean, sample 58  
 method of moments 75  
 Mills ratio 30  
 mixed effect models 218–220  
 mixtures of distributions  
   finite 116, 118, 203, 214, 221–222  
   scale 102, 170–171, 174  
   shape 49  
 MM-estimates 112, 114, 116, 117  
 mode 33, 50

- equivariance 140
- uniqueness 19–20, 33, 102, 123, 126, 139, 178
- modulation invariance 7–8, 11, 18, 102, 132, 136, 172, 175
  - for circular distributions 209
  - generalized sense 16
  - lack of 12
  - statement of 7
  - use in estimation 205–207
- moments, ordering of 9, 10, 25
- mutual information 142
- negative binomial distribution 215
- normal distribution 97, 232–236
  - bivariate 15, 23, 34, 93, 192, 234–236
  - graphical diagnostics 144
  - incomplete moments 52
  - multivariate 23, 135, 158, 185, 219, 236
  - quadratic forms 136
  - scale mixtures 102
  - singular 129
  - truncated 92
  - wrapped 208
- odd function 3, 6, 11, 15, 22, 94, 176, 188
  - generalized sense 16
- odd polynomial 50, 204
- order statistics 42, 52, 203
- outlier 95, 96, 101, 115, 182
- package *sn* for R 75, 76
- Pareto distribution 119
- Pearson curves 44
  - type II 194
  - type VII 170, 190
- perturbation invariance 7, 11, 16, 18
  - see also* modulation invariance
- posterior distribution 40–41
  - mode 83, 84
- PP-plot 74, 75, 87, 111, 144, 145, 181
- predictive distribution 41
- prior distribution 40–41
  - antimode of 84
  - improper 84
  - Jeffreys' 79, 82–84
  - matching 84–85
  - uniform 83, 84
- probit, asymmetric 226–227
- projection pursuit 161
- QQ-plot 61, 62, 75, 87, 111, 144, 145, 181
- quadratic forms 127, 132–136, 177, 178
- quantile-based measures 113–114, 180
- quantiles, ordering of 9, 10, 25, 33
- quasi-concavity *see* SEC distributions, quasi-concavity
- R computing environment 75
- radial basis function 216
- radial distribution 169, 170, 172
- random number generation 17–18, 28, 38, 128, 153, 184
- reflection property 4, 25, 47
- regression
  - endogenous switching 90
  - Lévy-stable 119
  - linear 59, 63, 85, 94, 114, 119, 144
  - multivariate 142, 179
  - minimum absolute deviation 119
  - non-linear 192, 216
- residuals 75, 87, 111
  - least-squares 59
  - normalized 61, 206
  - standardized 61
- robustness 95–96, 114–118
- s*-concavity 189–190
- sample selection 205
  - see also* Heckman selection model; selective sampling
- scale matrix, definition 124
- scale parameter, definition 24
- scatter matrix 160–161
- score function, definition 238
- SEC distributions
  - alternative form 190–192
  - as SN scale mixtures 173–174
  - canonical form 174, 175
  - characteristic function 175
  - genesis 171–173
  - log-concavity 194
  - moments 173
  - quasi-concavity 189–190
  - skewness and kurtosis 174
- selection distribution 13, 22, 23
- selective sampling 13, 28, 37–38, 42, 46, 89–90, 128, 205–207
- semi-parametric estimation 205–207
- Šidák inequality 166
- simplex 210–211
- skew-Cauchy distribution 120–121
  - circular 210

- skew-Cauchy distribution (*Cont.*)  
 extended 190  
 multivariate 179, 190, 194  
 quantile 121
- skew-elliptical distributions *see* SEC distributions
- skew-generalized normal distribution 48–49
- skew-normal distribution *see* SN distribution
- skew-slash distribution 195
- skew-symmetric distributions 4
- skew- $t$  distribution *see* ST distribution
- skewness and kurtosis, multivariate measures  
 of Malkovich and Afifi 138, 141  
 of Mardia 138, 153, 174, 178–180, 184
- skewness, coefficient of 31–32, 68, 100, 104, 148, 166  
 marginal 148  
 sample 60, 66, 75, 78, 85, 122  
 zero value of 123  
*see also* skewness and kurtosis, multivariate measures
- slant parameter, definition 24, 124
- slash distribution 170, 194
- SN distribution, multivariate  
 affine transformations 133–134, 150  
 alternative form 190–192  
 as a SUN distribution 198  
 basic properties 124–126  
 canonical form 137–141, 160–161, 163, 166  
 centred parameters 147–149  
 characterization 136  
 conditional 150–151  
 cumulants 132, 153  
 direct parameters 142–147  
 distribution function 152  
 extended 149–160, 163, 166, 183, 184  
 finite mixtures 221  
 graphical diagnostics 144–146  
 independence in 134–136, 150–152  
 in mixed effect models 218–220  
 in spatial processes 223–224  
 in time series 223, 224  
 information matrix 146–149  
 linear forms 133–135, 142  
 log-concavity 126, 161  
 marginal 130–131, 150
- MLE 142–146  
 mode 126, 139–140  
 moments 131–133, 153  
 normalized 124, 152  
 quadratic forms 133–136, 142, 236  
 scale mixtures 173–175  
 shape mixtures 49  
 skewness and kurtosis 132, 153, 158  
 stochastic representation 127–130, 152–153
- SN distribution, univariate 98, 102, 197  
 asymptotic theory 68–72  
 basic properties 24–26  
 centred parameters 66–75, 228  
 characteristic function 50–51  
 cumulants 30–31, 38  
 direct parameters 57, 228  
 distribution function 33–35, 40  
 extended 35–43, 87–90, 159, 184, 197, 225  
 finite mixtures 221  
 graphical diagnostics 59–63  
 infinite divisibility, lack of 54  
 information matrix 63–65, 67–68, 94  
 log-concavity 33  
 median 33  
 MLE 58–59, 68–75, 77–79, 88, 94  
 mode 33  
 moment generating function 26–28, 36, 51  
 moments 30–33, 42, 43, 54  
 absolute 54, 55  
 incomplete 51  
 tail conditional 159  
 scale mixtures 102  
 score function 57  
 shape mixtures 49  
 skewness and kurtosis 31–32, 39  
 stochastic representation 28–30, 52  
 wrapped 208
- spatial processes 223–224  
 spatio-temporal model 220  
 spherical distributions 168, 213  
 spline 204–205  
 square root of a matrix 126
- ST distribution, multivariate 185  
 affine transformations 177  
 alternative form 190–192  
 basic properties 177  
 centred parameters 180  
 conditional 184

- distribution function 177
- extended 182–186, 194
- finite mixtures 221, 222
- genesis 176
- graphical diagnostics 180–182
- in mixed effect models 220
- marginal 177, 184
- MLE 179–180
- mode 178, 190
- moments 178
- quadratic forms 177, 178
- quasi-concavity 190
- skewness and kurtosis 178, 184
- statistical aspects 179–180
- ST distribution, univariate
  - basic properties 101–105
  - centred parameters 112–114
  - distribution function 121–122, 186
  - finite mixtures 118, 221
  - graphical diagnostics 111
  - in mixed effect models 220
  - in probit model 227
  - in spatio-temporal model 220
  - median 113, 115
  - MLE 109–112
  - mode 102, 123
  - moments 103–104
  - robustness 114–118
  - score function 109
  - skewness and kurtosis 103–104
  - statistical aspects 109–118, 122
- stable distribution
  - Lévy- 119
  - positive 228
- standard deviation, sample
  - uncorrected 58, 59
- standard error 63, 80
- Stein's lemma 163–165, 200, 202
- stochastic frontier analysis 43, 91–93, 192, 225
- stochastic ordering 9–11, 25
- stochastic representation 11, 28, 171, 226, 227
  - additive form 28–29, 38, 84, 94, 128–129, 152–153, 184, 198, 222, 223
  - for extended families 12
  - general form 6–7
  - of Balakrishnan distribution 202
  - of Fechner distribution 22
  - of SUN distribution 198, 203
  - via conditioning 28, 37–38, 76, 127–128, 152, 184
  - via minima and maxima 29–30, 129–130, 173
  - via order statistics 52
- stress–strength model 225
- Student's *t* distribution 99, 101–102, 216
  - distribution function 121
  - multivariate 170, 171, 176, 184
  - on 1/2 d.f. 83
  - on 2 d.f. 84, 120
  - stochastic representation 101
  - tail weight regulation 95
  - truncated 184
- Subbotin distribution 96–98, 123, 187
  - distribution function 98
  - multivariate 107, 171, 213
  - stochastic representation 97
  - see also* asymmetric Subbotin distribution
- SUEC distributions 200–201, 203
- SUN distribution 197–203, 219, 222, 225
- survival data 227–229
- survival function 9, 18
- symmetric distribution 2, 15, 204
  - centrally 2, 15, 23, 169, 192
  - generalized sense 14–17
- symmetric set 3, 18, 19
- tail behaviour, limit 35, 52–53, 95, 121–122, 193
- tail dependence 192–193
- tail weight
  - exponential 95
  - heavy 97, 119, 182, 220
  - light 95, 97
  - parameter 95, 96, 170, 177, 213
  - regulation of 48, 95–97, 101
- test
  - Anderson–Darling 86
  - for normality 85–86, 106, 122
  - for SN distribution 86–87, 146
  - Jarque–Bera 122
  - locally most powerful 86
  - score 59, 86, 122
  - Shapiro–Wilk 106
  - use of deviance function for 63
  - Wald-type 158
- time series 43, 101, 116, 186, 222–224
- transformation of scale 20–21

262

*Index*

- uniform distribution 83, 84, 97, 170, 210  
  on the generalized sphere 213  
  on the sphere 169, 170  
unimodal distribution, strongly 19, 33  
  *see also* log-concavity; mode,  
  uniqueness
- value at risk 159  
 $\chi$  distribution 25, 43, 91  
 $\chi^2$  distribution 7, 25, 73, 75, 87, 111,  
  125, 136, 144, 161–162  
quantile 61, 62, 72, 161, 239