

Index

- ACA *see* anterior cerebral artery
- accessory ACA 19–20
- accessory MCA 20
- accessory meningeal artery 25
- AChA (anterior choroidal artery) 19, 119, 187
- age
- and decision to treat 54, 115
 - at presentation
 - AVMs 51, 314
 - DAVs 234
 - spinal AVMs/AVFs 171, 172–3, 261, 267
- AICA (anterior inferior cerebellar artery) 21, 135, 188
- air embolism 99, 100, 138
- albumin 97
- ALK1 (encoding activin-like kinase) 5–7, 10–11
- ALK1 IVS-35A>G variant 11
 - and phenotype 11
- allergy, to contrast media 57
- ambient cistern 136
- anal sphincter function 89, 93, 182
- anastomoses *see* collateral circulation
- anatomy 18–27
- anterior circulation 18–20
 - arterioles 40
 - capillaries 40
 - cerebral AVMs 21–4, 117
 - changes in response to altered CBF
 - arteries 37–9
 - veins 39–40
 - collaterals 18, 19, 22, 24–6, 34, 38–9
 - cranial nerves 135, 136
 - arterial supply 18, 26–7
 - DAVs 18, 24
 - posterior circulation 20–1
 - posterior fossa 134–6
 - AVMs 188, 218
 - spinal vessels 29–34, 68–9, 256, 257, 288
 - thalamic AVMs 187
 - vein of Galen malformations 247–8, 313–14
 - venules 40
- anemia 97
- anesthesia 95–100, 136
- awake procedures 99–100, 222, 227
 - embolization 99, 222, 227
 - fluid management 97
 - intraoperative monitoring
 - hemodynamic 98, 99
 - neurophysiological 86–7, 90, 98
 - microsurgery 98–9
 - neuroprotection 97
 - in pediatrics 100
 - preoperative checks by the anesthesiologist 97–8
 - regulation of CBF and intracranial pressure 95–7
- aneurysms
- intracranial 314
 - and AVM hemorrhage risk 52, 131, 285, 307
 - and DAVF hemorrhage risk 65–6
 - epidemiology 50, 62
 - palliative therapy 307–8
 - preoperative embolization 132, 297
 - type affects AVM management 23
 - spinal 69–70, 172, 174, 267
- angiogenesis
- embryological 1–5, 20, 33–4, 255–7
 - pathogenesis of AVMs and AVFs 6–7, 9, 233, 313
 - recurrence 324
- angiography *see* CT angiography; digital subtraction angiography; indocyanine green videoangiography; MR angiography
- angiomatous lesions 22, 278
- Anson and Spetzler classification (spinal AVMs/AVFs) 257
- anterior cerebral artery (ACA)
- anatomy 19, 117, 121
 - variants 19–20
 - embryological development 3–4
- anterior choroidal artery (AChA) 19, 119, 187
- anterior communicating artery 3–4
- anterior condylar confluence DAVFs 242
- anterior corpus callosum AVMs 121
- anterior fossa DAVFs 152, 242
- anterior inferior cerebellar artery (AICA) 21, 135, 188
- anterior median spinal vein 31–2, 34
- anterior medullary vein 135, 188
- anterior mesencephalic vein 188
- anterior pontine AVMs 188
- anterior radiculomedullary veins 32
- anterior spinal artery (ASA)
- anatomy 29, 30–1, 34, 257
 - embryological development 33–4, 256–7
 - in spinal AVFs 68
- anticoagulation 99, 204, 269
- anti-epileptic drugs 203, 275
- aortic arches 1–3
- apolipoprotein E2 11
- arterial spin labeled perfusion MRI 60, 65
- arteries
- AVM architecture and treatment choice 21–3
 - cerebral AVMs 117, 118, 119, 121, 122
 - cranial anatomy 18–27, 135
 - deep intracranial AVMs 187, 188
 - embryonic development 1–4, 20, 33–4, 255–7
 - hemodynamics of AVMs 37–9, 40, 43–4
 - spinal
 - anatomy 29–31, 34, 68–9, 256, 257, 288
 - AVMs 174–5, 259, 265–6
 - embryonic development 255–7
 - vein of Galen malformations 247–8, 313–14
 - see also individual vessels*
- arterioles 40, 45
- vasomotor paralysis as cause of NPPB 43
- artery of Adamkiewicz 31, 177
- artery of cervical enlargement 30–1
- artery of foramen rotundum 18, 25–6
- ARUBA trial 53–4, 327–8
- ASA *see* anterior spinal artery
- ascending cervical artery 26, 34
- ascending pharyngeal artery 25, 26–7
- prevertebral branch 26
- auditory evoked potentials 87
- autonomic nervous system
- regulation of CBF 41
- autoregulation of CBF 42, 45, 95
- awake patients
- embolization of posterior fossa AVMs 222, 227
 - surgery 90, 93, 99–100
- azygous ACA 20
- babies (neonates) 248, 250, 313–14
- back pain 69, 172
- balloon embolization 236, 237–8
- barbiturates 86
- basal ganglia AVMs
- anatomy 187
 - embolization 187, 193
 - hemorrhage 187, 201
 - microsurgery 122–3, 187, 188–91
 - intraoperative monitoring 193–5
 - outcomes 195, 305
 - natural history 187
 - preoperative evaluation 193
 - radiosurgery 187, 284, 305
- basal vein of Rosenthal 187, 188
- basilar artery
- anatomy 21, 135

Index

- basilar artery (cont.)
 anastomoses with carotid artery 21
 fenestrated 21
 embryological development 3, 20
 benzodiazepines
 and CBF 96
 and IONM 86, 98
 Bicêtre neonatal evaluation score 249
 bipolar forceps 116
 bispectral index monitoring 87
 blood–brain barrier 40–1
 blood pressure 40
 autoregulatory limits of CBF 42, 95
 and hemorrhage risk 44
 management after hemorrhage 203–4
 and monitoring of evoked potentials 98
 blood transfusions 97
 bone marrow-derived cells 7
 bone morphogenetic protein-9 (BMP-9) signaling pathway 10
 Borden classification scheme (DAVFs) 64, 107, 145–6, 173, 235
 brain edema 41, 309
 intraoperative management 96–7, 99
 brainstem AVMs
 anatomy 135, 188
 clinical presentation 201, 218
 embolization 218–31
 preoperative 193
 microsurgery 130, 139–41, 187, 191–2, 193–5
 intraoperative monitoring 93, 193–5
 outcomes 195
 natural history 187
 radiosurgery 132, 187, 197, 284–5, 305
see also posterior fossa AVMs
 brain tumors, following radiosurgery 278
 Broca's area 90, 93
 Buffalo endovascular treatment grading scale 222
 bulbospongiosus (bulbocavernosus) reflex 89, 93
 calcifications 59, 249–50
 callosomarginal artery 119, 121
 capillaries 40, 45
 capillary malformation–arteriovenous malformation syndrome 10
 capsular artery of McConnell 18
 carbon dioxide, arterial partial pressure reduction 95, 96–7
 cardiac failure in neonates with vein of Galen malformations 248, 250
 caroticotympanic artery 18, 25
 carotid artery *see* external carotid artery; internal carotid artery
 carotid–cavernous fistula (CCF) 233, 239
 angiography 234
 classification 146, 235
 clinical presentation 145, 234
 management
 arterial compression 236
 embolization 145, 158–60, 237–8, 241
 microsurgery 160–3
 catheters (embolization) 219–21
 insertion and removal 227–9
 caudate nucleus 20, 121
 cavernous node 26
 cavernous sinus, contents 26–7
 cavernous sinus DAVFs *see* carotid–cavernous fistula
 CBF *see* cerebral blood flow
 CCF *see* carotid–cavernous fistula
 cerebellar AVMs 130, 131
 clinical presentation 130, 201, 218
 embolization 131–2, 218–31
 emergency surgery 132–4
 microsurgery 136–9, 141
 natural history 130–1
 radiosurgery 132
see also posterior fossa AVMs
 cerebellomedullary cistern 136
 cerebellopontine angle AVMs 93, 130, 138–9
 cerebellopontine cistern 136
 cerebellopontine network 27
 cerebral AVMs *see* supratentorial AVMs
 cerebral blood flow (CBF)
 anesthesia and 95–7
 in AVMs 37, 43–5
 regulation 41–2, 95
 cerebrospinal fluid
 and electromyography of cranial nerves 88
 hydrocephalus 201, 203
 vein of Galen malformations 248–9, 250–1
 pH 39, 95
 cervical myelopathy 68
 cervical spine
 AVMs 69, 172, 264
 DAVFs 34, 67–8
 vascular anatomy 20–1, 26, 30–1, 34, 68–9
 children *see* pediatric patients
 choroid plexus 1
 circle of Willis 3–4, 38–9
see also individual arteries
 cistern magna 136
 cisterns of the posterior fossa 135–6
 classification schemes 102
 brain AVMs 102–6
 and endovascular treatment 106, 215, 222
 posterior fossa 131, 222
 Spetzler–Martin scale 21, 103–6, 209–10, 215, 222, 305
 CCFs 146, 235
 DAVFs 24, 64, 106–8, 145–6, 173, 234–5
 spinal AVMs/AVFs 108–10, 173, 176, 257–9, 266–7, 289
 clinical presentation
 brain AVMs 50, 51
 hemorrhage 51, 130, 201, 208
 posterior fossa 130, 201, 218
 CCFs 145, 234
 DAVFs 62, 145, 147, 174, 234
 in pediatric patients 248–50, 315
 spinal AVFs 67–8, 172, 261
 and treatment outcome 182–3
 spinal AVMs 69, 172–3, 264–5, 288
 and treatment outcome 182–3
 vein of Galen malformations 248–50, 315
 chronic 251
 clinoid internal carotid artery 18
 clival node 25–6
 coagulation techniques 116 *see* embolization
 Cobb syndrome *see* spinal arteriovenous metamerism syndrome
 Cognard classification scheme (DAVFs) 24, 64, 107, 145–6, 234–5
 cognitive deficits
 in DAVFs 145
 developmental delay in vein of Galen malformation 249, 251
see also neurological deficits
 coils, embolization 229, 237, 238
 collateral circulation 18, 38–9
 and DAVF embolization 236
 external to internal carotid artery 18, 19, 24–6
 ECA–vertebral artery 26
 intracranial 22
 spinal vessels 34
 colloids 97
 common carotid artery 1–3
 communicating internal carotid artery 19
 complications
 of contrast media 57, 58
 of embolization 99, 214–15, 230, 253, 264, 269, 297
 of microsurgery 99
 NPPB 43, 126, 214–15, 317
 pediatric 100, 317
 posterior fossa AVMs 138, 141–2
 residual AVMs 301–2, 320–1
 supratentorial AVMs 125–6
 thalamic AVMs 195
 of radiosurgery 278, 283–4, 317
see also hemorrhage
 compression therapy 236
 computed tomography *see* CT
 Concorde position 138
 congestive cardiac failure in vein of Galen malformations 248, 250
 conscious patients
 embolization of posterior fossa AVMs 222, 227
 surgery 90, 93, 99–100
 conservative management
 DAVFs 236
 high-grade AVMs 54, 114
 posterior fossa AVMs 222
 contrast media, adverse effects 57, 58
 conus medullaris
 AVMs 93, 109, 173–4, 179, 182, 289
 vascular anatomy 34, 35
 convexity AVMs 116, 117
 corpus callosum AVMs 121
 corticosteroids 96, 275
 cranial nerves
 anatomy 135, 136
 and DAVFs 145
 electromyography monitoring 88, 93
 and posterior fossa AVMs 130, 188, 310
 vascular supply 18, 26–7
 and DAVF embolization 236
 craniocervical DAVFs (type 5) 34
 craniotomy
 hemodynamics may be misleading 39–40
 pediatric 317
 size 116, 188
 CT
 brain AVMs 58–60, 113, 315
 DAVFs 64, 147, 234
 principles and risks 57
 spinal AVMs/AVFs 68, 69

Index

- CT angiography
brain AVMs 59–60, 202, 315
DAVFs 64, 234
hemorrhage 202
principles and risks 57
spinal AVMs/AVFs 68, 69
- CT myelography 68, 69
- Cushing, Harvey 113, 273
- cyanocrylate *see* NBCA
- CyberKnife radiosurgery 289–90, 291–2
- cysts, following radiosurgery 278, 284
- cytokines 8–9
- DAVF *see* dural arteriovenous fistula
- death *see* mortality rates
- decision making and treatment planning
cerebral AVMs 21–4, 53–4, 113–15, 127, 215
DAVFs 147–8, 235
embolization 215, 222
evidence base 52
and grade of AVM 21, 209–10, 215
palliative (partial) or no therapy 306–7
patient factors 54, 115, 314
in pediatric patients 314, 315–16
posterior fossa AVMs 131, 218, 221–2
radiosurgery 274, 275, 289, 314
dose planning 59, 281, 290
ruptured AVMs 53
spinal AVMs/AVFs 175, 259, 268–9, 289
and surgeon experience 53, 115
unruptured AVMs 53–4, 131, 222
vein of Galen malformations 252–3
see also preoperative evaluation
- deep cervical artery 26, 34
- deep venous drainage
embolization via 153
hemorrhage risk 24, 44, 52, 62, 115
surgical risk 114
- deep venous thrombosis 204
- desflurane 96
- developmental delay 249, 251
- dexamethasone 96, 275
- diagnosis
DAVFs 147, 233–4
imaging 39, 57–71, 113
prenatal (vein of Galen malformation) 248
spinal AVMs/AVFs 172, 264–5, 288
see also clinical presentation
- diaschisis 45
- diffusion across blood–brain barrier 40–1
- digital subtraction angiography
brain AVMs 62, 113
basal ganglia and thalamus 194
pediatric 315
posterior fossa 131, 218
venous filling characteristics 39
- CCFs 234
- DAVFs 65–7, 147, 174, 234
- hemorrhage 202
- intraoperative 194
compared with ICG videoangiography 75
- postoperative 62, 179, 321, 324
- principles and risks 58
- in radiosurgery 275
- spinal AVMs/AVFs 68–9, 173–5, 179, 263, 288
- direct cortical stimulation 89
- distal access catheters 221, 228
- diuretics 96
- Djindjian classification (DAVFs) 234
- dural arteriovenous fistula (DAVF)
anatomy 18, 24
cavernous sinus *see* carotid–cavernous fistula
classification 24, 64, 106–8, 145–6, 173, 234–5
clinical presentation 62, 145, 147, 174, 234
craniocervical (type 5) 34
definition 102, 233
diagnosis 147, 233–4
epidemiology 145, 234
imaging 62–7, 147, 174, 233–4
location 146–7, 239–42
management
conservative 236
embolization *see* embolization, of DAVFs
historical perspective 144–5
microsurgery 144–5, 147–67, 238–9
occipital artery compression 236
radiosurgery 239, 285
treatment planning 147–8, 235
natural history 146–7, 235
and venous drainage 107–8, 146–7, 234–5
pathophysiology 145, 233
- dural supply
to brain AVMs 62, 309
to spinal AVMs 71
- dural venous sinuses
embryological development 4–5
thrombosis
and DAVFs 64, 65, 66–7, 145
postoperative 126
and vein of Galen malformations 251
- D-waves (epidural motor evoked potentials) 88, 93, 175
- ECA *see* external carotid artery
- electroencephalography 88–9, 93, 203
- electromyography 88, 93, 98
- eloquent neural tissue 61–2, 114
- embolization
anesthesia 99, 222, 227
of brain AVMs 208, 210–15, 296–7
convexity AVMs 117
deep 187, 193
posterior fossa 131–2, 193, 218–31
catheters 219–21, 227–9, 229–30
complications 99, 214–15, 230, 253, 264, 269, 297
of DAVFs
by location 152–3, 156, 239, 241, 242
CCFs 145, 158–60, 237–8, 241
methods 148, 236–8
- embolic agents
balloons 236, 237–8
coils 229, 237, 238
liquid 212–13, 218–19, 229, 236–7, 263
polyvinyl alcohol particles 236, 269
- and grade of AVM 106, 215, 222
- for headaches 309
- outcomes 213–14, 252–3, 264, 269–70, 306
- palliative 52–3, 212, 306, 307–10
- pediatric 317–18
- postoperative care 230, 263
- preoperative *see* preoperative embolization
- preradiosurgery 211–12, 225–6, 285, 297–300, 322–3
- residual AVMs
after embolization 322–4
treated by embolization 302
- of ruptured AVMs 53
- of spinal AVFs 263–4
- of spinal AVMs 109, 177, 269–70, 289
- techniques 269
combined approach 238
transarterial route 227–30, 236, 237–8, 251, 263
- transvenous route 237, 238, 251
of vein of Galen malformations 250–1
- Embospheres 236
- embryological development
craniocervical vascular system 1–5, 20
spine and spinal vessels 33–4, 255–7
- emergency management
ruptured AVMs 53, 116, 132–4, 201–3, 204
vein of Galen malformations 250, 252
- endovascular treatment *see* embolization
- ENG (encodes endoglin) 5–7, 10–11, 313
- soluble ENG 8
- epidemiology
aneurysms 50, 62
brain AVMs 50–1, 208, 314
DAVFs 145, 234
hemorrhage 201
annual rates 102, 113, 130, 208, 235, 306
pediatric AVMs 314
spinal AVMs/AVFs 171, 259–61, 264, 267
- epidural fistula (extradural spinal AVF) 177
- epidural motor evoked potentials 88, 93, 175
- epidural venous plexus 32
- epilepsy *see* seizures
- erythrocytes 40
- ethiodol 212, 236
- ethmoidal DAVFs 152, 242
- etiology
genetics 5–7, 11
recurrent AVMs 324
spinal AVMs/AVFs 171–2, 261
see also pathogenesis
- etomidate 96
- evoked potentials, intraoperative
monitoring 87–8, 92
anesthesia and 98
phase reversal of
somatosensory evoked potentials 89–90
spinal AVMs 88, 93, 175
- expectant management *see* conservative management
- external carotid artery (ECA)
anastomoses
ICA 18, 19, 24–6
vertebral artery 26
- embryological development 3
- supply to
AVMs 39, 218
cranial nerves 26

Index

- external ventricular drains 203
 extradural–intradural spinal
 AVMs (type III) 109, 173,
 178–9, 289
 eye, orbital congestion in DAVF
 145, 147
- facial nerve 88
 Feliciano classification scheme
 (AVMs) 106
- females
 DAVFs 145, 234
 see also pregnancy
- femoral artery access 116
- filum terminale vascular
 malformations 175,
 267–8
- FLOW 800 software (for ICG
 videoangiography) 74, 75,
 76, 79, 80–3, 84
- fluid management,
 intraoperative 97
- fluorescence angiography *see*
 indocyanine green
 videoangiography
- Foix–Alajouanine
 syndrome 68
- foramen magnum DAVFs
 165–6
- frontal lobe AVMs 117
- functional MRI 90–1
- furosemide 96
- Gamma Knife radiosurgery 273,
 275–7
 decision to use 274
 equipment 275–6
 see also radiosurgery
- gender
 DAVFs 145, 234
 spinal AVMs/AVFs 171, 261
- genetics
 and clinical course 11
 familial forms of AVM 5–7,
 10–11, 314
 and hemorrhage risk 8, 11
 somatic mutations 11
 sporadic AVMs 11, 12
- George grading scale (AVMs)
 222
- gliosis
 melting brain syndrome 252,
 314
 MRI 62
- glucose (hyperglycemia) 97, 204
- grading schemes *see* classification
 schemes
- guiding catheters 219, 227
- headache
 AVMs 51, 309
 DAVFs 145, 234
 spinal AVM hemorrhage 69
- head frames used in radiosurgery
 275
- heart failure in neonatal vein of
 Galen malformation 248,
 250
- hematomyelia 69
- hemifacial spasm 310
- hemodynamics 37–45
 arterial 37–9, 40, 43–4, 45
 and AVMs 43–5
 collateral development 38–9
 pathogenesis 8, 9
 vascular steal 37, 44–5, 172,
 309–10
 CBF regulation 41–2, 95
 imaging 60, 65, 309–10
 see also indocyanine green
 videoangiography
- intraoperative 39–40, 98–9
 microcirculation 40–1, 45
 NPPB 43, 126, 214–15, 317
 and spinal AVFs 67
 venous 39–40, 44
- hemorrhage
 during embolization 214–15,
 226
 epidemiology 201
 annual rates 102, 113, 130,
 208, 235, 306
 see also hemorrhage risk
- imaging
 intracranial 58, 59, 64, 65,
 202
 spinal 68, 69
 as indication to treat 53
 intraoperative 99, 125, 317
- management
 acute 201–3, 204
 of complications 203–4
 in pregnancy 204
 timing of surgery 204
- outcomes 51, 204–6
 mortality rates 208–9, 315
- pediatric 315, 317
 postoperative 125–6, 306
 palliative therapy 306
 residual AVMs 320–1
- at presentation
 AVMs 51, 130, 201, 208, 218
 DAVFs 145
 spinal AVMs 69, 264–5, 267,
 288
- symptoms
 intracranial hemorrhage
 201
 spinal hemorrhage
 69, 264
- hemorrhage risk 51–2, 208–9
 arterial pressure 44
 AVM angioarchitecture 22–4,
 62, 236, 307
 AVM grade 102–3, 306
 AVM location
 deep 44, 115, 305–6
 infratentorial 52, 115, 130–1
 intraventricular 122
 AVM size 43–4, 52, 115
- flow rate 44
- genetic markers 8, 11
- lifetime risk 52, 102–3
- palliative therapy for AVMs
 with increased risk 307–9
 after radiosurgery 277–8, 283,
 285, 292
 rehemorrhage 52, 130, 204,
 208–9
 venous characteristics 24, 44,
 115
 DAVFs 107–8, 147, 235
- heparin 99, 204, 269
- hereditary hemorrhagic
 telangiectasia 5–7, 10–11,
 60–1, 259
- histopathology
 DAVFs 233
 radiation-induced effects 274
 spinal AVFs 262
- hydrocephalus 201, 203
 vein of Galen malformations
 248–9, 250–1
- hyperglycemia 97, 204
- hypertension 96–7, 203–4
 see also venous hypertension
- hyperthermia 97
- hyperventilation 95, 96–7
- hypothermia, therapeutic 95, 97
- hypoxia 41, 44–5, 95
- hypoxia-inducible factor 1 α 8
- ICA *see* internal carotid artery
- ICG *see* indocyanine green
 videoangiography
- ILT (inferolateral trunk) 18, 26–7
- imaging 57–71
 brain AVMs 58–62, 113, 194–5
 DAVFs 62–7, 147, 174, 233–4
 hemorrhage
 intracranial 58, 59, 64, 65,
 202
 spinal 68, 69
 intraoperative 74–84, 194–5
 postoperative
 after microsurgery 60, 62,
 179, 321
 after radiosurgery 277, 281,
 283, 290, 321
 preoperative *see* preoperative
 evaluation
 principles 57–8, 74
 spinal AVMs/AVFs 67, 68–9,
 173–5, 179, 265, 269, 288
 see also individual methods
- immunoglobulins 8
- incidence
 brain AVMs 50
 spinal AVMs/AVFs 171,
 259–61, 264
- indocyanine green (ICG)
 videoangiography
 in AVM surgery 74–84, 194–5
 limitations 75–6, 83–4
 principles 74
- infants
 surgical considerations 100
 vein of Galen malformations
 248–9, 250–1, 314
- inferior tympanic artery 25
- inferolateral trunk (ILT) 18, 26–7
- inflammation 7, 8–10
- infratentorial AVMs *see* posterior
 fossa AVMs
- inhalational anesthesia
 and CBF/intracranial pressure
 96
 and IONM 86–7, 98
- inoperable lesions 187, 305
- classification 103, 104, 305
- radiosurgery 284–5, 305
- see also* palliative therapy
- interleukin-6 8
- internal carotid artery (ICA)
 anatomy 18–19
 aberrant 19
 anastomoses 18, 19, 24–6
 embryological development
 1–3
 ligation in CCF 237
- internal maxillary artery 18, 25–6
- interpeduncular cistern 135, 139
- intracranial hemorrhage *see*
 hemorrhage; hemorrhage
 risk
- intracranial pressure
 intraoperative 95–7, 137
 raised 96–7, 203
- intramedullary spinal AVMs
 (type II) 109, 177–8, 267,
 289
- intranidal aneurysms 269, 297,
 307
- intranidal fistulae 22, 308–9
- intraoperative complications 99,
 100, 125, 138, 317
 pediatric 100, 317
- intraoperative hemodynamic
 monitoring 98, 99
- intraoperative imaging 74–84,
 194–5
- intraoperative
 neurophysiological
 monitoring (IONM)
 86–93
 anesthesia 86–7, 90, 98
 bulbospongiosus reflex 89, 93
 of deep intracranial AVMs
 193–4
 electroencephalography 88–9,
 93
 electromyography 88, 93, 98
 evoked potentials 87–8, 89–90,
 92, 93, 98, 175
 of infratentorial AVMs 93,
 136
 mapping
 direct cortical stimulation 89
 phase reversal 89–90
 speech function 90

Index

- of spinal AVMs/AVFs 88, 93, 175
- of supratentorial AVMs 92–3
- intravenous anesthetics 86–7, 96, 97
- intraventricular AVMs 122
- intubation 201–2
- ionizing radiation 59
 - dose planning 290, 321
 - hazards 273–4, 283–4, 317
- IONM *see* intraoperative neurophysiological monitoring
- ischemia, cerebral
 - after embolization 215
 - imaging 60, 62, 315
 - neuroprotection 97
 - at presentation 315
- jugular bulb stenosis 248, 251
- ketamine 96
- Kim–Spetzler classification (spinal shunts) 108–10, 173
- Klippel–Trénaunay–Weber syndrome 171, 173
- Lasjaunias classification (spinal vascular malformations) 257–9
- lateral lenticulostriate arteries 20, 121
- leptomeningeal venous drainage of DAVFs 107–8, 242
- leukocytes
 - flow 40
 - inflammation 7, 8
- local anesthesia 99
- location of AVMs
 - and headaches 309
 - and hemorrhage risk
 - deep 44, 115, 305–6
 - infratentorial 52, 115, 130–1
 - intraventricular 122
 - ICG videoangiography 75, 83–4
 - treatment planning 115
- location of DAVFs 146–7, 239–42
- longitudinal neural artery 3
- lumbar spine
 - AVFs 172
 - vascular anatomy 29–30, 31, 69
- lung AVMs 10–11
- macrocrania 248, 250–1
- macrophages 7, 9
- magnetic resonance imaging *see* MRI
- males
 - DAVs 234
 - spinal AVMs/AVFs 171, 261
- mandibular artery 25
- mannitol 96, 204
- matrix metalloproteases 8, 9–10
 - inhibitors 10
- MCA *see* middle cerebral artery
- medial lenticulostriate arteries 19, 20, 121
- medial temporal AVMs 118–19
- median prosencephalic vein of Markowski 5, 247, 313
- medullary AVMs
 - anatomy 188
 - microsurgery 140–1, 192
- melting brain syndrome 252, 314
- men
 - DAVs 234
 - spinal AVMs/AVFs 171, 261
- meningohypophyseal artery/trunk 18, 25, 26, 188
- meningo-ophthalmic artery 25
- Merland–Cognard classification
 - scheme (DAVs) 24, 64, 107, 145–6, 234–5
- metabolic hypothesis of CBF
 - regulation 41, 45
- metabolic rate reduction 95–6
- metabolism in peri-AVM
 - tissue 45
- metameric malformations *see* spinal arteriovenous metamerism syndrome
- microcatheters (embolization) 219–21
 - insertion and removal 228–9
- microsurgery
 - anesthetic considerations 98–9
 - awake patients 90, 93, 99–100
 - basal ganglia AVMs 122–3, 187, 188–91, 193–5, 305
 - brainstem AVMs 130, 139–41, 187, 191–2, 193–5
 - cerebral AVMs 116–26
 - complications 99
 - basal ganglia AVMs 195
 - NPPB 43, 126, 214–15, 317
 - pediatric 100, 317
 - posterior fossa AVMs 138, 141–2
 - residual AVMs 301–2, 320–1
 - supratentorial AVMs 125–6
 - thalamus AVMs 195
 - DAVs 144–5, 147–67, 238–9
 - embolization before *see* preoperative embolization
 - grading schemes and 103–6, 209–10, 305
 - intraoperative imaging 74–84, 194–5
 - outcomes
 - basal ganglia AVMs 195, 305
 - brainstem AVMs 195
 - cerebral AVMs 123–4
 - DAVs 166–7
 - genetic markers 11
 - pediatric 318, 324
 - posterior fossa AVMs 141, 195
 - spinal AVMs/AVFs 179–83, 289
 - thalamus AVMs 195, 305
 - partial resection preceding
 - other treatment 301–2
 - pediatric patients 315–18
 - planning 127
 - AVM features 53–4, 113–15
 - patient factors 54, 115
 - surgeon experience 115
 - see also* preoperative evaluation
 - posterior fossa AVMs 130, 136–42, 191–2, 195
 - radiosurgery before 300
 - recurrent AVMs 324
 - residual AVMs
 - after radiosurgery 321
 - after surgery 301–2, 320–1
 - ruptured AVMs 53, 116, 133, 204
 - spinal AVMs/AVFs 109, 175–84, 289
 - surgical techniques
 - brain AVMs 116–23, 136–41, 188–92
 - in children 316–17
 - DAVs 148–66
 - spinal AVFs 175–7
 - spinal AVMs 177–9
 - thalamus AVMs 122–3, 187, 188–91, 193–5, 305
 - timing 116, 133–4, 204
- midbrain AVMs
 - anatomy 188
 - microsurgery 139–40, 192
 - non-operable 197
- middle cerebral artery (MCA) 20
 - anatomical variants 20
 - AVMs supplied by 117, 118, 119, 187
 - embryological development 3–4
- middle meningeal artery 26, 64
- migraine 309
- monocytes 7
- Monro–Kellie doctrine 39
- mortality rates 50–1, 187
 - and hemorrhage 208–9, 315
 - postoperative 123–4
- motor deficits in spinal AVMs/AVFs 172, 179–83
- motor evoked potentials 87, 92
- epidural 88, 93, 175
- MR angiography 60, 65, 68, 69, 234
- MRI
 - brain AVMs 60–2, 113, 315
 - DAVs 64–5, 147, 174, 234
 - ischemia 62, 315
 - preoperative functional mapping (fMRI) 90–1
 - principles and risks 57–8
 - in radiosurgery
 - postoperative 277, 281, 283, 321
 - preoperative 275
 - spinal AVFs 68, 263
 - spinal AVMs 69, 265
- MR myelography 68
- multidisciplinary management 52–3, 295–303
 - microsurgery preceding other treatment 301–2
- outcomes 141, 298–300, 302–3, 318
- in pediatric patients 302–3, 318
- posterior fossa AVMs 141, 302
- preoperative embolization 210–11, 296–7
 - convexity AVMs 117
 - deep intracranial AVMs 187, 193
 - posterior fossa AVMs 131–2, 225–6
 - spinal AVMs 269
- preoperative radiosurgery 300
- preradiosurgery embolization 211–12, 225–6, 285, 297–300, 322–3
- muscle relaxants 86, 98
- myelography 68, 69
- myelopathy
 - in intracranial AVFs 174
 - in spinal AVFs 67–8, 172, 261
 - in spinal AVMs 264
- myogenic hypothesis of CBF
 - regulation 41–2
- natural history 51–2, 102
 - and AVM grade 102–3, 306
 - cerebral AVMs 113, 115, 208–9
 - deep 187
 - DAVs 146–7, 235
 - grade based on 106–8
 - and venous drainage 107–8, 146–7, 234–5
 - genetic influences 11
 - posterior fossa AVMs 130–1, 208–9
 - spinal AVMs/AVFs 173
- navigated transcranial magnetic stimulation 90–3
- NBCA (*N*-butyl cyanoacrylate)
 - embolic agent
 - in AVMs 212, 218–19, 229
 - in DAVFs 236–7, 240
 - in spinal AVFs 263
 - neck *see* cervical spine
- neonates 248, 250, 313–14
- nephrogenic systemic fibrosis 58
- nephrotoxicity, contrast-induced 57

Index

- neuralgia, trigeminal 130, 310
 neural hypothesis of CBF
 regulation 41
 neural tube 1, 255
 neurological deficits
 at presentation 51, 315
 DAVs 145
 posterior fossa AVMs 130
 spinal AVFs 261
 spinal AVMs 264
 palliative therapy 309–10
 post-hemorrhage 116, 204
 postoperative 209–10, 317
 postradiotherapy 283–4
 vascular steal 44–5, 309–10
 see also cognitive deficits
 neuroprotection 97
 neutrophils 8
 nitrous oxide 96
 normal pressure perfusion
 breakthrough (NPPB) 43,
 126, 214–15, 317
 nurses 295
- occipital artery 26, 64, 147
 compression 236
 occipital lobe AVMs 117, 309
 Onyx embolic agent
 in AVMs 212–13, 214, 218, 229
 in DAVs 237, 239
 in spinal AVFs 263
 ophthalmic artery 18–19,
 25, 152
 ophthalmic internal carotid
 artery 19
 opioids
 effect on CBF 96
 and IONM 86, 98
 orbital congestion in DAVs 145,
 147
 orbital network 25
 Osler–Weber–Rendu syndrome
 (hereditary hemorrhagic
 telangiectasia) 5–7,
 10–11, 60–1, 259
 osmotic agents 96, 204
 outcomes
 embolization
 brain AVMs 213–14, 306
 spinal AVFs 264
 spinal AVMs 269–70
 vein of Galen
 malformations 252–3
 after hemorrhage 51, 204–6
 mortality rates 208–9, 315
 microsurgery
 basal ganglia AVMs 195,
 305
 brainstem AVMs 195
 cerebral AVMs 123–4
 DAVs 166–7
 genetic markers 11
 pediatric patients 318
 posterior fossa AVMs 141,
 195
 spinal AVMs/AVFs 179–83,
 289
 thalamic AVMs 195, 305
 multimodal treatments 141,
 302–3, 318
 preoperative radiosurgery 300
 pre-radiosurgery
 embolization 298–300
 palliative therapy 306
 pediatric patients 318, 324
 radiosurgery
 AVMs 277–8, 282–3, 284–5,
 305, 318
 DAVs 285
 pediatric patients 284, 318
 spinal AVMs 290–3
 oxygen (hypoxia) 41, 44–5, 95
 arterial partial pressure
 reduction 41, 95
- palliative therapy 305–11
 in AVMs with increased
 hemorrhage risk 307–9
 in AVMs with non-
 hemorrhagic symptoms
 309–10
 decision to treat 306–7
 embolization 52–3, 212, 306,
 307–10
 outcomes 306
 radiosurgery 284–5, 305
 pancuronium 86
 paramedian cerebellar
 hemispheric AVMs 138
 parasagittal AVMs 119–20
 parasagittal DAVs 152–3
 paravertebral anastomotic
 network 34
 parietal lobe AVMs 117
 Parkes–Weber syndrome 171, 173
 pathogenesis
 AVMs 5–11, 12, 208, 313
 DAVs 145, 233
 recurrent AVMs 324
 spinal AVMs/AVFs 171–2, 261
 patient characteristics, and
 treatment planning 54,
 115, 314
 patient positioning
 cranial surgery 97, 116, 137–8,
 188
 children 316
 spinal surgery 175
 PCA *see* posterior cerebral artery
 PComA (posterior
 communicating artery) 3,
 4, 19, 118, 187
 pediatric patients 313–18
 anesthesia 100
 clinical presentation 248–50,
 315
 DAVs 155–6
 decisions on treatment 314,
 315–16
 embolization 317–18
 epidemiology 314
 microsurgery 100, 315–18, 324
 multimodal treatment 302–3,
 318
 pathophysiology 314
 preoperative evaluation 315
 radiosurgery 284, 314, 317, 318
 recurrent AVMs 324
 spinal AVMs/AVFs 182, 261
 see also vein of Galen
 (aneurysmal)
 malformations
 pericallosal artery 19, 119, 121
 perimedullary fistulae (pial, type
 IV AVMs) 109–10, 267,
 289
 Pertuiset grading scheme
 (AVMs) 104
 PET (positron emission
 tomography) 234
 petrosal vein 136, 188
 petrous–cavernous network 25–6
 petrous DAVs 158
 petrous node 25
 petrous segment of the ICA 18
 phenytoin 203
 pial arterial network
 (vasocorona) 29, 30, 34
 pial fistulae
 intracranial 102
 spinal (perimedullary, type IV
 AVMs) 109–10,
 267, 289
 PICA (posterior inferior
 cerebellar artery) 21, 135,
 188
 planning treatment *see* decision
 making and treatment
 planning
 Pollock and Flickinger
 classification scheme
 (AVMs) 106
 polyvinyl alcohol embolic agent
 236, 269
 pontine AVMs
 anatomy 188
 microsurgery 140, 192
 position of the patient
 cranial surgery 97, 116, 137–8,
 188
 children 316
 spinal surgery 175
 positron emission tomography
 (PET) 234
 posterior auricular artery 26
 posterior cerebral artery (PCA)
 anatomy 21, 135
 AVMs supplied by 117, 118,
 119, 121, 187, 188
 embryological development 4
 posterior choroidal artery 119,
 121, 187
 posterior communicating artery
 (PComA) 3, 4, 19, 118,
 187
 posterior fossa anatomy
 134–6
 posterior fossa AVMs 130–42
 anatomy 188, 218
 classification 131, 222
 clinical presentation 130, 201,
 218
 hemorrhage risk 52, 115,
 130–1
 management
 embolization 131–2, 193,
 218–31
 emergency surgery 132–4
 intraoperative monitoring
 93, 136
 microsurgery 130, 136–42,
 191–2, 195
 multimodal treatment 141,
 302
 outcomes 141, 195, 302, 305
 palliative therapy for
 trigeminal neuralgia 310
 radiosurgery 132, 187, 197,
 284–5, 305
 treatment planning 131,
 218, 221–2
 natural history 130–1, 208–9
 posterior inferior cerebellar
 artery (PICA) 21, 135,
 188
 posterior median spinal vein
 31–2, 34
 posterior spinal artery (PSA) 29,
 31, 34, 257
 postoperative care/monitoring
 after embolization 230, 263
 after microsurgery 60, 62, 321
 in pediatric patients 324
 posterior fossa 141
 spinal 179
 after radiosurgery 277–8, 281,
 283, 290, 321
 postoperative hemorrhage
 125–6, 306
 residual AVMs 320–1
 pre-eclampsia 8
 pregnancy
 intracranial hemorrhage 102,
 204
 pre-eclampsia 8
 spinal AVMs/AVFs 172, 173
 premedullary cistern 136
 preoperative embolization
 210–11, 296–7
 convexity AVMs 117
 deep intracranial AVMs 187,
 193
 for flow reduction 131–2, 296
 posterior fossa AVMs 131–2,
 225–6
 for securing aneurysms
 132, 297
 for securing deep feeders 132,
 296–7
 spinal AVMs 269

- see also* preradiosurgery
 embolization
 preoperative evaluation
 anesthesiologists'
 responsibilities 97–8
 basal ganglia AVMs 193
 DAVFs 65–7, 147, 174,
 233–4
 digital subtraction
 angiography 62
 functional mapping 90–1,
 92–3
 pediatric patients 315
 posterior fossa AVMs 131,
 218, 221–2
 radiosurgical planning 275,
 281, 289
 spinal AVMs/AVFs 68–9,
 173–5, 263, 269, 288
 supratentorial AVMs 113
 thalamic AVMs 193
 prepontine cistern 136
 preradiosurgery embolization
 211–12, 225–6, 285,
 297–300, 322–3
 prevalence 50, 171
 primitive olfactory artery,
 persistent 20
 prophylactic treatment of
 unruptured AVMs 53–4,
 131, 222, 327–8
 propofol 87, 90, 96, 97
 PSA (posterior spinal artery) 29,
 31, 34, 257
 psychological factors 54, 295
 pterygog vaginal artery 25
 pulmonary AVMs 10–11
- quadrigeminal cistern 136
- radicular veins 32–3, 175
 radiculomedullary arteries
 30, 257
 radiculomedullary veins 32
 radiculospinal arteries 256–7
 radiosurgery 273–9
 AVM classification and 106
 brain AVMs 281–5, 305
 basal ganglia and thalamus
 187, 284, 305
 posterior fossa 132, 187,
 197, 284–5, 305
 complications 278, 283–4, 317
 DAVFs 239, 285
 decision making and
 treatment planning 274,
 275, 289, 314
 dose planning 59, 281, 290
 embolization before 211–12,
 225–6, 285, 297–300,
 322–3
 equipment 274–5
 hemorrhage after 277–8, 283,
 285, 292
 before microsurgery 300
- outcomes
 AVMs 277–8, 282–3, 284–5,
 305, 318
 DAVFs 285
 with embolization 298–300
 pediatric 284, 318
 preoperative 300
 spinal AVMs 290–3
 palliative therapy 284–5, 305
 pediatric patients 284, 314,
 317, 318
 postprocedure care 277–8,
 281, 283, 290, 321
 preprocedure imaging 275
 principles 274–5
 procedures 275–7, 281, 290
 radiation-induced effects
 273–4
 residual AVMs
 after radiosurgery 321–2
 treated by radiosurgery 302
 ruptured AVMs 53
 spinal AVMs/AVFs 289–93
 Ras/MAP kinase signaling
 pathway 10
 recurrent artery of Heubner 19,
 20, 121
 recurrent AVMs 236, 278, 324
 red blood cells 40
 remifentanyl 90, 96
 remodeling of AVMs 9
 renal disorders, and contrast
 agents 57, 58
 residual AVMs
 after embolization 322–4
 after microsurgery 301–2,
 320–1
 after radiosurgery 321–2
 imaging 60, 194
 response to injury hypothesis 6–7
 retrocorporeal arterial network
 34
 rheology of blood flow in smaller
 vessels 40
 risk of AVM rupture *see*
 hemorrhage risk
 Rodesch classification scheme
 (spinal AVMs/AVFs) 173
 ruptured AVMs
 management 53, 132–4,
 201–3
 of complications 203–4
 in pregnancy 204
 timing of surgery 116,
 133–4, 204
 outcomes 51, 204–6
 rebleeding risk 52, 130, 204,
 208–9
 see also hemorrhage
- SAMS *see* spinal arteriovenous
 metamerism syndrome
- sedation 86
 segmental spinal arteries 29–30,
 31, 34
- seizures
 after hemorrhage 203
 postoperative 126
 at presentation 51, 145, 218,
 249–50
- sevoflurane 96
- sex
 DAVFs 145, 234
 spinal AVMs/AVFs 171, 261
- Shi and Chen classification
 scheme (AVMs) 103
- shunts, arteriovenous 37, 62
- sinus skeletonization technique 148
- size of AVMs
 classification schemes based
 on 103, 114
 and embolization risk in
 infratentorial AVMs 218
 hemorrhage risk 43–4,
 52, 115
 imaging of micro-AVMs 60–1,
 62
 microsurgery of large AVMs
 305
 radiosurgery of large
 AVMs 285
 reduction using preoperative
 embolization 296, 297
 and steal 44
 and symptoms 51
- skull, anatomy 134
 “slack brain” 99
- somatosensory evoked potentials
 87, 92
 phase reversal 89–90
 speech function, IONM 90
- Spetzler–Martin AVM
 classification scale 21, 53,
 54, 61, 76, 103–6, 114–15,
 124, 209–10, 215, 222,
 305
- sphenoparietal DAVFs 163
- spinal anatomy
 arterial 29–31, 68–9, 256, 257,
 288
 anastomoses 34
 embryology 33–4, 255–7
 venous 31–3, 257, 288
 anastomoses 34
 anti-reflux mechanisms
 32–3, 257
 spinal arteriovenous fistula
 (spinal AVF) 171, 255
 classification 108–9, 173, 176,
 289
 clinical presentation 67–8, 172,
 261
 and treatment outcome
 182–3
 craniocervical (type V) 34
 epidemiology 171, 259–61
 etiology 171, 261
 imaging 67, 68–9, 175, 256, 263
 postoperative 179
 pre-embolization 263
- management 289
 decision making 175, 263
 embolization 263–4
 extradural AVFs 177
 intradural dorsal
 AVFs 175
 intradural ventral AVFs
 175–7
 microsurgery 175–7,
 179–84
 outcomes 179–81, 182–3,
 264
 postoperative monitoring
 179, 263
 natural history 173
 pathophysiology 172, 257,
 261–3
 perimedullary or pial (type IV)
 109–10, 267, 289
 vascular anatomy 257, 261
see also filum terminale
 vascular malformations
- spinal arteriovenous
 malformations (spinal
 AVMs) 69, 171, 255
 classification 109–10, 173,
 257–9, 266–7, 289
 clinical presentation 69, 172–3,
 264–5, 288
 and treatment outcome
 182–3
 conus medullaris AVMs 109,
 173–4, 179, 182, 289
 epidemiology 171, 259–61,
 264, 267
 etiology 171
 extradural–intradural (type
 III) 109, 173, 178–9, 289
 hemorrhage 69, 264–5, 267,
 288
 imaging
 postoperative 179
 preoperative evaluation
 69–71, 173–5, 265, 269,
 288
 in radiosurgery 289
 intramedullary (type II) 109,
 177–8, 267, 289
 management
 conus medullaris AVMs
 179, 182
 decision making 175, 259,
 268–9, 289
 embolization 109, 177,
 269–70, 289
 extradural–intradural
 AVMs 178–9, 289
 intramedullary AVMs 109,
 177–8, 288
 intraoperative monitoring
 88, 93, 175
 microsurgery 109, 175,
 177–84, 289
 outcomes 181–3, 269–70,
 289, 290–3

Index

- spinal arteriovenous malformations (cont.)
 postoperative monitoring 179
 radiosurgery 289–93
 natural history 173
 pathophysiology 172, 267–8
 vascular anatomy 173–5, 259, 265–6, 267
 spinal arteriovenous metamerism syndrome 171, 173, 257, 270
 splenic AVMs 121–2
 stapled artery, persistent 19
 starches, synthetic 97
 steals 37, 44–5, 309–10
 spinal AVMs/AVFs 172
 stents 237, 238
 stereotactic radiosurgery *see* radiosurgery
 stereotaxy 275
 steroids 96, 275
 straight (tentorial) sinus 65, 149, 247
 stroke *see* hemorrhage; hemorrhage risk
 stylomastoid artery 25, 26
 subarachnoid hemorrhage intracranial 64, 69
 spinal 172, 264, 288
 subclavian artery 3
 superior cerebellar arteries 21, 135, 188
 superior cerebellar peduncles 140
 superior hypophyseal artery(s) 19
 superior ophthalmic vein 64
 superior petrosal sinus 136, 188
 superior sagittal sinus 65
 DAVs 241
 supratentorial AVMs 113–15
 embolization 208, 210–15
 surgical techniques 116–26
 surgeons, experienced 53, 115
 surgery *see* microsurgery
 sylvian AVMs 117–18
 sylvian veins 117, 187
 sympathetic nervous system regulation of CBF 41
 symptoms *see* clinical presentation
 Tamaki grading scheme (AVMs) 104
 tectum 140
 temperature, during surgery 95, 97
 temporal lobe AVMs 22, 117, 118–19
 tentorial DAVs 153–5, 174, 239
 tentorial (straight) sinus 65, 149, 247
 thalamic AVMs anatomy 187
 clinical presentation 201
 embolization, preoperative 187, 193
 microsurgery 122–3, 187, 188–91, 195
 intraoperative monitoring 193–5
 preoperative evaluation 193
 natural history 187
 radiosurgery 187, 284, 305
 thiopental 96
 thoracic spine AVMs/AVFs 172, 183
 vascular anatomy 29, 31, 69, 288
 thrombosis
 after arterial compression 236
 and DAVs 64, 65, 66–7, 145
 after embolization 215, 269
 after hemorrhage (deep vein) 204
 after surgery 126
 thyrocervical trunk 26
 time-of-flight MR angiography 65
 timing of treatment
 embolization of vein of Galen malformations 253
 microsurgery 116, 133–4, 204
 tinnitus, pulsatile 145, 147, 234
 tonsillar AVMs 138
 torcular DAVs 155–8, 239
 transcranial magnetic stimulation 91, 92–3
 transforming growth factor- β signaling pathway 10
 transverse-sigmoid DAVs 24, 144–5, 148–52, 236, 239
 trigeminal artery, persistent 21
 trigeminal nerve 188
 neuralgia 130, 310
 trigonal AVMs 119
 tumors, following radiosurgery 278
 ultrafiltration 41
 University of Toronto Brain AVM Study Group 104
 unraptured AVMs, treatment 53–4, 131, 222, 327–8
 upper cervical network 26
 vascular endothelial growth factor (VEGF) 8, 313, 324
 vascular steal 37, 44–5, 309–10
 spinal AVMs/AVFs 172
 vasculogenesis 1–5, 20, 33–4, 255–7
 vasoconstriction/vasodilatation 38, 39, 40, 41–2, 45
 anesthesia and 96, 97
 vasocorona (pial arterial network) 29, 30, 34
 vasospasm
 after AVM rupture 203
 postoperative 126
 vein of Galen (aneurysmal) malformations 247–54
 angioarchitecture 247–8, 313–14
 clinical presentation 248–50, 315
 chronic state 251
 embryological development 5
 management
 of developmental delay 251
 embolization 250–1
 of hydrodynamic disorders 249, 250–1
 neonatal 248, 250
 pathophysiology 314
 prenatal diagnosis 248
 vein of Galen dilatation 247–8
 vein of Labbé 149
 veins
 AVM drainage
 cerebral AVMs 117, 118, 119, 121
 deep intracranial AVMs 187, 188
 DAVF drainage
 and natural history 107–8, 146–7, 234–5
 surgical disconnection 148
 embryological development 4–5
 hemodynamics 39–40, 44
 hemorrhage risk related to 24, 44, 115
 DAVs 107–8, 147, 235
 imaging
 brain AVMs 39, 62
 DAVs 64–5
 spinal AVFs 68
 spinal AVMs 70–1
 intraoperative drainage improvement 97
 posterior fossa 135
 spinal
 anatomy 31–3, 34, 257, 288
 AVMs/AVFs 175, 261
 imaging 68, 70–1
 stenosis 24, 309
 surgical risk of deep venous drainage 114
 vein of Galen malformation drainage 247
 varices/ectasia 70–1, 107–8
 see also individual vessels/sinuses
 venous air embolism 99, 100, 138
 venous hypertension 37
 hemorrhage risk 24, 44, 235
 and myogenic hypothesis 42
 and pathogenesis of AVMs/AVFs 8, 145, 172
 symptoms 234
 in the venae cavae 172, 173
 vein of Galen malformations 248–9
 venous thrombosis
 and DAVs 64, 65, 66–7, 145
 deep vein after hemorrhage 204
 after embolization 215, 269
 postoperative 126
 ventricular shunts
 ruptured AVMs 133, 203
 vein of Galen malformations 249, 250
 venules 40–1
 vermian AVMs mid/lower 138
 upper 139
 vertebral arteries
 anatomy 20–1, 135, 188
 anastomoses with the ECA 26
 variants 21
 embryological development 3
 vidian artery 18, 25
 Vienna classification scheme (AVMs) 106
 visual evoked potentials 87
 Wada tests 222
 watchful waiting *see* conservative management
 Wernicke's area 90, 93
 white blood cells flow 40
 inflammation 7, 8
 women
 DAVs 145, 234
 see also pregnancy
 Zipfel classification scheme (DAVs) 146, 147, 235