

Index

- A-B testing, 345, 407
- abandonment, 16, 28, 43, 44, 70, 71, 254, 265, 329, 346, 353, 354, 382, 411
- actionable insights, 16, 86, 113, 225
- active learning, 233
- active search, 99
- activity attribution, 274, 275, 276, 302, 378
- adaptive indexing, 75
- adaptive thesaurus, 75
- advanced operators, 79, 164, 165, 240
- affective computing, 176, 184
- affective feedback, 10, 71, 177, 185, 191, 317
- affective models, 71, 189
- affective state, 19, 56, 107, 185, 186, 189, 282, 388
- afterglow effects, 170
- agile views, 142
- algorithmically mediated collaboration, 252
- anchor text, 153, 283, 376, 400
- anomalous state of knowledge, 22, 103, 235
- anonymization, 244, 361, 376, 377, 380
- Apple Siri, xiv, 61, 222
- Apple Watch, 181
- application context, 54, 75, 87, 181, 184, 271, 281, 294, 340, 360
- applying knowledge, 246
- appropriateness, 9, 117, 227, 308
- apps, 168
- archiving answers, 264
- areas of interest, 44
- artificial intelligence, 2, 60, 85, 182, 390, 391, 406
- asynchronous collaboration, 253, 254
- asynchronous communication, 249, 253, 256
- atomic interaction events, 17
- attentional resources, 39, 98, 117, 413
- attentive systems, 158, 210, 211
- attractiveness bias, 66
- attribution-based personalization, 274
- audio interfaces, 191
- augmented reality, xv, 11, 181, 389
- automatic query expansion, 148
- backtracking, 30, 31, 36, 105, 118, 120, 122, 313, 412
- bad abandonment, 43, 71, 265
- badges, 263, 265
- balanced interleaving, 346
- base rates, 394
- behavior-based interface agents, 210
- berrypicking, 32, 102, 114, 120, 121, 122, 123, 130, 157, 236
- big data, xiii, 17, 60, 63, 83, 227, 396, 397, 398, 400, 405, 409
- binary preference, 320
- blind zones maps, 46
- branching, 36, 130, 136
- behavioral biases, xiii, 325
- behavioral dynamics, 295, 383
- behavioral ecology, 116
- behavioral learning, 233
- behavioral tendencies, 354
- biases, xiii, 8, 17, 23, 25, 63, 65, 66, 67, 74, 84, 87, 91, 128, 129, 144, 277, 329, 340, 344, 346, 347, 355, 356, 393, 394, 400, 401, 402, 403, 407

500

Bloom’s taxonomy of learning, 233
bookmarking, 124, 216
brain sensing, 315, 389
brain-computer interactions, 389
bright pupil gaze tracking, 41
broadcasting questions, 257
brokerage, 129
browse trails, 29, 77
browser toolbars, 28, 29, 33, 35, 69, 73, 87, 220, 332, 366
browsing context, 270, 287
browsing logs, 217, 218

captchas, 369
caption bias, 66, 400
captions, 24, 25, 27, 43, 47, 52, 64, 65, 66, 71, 117, 144, 160, 170, 247, 271, 346, 351
cascade model, 64
casual-leisure search, 387
categorical overviews, 159
characterizations of search behavior, 142, 143
childhood development, 231
chunking, 19
clarity score, 81
click entropy, 74, 316, 368
click perplexity, 65
click prediction, 19, 59, 64, 65, 97, 288
clickable snippets, 146
click-through inversions, 25, 26, 86, 144
click-through rate, 25, 77, 88, 288, 319, 325, 329
client-side applications, 33, 73, 161, 373, 382
client-side instrumentation, 28, 36
client-side personalization, 194
cloud computing, xiii, 60, 388
cloud-based content, 367
cocktail party effect, 183
cognitive actor, 281
cognitive analysis, 318
cognitive bias, xiii, 17, 66, 241, 400, 401, 407
cognitive dimensions framework, 133
cognitive effort, 40, 98, 237, 313, 332
cognitive engineering, 161
cognitive flow, 162, 316
cognitive gap, 22, 126
cognitive learning, 246, 311
cognitive load, 9, 151, 157, 166, 299, 305, 307, 313, 314, 315, 319, 334, 402, 408
cognitive model, 102, 103, 104, 119, 133, 377
cognitive model of information transfer, 103, 104

INDEX

cognitive overlap, 105
cognitive prosthetic, 2, 98, 212, 228
cognitive resources, 126, 151, 166, 314
cognitive search intents, 105
cognitive workload, 315
cohorts, 16, 54, 71, 74, 96, 188, 227, 262, 268, 279, 282, 332, 355, 359
cold start problem, 212
collaborative filtering, 119, 212, 213, 222, 252, 293
collaborative search, 56, 63, 125, 191, 197, 250, 251, 252, 253, 265, 282, 335
collabportunities, 252
collection overviews, 102, 107
collective knowledge, 215, 216
co-located collaborative search, 253
combination testing, 346
combinations of metrics, 335, 408
commercial search engine, xii, 9, 21, 74, 131, 164, 268, 277, 285, 323, 333, 362, 371
common ground, 250, 256
comparability, 11, 311, 350, 359, 361, 369, 370, 408
comparative testing, 345
comparison with other searchers, 247
complex search tasks, 6, 20, 78, 79, 111, 128, 133, 141, 147, 155, 185, 201, 202, 206, 207, 218, 248, 391, 394, 406
compression techniques, 199
compromised need, 22
computational resources, 80, 212, 331, 365
computational social science, 396
computer vision, 182, 389, 408
computer-supported collaborative work, 125
concept drift, 296
confirmation bias, 407
conscious need, 2, 22
constraint assumption, 116
constructivist learning theories, 231
content examination, 99
content recommendation, xiv, 94, 105, 347, 362
content-based filtering, 212, 213
content-based image retrieval, 197
content-based personalization, 270, 271
content-based recommender systems, 213
context bias, 66
context-sensitive recommendations, 207
contextual data, 281
contextual information, 54, 82, 122, 158, 211, 300, 356, 360, 390
contextual understanding, 180

contextualization, 10, 21, 77, 108, 267, 268, 269, 270, 280, 296, 301, 303, 320, 326, 363	decision making, 1, 3, 4, 6, 55, 60, 98, 108, 128, 158, 185, 187, 200, 201, 205, 228, 232, 233, 247, 316, 401
contextually aware search experiences, 390	declarative knowledge, 242
continual computation, 163	deep learning, 90, 391, 408
control group, 77, 310, 346	defection, 331
controlled experimental settings, 350, 355	demand characteristics, 8, 318, 340, 358
controlled laboratory setting, 237	demographics, 109, 138, 213, 342, 370, 401
conversational systems, 180	development of cognitive skills, 129
cookie churn, 276, 364	device boundaries, 9, 194, 366, 395
cookies, 199, 274, 276, 363, 383	device-appropriate information, 195
cost of interaction, 326	diagnostic search, 387, 392
cost structure analysis, 121, 311	dialog model, 406
cost-benefit analysis, 121, 199, 365	diet width, 115
counterfactual analysis, 67, 347, 411	differential privacy, 381, 406
coverage, 32, 252	diminishing returns, 115, 121
Cranfield studies, 323, 325, 348, 349, 351, 357	direct manipulation, 8, 177, 179, 194, 212, 384, 389, 391
creative process, 135, 136, 137, 330	directed browsing, 100, 315
creativity, 97, 135, 136, 137, 162, 201, 239, 316, 330, 334	discounted cumulative gain, 321, 322, 353
creativity support tools, 137, 330	discovering new insights, 201
crisis informatics, 297	discovery learning, 233
critical incident analysis, 359	dissatisfaction, 27, 29, 34, 68, 70, 285, 318, 331, 332
cross-application search, 9, 55, 168, 192, 194, 388	distributed collections, 367
cross-device, xv, 59, 70, 194, 199, 208	diversification of search results, 327
cross-device search, 9, 17, 195, 290, 388	diversity, 32, 54, 74, 81, 115, 122, 158, 217, 251, 268, 273, 282, 327, 328, 331, 368
cross-domain search, 9	document context, 282, 283
cross-session, 396	document retention, 4, 124, 152, 237
cross-site experiments, 370	domain expertise, 80, 162, 165, 237, 238, 239, 240, 273, 280
crowdsourcing, 9, 79, 92, 196, 265, 343	domain experts, xiv, 215, 238, 250, 259, 261, 331
curiosity, 2, 101, 102, 129, 130, 325, 331, 354	domain knowledge, 6, 22, 54, 80, 133, 138, 239, 245, 249, 261, 282
currency assumption, 115	domain novices, 34, 214, 215, 256, 312, 353
cursor movements, 5, 16, 34, 36, 38, 42, 44, 71, 163, 174, 187, 281, 318, 334, 348, 362, 366	domain preferences, 17, 26
cursor tracking, 16, 38, 42, 43, 44, 48, 49, 53, 82, 83, 143, 237, 342, 344, 348, 388	dominant search intent, xiii, 8, 27, 73, 74, 77, 184, 279, 284, 362
dark pupil gaze tracking, 41	dwell time, 34, 35, 36, 37, 49, 68, 69, 71, 80, 81, 91, 152, 153, 155, 185, 237, 309, 315, 327, 329
data challenges, 367, 368	dynamic queries, 142, 206, 212, 224, 228, 239
data compression, 82	dynamic rank, 283
data release, 375, 377, 380	earcons, 184
data revolution, xii, 13	economic incentives, 263
data sources, 73, 80, 81, 87, 143, 171, 199, 222, 269, 295, 375, 376, 400	economic models, 103
data visualization, 225, 226, 228	economic theory, 103, 113
data volume, 8, 84, 86, 87, 168, 198, 371, 372, 373, 377, 406, 412	edit and read wear, xiii, 168, 219, 244
day-of-week effects, 87	
decision assumption, 115	

- editable user models, 303
- effect size, 88, 335, 355
- efficiency, 87, 134, 215, 233, 307, 311, 312, 334, 372
- e-learning, 185, 215, 231
- electro-encephalography, 314
- electronic mail, xiii, 108, 170, 208, 229, 256, 271, 284
- empowering searchers, 165
- en vitro, 54
- en vivo, 54
- end user license agreement, 363
- engagement, 1, 17, 25, 38, 44, 49, 55, 64, 77, 86, 128, 149, 173, 187, 199, 213, 223, 226, 237, 249, 287, 308, 311, 312, 318, 319, 334, 360, 370, 390, 394, 403, 405, 408, 412
- enjoyment, 1, 162, 313, 317, 402, 408
- episodic model, 111, 113
- epistemic gestures, 177
- ergotic gestures, 177
- ethics, 259, 367, 375, 380, 381, 384, 407
- ethnography, 337, 340, 355
- evaluation metrics, 90, 248, 295, 307, 352, 408
- event sequences, 17, 224
- examination behavior, 39, 43, 47, 48, 49, 143, 153, 347, 348, 407
- examination bias, 400
- examining results, 201
- executive functions, 135
- expected browsing utility, 351
- expected reciprocal rank, 351
- expected search length, 326
- experimental design, 325, 337, 339, 343, 344, 345, 358, 361, 369, 381
- experimental materials, 342
- experimental protocol, 100, 342, 356, 357, 373, 381
- experimental stimuli, 342
- experimental systems, 16, 148, 342, 350, 370, 373, 408
- expert recruitment, 262
- expert searchers, 62, 215, 217, 250
- expertise location, 258, 262
- explanations, 16, 72, 123, 205, 223, 269, 301, 302, 303, 382, 383, 393, 400
- explicit feedback, 151, 155, 315
- exploration and exploitation, 101
- exploration suggestions, 220, 221
- exploratory behavior, 100, 101, 102, 114, 202, 203, 204
- exploratory browsing, 101, 102, 206
- exploratory data analysis, 5, 129, 226
- exploratory search, 97, 101, 102, 107, 109, 128, 129, 130, 131, 132, 148, 157, 200, 205, 206, 241, 302, 308, 310, 317
- exploratory search systems, 129, 132, 205
- exploratory search tasks, 147, 159
- explorers, 30, 143, 285, 354
- exploring session, 203, 204
- extrinsic incentives, 263
- eye gaze, 5, 38, 40, 41, 48, 51, 143, 172, 173, 237
- eye-gaze interaction, 172
- faceted navigation, 159, 160
- faceted search interfaces, 142
- facial affect detection, 188
- facial recognition, 56, 174, 186, 188, 291
- feature engineering, 68, 89, 93
- feature generation, 85, 89
- feature selection, 89, 90
- federated search, 367
- feedback loops, 24, 401
- field studies, 340, 341, 345, 355, 356
- fieldwork, 340
- filter bubble, xiii, 222, 277
- fixed vocabulary gestures, 176
- flighting, 9, 54, 335, 337, 345, 346, 357, 377, 411
- fluid documents, 147
- F-measure, 321
- focus groups, 339, 340, 347, 355, 356
- focused attention, 318
- formalized need, 22
- formulating and testing hypotheses, 202
- freshness, 295
- frustration, 71, 72, 79, 86, 88, 105, 106, 107, 173, 183, 185, 187, 188, 209, 308, 317, 318, 334, 370
- functional fixedness, 241, 246
- functional near infrared spectroscopy, 314
- functional visibility, 150, 157, 166
- galvanic skin response, 71, 72, 187, 391
- games with a purpose, 369
- gaze patterns, 38, 46, 47, 237
- gaze trackers, 38, 40, 41, 42, 51, 172, 173, 389
- gaze tracking, 10, 15, 36, 38, 39, 40, 41, 43, 44, 46, 48, 49, 51, 55, 67, 83, 151, 153, 172, 183, 198, 237, 314, 318, 319, 334, 342, 370, 388
- geographic retrieval, 197
- geolocation, 82, 195, 291, 364

- gestural feedback, 56
- gestural interaction, xv, 57, 179, 287
- gestural vocabularies, 178
- gesture based search systems, 180
- gisting, 144
- glimpses, 102
- goal-directed tasks, 102, 135
- good abandonment, 43, 71, 265, 329
- Google Glass, xv, 181, 182, 191, 390
- Google Now, xiv, 7, 10, 210, 222, 271, 391
- Granger causality, 383
- groupization, 279
- groupware systems, 254
- guided tours, 34, 63, 73, 167, 205, 214, 217, 218, 232
- hand gestures, 181, 389
- HCIR. *See* human-computer information retrieval
- healthcare utilization intentions, 290, 394
- heart rate, 71, 72, 180, 186, 187, 188
- heatmaps, 39, 45, 46, 49
- hierarchical category representations, 272
- hints and tips, 165, 242, 312
- histories, 7, 9, 21, 23, 57, 73, 77, 79, 119, 123, 137, 157, 158, 168, 169, 183, 192, 194, 196, 205, 207, 219, 221, 228, 251, 268, 271, 274, 286, 299, 363, 366, 378, 392, 396
- hover, 43, 48, 53, 174, 176, 178, 189, 198, 411
- human intelligence, 2, 98, 344, 395
- human memory, 181, 214, 299
- human navigation behavior, 100
- human-computer information retrieval, 4, 141
- human-in-the-loop, 293
- hybrid recommender systems, 213
- hyperlink analysis, 249
- hyperlink clicks, 24, 65, 170, 283, 287
- I'm feeling lucky, 122, 156
- idea tactics, 110, 220
- ideation, 136, 330
- immersive search experiences, 8, 197
- implicit feedback, 4, 5, 8, 15, 16, 21, 24, 35, 36, 38, 39, 49, 55, 56, 67, 76, 91, 102, 124, 150, 152, 153, 154, 155, 161, 185, 271, 315, 353, 401, 407
- implied consent, 378
- in situ surveys, 331, 411
- incremental feedback, 152
- individual differences, 41, 71, 81, 143, 161, 173, 189, 310
- infinite scrolling, xiv, 5
- information behavior, xvi, 5, 8, 20, 55, 97, 99, 100, 104, 108, 110, 116, 117, 132, 138, 201, 281, 340, 372, 373, 412
- information coverage, 131
- information filtering, 7, 208, 209, 210, 212, 303
- information finding, 4, 6, 132, 138, 141, 160, 405
- information foraging, 30, 97, 100, 102, 114, 116, 117, 118, 119, 120, 121, 123, 127, 130, 132, 138, 377, 414
- information foraging theory, 113, 116, 117, 120
- information fragments, 124, 192, 193
- information gain, 89, 114, 115, 130, 206, 218
- information gathering, 114, 122, 123, 135, 143
- information patch, 113, 117, 118
- information retrieval evaluation, 309, 355
- information scent, 25, 29, 33, 98, 100, 116, 117, 118, 119, 120, 158, 192, 220, 283
- information search process, 97, 105, 107, 310, 413
- information use, 3, 4, 8, 10, 108, 118, 124, 132, 133, 135, 158, 165, 229, 233, 246, 247, 271, 316
- information visualization, 1, 4, 8, 101, 142, 172, 202, 205, 206, 224, 225, 226, 227, 228, 229, 311, 350, 371, 372
- informational nuggets, 327
- information-seeking activity, 98, 100, 185, 342
- information-seeking behavior, 8, 17, 37, 102, 103, 104, 107, 108, 111, 120, 133, 280
- information-seeking context, 28, 53, 315
- information-seeking process, 2, 102, 107, 108, 129, 185, 231, 233, 295, 341
- information-seeking strategy, 111, 122, 132
- information-seeking support systems, 99
- informavores, 117
- innovation, 24, 108, 137, 330, 405
- in-situ data collection, 16, 44, 211, 329
- instant answers, xiv, 44, 130, 265, 299, 394
- instant messaging, 134, 251, 253, 254, 255, 257
- instant search, 149
- institutional review boards, 381, 384
- instructional scaffolding, 245
- instrumented Web browsers, 123, 362
- intellect augmentation, 98
- intelligence amplification, 98, 232
- intelligent agents, xiv, 11, 61, 184, 194, 211, 222, 234, 391, 392, 403
- intelligent assistants, 7, 223

- intelligent personal assistants, 6, 17, 20, 59, 70, 133, 134, 210, 229, 271, 290, 409
- intelligent tutoring, 188, 231, 246, 317
- intelligent tutoring system, 188, 246
- interacting with strangers, 249, 260, 261, 263, 265
- interaction monitoring, 318
- interactive experimentation, 349, 403
- interactive information retrieval, 4
- interactive machine learning, 91
- interactive query expansion, 148
- interactive visualization systems, 224
- interface mediated collaboration, 252
- interleaved evaluation, 345
- interleaving, 54, 67, 125, 144, 276, 325, 337, 346, 347, 357
- internet of things, xii
- interpersonal interactions, 249
- interruption cost, 383
- interruption management, 209
- interruptions, 173, 209, 255, 259, 262, 326, 340, 356, 392
- interviews, 55, 143, 227, 237, 310, 313, 316, 318, 339, 341, 345, 355, 356, 383
- intrinsic exploration, 101, 102
- intrinsic incentives, 263
- IP addresses, 274, 280, 289, 291, 364, 365, 377
- item-to-item collaborative filtering, 212
- iterative search behavior, 131
- judgment and decision making, 393
- just-in-time information access, 192, 210, 229
- knowledge acquisition, 108, 127, 128, 129, 130, 232, 238, 242
- knowledge building, 232
- knowledge discovery, 97, 160, 193, 212
- knowledge gap, 126, 235
- laboratory setting, 36, 54, 55, 83, 237, 310, 325, 330, 338, 344, 370, 408
- laboratory studies, 237, 246, 335, 338, 341, 343, 345, 354, 355, 356, 361
- landing pages, 24, 34, 35, 69, 71, 144, 145, 146, 175, 283
- large displays, xv, 172, 178, 191, 388, 390, 409
- lazy loading, 44, 199
- learning, 9, 60, 62, 63, 64, 97, 126, 129, 130, 138, 160, 162, 202, 233, 243, 247, 310, 334
- learning loop complex, 235
- learning process, 91, 101, 132, 233, 235, 236, 238, 242, 245, 308, 372
- learning theory, 236
- learning to rank, 49, 76, 89, 92, 93, 217, 362
- life-long learning, 232
- living laboratories, 337, 359
- local knowledge, 292, 293, 294
- location context, 289
- locus of control, 227
- log analysis, 16, 17, 20, 30, 49, 147, 158, 237, 276, 331, 337, 338, 344, 360, 366, 384, 412
- log duration, 87
- longitudinal analysis, 77, 88, 341
- longitudinal studies, 105, 360, 408
- long-lived interests, 208
- long-term learning, 138, 238
- long-term tasks, 7, 20, 62, 395
- lookup model, 2, 3, 5, 79, 121
- lookup searches, 130, 236
- machine learning, xi, xv, 2, 13, 51, 59, 60, 67, 76, 85, 89, 90, 91, 92, 93, 94, 96, 188, 225, 344, 372, 373, 390, 391, 405
- machine learning algorithms, 61, 76, 89, 93, 94, 372
- machine reading, 390
- machine translation, 182, 262, 390
- machine-learned ranking, 92, 93, 94, 153, 327
- Map Reduce, 84, 85
- marginal value theorem, 115, 116, 118
- massive open online courses, 232, 238
- mean average precision, 320
- mean reciprocal rank, 320, 321, 322
- measuring creativity, 137, 330
- measuring engagement, 319
- measuring learning, 310, 311, 312
- measuring serendipity, 316
- memex, 214
- memory landmarks, 299, 300
- metacognitive knowledge and skills, 132
- metric agreement, 324
- metro maps, 218
- Microsoft Band, 71, 72, 181, 184, 187, 188, 389
- Microsoft Cortana, xiv, 7, 10, 61, 210, 222, 271, 391
- Microsoft HoloLens, xvi, 172, 390
- Microsoft Kinect, 51, 186, 188
- Midas touch, 172
- misses, 48, 51, 314
- missions, 7, 19, 110, 169
- mixed control, 157, 303

mixed initiative interfaces, 193, 391	online advertising, 8, 65, 347
mobile applications, xv, 138, 168	online experiments, 63, 67, 95, 324, 345, 346, 347, 348
mobile computing, xi, xv, 59, 61, 81, 96, 99, 161, 387	on-task behavior, 252, 279, 280, 284
mobile devices, xv, 10, 15, 36, 38, 50, 52, 60, 70, 163, 168, 182, 190, 191, 222, 253, 288, 290, 365, 387, 388, 405	ontologies, 272
mobile search, 71, 81, 253, 289, 387, 388	open user models, 303
modeling expertise level, 239	open-ended questions, 318
motifs, 38, 135, 284, 329	open-mindedness, 136
multi-device usage, 195, 396	optical character recognition, 291, 369
multi-level judgments, 327	optimal foraging theory, 114, 115, 116
multimodal systems, 180	optimality modeling, 115
multi-query sessions, 49	opt-in consent, 378
multitasking, 37, 254, 255, 315, 356	orientation, 122, 145, 173, 177, 186
multi-touch, 52, 174	orienteering, 32, 33, 102, 114, 120, 122, 123, 124, 129
	ostension, 154, 169
	outcome-oriented measures, 334
natural language queries, 164, 182	
natural language understanding, 390	page load time, 16, 35, 44, 95, 163, 199, 287, 412
natural search interactions, 81, 388	page prediction models, 209
natural settings, 16, 55, 56, 83	page-zero experiences, 207
natural user information retrieval, 142, 406	pagination, 5, 18, 24, 25, 27, 88, 209, 285
natural user interaction, 8, 52, 59, 61, 99, 142, 161, 171, 172, 186, 388, 405	panels, 4, 28, 337, 338, 339, 340, 341, 354, 356, 381
natural user interfaces, 60	parameter settings, 352, 407
naturally occurring gestures, 176	participant recruitment, 342
navigation by information scent, 117	passive attention, 99
navigators, 30, 143, 285, 354	passive search, 99
near-surface interactions, 174	patch enrichment, 118
need for cognition, 25, 411	patience, 176, 203, 351
negative relevance feedback, 155	perceptual measures, 319
negative search, 166	personal assistants, 61, 62, 222, 223
nested model of context, 281	personal data markets, 382
next-generation search experiences, 59, 408	personal informatics, 243
next-generation search interaction, 9, 10, 59, 61, 63, 90, 161	personal information management, 60, 193, 294, 299, 340
next-generation search systems, xi, 2, 6, 8, 9, 10, 57, 60, 64, 82, 96, 97, 108, 188, 191, 194, 197, 198, 206, 217, 248, 253, 267, 300, 302, 303, 307, 309, 388, 405, 408	personal location preferences, 291
non-hyperlink clicks, 16, 24, 28	personal navigation, 27, 74, 92, 143, 271, 272, 279
normalized discounted cumulative gain, 114, 269, 320, 323	personal preferences, 223, 331
novelty, 32, 101, 115, 116, 122, 131, 136, 222, 251, 252, 316, 327, 328, 331, 354	personalized ranking models, 91
novice searchers, 215, 246	personalized relevance judgments, 320
	personalized search, xiv, 7, 94, 274, 276, 303, 409
offline experiments, 138, 324, 325, 327, 348, 350, 360	personally identifiable information, 143, 199, 364, 368, 378
one from many, 251	personas, 275, 276
ongoing search, 59, 99	persuasion, 245, 277
	persuasive systems, 243
	persuasive technologies, 243

- physical context, 56
- physical environment, 7, 197, 289
- physical location, 54, 60, 63, 138, 194, 275, 287, 289, 362, 363, 364, 365
- physiological measures, 313, 314, 319
- physiological signals, 6, 56, 72, 180, 185, 191, 314, 319, 338
- pile metaphor, 125
- pleasure, 1, 222, 316, 317
- polyrepresentation, 104
- pooling, 92, 323, 414
- popular destinations, 32, 131, 148, 158, 168
- portfolio theory, 113
- position bias, 65
- positive affect, 317, 318
- positive psychology, 316
- post-search browsing activity, 3, 18, 29, 33, 76, 123, 144, 168, 219, 287
- potential for personalization, 269, 276
- potentially alarming content, 144, 346
- poverty of attention, 117
- precision and recall, 91, 307, 321, 322, 323
- preference judgment, 325
- preferential attachment, 24, 155, 401
- pre-fetching, 73, 79, 163, 195, 209, 220
- preparedness, 136, 227
- pre-search browsing activity, 208, 285, 287
- pre-search search activity, 285
- pre-searchbrowsing activity, 287
- presentation bias. *See* position bias
- privacy, xiii, 8, 11, 16, 54, 55, 199, 213, 223, 274, 276, 303, 352, 360, 361, 366, 368, 369, 374, 375, 377, 378, 379, 380, 381, 382, 383, 384, 394, 407
- privacy concerns, xvi, 57, 143, 168, 189, 191, 212, 301, 355, 361, 365, 366, 367, 381, 390, 394, 406, 409
- privacy expectations, 194
- privacy frameworks, 384
- privacy guarantees, 362, 406
- privacy legislation, 380
- privacy preservation, 382, 406
- privacy risks, 168, 295, 302, 363, 367, 376, 377, 381, 382, 384, 406
- proactive search, 1, 10, 11, 61, 62, 94, 192, 209
- probabilistic interleaving, 346
- problem identification, 86, 138
- problem solving, 105, 117, 132, 133, 134, 135, 222, 225, 231, 233, 239, 246, 392
- problematic situation, 2, 103, 133
- procedural knowledge, 242, 310
- process model, 102, 105
- process-oriented measures, 309, 318, 334
- production theory, 113
- productivity, xiv, 95, 138, 192, 193, 252, 266, 294, 388, 392
- productivity applications, xiv, 192, 193, 392
- progress updates, 205, 207
- progressive revealment, 24, 175
- projected displays, 176, 191
- pseudo-relevance feedback, 149, 155
- psychological state, 391
- public health, 8, 17, 376, 397
- quality-in, quality-out principle, 22
- query alterations, 97
- query auto-completion, 15, 21, 22, 23, 97, 118, 149, 207, 295, 296, 376
- query chains, 18, 74, 75, 77, 92, 285
- query expansion, 22, 23, 35, 105, 142, 144, 147, 148, 149, 153, 155, 166, 271, 278, 302, 371
- query formulation, 4, 18, 21, 23, 30, 35, 99, 103, 107, 138, 147, 149, 152, 156, 157, 160, 166, 168, 246, 273, 310, 315, 324, 329, 346, 376, 401
- query operators, 164, 241
- query performance prediction, 70, 80, 81
- query statements, 5, 21, 23, 38, 120, 131, 135, 137, 163, 164, 165, 200, 209, 238, 283, 285, 287, 312, 380, 406
- query substitutions, 147
- query suggestion, 1, 4, 8, 21, 23, 24, 27, 48, 70, 75, 97, 131, 141, 147, 148, 150, 156, 220, 268, 284, 285, 287, 376, 400, 407
- query trails, 29
- query understanding, 395
- question answering, 3, 60, 130, 164, 250, 251, 253, 254, 255, 256, 257, 260, 261, 263, 264, 265, 293, 322, 370, 376, 394, 395
- quick-backs, 91, 285
- rank-biased precision, 320, 351
- rational analysis, 117, 119
- reading level, 238, 273, 277, 278
- real-time query expansion, 23, 149, 207, 302
- recommendation system, 281
- recommender systems, 152, 207, 212, 213, 214, 250, 268, 282, 301
- reconnaissance agents, 163, 196, 208, 211
- reference librarians, 4, 55, 97, 134, 141, 164

- re-finding, 20, 27, 122, 143, 169, 170, 171, 183, 244, 271, 272, 310, 367, 389
- reflection, 60, 62, 160, 172, 181, 202, 243, 244, 245, 247
- reinforcement learning, 90, 101
- related searches. *See* query suggestion
- relative expertise, 246, 250, 258
- relevance, 32, 52, 53, 155, 183
- relevance assessments, 67, 93, 151, 152, 269, 276, 278, 279, 320, 322, 324, 326, 327, 348, 349, 350, 351
- relevance feedback, xii, 4, 24, 53, 76, 107, 141, 144, 148, 150, 151, 152, 154, 155, 166, 185, 206, 301, 302, 314, 317, 343, 360
- relevance judgment. *See* relevance assessments
- relevance metrics, 92, 321, 325
- relevance models, 73, 74
- remote locations, 55, 291
- remote work, 276
- repeat queries, 27, 77, 207, 272
- research questions, 17, 206, 338, 339, 342, 343, 369, 384, 400
- resource bias, 66
- result clicks, 16, 25, 35, 37, 68, 73, 75, 76, 86, 91, 92, 144, 169, 271, 285, 317, 329, 353, 365, 368, 382
- result examination, 108, 401
- result ranking, 5, 17, 19, 24, 32, 64, 74, 76, 83, 89, 91, 152, 166, 220, 285, 295, 347, 351, 390, 407
- result re-ranking, 35, 50, 71, 153, 157, 270, 271, 273, 277, 278, 287, 302
- retrospective surveys, 331, 332, 382, 383
- review browsing, 100
- revisitation, 65, 78, 99, 143, 169, 170, 193, 197, 206, 368, 389
- richer sensing, xii, 7, 10, 56, 71, 107, 388
- risk and reward, 277, 278
- saccade paths, 46
- sampling, 87, 88
- sampling bias, 17, 83
- sandboxes, 377
- satisfaction, 9, 19, 34, 35, 53, 59, 67, 68, 69, 70, 71, 73, 81, 89, 106, 155, 162, 163, 267, 296, 312, 325, 329, 330, 340, 383
- satisfaction models, 50, 69, 70, 71, 78, 97, 204, 296, 329, 343
- scalable visualization tools, 371
- scan browsing, 100
- scientific discovery, 129, 330
- search as learning, 233
- search context, 94, 108, 156, 160, 174, 183, 205, 207, 284, 285, 292, 303, 341, 352, 371
- search engine switching, 72, 81, 86, 317, 319, 331, 332, 333, 363, 367, 368, 382, 411
- search expertise, 164, 165, 221, 238, 240, 246, 273, 312, 358
- search experts, 134, 240, 241, 243, 249, 280, 312, 395
- search goals, 1, 15, 19, 32, 110, 129, 353
- search outcomes, 67, 70, 80, 204, 249, 309, 320, 324, 335, 350, 408
- search sessions, 7, 18, 20, 31, 37, 68, 70, 76, 78, 79, 110, 111, 114, 123, 130, 135, 143, 205, 206, 237, 242, 285, 299, 329, 331, 379
- search situations, 7, 71, 77, 82, 92, 176, 267, 360, 409
- search skills, 165, 240, 242, 243, 244, 245, 335
- search state, 170, 196, 205, 271, 396
- search strategies, 3, 4, 7, 110, 130, 131, 151, 156, 170, 217, 238, 244, 249, 285, 325
- search success, 69, 147, 204, 220, 243, 245, 282, 328, 331, 334, 369
- search tactics, 110, 240
- search trails, 29, 30, 33, 37, 63, 73, 76, 77, 136, 143
- searcher attention, 25, 36, 37, 38, 39, 43, 44, 48, 50, 51, 52, 65, 144, 147, 170, 172, 173, 174, 219, 347, 388
- searcher control, 148, 151, 155, 156, 302, 378, 391
- searching to learn, 232, 236
- search-oriented browsing, 100
- search-result click-through, 38, 50, 68, 73, 138, 351
- self-reports, xv, 237, 318
- selfsourcing, 78, 396
- semi-directed browsing, 100, 236
- semiotic gestures, 177
- semi-supervised learning, 90
- sensemaking, 22, 97, 102, 121, 126, 127, 128, 144, 162, 232, 233, 235, 311
- serendipity, 60, 136, 201, 206, 212, 222, 315, 316
- session trails, 29
- simulations, 9, 29, 83, 114, 119, 120, 125, 161, 337, 350, 352, 353, 354, 357, 368, 377, 402, 403, 407, 408
- situated navigation, 123
- situational relevance, 109, 131

- skill level, 63, 132, 162, 223, 240, 241, 242, 245, 273
- skin temperature, 72
- skips, 48, 49, 51, 309, 334
- slow search, xv, 7, 62, 96, 196, 208, 250, 394, 396
- small data, xii, 60, 62
- SNIF-ACT, 119, 377, 402
- social bookmarking, 120, 216, 395
- social capital, 129, 261
- social computing, 60
- social context, 7, 249, 281, 282, 366
- social explanations, 301
- social learning, 165, 312
- social media, 6, 9, 20, 35, 60, 63, 128, 129, 262, 293, 295, 297, 368, 374, 393, 395, 397, 401
- social navigation, xiii, 34, 125, 215, 216
- social networks, xiii, xiv, 30, 60, 63, 83, 84, 128, 222, 232, 254, 260, 261, 312, 394
- social search, 189, 216, 232, 258, 387, 395, 403
- social sensemaking, 128
- spatial context, xiv, 292
- spatial hypertext, 125
- spatial mobility, 292
- specialized search services, 138
- speech recognition, xv, 13, 60, 134, 182, 183, 190, 262, 408
- spelling correction, 23
- spoken dialog, xv, 1, 15, 52, 57, 60, 94, 134, 161, 178, 182, 183, 189, 202, 253, 287, 388, 391, 406, 411
- spreading activation, 119
- standing queries, 7, 11, 208, 223
- static rank, 76, 94, 283
- statistical testing, 88, 225, 227, 335, 338, 355
- stereotypes, 157, 353, 377
- stimulated recall, 16, 143, 309, 318, 343, 411
- stochastic privacy, 381, 382, 406
- strategic models, 103, 110
- strategic search support, xiii, 21, 215
- stratified models, 97, 103, 109, 110
- struggling session, 203
- sub-goals, 215
- subject matter expertise, 66, 75, 132, 236, 238, 239, 280, 312
- subject matter experts, 134, 136, 236, 245, 249, 260, 261, 394, 395
- subjective experiences, 318
- subjective measures, 313
- subjective perception of time, 319
- subject-matter expertise, 4, 34, 63, 132, 328
- subtopic structuring, 144
- summary generation, 247
- supervised learning, 90
- supporting exploration, 23, 212, 222, 308
- supporting learning, 231, 233, 241, 248
- supporting website navigation, 219
- surprise, 66, 186, 308, 325
- survey-log linking methodology, 383
- surveys, 4, 143, 227, 237, 341, 344, 355, 357, 374
- synchronous collaboration, 252, 254
- synchronous communications, 254
- synthesis, 63, 97, 100, 124, 126, 129, 132, 138, 157, 192, 232, 234, 239, 388
- system mediated collaboration, 252
- tabbed browsing, 36
- tacit knowledge, 255
- tag clouds, 228
- tail answers, 265
- tangible search artifacts, 196
- targeted distribution of questions, 259
- task completion, 1, 2, 5, 32, 59, 61, 78, 99, 158, 192, 194, 197, 223, 247, 309, 311, 312, 314, 370, 391
- task context, 4, 78, 157, 281
- task continuation, 20, 396
- task difficulty, 79, 80, 162, 185
- task expertise, 238, 241, 284
- task models, 74, 79, 153, 284, 338
- task resumption, xv, 7, 9, 62, 99, 169
- task scenarios, 245, 335
- task switching, 340
- task taxonomy, 143, 226
- task tours, 168, 218, 220
- taxonomies of learning, 233, 310
- team draft interleaving, 346
- teleportation, 122, 216
- temporal dynamics, 296, 396, 399
- temporal query patterns, 147
- ten blue links, 2
- terms of use, 54, 88, 352, 362, 363, 375, 379
- Text Retrieval Conference, 3, 207, 348, 349
- text selections, 28, 43
- text tiling, 144
- theory of learning, 236
- think-alouds, 55, 237, 309, 313, 318, 319, 341
- time estimation, 329
- time-aware information access, 295
- time-biased gain, 114, 115, 326, 353

time-critical search, 143, 297, 298	user profiles, 9, 51, 62, 96, 168, 196, 213, 237, 262, 267, 270, 272, 274, 282, 303, 362, 366, 378, 388
timeline visualization, 300	user studies, 5, 23, 72, 131, 147, 148, 149, 187, 217, 219, 260, 309, 311, 317, 324, 337, 338, 340, 342, 344, 347, 348, 350, 352, 353, 355, 358, 360, 369, 370, 408
time-varying goals, 193	user study data, 309, 353, 369
topic hierarchies, 272	utility, 163, 166, 317, 320, 322, 323, 324, 327, 335, 348, 351, 352, 381, 383, 384, 398, 399
touch devices, 174	
touch gestures, 174, 176	verbose queries, 134, 164
touch interactions, 10, 15, 38, 51, 52, 53, 70, 82, 174, 176, 318	verification, 214, 331
tours and trails, 32, 167, 217, 220	viewport, 36, 49, 50, 51, 53, 70, 81, 174, 176, 178
trailblazers, xiii, 28, 214	virtual reality, 197
trailblazing, 29, 34, 158, 214, 217	visceral need, 22
trailfinding, 33, 219	visual analytics, 202
traits, 227, 326, 353, 354	visual search, 101
transfer of learning, 239, 241, 311	vocabulary problem, 75
treatment group, 77, 84, 346	voice query, 183
TREC. <i>See</i> Text Retrieval Conference	Von Restorff effect, 27
TREC Contextual Suggestion Track, 207, 350	
TREC High Accuracy Retrieval from Documents Track, 350, 370, 371	wandering behavior, 350, 352, 353
TREC Interactive Track, 220, 350, 361, 370	waypoints, 32
TREC Session Track, 324, 350	wearable, xv, xvi, 6, 7, 10, 71, 72, 181, 182, 187, 197, 389, 391
triangulation of data, 212	web behavior graphs, 30, 118, 135
triggers, 73, 123, 294	web cameras, 51, 172, 174, 188
trust bias. <i>See</i> position bias	work tasks, 63, 78, 79, 104, 281, 299, 309, 312, 342, 360
	workspaces, 124, 125, 205, 206, 207
unconventional thinking, 136	
undirected browsing, 20, 99, 100	zone of proximal development, 232, 245
unsupervised learning, 85, 90	
urgency, 143, 183, 295, 297, 298, 299, 300	
usability, 28, 50, 53, 79, 117, 120, 161, 231, 308, 329, 335, 341, 343, 352, 376, 411	
user mediated collaboration, 252	
user models, xiii, 2, 61, 157, 193, 210, 215, 320, 338, 352, 353, 355, 365, 377, 414	