

Index

- Bisect, 74
- Descent, 313
- FFT2D, 191
- FFT, 182
- FindPeriods, 333
- LFPDE, 129
- ListPlot, 8
- LoPass, 187
- MakeDifference, 96
- Mathematica
  - BesselJ, 321
  - Eigensystem, 273
  - Eigenvalues, 294
  - FinancialData, 369
  - HermiteH, 270
  - Import, 186
  - Inverse, 223
  - LUdecomposition, 235
  - Length, 19
  - LinearSolve, 295
  - NormalDistribution, 367
  - Norm, 320
  - QRdecomposition, 231
  - RotateRight, 185
  - SparseArray, 293
  - Table, 3, 12, 19
  - Timing, 19
  - Union, 333
  - help, 12
- Module, 6
- Newton, 76
- Print, 8
- RKODE, 41
- Random, 161
- Simpson2D, 158
- Simpson3D, 159
- Simpson, 156
- Table, 3, 11–12
  - referencing elements, 12, 18, 19
- Timing, 19
- Verlet, 32
- iFFT, 184
- nNewton, 78
- acceleration, 22
- action, 301
- action minimization, 301–302, 314
- adaptive step size, 41
- air resistance, 23
- Algorithm, 13
- angular momentum, 55
- area minimization, 56–58
- area under the curve, 141
  - Monte Carlo, 161
- average, 143
- average value, 159
- backward Euler’s method, 45, 50
- balls and springs, 200–204
  - decoupling, 206
  - equation of motion, 202–204
  - Lagrangian, 203
  - linearized, 211
- basin of attraction, 325
- basis functions
  - Galerkin, 379
- Bessel function
  - modified, 147
- bifurcation diagram, 332–333, 349
- bisection, 73–74, 302
  - shooting, 77
  - timing, 83
- Bohr radius, 69, 255
- bonds, 200
- Born–Infeld E&M, 373–374, 388
- bound states, 61
  - hydrogen, 69, 255
  - one dimension, 67–70
- boundary condition, 34, 88
  - for PDEs, 128
  - Laplace problem, 89–93
  - numerical, 94
  - periodic, 128
  - Poisson problem, 92
- boundary-value form, 54, 63
- box-counting dimension, 343–344, 348

396

Cantor middle thirds set, 347  
capacity dimension, *see* box-counting  
dimension  
Cash–Karp embedding, 42, 49  
Cauchy–Schwarz inequality, 295  
causal contact, 60  
chaotic solution, 323, 331  
characteristic curves, 117–118  
crossing, 120  
charge conservation, 115  
circuits, 222  
classical mechanics, 24  
conductor, 90  
conjugate gradient, 289–292, 307, 381  
timing, 292  
conservation laws, 115–116  
conservation of momentum, 123  
consistent method, 36, 46  
continuity, 62, 67, 70, 71  
convergence, 46  
Crank–Nicolson, 133  
norm-preservation, 136  
cube of charge, 148  
Cybenko theorem, 363  
  
damped driven harmonic oscillator, 88–89, 96–98  
damped harmonic oscillator, 43  
data fitting, 224–227, 246–248, 300–301  
density of cars, 119  
determinant, 239–240  
diagonal matrix, 227  
dimensions and units, 15  
dipole, 111  
Dirac delta function, 110, 121, 134, 174  
discrete, 194  
integral of exponential, 174  
discontinuity, 109  
discrete Fourier transform, 178–180  
and Fourier series, 180  
frequency spacing, 179  
inverse, 180  
Nyquist frequency, 179  
recursion, 180–182  
discretization, 33–38  
time and space, 125  
dissipative, 377  
drag, 25  
  
eccentricity, 167  
eigenvalue problem, 66, 97, 204, 220, 246, 251  
Krylov subspace, 285–287  
ODE, 66  
power method, 260–262  
QR iteration, 262–264  
simultaneous iteration, 262–264  
eigenvalues  
shooting, 66–73

Index

elastic network model, 201  
electrical circuits, 222  
electrostatic potential, 87  
ellipse, 167  
eccentricity, 167  
perimeter, 169  
elliptic integral, 146, 167  
Euler equations, 123  
Euler’s method, 35–36, 39, 50  
backward, 45, 50  
for PDEs, 126  
for Schrödinger’s equation, 132  
implicit, 126  
stability, 44  
expectation value, 299  
  
fast Fourier transform, *see* FFT  
Feigenbaum numbers ( $\delta$  and  $\alpha$ ), 333–334, 349  
FFT  
algorithm, 182–186  
frequency spacing, 179  
inverse, 184  
recursion, 180–182  
sound, 186–187  
time dependence, 192  
timing, 182–184  
two-dimensional, 189–191  
field-particle system, 275  
filter, 177, 187–189  
fine structure constant, 70  
finite difference, 77, 87  
one dimension, 93–98  
time dependent PDEs, 127  
two dimensions, 98–102  
finite precision, 15  
finite square well, 61–62, 82, 84  
fitting data, 224–227, 246–248, 300–301  
fixed point, 324, 327–328  
and periodicity, 327–328  
logistic map, 329–331  
stable, 325, 327–328  
fluid dynamics, 122–123  
for loop, 5–6, 17  
forward Euler method, 126  
four-dimensional sphere, 169  
Fourier cosine series, 195  
Fourier series, 177–178, 195–196  
Fourier sine series, 195, 371  
Fourier transform, 173–176  
discrete, 178–180  
filter, 177  
inverse, 173–176  
of differential equations, 175–176  
fourth-order Runge–Kutta, 41  
fractal, 341–346  
fractional dimension, 342–346  
free particle, 70  
friction, 23  
fringing field, 103

- full column rank, 231, 249
- function pointers, 10
- functional, 57
- functions, 6–8, 10
  - argument, 6
  - projection, 34
  - recursion, 8
- Galerkin method, 371, 378–385
  - nonlinear Klein–Gordon, 382–384
  - nonlinear wave equation, 384–385
  - Schrödinger’s equation, 381–382
  - wave equation, 380
- Gauss–Seidel, 279, 281
- Gaussian elimination, 233
  - pivoting, 238–239
- global truncation error, 36
- golden ratio, 304
- golden section search, 302
- gradient, 78
- Gram–Schmidt, 230–231
- gravitational potential, 87
- gravity, 55
- Green’s function, 110, 142
- grid
  - rectangular, 98
- grid-free, 371
- ground state, 299
- Hénon map, 325
- harmonic approximation, 201
- harmonic oscillator
  - damped driven, 88–89, 96–98
  - eigenvalue problem, 81, 216
  - simple, 44
- heat equation, 377–378
- Helmholtz equation, 87, 111
- Hessian matrix, 308
- hidden layer, 361–363
- Hooke’s law, 376
- hydrogen, 68–70, 85, 255
  - ground state, 305
  - spectrum, 70, 272, 296
- if, 5–6
- image compression, 255–260
- image method, 275
- Implementation, 12
- implicit method, 45
- induced norm, 258
- infinite square well, 67, 69, 252–254, 387
- infinity, 16, 69
- initial data, 32, 88
- initial value form, 54, 63
  - for PDEs, 114
- InsertionSort, 7f
- instanton, 215
- integral equation, 47
- integration
  - accuracy, 156–158
  - higher-dimensional, 158–160
  - interpolation, 151–156
    - Monte Carlo, 160–166
    - one-dimensional, 149–151
    - Simpson’s rule, 155
    - trapezoidal rule, 151, 155
  - interpolating polynomial, 152
  - interpolation, 151–156
    - Lagrange’s formula, 152
  - inverse FFT, 184
  - inverse Fourier transform, 173–176
  - inverse iteration, 294
- Jacobi’s method, 279, 281
- kicked rotor, 347
- Kirchhoff’s laws, 222–223
- Klein–Gordon equation, 375–376
- Kronecker delta, 178
- Krylov subspace, 274, 282–292, 381
  - construction, 284–285
  - definition, 282–284
- Lagrange’s interpolating formula, 152
- Lanczos iteration, 284–285, 294
- Landau O notation, 14, 15, 31–32
- Laplace
  - averaging, 109
  - boundary conditions, 89–93
  - min/max, 109
  - problem, 89
  - unique solutions, 91
- Laplace operator, 86
- Laplacian
  - Cartesian coordinates, 86
  - cylindrical coordinates, 107
- Lax–Friedrichs, 127
  - nonlinear, 127
- Lax–Wendroff, 129
  - nonlinear (Richtmyer), 131
- leapfrog, 127
- least squares, 220, 246, 248–250, 300
  - noisy data, 271
  - nonlinear, 309–313
- Levenberg–Marquardt, 311–313, 321
- line minimization, 313–314
- linear algebra, 220
- linearized general relativity, 88
- local truncation error, 36, 44
- logistic map, 328–331, 346
  - chaotic solutions, 331
  - fixed point, 329–331
  - periodic solutions, 329–331
- longitudinal motion, 386
- Lorentz force law, 27
- Lorentz gauge, 116
- Lorenz attractor, 340
- Lorenz equations, 339–341
- low pass filter, 187–189
- lower Hessenberg, 284
- lower triangular matrix, 231

398

LU decomposition, 231–239  
    construction, 236–238  
    existence, 234–235  
Lyapunov exponent, 336–337, 350  
  
machine epsilon, 15  
Magnus force, 25, 82  
Mandelbrot set, 344  
matrix decompositions  
    LU, 231–239  
    QR, 228–231, 249  
matrix exponentiation, 204, 216  
matrix inversion, 220, 227–233, 246  
    explicit inverse, 240–241  
    Krylov subspace (conjugate gradient),  
        287–292  
matrix norm, 256–259, 320  
matrix-vector multiplication, 221  
    column combination, 221  
maximization, 319, 320  
membranes, 200  
MergeSort, 8  
midpoint Runge–Kutta, 40  
minimal surface, 57  
minimization, 72  
    higher-dimensional, 306–313  
    one-dimensional, 302–306  
    steepest descent, 78–81  
modified Bessel function, 147  
modified Gram–Schmidt, 230  
molecular dynamics, 200  
momentum conservation, 123  
monopole, 111  
Monte Carlo integration, 160–166  
    Gaussian sampling, 164  
    statistical connection, 163–164  
Monte Carlo minimization, 315–317  
multi-step methods, 47–48, 88  
multibrot set, 350  
multiplicative separation, 90  
  
nearest neighbor, 217  
neural network model, 351  
    hidden layer, 361–363  
    interpretation, 359–361  
    linear, 352–354  
    nonlinear, 354–356  
    steepest descent, 357–359  
    training, 356–359  
Newton’s method, 74–76, 308–309  
    extension, 83  
    numerical derivative (secant method),  
        77  
    shooting, 77–78  
Newton’s second law, 21, 25  
    fluids, 122  
    linear, 199  
    relativistic, 28, 374  
    shooting, 62–66  
Newtonian gravity, 55  
nondimensionalization, 16

Index

nonlinear fitting  
    Levenberg–Marquardt, 311–313  
    neural network, 352  
nonlinear least squares, 309–313  
nonlinear map, 324–327  
    initial conditions, 334–337  
nonlinear wave equation, 376–377  
norm, 295, 321  
    definition, 257  
    induced (matrix), 258  
normal equations, 248–249, 310  
normal modes, 209–210  
numerical analysis, 33  
numerical viscosity, 46  
Nyquist frequency, 179  
  
ODE  
    vector, 42  
Ohm’s law, 222  
one point transform, 181  
one step methods, 47  
operation counts, 14  
orbital motion, 55–56  
orthogonal basis  
    functions, 178  
    vectors, 229  
orthogonal matrix, 205, 227  
  
parabolic motion, 65  
parallel plate capacitor, 102  
Parseval’s theorem, 177  
pendulum, 143–146  
    period of oscillation, 145  
perceptron, 364  
period doubling, 333–334  
periodic function, 177  
periodic solutions, 327–328  
    logistic map, 329–331  
perturbation, 265–268  
phi to the fourth, 375  
pitchfork bifurcation, 330  
pivoting, 238–239  
point source solution, 142  
Poisson problem, 86, 87, 89  
    arbitrary boundary, 100–102  
    boundary conditions, 92  
    circular boundary, 112  
    Green’s function, 110  
    rectangular boundary, 98  
population growth, 328  
positive definite, 287, 287  
power in an interval, 177  
power method, 260–262  
power spectrum, 176–177  
    Parseval’s theorem, 177  
pressure, 123  
principal submatrix, 239  
probability density, 143  
    Gaussian, 143, 194  
    transformation, 165  
uniform, 161

- proof by induction, 233–234
- pseudo-code, 13
- Pythagorean length, 256
- QR decomposition, 228–231
  - existence, 228–231
  - rectangular matrices, 249
  - timing, 240–241
- QR iteration, 262–264
  - and simultaneous iteration, 263
  - timing, 264–265
- quadratic potential energy, 206
- quadrature, 141
  - accuracy, 156–158
  - higher-dimensional, 158–160
  - interpolation, 151–156
  - one-dimensional, 149–151
  - Simpson’s rule, 155
  - trapezoidal rule, 151, 155
- quadrupole, 111
- quantum mechanics
  - harmonic oscillator, 315–317
  - hydrogen, 255, 305–306
  - infinite square well, 252–254
  - perturbation, 265–268
  - scattering dynamics, 124
- r-squared value, 250
- range formula, 65–66, 82, 84
- Rayleigh–Ritz, 286
- rectangular grid, 98
- recursion, 8
- reflected wave, 71
- relativistic mechanics, 28–30, 48
- relativistic momentum, 28, 374
- relativistic spring, 30, 52
- rest energy, 30
- retarded time, 59–60, 84
- Richtmyer two-step (Lax–Wendroff), 131
- Riemann problem, 121, 138
- roots of functions, 54
  - physical setups, 55–62
- Runge–Kutta methods, 38–44
  - adaptive step size, 41
  - Cash–Karp embedding, 49
  - fourth order, 41
  - initial value form, 64
  - midpoint, 40
- scattering dynamics, 124
- scattering states, 61
  - one dimension, 70–73
- Schrödinger’s equation, 123, 131, 252
  - Euler’s method, 132
  - Galerkin method, 381–382
  - radial, 69
  - time-independent, 55
- secant method, 77
- self-similar, 344
- self-sourcing (field), 372
- semi-major axis, 167
- semi-minor axis, 167
- separation of variables, 90, 124, 252, 380
- shifted evaluation, 38, 40
- shock solutions, 120–122
- shock tube, 121
- shooting
  - bisection, 77
  - eigenvalues, 66–73
  - Newton’s method, 77–78
  - Newton’s second law, 62–66
- sigmoid function, 354–355
- simple harmonic oscillator, 44
  - eigenvalue, 81
- Simpson’s rule, 155, 168
  - accuracy, 168
  - controlling error, 157
  - two-dimensional, 158
- simultaneous iteration, 262–264
  - and QR iteration, 263
- sine map, 325, 349, 350
- single slit, 107
- soap film, 57
- SOR, 279–281, 295
- sound data, 186–187
- sparse matrices, 276–277, 293
- spectral radius, 44
- spectrogram, 192–193, 198
- spin, 25
- square wave, 195
- stability, 44–47
  - for PDE solutions, 126, 136
  - von Neumann, 137
- stable fixed point, 325, 327–328
- standard map, 347, 349
- statistical interpretation, 61
- steepest ascent, 320
- steepest descent, 78–81, 306–307, 357
- stencil, 127
- step function, 121, 135
- stock price, 351, 369
- successive over-relaxation, *see* SOR
- superposition, 146, 220
- Taylor series, 18, 34
  - two-dimensional, 78
- time-of-flight, 59
- timing, 14
  - conjugate gradient, 292
  - FFT, 182–184
  - matrix-vector, 17
  - QR decomposition, 240–241
  - QR iteration, 264–265
  - sparse matrices, 276–277
- total power, 177, 187
- traffic flow, 119–120
- training, 353, 356–359
- training data, 351
- transients, 332
- transverse motion, 376, 386
- trapezoidal rule, 151, 155

400

- triangle inequality, 257
- triangle wave, 196
- uniform distribution, 161
- uniqueness, 91
- units, 16
- unstable equilibrium, 215
- unstable method, 44
- upper Hessenberg, 282–284
- upper triangular matrix, 227
- Vandermonde matrix, 225, 245
- variance, 143
- variational Calculus, 57
- variational method, 299–300
  - harmonic oscillator, 315–317
  - hydrogen, 305–306
  - Monte Carlo, 315–317

Index

- Verlet method, 30–33, 47, 88, 219, 275
  - energy conservation, 51
- voltage drop, 222
- von Neumann stability analysis, 137
- wave equation, 114, 116–118
  - general solution, 117
  - solution by Galerkin method, 380
- wave file, 186
- wave function, 55
  - Gaussian, 124, 135
  - normalization, 133, 135
- weights, 154
- while loop, 5–6, 17
- zero, 15, 69