

INDEX

- Above-Core Structure, 202, 209
- Absorber Materials. *See* Control Rods
- Accelerator-Driven Reactors, 16, 86
  - Changes in Reactivity, 88
  - Gain, 87
- Accident Scenarios, 269
- Accident Sequences, 263
- Accuracy, 45
- Acoustic Noise, 250
- Americium. *See* Higher Actinides
- Articulated Absorbers, 280
- Automatic Shutdown, 244
  - Diversity, 245
  - Fail-Safe, 244
  - Guard Lines, 245
  - Independence, 245
  - Redundancy, 245
- Available Energy, 229
- Base Load. *See* Control Systems
- Batches of Neutrons, 43
- Beta-Precipitator, 249
- Bethe-Tait. *See* Core-Disruptive Accidents – Initiation Phase
- Bismuth. *See* Lead-Bismuth
- Blockages, 266
- Bowing, 76
- Breeding, 2, 60
  - Breeding Gain, 62
  - Breeding Ratio, 4, 10, 60
  - Internal Breeding, 63
- Burnup, 11, 64, 104, 130
- Bursting Discs, 262
- Carbide Fuel, 50, 137
  - Cladding Corrosion, 139
  - Fission-Product Gas Release, 139
  - Linear Rating, 139
  - Manufacture, 140
  - Pyrophoricity, 140
  - Stoichiometry, 138, 139
  - Swelling, 139
  - Thermal Conductivity, 138
- Carbon Dioxide. *See* Coolants
- Cercers, 143, 146
- Cermets, 142, 146
- Chain Reactions, 1
- Cladding Temperatures, 160
  - Hot Spots, 161
- Cold Traps, 213
- Conductance between Fuel and Cladding. *See* Metal Fuel, Oxide Fuel
- Consumer Reactors, 5, 84, 141, 188
- Consumption of Higher Actinides, 143
- Consumption of Plutonium, 141
- Containment, 253
- Control Rods, 69, 245
  - Absorber Materials, 69
  - Displacement of Neutron Flux, 70
  - Reactivity Requirements, 72
  - Reactivity Worth, 69
- Control Systems, 232
  - Abnormal Conditions, 235
  - Base-Load, 232
  - Load-Following, 232
  - Normal Operation, 232
- Conversion Ratio, 4

- Coolant Boiling, 249, 267, 277
- Coolant Pressure Drop, 154
- Coolant Temperatures, 160
- Coolant Velocity, 154
- Coolants, 192
  - Carbon Dioxide, 51, 156, 160, 192
  - Helium, 192
  - Lead, 195
  - Lead-Bismuth, 51, 156, 195
  - Potassium, 194
  - Sodium, 10, 51, 81, 110, 127, 155, 158, 195, 212
  - Water, 193
- Core Configuration, 188
- Core Restraint, 184
- Core Structure, 180
- Core-Catchers, 282
- Core-Disruptive Accidents – Initiation Phase, 272
  - Bethe-Tait Calculations, 273
  - Energy Yields, 275
  - Fuchs Calculations, 273
  - Hicks-Menzies Calculations, 273
  - Prompt-Critical Excursions, 272
- Core-Disruptive Accidents – Transition Phase, 276
  - Recriticality, 277
  - Vapour Explosions, 277
- Corrosion in Lead and Lead-Bismuth Eutectic, 176
- Corrosion in Sodium, 173
- Corrosion of Cladding by Fuel. *See* Carbide Fuel, Metal Fuel, Oxide Fuel
- Cracks in Fuel, 115, 132, 139, 141
- Cracks in Structural Materials, 210
- Criteria of Acceptability, 239
- Curium. *See* Higher Actinides
- Damage Fluence. *See* Damage Flux
- Damage Flux, 167
- Data Libraries, 39
- Decay Heat, 216, 251
- Decay Heat Rejection. *See* Decay Heat Removal
- Decay Heat Removal, 251
- DEGF. *See* Double-Ended Guillotine Failure
- Delayed Neutrons, 249, 273
- Departure from Nucleate Boiling. *See* Dryout
- Development of Fast Reactors, 8
- Diagrids, 186
- Diffusion Approximation, 24
- Diluents. *See* Consumer Reactors
- Discretisation, 23
  - Finite Differences, 23
  - Nodal Methods, 23
  - Spherical Harmonics, 24
- Displacement Cross-Section. *See* Displacement of Atoms
- Displacement of Atoms, 164
  - Displacements per Atom, 166
  - TRN Model, 165
- DNB. *See* Dryout
- Doppler Coefficient. *See* Reactivity Coefficients
- Doppler Effect, 38, 273
- Double-Ended Guillotine Failure, 261
- Dpa. *See* Displacement of Atoms
- Dryout, 220, 226
- Effluent Systems, 262
- Electro-Refining. *See* Metal Fuel
- Energy Resources, 6
- Enrichment, 48, 82, 84, 95
- Enrichment Zones, 56
- Entropy, 229
- Energy Yields. *See* Core-Disruptive Accidents – Initiation Phase
- Event Trees, 264
- Experimental Checks, 45
- Extinguishants for Sodium Fires, 257
- Failed Fuel, 248
- Fail-Safe. *See* Automatic Shutdown
- Fission Products, 19, 103, 122
- Fission-Product Gas, 111, 122, 129, 278
- Fission-Product Gas release. *See* Carbide Fuel, Metal Fuel, Nitride Fuel, Oxide Fuel
- Form Factors, 152
- Four-Factor Formula, 20
- Fuchs. *See* Core-Disruptive Accidents – Initiation Phase

Fuel Composition, 64	Isolation. <i>See</i> Steam Generators
Thorium Cycle, 67	IWGFR. <i>See</i> International Working
Uranium Cycle, 65	Group on Fast Reactors
Fuel Diluents, 142, 145	
Fuel Elements, 93, 111, 150, 180	Lead. <i>See</i> Coolants
Fuel Manufacture. <i>See</i> Carbide Fuel,	Lead-Bismuth. <i>See</i> Coolants
Metal Fuel, Nitride Fuel, Oxide	Leak Detection, 260
Fuel	Leak Jackets, 200, 257
Fuel Stoichiometry. <i>See</i> Carbide Fuel,	Linear Heat Rating, 96, 127, 139, 140, 151
Nitride Fuel, Oxide Fuel	Linear Rating of Fuel Elements. <i>See</i>
Fuel Temperatures. <i>See</i> Metal Fuel,	Carbide Fuel, Metal Fuel, Nitride
Oxide Fuel	Fuel, Oxide Fuel
Fuel Transfer Route, 217	Load Following. <i>See</i> Control Systems
Fundamental Mode, 28	Loop Primary Circuit, 197
Gamma Spectrometers, 249	Matrix Notation, 32
Gas Expansion Modules, 280	Melt-Refining. <i>See</i> Metal Fuel
Guard Lines. <i>See</i> Automatic Shutdown	MFCI. <i>See</i> Molten-Fuel-Coolant
	Interaction
Heat Transfer, 157, 205, 224	Metal Fuel, 50, 126
Heat Transport, 153	Cladding Corrosion, 134
Helium. <i>See</i> Coolants	Conductance, 127
Hicks-Menzies. <i>See</i> Core-Disruptive	Electro-Refining, 135
Accidents – Initiation Phase	Fission-Product Gas release, 130
High-Cycle Fatigue, 208	Linear Rating, 127, 132
Higher Actinides, 6, 58, 143	Manufacture, 135
Hot Spots. <i>See</i> Cladding Temperatures	Melt-Refining, 135
Hot Traps, 213	Phase Diagram, 129
Hydrogen Meters, 214	Pyroprocessing, 135
Hypothetical Accidents, 240, 263	Redistribution of Components, 133
	Reprocessing, 135
IFR. <i>See</i> Integral Fast Reactor	Smear Density, 130
Impurities in Sodium, 212	Swelling, 128
Inherent Safety, 239	Temperatures, 126
Inner Vessel, 201	Thermal Conductivity, 126
Integral Fast Reactor, 135	Voids, 129
Intermediate Heat Exchangers, 205	Molten-Fuel-Coolant Interaction. <i>See</i>
International Working Group on Fast	Vapour Explosions
Reactors, 15	Monte-Carlo Calculations
Inverse Period, 247	Estimation of k-effective, 43
Irradiated Fuel, 216	Neutron Batches, 43
Irradiated Fuel Store, 217	Neutron Splitting, 44
Irradiation Creep in Structural Materials,	Multigroup Diffusion Theory, 26
171	
Irradiation Embrittlement, 171	Narrow-Resonance Approximation. <i>See</i>
Irradiation Hardening, 171	Resonances
Irradiation Swelling, 167	Neutron Balance, 55
Voids, 168	Neutron Economy, 4, 86

Neutron Energy Spectrum, 47	Temperatures, 93
Effect of Coolant, 51	Thermal Conductivity, 94
Effect of Core Size, 52	Thermal Creep, 116
Effect of Fuel Material, 50	Vented Fuel Elements, 110
Effect of Plutonium Composition, 53	Oxygen Meters, 214
Reference Core, 47	
Thorium Cycle, 54	Passive Protection, 279
Neutron Flux, 23, 47	Reduction of Reactivity, 279
Computation, 39, 41	Relocation of Material, 280
Neutron Importance, 31, 47	Peclet Number. <i>See</i> Heat Transfer
Neutron Transport, 21	Perturbation Theory, 30
New Fuel, 215	Pitch-to-Diameter Ratio, 155
Nitride Fuel, 140	Plant Efficiency, 227
Fission-Product Gas Release, 141	Plugging Meters, 214
Linear rating, 140	Plutonium, 3, 53, 64, 126, 141
Manufacture, 141	Plutonium Fraction. <i>See</i> Enrichment
Production of Carbon14, 141	P <sub>n</sub> Method. <i>See</i> Discretisation
Stoichiometry, 141	Pool Primary Circuit, 197
Swelling, 141	Post-accident Cooling, 281
Thermal Conductivity, 140	Potassium. <i>See</i> Coolants
NRT Model. <i>See</i> TRN Model	Power Coefficient. <i>See</i> Reactivity
Nusselt Number. <i>See</i> Heat Transfer	Coefficients
	Power Density, 20, 56, 89, 151, 241
Once-Through Boilers, 220	Prandtl Number. <i>See</i> Heat Transfer
Operational Safety, 256	Primary Circuit, 197
Operator Dose, 256	Prompt-Critical Excursions. <i>See</i>
Oxide Fuel, 13, 50, 93, 99, 112	Core-Disruptive Accidents –
Behaviour of Fission Products, 122	Initiation Phase
Central Hole, 100, 113	Prompt Neutron Lifetime, 20, 241, 272
Columnar Grains, 114	Propagation of Damage, 268
Conductance, 97	Protective Systems, 244
Corrosion of Cladding, 125	Pumps, 202
Cracking, 115	Pyrophoricity. <i>See</i> Carbide Fuel
Equiaxial Grains, 114	Pyroprocessing. <i>See</i> Metal Fuel
Fission-Product Gas Release, 107, 122	
Interaction with Cladding, 119	Radioactive Waste, 5
Irradiation Behaviour, 112	Reactivity Coefficients, 73
Irradiation Creep, 116	Breeder Reactors, 81
Linear Rating, 96	Consumer Reactors, 84
Manufacture, 101	Doppler, 79, 275
Oxygen Potential, 104	Power, 81
Porosity, 100, 115	Sodium Density, 76
Recrystallisation, 112	Temperature, 81
Redistribution of Components, 120	Reactor Core, 150
Reprocessing, 102	Reactivity Requirements. <i>See</i> Control
Smear Density, 100	Rods
Stoichiometry, 95, 104	Reactivity Worth. <i>See</i> Control Rods
Stresses, 116	Reactor Roof, 201
Swelling, 99	Reactor Vessel, 200

Reactor Vessel Auxiliary Cooling System, 253, 282	Steam Generators, 218
Recirculating Boilers, 219	Heat Transfer, 224
Recriticality. <i>See</i> Core-Disruptive Accidents – Transition Phase	Thermal Sleeves, 222
Refuelling, 215	Welds, 221
Reprocessing. <i>See</i> Metal Fuel, Oxide Fuel	Steam Plant, 218
Reproduction Factor, 4	Structural Materials, 164, 178
Resonances	Subassemblies, 180
Effect of Temperature, 34	Bowing, 182
Effective Cross-Sections, 36	Instrumentation, 248
Narrow Resonance Approximation, 36	Wrappers, 181
Reynolds Number. <i>See</i> Heat Transfer Risk, 239	Subassembly Accidents, 265
RVACS. <i>See</i> Reactor Vessel Auxiliary Cooling System	Subcritical Reactors, 85
Safety, 239	Swelling of Fuel. <i>See</i> Carbide Fuel, Metal Fuel, Nitride Fuel, Oxide Fuel
Shut-Off Rods, 73, 245	Temperature Coefficient. <i>See</i> Reactivity Coefficients
Smear Density. <i>See</i> Metal Fuel, Oxide Fuel	Thallium-208, 60
S <sub>n</sub> Method. <i>See</i> Discretisation	Thermal Conductivity of Fuel. <i>See</i> Carbide Fuel, Metal Fuel, Oxide Fuel
Spherical Harmonics. <i>See</i> Discretisation	Thermal Reactors, 19, 240
Splitting Neutrons. <i>See</i> Monte-Carlo Calculations	Thermal Shock, 206, 236
Sodium. <i>See</i> Coolants	Thermal Striping. <i>See</i> High-Cycle Fatigue
Sodium Coefficient. <i>See</i> Reactivity Coefficients	Thorium, 3, 8, 54
Sodium Fires, 256	Transmutation, 5
Pool Fires, 257	TRN Model. <i>See</i> Displacement of Atoms
Sodium-Water Reactions, 257	Trip Systems, 244
Temperatures, 258	Two-out-of-Three. <i>See</i> Automatic Shutdown
Steam Explosions. <i>See</i> Vapour Explosions	Uranium, 1, 64, 79, 126
Steam Generator Leaks, 257	Vapour Explosions, 242, 267, 277
Dump Systems, 260, 262	Water. <i>See</i> Coolants
Isolation Systems, 260	Whole-Core Accidents, 269
Large Leaks, 261	Whole-Core Instrumentation, 245
Leak Detection, 260	Wrappers. <i>See</i> Subassemblies
Small Leaks, 259	Xenon Poisoning, 19