



Index

- Adjusted R^2 , 155, 223, 242, 245, 275, 320, 567
- adjustment parameters, 388, 409
- arbitrage, 5, 134, 145, 204, 281, 286, 380, 386, 516, 520, 637
- Asian options, 608
- autocorrelation, 188, 190, 192, 204, 205, 239, 253, 274, 381, 417, 426, 493, 548, 592, 600
 - coefficients, 253, 254, 258, 276
 - in cross-sectional data, 208
 - function (acf), 253, 258, 262, 266, 268, 269, 278, 361, 411
 - in volatility, 424
- autocovariances, 253, 256, 264, 353
- autoregressive conditional duration (ACD), 4
- autoregressive conditional heteroscedasticity (ARCH) models, 182, 187, 214, 416, 423, 431, 469
- autoregressive distributed lag (ADL) models, 202
- autoregressive integrated moving average (ARIMA) models, 251, 276, 296
- autoregressive (AR) model, 259, 267, 269, 279, 286, 291, 296, 356, 364, 491, 518, 520
- autoregressive moving average (ARMA) models, 268, 273, 274, 276, 284, 296, 339, 383, 411
- autoregressive volatility (ARV) models, 422, 616
- backshift operator, *see* lag operator
- balanced panel, 529, 542, 549, 557
- banking competition, 532
- Bayes theorem, 14
- BDS test, 417, 615
- BEKK model, 470, 473, 476, 480
- Bera–Jarque test, 209, 217, 435
- best linear unbiased estimators (BLUE), 91, 183
- between estimator, 530
- BHHH algorithm, 434
- biased estimator, 94
- bicorrelation test, 418, 615
- bid–ask spread, 281, 318, 491, 501, 574
- bispectrum test, 418
- bivariate regression, 86, 134, 137, 213, 221, 432, 484
- block significance tests, 333
- bootstrapping, 164, 597, 613, 655
- Box–Jenkins approach, 273, 284, 422
- Box–Pierce Q-statistic, 255, 615
- Breusch–Godfrey test, 197, 206
- broken trend, 366
- buy-and-hold abnormal return (BHAR), 643
- calendar effects, 492
- capital asset pricing model (CAPM), 134, 648
- capital market line, 51
- Carhart model, 655
- causality tests, 333
- censored dependent variable, 580
- central limit theorem, 60
- central tendency, 61
- chaos theory, 418
- characteristic equation, 47, 267
- chi-squared distribution, 60, 453, 668
- Chow test, 226, 227, 231, 233, 281
- classical linear regression model (CLRM), 167, 179
 - assumptions, 90, 127, 305
 - violations of, 281
- Cochrane–Orcutt procedure, 199
- coefficient estimators, 81, 93, 100, 127, 137, 167
 - standard errors of, 102
- cointegrating regressions, 46, 373, 376, 377, 382, 393, 396, 400, 551, 552, 555
 - Durbin–Watson (CRDW) statistic, 377, 393
- cointegrating vector, 677–679
- cointegration, 373, 379, 381, 391
 - tests, 387, 400, 547
- commodity prices, 296, 475
- common factor restrictions, 201
- conditional covariance, 464, 468, 471, 475, 476
- conditional expectations, 288, 289
- conditional kurtosis, 463
- conditional skewness, 462
- conditional variance, 431, 449, 462, 464, 468, 471, 473, 474, 475, 480, 591, 615
- conditional variance-in-mean, 475
- confirmatory data analysis, 365
- consistency, 92

- constant term, 135
- contemporaneous terms, 332
- continuously compounded returns, 7
- convergence criterion, 434
- copulas, 70
- correlation, 151, 266, 471
 - implied, 464, 466
 - matrix, 220, 469
 - positive definite matrix, 466, 469, 470
- correlation coefficient, 151, 253, 254
- correlogram, *see* autocorrelation function
- cost of carry (coc) model, 374, 380, 383
- covariance stationary process, *see* weakly stationary process
- covered interest parity (CIP), 281
- credit rating, 5, 574
- critical values, 59, 101, 108, 196, 362, 366, 369, 377, 388, 516, 603
- cross-equation restrictions, 330
- cross-sectional regression, 157, 208, 237, 242, 526, 541, 640, 650, 652, 655
- cross-sectional variability, 208, 236, 244, 526, 550, 641
- cumulative abnormal return (CAR), 639, 642, 643, 647
- cumulative normal distribution, 565, 571
- CUSUM and CUSUMSQ tests, 232
- daily range estimators, 422
- daily volatility estimate, 422
- damped sine wave, 269
- data, 4, 14, 241, 493, 633, 667
 - cross-sectional, 5
 - macroeconomic, 244, 323
 - panel, 6, 526
 - qualitative/quantitative, 4, 7
 - time series, 4
 - transformed, 186
- data frequencies, 380
- data generating process (DGP), 84, 225, 360, 364, 388, 416, 592, 601, 613
- data mining, 150
- data revisions, 3
- data snooping, *see* data mining
- day-of-the-week effect, 492, 499
- degree of uncertainty, 93
- degrees of freedom, 60, 65, 101, 105, 137, 139, 155, 180, 210, 274, 331, 363, 463, 473, 530, 668
- degrees of persistence, 616
- dependent/independent variable, 559
 - inertia of, 203
- deterministic trend, 358, 366, 548, 551
- Dickey–Fuller (DF) test, 361, 365, 369, 411, 547
 - augmented (ADF), 364, 555
 - critical values, 364, 369, 603
- differencing, 329, 357, 360, 369
- differentiation, 38, 40
- discrete choice, *see* multiple choice
- distributed lag models, 202
- disturbance term, 84, 90, 93, 188
- double logarithmic form, 83
- dummy variables, 156, 210, 214, 228, 233, 246, 369, 493, 497, 499, 531, 536, 560, 574
 - dummy variable trap, 495, 559
- Durbin–Watson test, 192, 377, 392
- dynamic conditional correlation (DCC) model, 471
- dynamic models, 202, 206
- econometric model, 2, 285
 - construction, 11, 238
 - evaluation, 463
- efficient estimator, 92
- efficient frontier, 51
- efficient market hypothesis, 521
- eigenvalues, 46, 170, 387, 398, 400
- eigenvectors, 46, 387, 389
- elasticities, 85, 532
- empirical research project, 626
 - choice of software, 634
 - choice of topic, 627
 - data for, 633
 - forms of, 629
 - originality, 629
 - outline, 631, 661
 - purpose, 626
 - results, 631
 - structure, 634, 635, 666
- encompassing principle, 159, 239
- encompassing regressions, 156, 456
- Engle–Granger test, 377, 378, 380, 392, 401, 551
- Engle–Ng test, 443
- equilibrium correction model, *see* error correction model
- error correction model, 375, 377, 380, 386, 403, 519
- error term, 93, 100, 159, 188, 236, 317, 461, 528, 536
 - variance of, 424, 447
- errors-in-variables, *see* measurement error
- estimation techniques, 188, 315, 317, 431, 435, 500, 515, 565
 - full information maximum likelihood (FIML), 317
 - indirect least squares (ILS), 315
 - instrumental variable (IV), 316
 - two-stage least squares (SLS), 315
- estimators, 91

- event study, 634, 641
 - biased/unbiased, 646
 - standard error, 645
- EViews, 68, 145, 173, 210, 233, 510, 541, 583, 603, 609
 - ARCH effects, 426
 - ARCH estimation, 431, 435
 - ARMA models, 276, 296
 - autocorrelation function, 206
 - BDS test, 418
 - BeraJarque test, 210
 - Breusch–Godfrey test, 206
 - CAPM regression, 123, 144, 165, 655
 - Chow test, 233
 - cointegration, 400, 555
 - date format, 16
 - dummy variables, 214
 - dummy variables for seasonality, 499
 - Durbin–Watson statistic, 123, 145, 214
 - EGARCH model, 441, 454
 - exponential smoothing, 299
 - forecasting, 296, 344, 449
 - forecasting from GARCH, 449
 - GARCH estimation, 431, 435, 480
 - GARCH-M estimation, 446
 - GJR model, 441
 - Granger causality tests, 333, 340, 344
 - hedge ratio estimation, 86, 121
 - heteroscedasticity testing, 186
 - information criteria, 15
 - Johansen test, 46, 551
 - Ljung–Box test, 277
 - MGARCH estimation, 470, 477
 - multicollinearity, 220
 - Newey–West procedure, 201
 - RESET test, 220, 223
 - returns on shares, 7, 68
 - simultaneous equations models, 323
 - transformation of series, 19
 - unit root test, 369, 555
 - VAR estimation, 344
 - VaR estimation using bootstrapping, 619
 - variance decomposition, 344
 - Wald test, 121, 144, 145
 - White’s test, 188
- exchange rate, 281, 286, 368, 374, 390, 426, 503, 517, 613
- exogeneity, 305, 312, 342
- expectations hypothesis, 398, 400
- explained sum of squares (ESS), 152, 186
- exponent, 19, 34
- exponential growth model, 221
- exponential regression model, 85
- exponential smoothing, 283, 299
- exponential weighting, 284
- exponentially weighted moving average (EWMA) models, 421, 466
- extreme value theory, 463
- F*-test, 139, 145, 158, 330, 336, 340, 344, 452
- factor loadings, 170, 172, 653
- Fama–French approach, 634, 652
- Fama–MacBeth procedure, 650, 655
- financial data, 493, 526, 633
- financial modelling, 416, 526
 - returns in, 7
- financial options, 421, 447, 607
- fitted value, 79, 85, 152, 220, 323, 547, 560, 567, 568, 583
- fixed effects, 528, 529, 532, 537, 541, 547
- forcing variable, 251, 503
- forecast accuracy, 292, 380, 419, 454, 523
- forecast encompassing, 159, 454
- forecast error, 292, 296, 338, 517
- forecasting, 285, 334, 383, 446, 454, 463, 464
 - ARMA models, 289, 296
 - autoregressive process, 291
 - in-sample/out-of-sample, 286
 - moving average process, 289
 - one-step-ahead/multi-step-ahead, 287
 - structural, 288
 - time series, 288
- forward rate unbiasedness (FRU), 282
- fractionally integrated models, 411
- functional form misspecification of, *see* RESET test
- general-to-specific methodology, 238, 428
- generalised autoregressive conditional heteroscedasticity (GARCH) models, 411, 428, 431, 454, 480, 609
 - exponential (EGARCH), 441, 454, 615
 - factor, 469
 - in-mean (GARCH-M), 445
 - integrated (IGARCH), 411, 430, 466
 - orthogonal, 469
- generalised error distribution (GED), 441
- generalised least squares (GLS), 100, 185, 528, 536, 645
- generalised unrestricted model (GUM), 239
- geometric mean, 63
- gilt–equity yield ratio (GEYR), 506
- GJR model, 440, 441, 443
- Goldfeld–Quandt test for heteroscedasticity, 182
- goodness of fit, 151, 567
- Granger representation theorem, 333, 340, 344, 376

- Hadamard product, 472
 - Hamilton's filter, 502
 - Hausman test, 312, 537, 539
 - Heckman procedure, 583
 - hedge ratios, 86, 465, 475
 - hedonic pricing models, 156
 - heteroscedasticity, 34, 181, 423
 - conditional, 432
 - historical covariance, 466
 - homoscedasticity, 181, 423, 432, 484
 - hypothesis testing, 99, 111
 - confidence interval, 106
 - error classification, 110
 - Lagrange multiplier (LM) test, 180, 184, 452
 - likelihood ratio (LR) test, 330, 453
 - under maximum likelihood, 317, 431, 434, 452, 484, 583
 - significance level, 102, 110, 120, 340
 - test of significance approach, 102
 - Wald test, 121, 144, 145, 180, 452
- identification, 273, 275
 - order condition, 309
 - rank condition, 309
- implied covariance, 466
- implied volatility models, 421, 454
- impulse responses, 336, 342, 344, 396
- independence of irrelevant alternatives, 571
- information criteria, 160, 278, 331
 - adjusted R^2 , 275
 - Akaike's (AIC), 275
 - Hannan–Quinn (HQIC), 275
 - Schwartz's Bayesian (SBIC), 275
- intercept, 28, 129, 136, 494, 501, 528, 529, 531, 536, 551, 555, 644, 649, 651
- interest rates, 172, 281, 339, 368
 - term structure of, 204, 398
- invertibility, 267
- Jensen's alpha, 113, 649, 660
- Johansen test, 379, 386, 389, 393, 399, 400, 551, 554
- jumps, 455, 602
- KPSS test, 365, 370, 550
- kurtosis, 66, 209, 210, 216, 462
- lag lengths, 201, 260, 329, 330, 331, 340, 363, 370, 383, 386, 402, 515, 555, 616
- lag operator, 256, 260, 361
- lagged regressors, 205
- lagged value, 189, 203, 205, 206, 283, 328, 340, 456
- Lagrange multiplier (LM) test, 180, 184, 452, 471
- lags number of, 203, 205, 206, 283, 328, 456
- large sample property, 92, 199
- laws of logs, 35, 85
- lead-lag relationships, 344, 380, 519
- least squares dummy variables (LSDV), 529, 531
- leptokurtosis, 416, 435, 439, 462, 463
- leverage effects, 416, 439
- likelihood function, 317, 431, 452, 473, 485, 488
- likelihood ratio (LR) test, 330, 453
- linear models, 75, 85, 90, 134
- linear probability model, 560, 565
- linearity, 85
- Ljung–Box test, 254, 277
- log-likelihood function (LLF), 431, 453, 470, 471, 485, 565, 568, 589
- log-return formulation, 8
- logit model, 562, 563, 574, 583
 - comparison with probit, 565
 - estimation of, 572, 589
 - measuring goodness of fit, 567
 - parameter interpretation, 566
- long-memory models, 411
- long-run static solution, 46, 204
- loss function, *see* residual sum of squares
- Lyapunov exponent, 419
- macroeconomic indicators, 3, 145, 170, 186, 241, 244, 323, 338, 418, 538
- marginal distribution, 70
- marginal effects, 566, 587
- market microstructure, 3, 203, 311, 318, 490
- market reaction, 645
- market returns, 145, 339, 459, 464, 653
- market risk premium, 76, 82, 119, 493, 541, 648, 651, 661
- market timing, 383
- Markov switching regime, 492, 502, 516, 523
- Marquardt algorithm, 434
- matrices, 41
 - eigenvalues of, 46
- matrix notation, 50
- maximum likelihood, 317, 431, 434, 452, 484, 583, 589
- measurement error, 3, 236, 650
- median, 62, 64, 66, 162
- minimum capital risk requirement (MCRR), *see* value-at-risk
- misspecification error, 204, 220, 467
- misspecification tests, 15, 180
- misspecified dynamics, 201
- mode, 62, 66
- model construction, 11, 276
- model interpretation, 332

- moving average process, 256, 262, 267, 269, 278, 289, 421
- multicollinearity, 217, 220, 527
 - near, 217
 - perfect, 217, 233, 495, 529
- multimodalities, 431
- multinomial logit, 568, 571, 572, 574
- multinomial probit, 569, 571, 574
- multiple choice, 569, 572, 585
- multiple linear regression, 134
- multivariate GARCH models, 467, 472, 474, 477
- neural network models, 419
- Newey–West estimator, 201
- Newey–West procedure, 201
- news impact curves, 444
- Newton–Raphson procedure, 421, 455
- nominal series, 9
- non-linear least squares (NLS) procedure, 515, 566
- non-linear models, 221, 416, 452
- non-linear restrictions, 452
- non-negativity, 425, 428, 439
- non-nested models, 159
- non-normality, 210, 434, 644
- non-stationarity, 355, 375, 430
 - deterministic, 355
 - random walk with drift, 355
 - stochastic, 357
 - testing for, 353, 377, 394
 - trend-stationary process, 355
 - unit root, 362, 550
- observation frequencies, 5, 203, 251
- observations
 - daily closing, 393
 - number of, 3, 6, 36, 62, 81, 88, 135, 150, 228, 232, 547
- optimal portfolio, 50, 51
- options price, 318, 447, 609
- order of integration, 373, 399
- ordered response variable, 574
 - ordered logit, 574
 - ordered probit, 574
- ordinal scale, 6
- ordinary least squares (OLS), 41, 78, 91, 92, 183, 185
 - coefficient estimator, 78, 83, 127
 - intercept, 129
 - multiple regression, 129
 - slope, 28, 29
 - standard error estimator, 129
 - time series regression, 113
- out-of-sample, 50, 151, 286, 292, 296, 299, 383, 454, 476, 509, 523
- outliers, 211, 214, 239, 293, 600, 644
- overfitting, 274
- overreaction effect oversized tests, 116, 203
- p*-value, *see* hypothesis testing: significance level
- panel cointegration, 551, 555
- panel data analysis, 6, 526, 550
- panel unit root test, 547
- parameters, 137, 566
 - estimations, 377, 484, 506
 - stability tests, 226–235
- parsimonious encompassing, 239
- parsimonious model, 239, 274, 429, 479
- partial autocorrelation function (pacf), 266, 268, 276, 417
- partial regression coefficient, 134
- pecking order hypothesis, 563, 571
- penalty term, 155, 275, 278, 331
- period effects, *see* time fixed effects
- Phillips–Perron tests, 364, 370, 377, 547
- piecewise linear model, 500
- pooled sample, 218, 530, 552, 575
- population, 62, 93
 - coefficient, 382
 - disturbances, 93, 188
- population regression function (PRF), 84, 152, 288
- population values, 98, 150
- portfolio theory, 48
- portmanteau tests, 254, 417
- position risk requirement, *see* value-at-risk powers
- precision, 18, 93
- prediction, *see* forecasting
- predictive failure test, 228, 230
- price deflator, 9
- principal components analysis (PCA), 170, 218
- probabilities, 14, 56, 484, 569
- probability density function (pdf), 57, 502, 560
- probability distribution, 56, 57, 76, 100, 502, 593
- probit model, 562, 563, 574, 583
 - comparison with logit, 565
 - estimation of, 571, 589
 - measuring goodness of fit, 567
 - parameter interpretation, 566
- property returns, 338
- pseudo R^2 , 568, 586
- pseudo-random numbers, 601
- purchasing power parity (PPP), 374, 390, 504, 547
- qualitative variables, *see* dummy variables
- Quandt likelihood ratio test, 231

- quantile, 162
- quantile regression, 161
- quasi-demeaned data, *see* random effects
- quasi-maximum likelihood (QML), 434, 479
- $R\text{-bar}^2$, *see* adjusted R^2
- R^2 , 151, 158, 159, 181, 199, 218, 223, 454, 567
- random draws, 593, 602, 614
- random effects, 528, 536, 537, 541
- random number generation, 600
- random number re-usage, 596
- random walk, 292, 355, 360, 361, 503, 518, 614
- rank (of a matrix), 45
- ratings, 240, 568, 574
 - announcements, 240
- rational expectations, 360
- re-sampling
 - from data, 599
 - from residuals, 600
- real series, 9
- reality check test, 598
- recursive forecasting model, 287
- recursive least squares, 232
- redundant fixed effects test, 544
- regime switching, 490, 502, 516, 523
- regression analysis, 75, 102, 106
- rejection region, 103, 106, 150, 192
- relationship between variables, 69, 150, 286
- renormalisation, 369
- RESET test, 220, 223
- residual diagnostics, 187, 206, 210, 274
- residual sum of squares (RSS), 295
- residual term, 85
- restricted/unrestricted model, 330, 383, 390, 454
- restricted/unrestricted regressions, 139, 156, 226, 233, 453
- restrictions number of, 139, 180, 226, 390, 454
- returns on shares, 7, 68
- risk management, 613
- risk measurement, *see* volatility
- risk premium, 56, 339, 398, 445, 648
- riskless arbitrage opportunities, 281
- risk–return relationship, 227
- rolling window, 287, 651, 654
- sample, 62, 256, 269
- sample regression function (SRF), 84, 151
- sample selection bias, 575
- sample size, 60, 92, 150, 180, 199, 208, 210
- sampling error, 150, 593
- scatter plot, 76, 125
- seasonal unit root, 369
- seasonality, 204, 299, 492, 493, 499
- second moment models, 66, 462
- seemingly unrelated regression (SUR), 528
- self-selection bias, *see* sample selection bias
- semi-interquartile range, 64
- sensitive dependence on initial conditions (SDIC), 418
- Sharpe ratio, 55, 509
- shocks, 271, 336, 344, 354, 356, 395, 440, 443, 473, 477
- short-selling, 520
- shuffle diagnostic, 598
- sigma notation, 36, 48, 171, 256
- sign and size bias tests, 443
- sign predictions, 295
- significance level, 102, 110, 120, 340
- simple bivariate regression model, 134, 151, 432
- simple returns, 7
- simulation experiments, 591
 - disadvantages, 601
- simulation methods, 591
 - Monte Carlo, 592
- simultaneous equations, 235, 262, 308, 309, 311, 315, 318, 323
- simultaneous equations models, 323
- size of test, *see* significance level
- skewness, 66, 209, 210, 216, 462
- slippage time, 385
- slope, 129, 135, 494, 500, 528, 529, 531, 536, 551, 555, 644, 648, 650
- small sample problems, 3, 92, 144, 180, 254, 364, 555, 644
- sovereign credit ratings, 240, 574
- sovereign yield spreads, 244
- spatial lag, 208
- specific-to-general modelling, 238
- spline techniques, 500
- spot/futures markets, 520
- spot return forecasts, 380, 383, 465
- spurious regressions, 354
- squared daily returns, 422, 459
- squared residuals, 79, 220
- stable distributions, 463
- standard deviations, 65
- standard errors, 93, 94
- stationarity, 256, 400
 - difference, 329, 357, 360, 369
 - stochastic, 355
 - testing for, 365
 - weak, 354
- statistical decision rule, 99
- statistical inference, 98
- stochastic regressors, 197, 208
- stochastic trend model, 355, 360
- stochastic volatility (SV) model, 422, 461, 478

- stock index, 323, 454, 475, 519, 636
 - futures markets, 380, 465, 519
 - log of, 454
- stock return, 454, 470, 475
 - predictability, 338, 493
- strictly stationary process, 252
- structural break, 231, 232, 504, 547
- structural change, 230, 365, 492
- structural equations, 307, 309, 316, 325
- structural models, 251, 288
- Student's *t* distribution, 462, 463, 473, 668
- switching models, 490
- switching portfolio, 509
- t*-ratio, 111, 113, 566
- t*-test, 113
- Theil's *U*-statistic, 294, 297
- threshold autoregressive (TAR) models, 490, 513, 516, 519
 - self-exciting (SETAR), 517
 - smooth transition (STAR), 513
- tick size, 319
 - limits, 501
- time fixed effects, 528, 531
- time series models, 326, 446, 592
 - univariate, 251
- time series regressions, 208, 499, 644, 648, 653
- time-varying covariances, 474, 475, 651
- time-varying stock market risk premiums, 493
- tobit regression, 580, 582
- total sum of squares (TSS), 151, 567
- trading rules, 384, 506, 598
- trading strategies, 384, 464
- transaction costs, 520
- transformation of series, 19
- transition probabilities, 503
- truncated dependent variable, 579, 582
- unbalanced panel, 529
- unbiasedness, 91, 92, 183, 282
- unconditional density model, 619
- uncovered interest parity (UIP), 281
- uniform distribution, 600
- unit root process, 357, 361–363, 504–506, 551, 556
- unit roots testing for, 353
- unparameterised seasonality, 204
- value-at-risk (VaR), 613
 - Monte Carlo approach, 613
- variables
 - binary choice, 585
 - dummy, 156, 210, 214, 226, 228, 233, 246, 369, 495, 497, 499, 531, 536, 560, 574
 - exogenous, 305, 312, 328, 335
 - explanatory, 134, 150, 156, 161
 - irrelevant, 225
 - macroeconomic, 156, 210, 214, 226, 228, 233, 246, 369, 494, 497, 499, 531, 536, 560, 574
 - omission of, 203, 224
 - ordering of, 336, 344, 393
 - random, 6, 56, 93, 150, 209
 - slope dummy, 497
 - state-determining, 513
- variance–covariance matrix, 48, 52
 - conditional, 467
- variance decompositions, 342, 344
- variance forecasts, 430, 446
- variance operator, 57
- variance reduction techniques, 593
 - antithetic variate, 594
 - control variates, 595
 - quasi-random sequences, 595
- VECH model, 467
 - diagonal, 469
- vector autoregressive (VAR) models, 326
- vector autoregressive moving average (VARMA) models, 326
- vector error correction model (VECM), 386, 388, 409–410, 519–520
- vector moving average (VMA) model, 336
- volatility, 415
 - asymmetries in, 443
 - clustering, 416, 423
 - feedback hypothesis, 440
 - forecasting, 446, 454
 - historical, 420
 - implied, 421
 - response to shocks, 477
- Wald test, 121, 144, 145, 180, 452
- weakly stationary process, 252
- weighted least squares (WLS), 185
- white noise process, 253, 355
 - error term, 528
- White's correction, 201
- White's test, 183, 186, 188
- within transformation, 530
- Wold's decomposition theorem, 262
- yield curves, 500
- Yule–Walker equations, 262