

Index

- Abelian Higgs model, 577, 750
- Abrikosov vortices, 578
- absorptive amplitude, 689
- action, 31
 - 1PI effective, 735–743
 - effective, 394–416, 566–578, 602–605, 703–759, 765–775, 795–811
- adjoint representation, 486–487
- advanced propagator, 50
- algebra, 160, 483–484
 - Clifford, 169
 - current, 401, 570
 - Dirac, 169, 820–821
 - graded, 270
 - Grassmann, 269
 - Heisenberg, 506
 - Lie, 160
 - Lorentz, 161
- Altarelli–Parisi
 - evolution equations, 681, 693
 - splitting function, 680, 794
- amplitude
 - color-ordered partial, 550
 - color-stripped, 548
 - maximum helicity violating (MHV), 543
- amputation, 333–334, 342, 352, 356, 382
- analytic continuation, 287, 555, 689, 803, 825–830
- analytic properties of amplitudes, 96, 153, 206, 220, 259, 301, 391–392, 398–400, 402, 422, 430, 459, 555, 689
- Anderson, Carl, 400
- anomalous dimension, 434–435
 - 4-Fermi theory, 664–666
 - HQET, 770–772
 - SCET, 807–810
- anomaly, 609, 616–640
 - chiral, 724–725
 - coefficient, 488, 506, 632
 - free, Standard Model, 631–634
 - from path integral, 628–631
 - gauge, 631–634
 - global, 634–638
 - matching, 638–640
 - scale, 132
 - trace, 617
- anthropic principle, 412
- antiparticles, 141
- anyons, 210
- arrows (on Feynman diagrams), 144
- asymptotic
 - freedom, 442, 527
 - state, 56, 69–74
- axion, 612
- $B - L$ (baryon minus lepton number), 634
- background field method, 752–758
- Banks–Zaks theory, 442
- bare field, 328
- barn (cross-section unit), 816
- baryogenesis, 635–636
- baryon, 513, 573
 - decuplet, 574
 - number conservation, 635–636
 - octet, 574
- BCFW recursion relation, 555–558
- $\beta(a, b)$ (Euler beta function), 827
- beta function
 - QCD, 526–528, 756–757
 - QED, 314, 424–425
- Bethe, Hans, 338
- Bhabha scattering, 246
- Bhabha, Jenengir, 246
- bilinear, 30
- Bjorken
 - x , 673
 - scaling, 674
- blackbody radiation, 3–5
- Bohr
 - magneton, 157
 - radius, 182
- Bohr, Niels, 247
- Born approximation, 48, 63, 234, 392, 671
- Bose–Einstein statistics, 207
- boson, 207–208
 - W and Z , 584–588
 - Higgs, 576
 - pseudo-Goldstone, 571
- bound state, QCD, 512–513
- bound, Lee–Quigg–Thacker, 590
- BPHZ theorem, 385

- Breit frame, 696
 Breit–Wigner distribution, 462
 brick wall frame, 696
 brown muck, 760
 BRST invariance, 499–502
 bubbles (Feynman diagrams), 91
- C (charge conjugation), 192–195
 Cabibbo angle, 598
 Callan–Gross relation, 675–676
 Callan–Symanzik equation, 434
 Casimir
 effect, 287–296
 index, 487
 operators, 486
 quadratic, 486
 causality, 219–223
 CCWZ method, 133–138, 573–575, 591
 charge
 bare, 327
 conjugation, 192–195
 definition in QCD, 529–533
 effective, 312–313, 420–427
 quark, 514
 universality, 528–529
 Chern–Simons current, 611
 chiral
 logarithms, 402
 symmetry, 621
 symmetry breaking, 567–575, 638–640
 Chiral Lagrangian, 401–403, 569–572, 620
 chirality, 185–188
 CKM (Cabibbo–Kobayashi–Maskawa) matrix,
 596–599, 606–608, 651, 657–658, 665, 764
 classical electron radius, 182
 classical field theory, 29–45, 83–84, 259, 735–737
 classical limit (of path integral), 259
 cluster decomposition principle, 96, 208, 466
 coefficient
 Einstein, 5–7
 Wilson, 430, 657–666
 cohomology, 501
 Coleman, Sidney, 133
 collinear interaction, 790–794
 Compton scattering, 4, 27, 155, 156, 238–246, 370,
 559, 680, 682
 Compton wavelength, 182, 311
 Compton, Arthur, 246
 confinement, 532
 conformal field theory, 440
 connection, 489
 constant, structure, 483–488
 contact interaction, 81, 156, 273–275, 279, 283, 591
 contraction, 11, 90, 101
 conventions, 815–819
 Cooper pairs, 578
- correlation
 function, 39–42, 69, 80–82, 300–301, 323
 renormalization group evolution of, 433–434
 length, 131, 438–440, 577
 coset, 574
 cosmological constant, 53, 414–415, 641
 Coulomb’s law, 37–39, 48–51
 counterterm, 295, 328, 340, 423–426
 CP
 phase, strong, 610–611
 problem, strong, 609–613, 636–638
 violation, 605–614
 from decay, 609
 from mixing, 608
 violation, indirect, 608
 CPT theorem, 201
 critical exponent, 438
 critical point, 438
 cross section, 56–68
 crossing relation, 236
 current, 36
 axial, 621
 charged (weak interactions), 603
 Chern–Simons, 611
 classical, 722
 conserved, 33, 122–123
 matter, 494
 neutral (weak interactions), 604
 Noether, 33
 vector, 621
 custodial
 isospin, 653–657
 $SU(2)$, 653–657
 symmetry, 413, 600–601, 653–657
 cutting rules, 456–459
- d’Alembertian, 15
 de Sitter space, 415
 decay
 heavy meson, 762–765
 muon, 642–643
 pion, 570–571
 rate, 61–62
 decoupling limit, 566
 deep inelastic scattering (DIS), 671–682, 689–694
 derivative
 couplings, 99–100
 covariant, 120–122, 481–482, 488–493, 818
 DGLAP
 evolution equations, 681, 693
 splitting function, 680, 794
 dilatation operator, 434
 dimension
 anomalous, 425
 classical, 434
 scaling, 434

- dimensional
 - analysis, 815–816
 - regularization, 307–309, 326–327, 419, 422–426, 517–527, 649–651, 660–664, 678–689, 769–772, 802–807, 825–830
 - transmutation, 425, 751
- Dirac
 - belt trick, 178
 - equation, 168
 - matrices, 168
 - sea, 141–142
- Dirac, Paul, 7, 247
- disconnected diagrams, 96
- divergence
 - collinear, 363
 - infrared, 332, 355–380
 - soft, 363
- Drell–Yan, 796–799
- Dyson series, 85–87
- Dyson, Freeman, 86
- $e^+e^- \rightarrow \mu^+\mu^-$
 - 1-loop, 356–363
 - tree-level, 230–234
- $e^-p^+ \rightarrow e^-X$, 668–677
- $e^+e^- \rightarrow$ hadrons, 513–517
- eating Goldstone bosons, 576
- effective
 - action, 394–416, 566–578, 602–605, 703–759, 765–775, 795–811
 - charge, 312–313, 420–427
 - Lagrangian, 394–416, 430, 450, 566–578, 602–605, 703–759, 765–775, 795–811
 - potential, 314, 392, 419
- eightfold way, 573
- eikonal
 - factor, 784
 - identity, 785
 - limit, 153
- Einstein
 - coefficient, 5–7
 - summation convention, 11
- Einstein, Albert, 4–7
- elementary particles, 74
- energy-momentum tensor, 34–36
- epsilon expansion, 440
- equation
 - Callan–Symanzik, 434
 - Klein–Gordon, 32, 77, 141, 172–173, 188, 220, 316, 395, 396, 707
 - Schrödinger, 395–396
 - Schrödinger–Pauli, 157
- equations of motion
 - classical, 32
 - Heisenberg, 18–23, 84–93, 725–726, 728–732, 819
- equivalent photon approximation, 371
- Euclidean space, 120, 267, 287, 445, 505, 714, 747, 824–827, 829
- Euler–Lagrange equations, 32
- event shape, 778–780
- exponent
 - critical, 438
- f^{abc} (structure constants), 483–488
- F_π , 401, 566–572
- factorization, 515, 685–695, 796–802
- Faddeev–Popov ghost, 495–499, 509, 511, 517, 520, 523, 533, 535, 580–582, 590, 753–757
- Faddeev–Popov procedure, 495–499, 580–583
- FCNC (flavor-changing neutral current), 604–605, 666
- Fermi golden rule, 8
- Fermi–Dirac statistics, 207
- fermion, 207–208
 - Majorana, 178–179, 192
 - spectator, 638
 - Weyl, 178–181
- Feynman
 - parameter, 822
 - plate trick, 178
 - propagator, 75–77
 - tree theorem, 459
- Feynman diagram
 - amputated, 334
 - classical field theory, 42
 - disconnected, 96
 - electron self-energy, 322–338
 - real emission, 357
 - tadpole, 324, 414–415
 - triangle, 617–619, 622–626
- Feynman rules, 42
 - background field, 754–756
 - classical field theory, 42
 - derivative couplings, 99–100
 - heavy quark effective theory, 767
 - momentum space, 93–97
 - non-Abelian gauge theory, 509–513
 - old-fashioned perturbation theory, 52
 - position space, 81–84
 - QED, 225–229
 - renormalized perturbation theory, 341
- Feynman, Richard, 320, 338
- field
 - background, 707–708, 733–758
 - bare, 339
 - jet, 790
 - scalar, 13
 - tensor, 14
 - vector, 14
- fine-tuning, 410–412, 448
- fixed point
 - Gaussian, 439

- non-trivial, 440
- Wilson–Fisher, 438–442
- flavor basis, 596
- Fock space, 20
- form factor, 152–155, 305, 317–320, 345–348, 374–377, 505, 524, 667–694, 764–765, 774, 775
- formula
 - Klein–Nishina, 242
 - LSZ reduction, 70–74, 94, 145, 280, 325, 333–334, 387, 453, 475, 477
 - Mott, 237
 - Rosenbluth, 670
- forward Compton amplitude, 688
- 4-Fermi theory, 396–400, 426–429, 602–605, 657–666
- 4-vectors, 13
- frame
 - Breit, 696
 - brick wall, 696
 - center-of-mass, 62
- Fujikawa, Kazuo, 628
- function
 - Isgur–Wise, 764–765
 - jet, 804–806
 - soft, 798, 806–807
- functional, generating, 261–262
- fundamental representation, 484
- Furry’s theorem, 283
- g -factor, 315
- Γ function, 826
- γ -matrices, 168–170
- γ_E (Euler–Mascheroni constant), 827
- gauge
 - axial, 502–503
 - collinear, 790–794
 - Coulomb, 119
 - covariant, 129–130, 495–502, 580–583, 754–758
 - dependence of counterterms, 525–526
 - Fermi, 581
 - Feynman–’t Hooft, 130, 225, 305, 309, 325, 341, 343, 360, 431, 502, 517, 522, 534, 582, 664, 770, 806
 - invariance, 122–123, 267–269, 283, 488–493
 - reality of, 130–132
 - lightcone, 502
 - Lorenz, 19, 37–40, 119, 130, 343, 349, 498, 576, 590, 817
 - non-collinear, 790–794
 - R_ξ , 129–130, 495–502, 580–583, 754–758
 - unitary, 130, 576, 582, 590
- Gauss’s law, 782–783
- Gell-Mann matrix, 485
- Gell-Mann, Murray, 573
- Gell-Mann–Oakes–Renner relation, 572
- generations, 592
- G_F (Fermi’s constant), 67, 396–400, 426–429, 570–571, 603–604, 641–653, 657–666, 686, 762, 764
- $gg \rightarrow gg$ scattering, 534, 545–548
- ghost, 73, 132–133
 - Faddeev–Popov, 495–499, 509, 511, 517, 520, 523, 533, 535, 580–582, 590, 753–757
 - Pauli–Villars, 302, 831–832
- GIM (Glashow–Iliopoulos–Maiani) mechanism, 605
- Glauber mode, 782
- gluon, *see* quantum chromodynamics
- Goldstone boson, 564
 - equivalence theorem, 576, 590–592
- Gordon identity, 316
- grand unification, 579, 583
- Grassmann numbers, 179, 497–498
- gravity
 - classical, 40, 42, 44
 - quantum, 135–138, 153–155, 403–407, 495, 558–559, 601, 633, 757
- Green’s function, *see* correlation function
- Green’s function method, 39–42
- group
 - Abelian, 483
 - conformal, 440–441
 - fundamental, 177
 - generators, 160, 483
 - Lie, 160, 482–484
 - little, 120, 124, 540
 - Lorentz
 - orthochronous, 161
 - proper, 161
 - non-Abelian, 483
 - orthogonal, 484
 - Poincaré, 109–120
 - renormalization, in QCD, 526–528
 - representations, 484–488
 - simply connected, 177, 210
 - special orthogonal, 12
 - special unitary, 484
 - symplectic, 484
 - theory, 159–163
 - unitary, 484
- GUT (grand-unified theory), 579, 583
- hadron, 513–517, 566–575, 598, 658, 667–695, 760–775, 796–799
- Halpern scattering, 246
- Halpern, Otto, 246
- Hamiltonian, 29
- Heaviside function, 62
- heavy jet mass (event shape), 778
- Heisenberg
 - equations of motion, 18–23, 84–93, 725–726, 728–732, 819
 - picture, 18–23, 56, 70, 84–93, 466, 728–732

- Heisenberg, Werner, 247
helicity, 185–188
 spinor, 534–560
hierarchy, inverted (neutrinos), 602
Higgs
 boson, 58, 587–588
 effective potential, 748–750
 mechanism, 575–579
 multiplet, 584
holes (Dirac sea), 141–142
HQET (Heavy-Quark Effective Theory), 765–775
hypercharge, 584–588, 592–600, 631–634

iε prescription, 75–77, 264–267, 456–459
ideal (of an algebra), 483
identical particle, 206–208
identity, Schouten, 539
inclusive observable, 781
index
 color, 485
 flavor, 485
 of a representation, 487
instanton, 611, 637
integrating out, 703
interaction, 31
 contact, 81, 156, 279, 283, 591
 picture, 84–89
 potential, 88–89
 relevant, 388
 renormalizable, 388
invariance
 dual conformal, 559
 Weyl, 132
Isgur, Nathan, 760
Ising model, 438
isospin, 401, 567

Jacobi identity, 483, 555
Jarlskog invariant, 599, 607–608, 613
jet, 364–366, 776–811
jet function, 801

Källén–Lehmann representation, 468
Kadanoff, Leo, 418
kaon, 572–573
kinetic terms, 30
Klein, Oskar, 246
Klein–Gordon equation, 32, 77, 141, 172–173, 188, 220, 316, 395, 396, 707
Klein–Nishina formula, 242

label, velocity as, 767
Lagrangian, 29
 Chiral, 401–403, 569–572, 619–620
 Dirac, 168
 effective, 394–416, 430, 450, 566–578, 602–605, 703–759, 765–775, 795–811
 Euler–Heisenberg, 713–716
Lamb shift, 53–55, 253–254, 310–311, 321–323, 338
Lamb, Wallis, 311
Landau level, 714
Landau pole, 312, 425
Laplacian, 15
large logarithms, 419–423
 flavor physics, in, 657–666
 universality of, 421–423
large *N*, 121, 550
lattice QCD, 503–505, 532–533, 833
Lee–Quigg–Thacker bound, 590
Legendre transform, 29, 30, 737–740
lepton number, 600, 635
 conservation, 635–636
Lie
 algebra, 160, 483–484
 finite dimensional, 484
 bracket, 160
 group, 160, 482–484
light-by-light scattering, 246
lightcone coordinates, 695–697
lightlike, 16
limit
 non-relativistic, 23–24, 63–64, 181–182, 727–728, 762–763, 765, 768
 semi-classical, 26, 726–728
link field, 503
Lippmann–Schwinger equation, 47–48
locality, 131, 392, 475–477
logarithm, chiral, 570
Lorentz invariance, 10–17
Lorentz-invariant phase space, 61
LSZ (Lehmann–Symanzik–Zimmermann) reduction
 formula, 70–74, 94, 145, 280, 325, 333–334, 387, 453, 475, 477
luminosity, 58

magnetic moment, anomalous, 315–321
Mandelstam variables, 68, 98–99
mass
 $\overline{\text{MS}}$, 463
 basis, 596
 Breit–Wigner, 461
 Dirac, 166
 fermion, naturalness of, 412–414
 gauge boson, naturalness of, 412–414
 hadron, 774–775
 Majorana, 178–179, 192, 600–602
 neutrino, 600–602
 pion, 506, 572
 pole, 330–334, 336, 514
 complex, 463
 real, 461

- quark, 514
 - scalar, 408–412
- matching, 430, 704–705
- Meissner effect, 577
- Mellin moment, 694
- meson, 400–403, 513
- minimal subtraction, 334–336, 349–350
- Minkowski metric, 12
- model
 - Abelian Higgs, 575–750
 - Georgi–Glashow, 579
 - Ising, 438
 - linear sigma, 564–566
 - nonlinear sigma, 566–573
 - parton, 673
- Møller scattering, 246
- Møller, Christian, 246
- momentum
 - complex, 551
 - reference, 539
 - transfer, 63, 669
- Mott formula, 237
- $\overline{\text{MS}}$ (modified minimal subtraction), 334–336, 349–350
- muck, brown, 760
- narrow-width approximation, 462
- naturalness, 407–414
 - technical, 414
- neutrinos, 600–602
 - atmospheric, 602
 - solar, 602
- Nishina, Yoshio, 246
- Noether current, 33
- Noether's theorem, 34
- non-Abelian gauge theory, 481–533
- non-relativistic limit, 23–24, 63–64, 181–182, 727–728, 762–763, 765, 768
- non-renormalizable theory, 342, 386–392, 394–416
- normal ordering, 100–103
- oblique correction, 644–653
- off-shell, 46
- old-fashioned perturbation theory, 46–55, 459
- on-shell, 52
- one-particle irreducible (1PI), 323, 330, 381–382
- operator, 73–74
 - composite, 430, 686
 - irrelevant, 449
 - marginal, 449
 - relevant, 449
 - Slavnov, 501, 507
 - super-renormalizable, 449
- operator product expansion, 686–693
- Oppenheimer, Robert, 338
- optical theorem, 453–456
- oscillator, simple harmonic, 7, 17–18
- pair-production, Schwinger, 718–720
- parameter
 - Feynman, 822
 - Schwinger, 822–823
- parity, 16, 195–198
- Parke–Taylor formula, 551
- partial wave, 463–466
- particle
 - composite, 466
 - definition of, 110
 - elementary, 466
 - from second quantization, 20
 - identical, 206–208
 - unstable, 461–463
- parton
 - model, 667–682
 - shower, 682
- path integral, 251–283
 - fermionic, 269–272
- path ordering, 491
- Pauli matrices, 157
- Pauli–Villars regularization, 302–303, 326–327, 332, 343, 348, 831–832
- PDF (parton distribution function), 371–372, 674–699, 796–799
- Peskin–Takeuchi parameters, 655–657
- phase transition, 411, 435, 438–440, 495, 562–563, 574–578, 635–636, 638–640
- photon, 4, 27, 46–810
 - decoupling, 544
- $\pi^0 \rightarrow \gamma\gamma$, 617–620
- pion, 400, 566–573
- Planck scale, 44, 137, 403–407, 600
- Planck, Max, 3–5
- PNMS (Pontecorvo–Maki–Nakagawa–Sakata) matrix, 601
- polarization, 109–138
 - asymmetry, 642
 - circular, 119, 187–188
 - eating, in Higgs mechanism, 576
 - electron, 190, 245
 - forward, 119
 - from Poincaré group, 111
 - graviton, 135–138, 153–155
 - in photon scattering, 238
 - in quantized fields, 123–128
 - in scattering, 231–234
 - linear, 119
 - longitudinal, 117, 118, 582
 - massive spin-1, 116–118
 - photon, 9, 44, 65–67, 118–120, 133–135, 145–146, 151–153, 225, 316, 360, 383, 672, 782–794, 821
 - spinor-helicity representation, 539, 791–794

- sum over, 138–139, 191, 221–222, 239–243, 361, 459–461
- timelike, 124, 582
- transverse, 117, 119–120, 151, 482, 502
- unphysical, canceling with ghosts, 498
- Polchinski, Joseph, 418
- potential
 - between quarks, 512–513
 - Coleman–Weinberg, 744–752
 - Coulomb, 39, 301–303, 309–310
 - effective, 314, 392, 419
 - in QCD, 529–533
 - Uehling, 311
- Powell, Cecil, 401
- precision electroweak, 641–657
- principle
 - cluster decomposition, 96, 208, 466
 - Huygens, 251
- problem
 - $U(1)$, 636, 638
 - hierarchy, 411
 - strong CP , 636–638
- Proca (massive vector) theory, 116
- propagator, 37, 41
 - advanced and retarded, 49–50, 75, 77
 - dressed, 305
 - Feynman, 75–77
 - gluon, 495–503
 - photon, 128–130
 - position space, 77
- quantum
 - chromodynamics (QCD), 508–558, 657–697, 760–810
 - electrodynamics (QED), 224–247
 - field theory (QFT), 7–832
 - mechanics, 23–24
- quark, 481–811
 - heavy, 760–775
 - in electroweak theory, 592–598
 - masses and charges, 514
 - sea, 676
 - valence, 676
- R_ξ gauge, 129–130, 495–502, 580–583, 754–758
- radiation
 - final-state, 364–366
 - initial-state, 369–372
- radiative return, 372
- rank (of a tensor), 14
- rapidity, 13
- recursion, on-shell, 555–558
- reflection positivity, 266–267
- Regge behavior, 533
- regularization
 - dimensional, 307–309, 326–327, 349–350, 373–380, 517–527, 678–689, 769–772, 802–807, 825–830
 - Gaussian, 293
 - hard cutoff, 289–291, 833
 - heat-kernel, 292
 - independence, 294–295
 - Pauli–Villars, 302–303, 326–327, 332, 343, 348, 831–832
 - point splitting, 833
 - ζ -function, 293
- relativity
 - general, *see* gravity
 - special, 10–20
- renormalizability, 342, 381–393, 449
- renormalization, 300–309
 - charge, 340
 - condition, 304, 337
 - QED, 349–350
 - field strength, 340
 - group, 314, 336, 417–450
 - continuum, 417, 419–442
 - exact, 445
 - flow, 439
 - in 4-Fermi theory, 664–666
 - Wilson–Polchinski, 444–448
 - Wilsonian, 417, 442–450
 - HQET, 769–772
 - mass, 322–336, 338, 340
 - scale, 422
 - SCET, 807–810
- renormalized field, 328
- renormalized perturbation theory, 331, 339–353
- reparametrization invariance, 775
- representation, 159, 484–488
 - adjoint, 486–487
 - anti-fundamental, 485
 - faithful, 159
 - fundamental, 484
 - index of, 487
 - induced, 120
 - irreducible, 110
 - Majorana (of γ -matrices), 170
 - Poincaré group, 109–120
 - projective, 176–178
 - unitary, 110
 - Weyl (of γ -matrices), 169
- resummation, 420
 - event shape, 807–810
- retarded propagator, 49
- ρ parameter, 654
- Rosenbluth formula, 670
- rotations, 11–12
- running coupling, 313, 419–423, 526–528
- Rutherford scattering, 67

- s, t, u (Mandelstam variables), 98–99
- S, T, U (Peskin–Takeuchi parameters), 655–657
- S -matrix, 56, 69–74
 - Lorentz invariance of, 212–215
 - off-shell, 279
 - unitarity of, 452–477
- Sakharov conditions, 635
- scalar, 13
 - mass, renormalization group flow of, 435–442
- scalar QED, 121, 140–153
- scaling
 - collinear, 782
 - Glauber, 782
 - hard, 782
 - soft, 782
 - ultrasoft, 782
- scattering
 - Bhabha, 246
 - Compton, 4, 27, 155, 156, 238–246, 370, 559, 680, 682
 - light-by-light, 246, 717–718
 - Møller, 246, 248
 - Rutherford, 234–238
 - Thompson, 243
- SCET (Soft-Collinear Effective Theory), 795–810
- Schouten identity, 539
- Schrödinger equation, 395–396
- Schrödinger picture, 23, 56, 256, 453, 728
- Schur's lemma, 486
- Schwinger
 - pair production, 718–720
 - parameter, 822–823
 - proper time, 703–732
 - term, 283, 284
- Schwinger, Julian, 247, 320, 338
- Schwinger–Dyson equations, 80–82, 272–277
- seagull vertex, 145
- second quantization, 20
- see-saw mechanism, 203, 600
- Seiberg duality, 640
- Shelter Island conference, 247
- simple harmonic oscillator, 7, 17–18
- soft function
 - Drell–Yan, 798
 - hemisphere, 802
- soft interaction, 782–790
- soft photon theorem, 150–153
- spacelike, 16
- spectral decomposition, 466–475
- spectral density, 467
- sphaleron, 635
- spin, 65–67, 187
 - higher, 132–138, 155, 222–223
 - one, 109–132
 - two, 135–138, 153–155
 - versus helicity, 185–188
- spin-statistics theorem, 205–223
- spinor
 - Dirac, 167–174
 - helicity, 536–537
 - helicity formalism, 534–791, 794
 - inner product, 191
 - left-handed Weyl, 185
 - outer product, 191
 - quantization, 211–212
 - right-handed Weyl, 185
 - Weyl, 164–165, 178–181
- splitting functions, 680, 794
- spontaneous symmetry breaking, 324, 561–583, 734, 743–746, 751–752
- spurion, 571
- stability, 215–219
- Stark effect, 53
- state, asymptotic, 56, 69–74
- stationary phase, method of, 259
- steepest descent, method of, 259
- string theory, 295
- structure constant, 483–488
- Stueckelberg, Ernst, 133, 145, 418
- subtraction point, 335, 350
- subtraction scheme, 329
- Sudakov
 - double logarithm, 359, 777
 - factor, 682–685
 - peak, 777
- super-renormalizable theory, 388, 414–416
- superconductivity, 577–578
- superficial degree of divergence, 382
- supersymmetry, 640
- symmetry
 - chiral, 567–575, 621
 - continuous, 33
 - crossing, 236
 - custodial, 413, 600–601, 653–657
 - global, 122
 - heavy-quark flavor, 761
 - heavy-quark spin, 760
 - local, *see* gauge, invariance
 - of a Lagrangian, 32
 - Peccei–Quinn, 612
 - vector, 621
- symmetry breaking
 - chiral, 638–640
 - electroweak, 584–587
- symplectic group, 484
- tachyon, 562
- tadpole (Feynman diagram), 324, 414–415
- technicolor, 657
- tensor, 14
 - energy-momentum, 34–36
 - canonical, 36

- hadronic, 672
- leptonic, 672
- Levi-Civita, 160, 482
- totally antisymmetric, 160
- term
 - kinetic, 30
 - mass, 31
- theorem
 - Kinoshita–Lee–Nauenberg (KLN), 372
 - Bloch–Nordsieck, 372
 - equipartition, 3
 - Feynman tree, 459
 - Goldstone boson equivalence, 576, 590–592
 - Goldstone’s, 564
 - Noether’s, 32–34
 - optical, 453–456
 - soft photon, 150–153
 - Weinberg–Witten, 494
- theory
 - Banks–Zaks, 442
 - 4-Fermi, 396–400, 426–429, 602–605, 657–666
 - full, 703
 - Heavy-Quark Effective, 765–775
 - non-Abelian gauge, 481–533
 - Soft-Collinear Effective, 795–810
 - Yang–Mills, 481–533
- θ -vacuum, 611
- threshold region, 796
- thrust, 778–780, 799–810
- time ordering, 72, 78–92, 259–261, 264–266
- time reversal, 16, 198–201
- timelike, 16
- Tomonaga, Sin-Itiro, 320, 338
- T-matrix (transfer matrix), 48, 60
- transform, Legendre, 29, 30, 737–740
- transformation, general coordinate, 403
- twist, 691–692
- Uehling, 311
- Uehling potential, 311
- ultraviolet
 - catastrophe, 4
 - completion, 396
 - sensitivity, 410
- unification
 - electroweak, 584–614
 - grand, 579, 583
- unit-step function, 62
- unitarity
 - bound, partial wave, 463–466
 - implications of, 452–477, 552–555, 588–590
 - triangle, 598–599
- universal cover, 163
- unstable particles, 105, 461–463
- vacuum
 - expectation value, 323, 563
 - polarization, 300–314
 - electroweak, 644–653
 - from Euler–Heisenberg Lagrangian, 716–717
 - in scattering, 367
 - QCD, 517–521
- vector
 - contravariant, 15
 - covariant, 15
- W boson, 584–588
- Ward identity, 123–128
- Ward–Takahashi identity, 277–283
- weak interactions, 584–614
- Weinberg, Steven, 150, 584
- Weizsäcker–Williams approximation, 371
- Weyl ordering, 258
- Weyl, Hermann, 132
- Wick rotation, 823–825
- Wick’s theorem, 90, 100–103
- width, 105
- Wilson
 - coefficient, 657–666
 - line, 488–493
 - loop, 490, 531–533
- Wilson, Kenneth, 418, 503
- Wilson–Fisher fixed point, 438–442
- Witten–Veneziano relation, 638
- Wolfenstein parametrization, 598
- Yang–Mills theory, 481–533
 - uniqueness of, 156, 552–555
- Yukawa, Hideki, 400
- $Z_1 = Z_2$, 350–353, 528–529
- Z boson, 584–588
- zero-point energy, 52, 288