

## Index

- 2D Fourier transform method, 267–74
- 2D governing equations, 39–41
- 2D potential Green's functions, 8–9
- anisotropic elastic solids, governing equations and, 33–5
- anisotropic magnetoelastic bimaterial spaces, 293, 312–27
  - with extended point forces in material 2 and, 304–6
  - lower half-space under general surface conditions and, 306–7
  - pyramidal QD in piezoelectric full space, 312–13
  - QD inclusion in a piezoelectric half-space, 313–24
  - quantum dots in anisotropic piezoelectric semiconductors, 307–12
  - solutions in Fourier domain for forces in material 1 and, 294–6
  - solutions in physical domain for forces in material 1 and, 296–9
  - solutions in physical domain for forces in material 1 with imperfect interface conditions and, 299–301
  - triangular and hexagonal dislocation loops in elastic bimaterial space, 324–6
  - upper half-space under general surface conditions and, 302–3
- anisotropic magnetoelastic full spaces, 260–1, 281–7, 290–1
  - adjoint of a square matrix, 291–2
  - Cauchy's residue theorem, 292
  - couple force, 281–2
  - dipoles, 281–2
  - dislocations, numerical examples of, 287–8
  - equivalent body forces of dislocations, 285–7
  - Green's functions and
    - in terms of line integrals, 261–5
    - in terms of Radon transform, 274–5
    - in terms of Stroh eigenvalues, 265–7
    - in terms of Stroh eigenvalues and eigenvectors, 275–81
    - via 2D Fourier transform method, 267–74
  - moments, 281–2
  - relations among dislocation, faulting and force moments, 282–5
- anisotropic piezoelectric semiconductors, quantum dots in, 307–12
- anti-plane deformation, elastic isotropic full plane, 57–8
- anti-plane solutions
  - elastic isotropic bimaterial planes
    - of line dislocations, 67–70
    - line force inside or outside circular inhomogeneity, 76–80
    - of line forces, 65–7
    - screw dislocation inside or outside circular inhomogeneity, 80–3
  - of line forces and line dislocations, 58–60
- BEM (boundary element method), xv, 109
- Betti's reciprocal theorem
  - applications of, 41–6
  - extended, 41
- BIE (boundary integral equation), 23–4, 109
- bimaterial planes
  - elastic isotropic, 109–10
    - anti-plane solutions, 65–70, 76–83
    - image force of line dislocation, 101–7
    - image work of line forces, 107–8
    - plane-strain solutions, 70–6, 84–101
  - magnetoelastic, 129, 137, 138
    - applications in semiconductor industry, 129–135
    - Green's functions of line forces and line dislocations in, 123–8
    - half-spaces and, 221
    - potential Green's functions in, 9–10
- bimaterial spaces
  - anisotropic MEE, 293, 312–27
    - with extended point forces in material 2, 304–6

- bimaterial spaces (*cont.*)
  - lower half-space under general surface conditions and, 306–7
  - quantum dots in anisotropic piezoelectric semiconductors, 307–12
  - solutions in Fourier domain for forces in material 1 and, 294–6
  - solutions in physical domain for forces in material 1 and, 296–9
  - solutions in physical domain for forces in material 1 with imperfect interface conditions and, 299–301
  - upper half-space under general surface conditions and, 302–3
- elastic isotropic
  - derivatives of some common functions, 172–3
  - dislocation solution, 166
  - displacements and stresses in half-space induced by point force applied on surface with mixed boundary conditions, 174–5
  - displacements and stresses in traction-free half-space due to point force applied on surface, 173–4
  - Green's displacements and stresses in, 158–66
  - mathematic keys, 172
  - Papkovich functions, 145–58
  - uniform loading over circular area on half-space surface, 166–71
- potential Green's functions in, 11–12
- transversely isotropic MEE, 220–1, 257
  - Green's function solutions for MEE half-space, 241–6
  - horizontal point force, solutions for, 225–30
  - indentation over MEE half-space, 246–56
  - negative electric charge, solutions for, 221–5
  - negative magnetic charge, solutions for, 221–5
  - for other interface conditions, 237–41
  - reduced, 230–7
  - vertical point force, solutions for, 221–5
- boundary element method (BEM), xv, 109
- boundary integral equation (BIE), 23–4, 109
- Boussinesq, J., 165
- Boussinesq solution, 165, 172
  - extended, for electric charge, 243–4
  - extended, for magnetic charge, 243–4
  - extended, for vertical point force, 243–4
  - extended, indentation over MEE half space, 250–1
  - finding induced displacements and stresses, 166–7
- Cauchy's residue theorem, 292
- Cerruti, V., 165
- Cerruti solution, 165
- Cerruti solutions, extended, 244–6
- charge
  - electric
    - extended Boussinesq solution for, 243–4
    - piezoelectric bimaterial space and, 230–2
    - transversely isotropic magneto-electroelastic full spaces, 183–7
    - transversely isotropic MEE bimaterial spaces and, 221–5
    - vertical point forces and, 193–4
  - magnetic
    - extended Boussinesq solution for, 243–4
    - transversely isotropic MEE bimaterial spaces and, 221–5
    - transversely isotropic MEE full spaces and, 183–7
- circular inhomogeneity
  - edge dislocations inside, 93–101
  - edge dislocations outside, 84–93
  - geometry of with source in matrix, 79
  - geometry of with source inside, 78
  - line forces inside, 76–80, 93–101
  - line forces outside, 76–80, 84–93
  - screw dislocation inside or outside, 80–3
- common functions, derivatives of, 172–3
- complex function method, 60–1
- constitutive relations, fully coupled MEE materials, 30
- couple force, 281–2
- cubic elastic solids, 39
- decoupled solutions
  - of horizontal point force along x-axis, 194–6, 197–8
  - piezoelectric Green's functions, 191–3
  - of vertical point force, 196
  - of vertical point force and negative electric charge, 193–4
- derivatives
  - of extended Green's displacements, 211–13, 277–81
  - due to point source in x-direction, 211–12
  - due to point source in y-direction, 212–13
  - of scaled Green's function, 213–15
  - due to point source in K-direction, 214
  - due to point source in x-direction, 214–15
  - due to point source in y-direction, 215
  - of some common functions, elastic isotropic bimaterial spaces, 172–3
- Ding, Haojiang, xvii
- dipoles
  - anisotropic MEE full space and, 281–2
  - in elasticity, 284
  - with net moment and moment-free, 282
- disk-like inclusion case, 208
- dislocation. *See also* line dislocation
  - anti-symmetric and symmetric distributions and, 325
  - dislocation solution, elastic isotropic full and bimaterial spaces, 166
  - dislocation source pairs in elasticity, 284
  - distribution of shear stresses, 325
  - edge
    - inside circular inhomogeneity, 93–101
    - outside circular inhomogeneity, 84–93
    - Peach-Koehler force, 102–4, 105–7
  - equivalence between elastic dislocation and single force couple, 287
  - equivalent body forces of, 285–7

- geometry of regular triangular dislocation, 324
  - hexagonal dislocation loops in elastic bimaterial space, 324–6
  - point, 41–5, 136
  - relations among faulting and force moments and, 282–5
  - schematics of shear fault source, 285
  - screw, 101–2
  - triangular dislocation loops in elastic bimaterial space, 324–6
  - uniform, 288
- displacements and stresses
  - effective stress, 291
  - elastic displacement, 289
  - extended Green's displacements, 209–11
    - derivatives of, 211–13, 277–81
  - in half-space induced by point force applied on surface with mixed boundary conditions, 174–5
  - hydrostatic stress, 290
  - normalized horizontal displacement, 169, 170
  - normalized stress component, 168, 169, 171
  - normalized vertical displacement, 168, 170
  - in traction-free half-space due to point force applied on surface, 173–4
- divergence theorem, 6–8
- edge dislocation. *See also* line dislocation
  - inside circular inhomogeneity, 93–101
  - outside circular inhomogeneity, 84–93
  - Peach-Koehler force
    - in elastic isotropic bimaterial planes, 102–4
  - interacting with circular inhomogeneity, 105–7
- eigenstrain field concept, 48–9
- eigenvalues, Stroh, 265–7, 275–81
- eigenvectors, Stroh, 275–81
- elastic bimaterial space, triangular and hexagonal dislocation loops in, 324–6
- elastic Green's functions, 195–6
- elastic isotropic
  - bimaterial planes, 109–10
    - anti-plane solutions, 65–70, 76–83
    - image force of line dislocation, 101–7
    - image work of line forces, 107–8
    - plane-strain solutions, 70–6, 84–101
  - bimaterial spaces
    - derivatives of some common functions, 172–3
    - dislocation solution, 166
    - displacements and stresses in half-space induced by point force applied on surface with mixed boundary conditions, 174–5
    - displacements and stresses in traction-free half-space due to point force applied on surface, 173–4
    - Green's displacements and stresses in, 158–66
    - mathematic keys, 172
    - Papkovich functions, 145–58
    - uniform loading over circular area on half-space surface, 166–71
  - full planes, 57
    - anti-plane deformation, 57–8
    - anti-plane solutions of line forces and line dislocations, 58–60
    - plane displacements in terms of complex functions, 60–1
    - plane-strain deformation, 57–8
    - plane-strain solutions, 62–5
  - full spaces, 140
    - dislocation solution, 166
    - displacements and stresses in half-space induced by point force applied on surface with mixed boundary conditions, 174–5
    - displacements and stresses in traction-free half-space due to point force applied on surface, 173–4
  - Green's functions of point forces
    - in, 140–3
  - mathematic keys, 172
  - Papkovich functions, 143–5
  - uniform loading over circular area on half-space surface, 166–71
- elastic materials, material properties for, 40
- electric charge
  - extended Boussinesq solution for, 243–4
  - negative
    - piezoelectric bimaterial space and, 230–2
    - transversely isotropic magneto-electroelastic full spaces, 183–7
    - transversely isotropic MEE bimaterial spaces and, 221–5
- energy point of view, governing equations
  - from, 50–1
- equilibrium equations
  - anisotropic MEE solids and, 30
  - elastic displacements and, 141
- Eshelby, John D., 46, 101
- Eshelby inclusion problem, 46–8, 198–201, 216–17
  - quantum wires and, 129–135
  - spheroidal inclusion, 216–17
- Eshelby inhomogeneity problem, 48–9
- Eshelby tensor, extended, 201–8
- extended Betti's reciprocal theorem, 41
- extended Boussinesq solution
  - for electric charge, 243–4
  - indentation over MEE half space, 250–1
  - for magnetic charge, 243–4
  - for vertical point force, 243–4
- extended Cerruti solutions, for horizontal point force, 244–6
- extended Eshelby tensor, 201–8
- extended Green's displacements, 209–11
  - derivatives of, 211–13, 277–81
- extended line dislocations, 45–6
- extended line forces, 45–6
- extended point dislocations, 41–5
- extended point forces
  - bimaterial space under, 294
  - in material 2 with anisotropic MEE bimaterial space, 304–6
  - relation between extended point dislocations and, 41–5

- faulting moments, anisotropic MEE full space  
 and, 282–5
- flat triangles  
 analytical integral over, 308–12  
 cubic and spherical inclusions, 307  
 geometry of, 309
- force  
 line, 115  
 under general interface conditions, 126–8  
 in half-plane under general boundary  
 conditions, 119–23  
 inside circular inhomogeneity, 76–80, 93–101  
 outside circular inhomogeneity, 76–80, 84–93  
 line force in  $x$ -,  $y$ - directions, 65–7  
 anti-plane solutions of, 65–7  
 in half-plane, 118  
 image work of line forces, 107–8  
 under perfect interface conditions, 124–6  
 solutions in 2D, magnetoelastoelectric planes,  
 113–17  
 line force in  $z$ -direction, 62–3, 70–6  
 point force, 140–3  
 point force, extended  
 bimaterial space under, 294  
 in material 2 with anisotropic MEE  
 bimaterial space, 304–6  
 relation between extended point dislocations  
 and, 41–5  
 point force in horizontal direction  
 decoupled solutions of, 194–6, 197–8  
 extended Cerruti solutions for, 244–6  
 Green's displacements and stresses by, 161–6  
 Papkovitch functions for, 157–8  
 piezoelectric bimaterial space and,  
 232–4, 235–7  
 solutions of along  $x$ -axis, 187–91  
 transversely isotropic MEE bimaterial spaces  
 and, 225–30  
 point force in vertical direction  
 decoupled solutions of, 196  
 extended Boussinesq solutions for, 243–4  
 Green's displacements and stresses by, 158–60  
 negative electric charge and, 193–4  
 Papkovitch functions for, 156–7  
 piezoelectric bimaterial space and,  
 230–2, 234–5  
 solutions of, 183–7  
 transversely isotropic MEE bimaterial spaces  
 and, 221–5  
 point force in  $x$ -direction, 150–5, 156  
 point force in  $z$ -direction, 146–50, 155
- force moments, anisotropic MEE full space  
 and, 282–5
- Fourier domain, anisotropic MEE bimaterial  
 space and, 294–6
- Fourier transform method (2D), 267–74
- free surface, Green's function solutions for MEE  
 half-space with, 241–2
- full planes  
 elastic isotropic, 57  
 anti-plane deformation, 57–8
- anti-plane solutions of line forces and line  
 dislocations, 58–60
- plane displacements in terms of complex  
 functions, 60–1
- plane-strain deformation, 57–8
- plane-strain solutions, 62–5
- magnetoelastoelectric, 111, 132, 138  
 applications in semiconductor industry,  
 129–135
- Green's functions of line dislocations in half-  
 plane, 118–19
- Green's functions of line dislocations in half-  
 plane under general boundary conditions,  
 119–23
- Green's functions of line forces, 118
- line force and line dislocation solutions in 2D,  
 113–17
- plane-strain deformation, 111–13
- full spaces  
 anisotropic MEE, 260–1, 281–8, 290–1  
 adjoint of a square matrix, 291–2  
 Cauchy's residue theorem, 292  
 Green's functions and, 261–81
- elastic isotropic, 140  
 dislocation solution, 166  
 displacements and stresses in half-space  
 induced by point force applied on surface  
 with mixed boundary conditions, 174–5  
 displacements and stresses in traction-free  
 half-space due to point force applied on  
 surface, 173–4  
 Green's functions of point forces in, 140–3  
 mathematic keys, 172  
 Papkovitch functions, 143–5  
 uniform loading over circular area on half-  
 space surface, 166–71
- transversely isotropic MEE, 176, 198–209  
 decoupled solutions, 191–6, 197–8  
 Eshelby inclusion problem, 216–17  
 extended Green's displacements, 209–13  
 general solutions in terms of potential  
 functions, 176–83  
 infinite MEE space subjected to concentrated  
 sources at the point, 177  
 negative electric charge and, 183–7  
 negative magnetic charge and, 183–7  
 scaled Green's function derivatives, 213–15  
 solutions of horizontal point force along  
 $x$ -axis, 187–91  
 solutions of vertical point force, 183–7  
 special material coupling cases, 209  
 unit sphere with spherical angles, 200
- Gallium Arsenide (GaAs)  
 contours of electric potential on surface  
 of, 315  
 contours of hydrostatic strain on surface of, 315  
 contours of vertical electric field on surface  
 of, 316  
 maximum strain energy on surface of substrate  
 GaAs for different QD shapes, 322

- normalized strain energy on surface of half-space substrate of, 322
  - pyramidal inclusion in, 313, 314
  - Gauss' theorem, 6–8
  - general anisotropic magnetoelastoelectric solids, 29–32
  - general interface conditions, Green's functions
    - of line dislocations and line forces under, 126–8
  - governing equations, 29, 50
    - anisotropic elastic solids, 33–5
    - Betti's reciprocal theorem
      - applications of, 41–6
      - extended, 41
    - cubic elastic solids, 39
    - from energy point of view, 50–1
    - Eshelby inclusion problem, 46–8
    - Eshelby inhomogeneity problem, 48–9
    - general anisotropic magnetoelastoelectric solids, 29–32
  - in linearly elastic isotropic solid, 140–3
  - material properties
    - for elastic materials, 40
    - of MEE reported in recent literature, 36
    - for piezoelectric materials, 34
    - for TI piezomagnetic materials, 38
  - piezoelectric materials, 32–3
  - piezomagnetic materials, 33
  - transformation of MEE material properties from one coordinate system to the other, 51–4
  - transversely isotropic MEE solids, 35–6
  - transversely isotropic or isotropic elastic solids, 37–8
  - transversely isotropic piezoelectric/piezomagnetic solids, 37
  - two-dimensional, 39–41
  - unit relations, 54
  - gradient relations, anisotropic MEE solids and, 30–2
  - Green, George, 6–8, 22–4
  - Green's displacements and stresses, 158–66.
    - See also* displacements and stresses
    - by horizontal point force, 161–6
    - by vertical point force, 158–60
  - Green's functions, 25
    - anisotropic MEE full space and
      - in terms of line integrals, 261–5
      - in terms of Radon transform, 274–5
      - in terms of Stroh eigenvalues, 265–7
      - in terms of Stroh eigenvalues and eigenvectors, 275–81
      - via 2D Fourier transform method, 267–74
    - defined, 1–6
    - elastic, 195–6
    - of line dislocations, 123–6
      - under general interface conditions, 126–8
      - in half-plane, 118–19
      - in half-plane under general boundary conditions, 119–23
      - under perfect interface conditions, 124–6
    - of line forces, 123–6
      - under general interface conditions, 126–8
      - in half-plane, 118
      - in half-plane under general boundary conditions, 119–23
      - under perfect interface conditions, 124–6
    - piezoelectric, 191–3
    - of point forces, 140–3
    - potential functions, 8–22
      - in anisotropic planes or spaces, 12–13
      - in bimaterial planes, 9–10
      - in bimaterial spaces, 11–12
      - inhomogeneous circle in full-plane, 13–17
      - inhomogeneous sphere in full-space, 17–22
      - primary on 2D and 3D, 8–9
    - solutions for MEE half-space, 241–6
      - with free surface, 241–2
      - with surface electrode, 242–3
    - surface functions, 243–6
    - unified-form, 197–8
  - Green's representation, Papkovitch functions and, 143–5
  - Green's second identity, 6–8
  - half-plane
    - Green's functions of line dislocations in, 119–23
    - Green's functions of line forces in, 118–19
    - in half-plane under general boundary conditions, 119–23
  - half-space, MEE, 221
    - Green's function solutions for, 241–6
      - with free surface, 241–2
      - with surface electrode, 242–3
    - surface functions, 243–6
  - indentation over, 249–56
    - axisymmetric rigid indenter and, 250
    - loaded and unloaded stages for conical indenter, 247
  - lower, anisotropic MEE bimaterial space and, 306–7
  - uniform loading over circular area on half-space surface, 166–71
  - upper, anisotropic MEE bimaterial space and, 302–3
- hat transformation, 84
- hexagonal dislocation loops, in elastic bimaterial space, 324–6
- horizontal point forces
  - decoupled solutions of, 194–6, 197–8
  - extended Cerruti solutions for, 244–6
  - Green's displacements and stresses by, 161–6
  - piezoelectric bimaterial space and, 232–4, 235–7
  - solutions of along x-axis, 187–91
  - transversely isotropic MEE bimaterial spaces and, 225–30
- image force of line dislocation, elastic isotropic bimaterial planes, 101–7
- image work of line forces, 107–8
  - on anti-plane line force in bimaterial planes, 108
  - on anti-plane line force interacting with circular inhomogeneity, 108

- indentation over MEE half-space, 246–56
  - axisymmetric rigid indenter and, 250
  - loaded and unloaded stages for conical indenter, 247
- infinite circular cylinder case, 208
- infinite series summation, integral over image line source and, 25–7
- inhomogeneous circle in full-plane, potential Green's functions and, 13–17
- inhomogeneous sphere in full space, potential Green's functions and, 17–22
- integral equations for potential problems, 22–3
- integral over image line source, infinite series summation and, 25–7
- interfaces
  - Green's functions of line dislocations and line forces under, 126–8
  - perfect
    - Green's functions of line dislocations and line forces under, 124–6
    - with Papkovich functions, 145–55
  - perfect-bonded, for Papkovich functions, 156–8
  - perfectly conducting, transversely isotropic MEE bimaterial spaces and, 237–8
  - rigidly contacting and electromagnetically insulating interface, bimaterial Green's functions for, 238–41
  - smooth, Papkovich functions and, 155–8
  - smoothly contacting, transversely isotropic MEE bimaterial spaces and, 237–8
  - transversely isotropic MEE bimaterial spaces and, 237–41
- isotropic elastic solids, 37–8
- isotropic piezoelectric space, reduced TI MEE bimaterial spaces and, 230–7
- Kelvin's solution, 17, 141–3
- line dislocation, 115
  - anti-plane solutions of, 67–70
  - extended, 45–6
  - Green's functions of, 123–6
    - under general interface conditions, 126–8
    - in half-plane, 118–19
    - in half-plane under general boundary conditions, 119–23
    - under perfect interface conditions, 124–6
  - inside or outside circular inhomogeneity, 80–3
  - plane-strain solutions of
    - elastic isotropic bimaterial planes, 70–6
    - elastic isotropic full planes, 63–5
  - solutions in 2D, magnetoelastoelectric planes, 113–17
- line forces, 115
  - anti-plane solutions of, 65–7
  - Green's functions of, 123–6
    - under general interface conditions, 126–8
    - in half-plane, 118
    - in half-plane under general boundary conditions, 119–23
    - under perfect interface conditions, 124–6
- image work of line forces, 107–8
  - on anti-plane line force in bimaterial planes, 108
  - on anti-plane line force interacting with circular inhomogeneity, 108
- inside circular inhomogeneity, 76–80, 93–101
- outside circular inhomogeneity, 76–80, 84–93
- plane-strain solutions of
  - elastic isotropic bimaterial planes, 70–6
  - elastic isotropic full planes, 62–3
- solutions in 2D, magnetoelastoelectric planes, 113–17
- line integrals, anisotropic MEE full space and, 261–5
- Lorentz solution, 172, 241–2
- Love, A. E. H., v
- magnetic charge
  - extended Boussinesq solution for, 243–4
  - negative
    - transversely isotropic MEE bimaterial spaces and, 221–5
    - transversely isotropic MEE full spaces and, 183–7
- magnetolectric (ME) effect, 29
- magnetoelastoelectric. *See* MEE (magnetoelastoelectric)
- material properties
  - AlN, 34, 317–321
  - BaTiO<sub>3</sub>, 34, 36, 132, 176
  - CoFe<sub>2</sub>O<sub>4</sub>, 36, 38, 132, 176
  - for elastic materials, 40
  - GaAs, 34
    - contours of electric potential on surface of, 315
    - contours of hydrostatic strain on surface of, 315
    - contours of vertical electric field on surface of, 316
    - maximum strain energy on surface of substrate GaAs for different QD shapes, 322
    - normalized strain energy on surface of half-space substrate of, 322
    - pyramidal inclusion in, 313, 314
  - GaN, 34
  - InAs, 34
  - InN, 34
  - of MEE reported in recent literature, 36
  - for piezoelectric materials, 34
  - PZT, 36, 135
  - SiC, 34
  - Terfenol-D, 38
  - for TI piezomagnetic materials, 38
  - transformation of MEE material properties from one coordinate system to the other, 51–4
- ME (magnetolectric) effect, 29
- MEE (magnetoelastoelectric).
  - See also* transversely isotropic (TI) MEE bimaterial spaces; transversely isotropic (TI) MEE full spaces

- anisotropic magnetoelastic bimaterial spaces, 293, 312–27
  - with extended point forces in material 2 and, 304–6
  - lower half-space under general surface conditions and, 306–7
  - quantum dots in anisotropic piezoelectric semiconductors, 307–12
  - solutions in Fourier domain for forces in material 1 and, 294–6
  - solutions in physical domain for forces in material 1 and, 296–9
  - solutions in physical domain for forces in material 1 with imperfect interface conditions and, 299–301
  - upper half-space under general surface conditions and, 302–3
- anisotropic magnetoelastic full spaces, 260–1, 281–8, 290–1
  - adjoint of square matrix, 291–2
  - Cauchy's residue theorem, 292
  - Green's functions and, 261–81
- bimaterial planes, 129, 137, 138
  - applications in semiconductor industry, 129–135
  - Green's functions of line forces and line dislocations in, 123–8
  - half-spaces and, 221
- composites, 29
  - general anisotropic magnetoelastic solids, 29–32
  - material properties of, 36
  - physical meanings of boundary conditions, 121
- full planes, 111, 132, 138
  - applications in semiconductor industry, 129–135
  - Green's functions of line dislocations in half-plane, 118–19
  - Green's functions of line dislocations in half-plane under general boundary conditions, 119–23
  - Green's functions of line forces in half-plane, 118
  - Green's functions of line forces in half-plane under general boundary conditions, 119–23
  - line force and line dislocation solutions in 2D, 113–17
  - plane-strain deformation, 111–13
  - half-spaces, 221
    - Green's function solutions for, 241–6
    - indentation over, 249–56
- Mindlin, Raymond D., 165
- Mindlin solution, 172, 241–2
- moments
  - anisotropic MEE full space and, 281–2
  - faulting, anisotropic MEE full space and, 282–5
  - force, anisotropic MEE full space and, 282–5
- Muskhelishvili, Nikolos I., 57, 60
- negative electric charge
  - piezoelectric bimaterial space and, 230–2
  - transversely isotropic magnetoelastic full spaces, 183–7
  - transversely isotropic MEE bimaterial spaces and, 221–5
  - vertical point forces and, 193–4
- negative magnetic charge
  - transversely isotropic magnetoelastic full spaces, 183–7
  - transversely isotropic MEE bimaterial spaces and, 221–5
- Neumann, C., 17
- normalized horizontal displacement, 169, 170
- normalized stress component, 168, 169, 171
- normalized vertical displacement, 168, 170
- orthogonal relations, anisotropic MEE full space and, 276
- Papkovich functions
  - Green's representation and, 143–5
  - with perfect interface, 145–55
  - for perfect-bonded and smooth interfaces, 156–8
  - with smooth interface, 155–6
- Peach-Koehler (PK) force
  - on edge dislocation in elastic isotropic bimaterial planes, 102–4
  - on edge dislocation interacting with circular inhomogeneity, 105–7
  - on screw dislocation in elastic isotropic bimaterial planes, 101–2
- perfect interfaces
  - Green's functions of line dislocations and line forces under, 124–6
  - with Papkovich functions, 145–55
- perfect-bonded interfaces, for Papkovich functions, 156–8
- perfectly conducting interface, transversely isotropic MEE bimaterial spaces and, 237–8
- physical domain
  - for forces in material 1, anisotropic MEE bimaterial space and, 296–9
  - for forces in material 1 with imperfect interface conditions, anisotropic MEE bimaterial space and, 299–301
- piezoelectric full space, pyramidal quantum dots in, 312–13
- piezoelectric Green's functions, 191–3
- piezoelectric half-space, quantum dots inclusion in, 313–24
- piezoelectric materials
  - governing equations and, 32–3
  - material properties for, 34
- piezomagnetic materials, governing equations and, 33

- PK (Peach-Koehler) force
  - on edge dislocation in elastic isotropic bimaterial planes, 102–4
  - on edge dislocation interacting with circular inhomogeneity, 105–7
  - on screw dislocation in elastic isotropic bimaterial planes, 101–2
- plane displacements in terms of complex functions, 60–1
- plane-strain deformation
  - elastic isotropic full plane, 57–8
  - full planes, magnetoelastoelectric, 111–13
- plane-strain solutions
  - elastic isotropic bimaterial planes, 84
    - of line dislocations, 70–6
    - of line forces, 70–6
    - line forces or edge dislocations inside circular inhomogeneity, 93–101
    - line forces or edge dislocations outside circular inhomogeneity, 84–93
  - elastic isotropic full planes
    - of line dislocations, 63–5
    - of line forces, 62–3
- point dislocation, 43, 136
  - extended, 41–5
- point forces
  - extended
    - bimaterial space under, 294
    - in material 2 with anisotropic MEE bimaterial space, 304–6
    - relation between extended point dislocations and, 41–5
- Green's functions of, 140–3
- horizontal
  - decoupled solutions of, 194–6, 197–8
  - extended Cerruti solutions for, 244–6
  - Green's displacements and stresses by, 161–6
  - Papkovich functions for, 157–8
  - piezoelectric bimaterial space and, 232–4, 235–7
  - solutions of along  $x$ -axis, 187–91
  - transversely isotropic MEE bimaterial spaces and, 225–30
- normal to interface, 146–50, 155
- parallel to interface, 150–5, 156
- vertical
  - decoupled solutions of, 196
  - extended Boussinesq solutions for, 243–4
  - Green's displacements and stresses by, 158–60
  - negative electric charge and, 193–4
  - Papkovich functions for, 156–7
  - piezoelectric bimaterial space and, 230–2, 234–5
  - solutions of, 183–7
  - transversely isotropic MEE bimaterial spaces and, 221–5
- point-source solutions, anisotropic MEE full space and, 281–7
- couple force, 281–2
- dipoles, 281–2
- equivalent body forces of dislocations, 285–7
- moments, 281–2
- relations among dislocation, faulting and force moments, 282–5
- Poisson's integral formula
  - in 2D and 3D domains, 2–6
  - potential Green's functions in anisotropic plane or space, 15–16
  - potential Green's functions in bimaterial planes, 10
- potential Green's functions, 8–22
  - in anisotropic planes or spaces, 12–13
  - in bimaterial planes, 9–10
  - in bimaterial spaces, 11–12
  - general solutions in terms of, 176–83
  - inhomogeneous circle in full-plane, 13–17
  - inhomogeneous sphere in full space, 17–22
  - 3D, 8–9
  - 2D, 8–9
- pyramidal quantum dots
  - under extended uniform eigenstrain fields, 313
  - in piezoelectric full space, 312–13
- quantum dots (QD)
  - in anisotropic piezoelectric semiconductors, 307–12
    - analytical integral over flat triangle, 308–12
  - contour of electric potential on the surface of AlN, 321
  - contours of electric potential on surface of AlN, 319
  - contours of horizontal electric field on surface of AlN, 318
  - contours of hydrostatic strain and electric potential on surface of AlN, 317
  - geometry for, 321
  - inclusion, in piezoelectric half-space, 313–24
  - pyramid, geometry of, 323
  - pyramidal
    - under extended uniform eigenstrain fields, 313
    - in piezoelectric full space, 312–13
  - schematic of hexagonal truncated-pyramidal AlN QD, 319
  - schematic of pair of hexagonal truncated-pyramidal QD, 320
  - vertical profile of hexagonal truncated-pyramidal QD, 320
- quantum wires (QWRs), 129–131
  - in MEE half-plane, 132–3
  - in piezoelectric bimaterial plane, 135
  - in piezoelectric full plane, 131–2
  - square, 132
  - T-shaped, 133, 134
- Radon transform, anisotropic MEE full space and, 274–5
- reduced TI MEE bimaterial spaces, 230–7
  - isotropic piezoelectric space, 230–7
- scaled Green's function derivatives, 213–15
- screw dislocation, 101–2. *See also* line dislocation



- semiconductor industry, 129–135
- singular function, 1. *See also* Green's functions
- smooth interfaces
- Papkovich functions and, 155–8
  - smoothly contacting interface, transversely isotropic MEE bimaterial spaces and, 237–8
- special material coupling cases, 209
- spherical case, 208
- spheroidal inclusion, Eshelby inclusion problem, 216–17
- Stokes' theorem, 7–8
- stresses. *See* displacements and stresses
- Stroh formalism, anisotropic MEE full space and, 265–7, 275–81
- surface electrode, Green's function solutions for MEE half-space with, 242–3
- surface functions, Green's function solutions for MEE half-space and, 243–6
- 3D potential Green's functions, 8–9
- TI (transversely isotropic) magnetostrictive materials, 37, 38
- TI (transversely isotropic) solids, 35–6, 37–8
- TI MEE bimaterial spaces. *See* transversely isotropic MEE bimaterial spaces
- TI MEE full spaces. *See* transversely isotropic MEE full spaces
- Timoshenko, Stephen P., 1
- transversely isotropic (TI) MEE bimaterial spaces, 220, 257
- Green's function solutions for MEE half-space, 241–6
    - with free surface, 241–2
    - with surface electrode, 242–3
    - surface functions, 243–6
  - horizontal point force, solutions for, 225–30
  - indentation over, 246–56
  - negative electric charge, solutions for, 221–5
  - negative magnetic charge, solutions for, 221–5
  - for other interface conditions, 237–41
  - problem description, 220–1
  - reduced, 230–7
    - isotropic piezoelectric space, 230–7
  - vertical point force, solutions for, 221–5
- transversely isotropic (TI) MEE full spaces, 176, 198–209
- decoupled solutions
    - of horizontal point force along x-axis, 194–6, 197–8
    - piezoelectric Green's functions, 191–3
      - of vertical point force, 196
      - of vertical point force and negative electric charge, 193–4
  - Eshelby inclusion problem, 198–201, 216–17
    - spheroidal inclusion, 216–17
  - extended Eshelby tensor, 201–8
  - extended Green's displacements, 209–13
  - general solutions in terms of potential functions, 176–83
  - infinite MEE space subjected to concentrated sources at the point, 177
  - negative electric charge, 183–7
  - negative magnetic charge, 183–7
  - scaled Green's function derivatives, 213–15
  - solutions of horizontal point force along x-axis, 187–91
  - solutions of vertical point force, 183–7
  - special material coupling cases, 209
  - unit sphere with the spherical angles, 200
- transversely isotropic (TI) piezomagnetic (magnetostrictive) materials, 37
- transversely isotropic (TI) solids, 35–6, 37–8
- triangles, flat
- analytical integral over, 308–12
  - cubic and spherical inclusions, 307
  - geometry of, 309
- triangular dislocation loops, in elastic bimaterial space, 324–6
- 2D Fourier transform method, 267–74
- 2D potential Green's functions, 8–9
- two-dimensional governing equations, 39–41
- two-point function, 2. *See also* Green's functions
- unified-form Green's functions, 197–8
- uniform loading over circular area on half-space surface, 166–71
- unit relations, governing equations and, 54
- unit sphere with spherical angles, 200
- vertical point forces
- decoupled solutions of, 196
  - extended Boussinesq solution for, 243–4
  - Green's displacements and stresses by, 158–60
  - negative electric charge and, 193–4
  - piezoelectric bimaterial space and, 230–2, 234–5
  - solutions of, 183–7
  - transversely isotropic MEE bimaterial spaces and, 221–5