

# INDEX

- acceleration
  - particle, 52, 92
- accuracy, 73
- acoustic impedance, 271
- Airborne Laser Swath Mapping, 42, 310, 313
- Airy stress function, 238, 283
- Anderson's standard state, 334, 408
- angle
  - geographic, 39, 45
  - propagation, 251–252
  - rotation, 289
- Anisotropy of Magnetic Susceptibility, 385
- anticline, 272, 303, 310, 313
  - fault-cored, 339
- antiform, 303–304, 316, 319
- arc length, 43, 332
  - differential, 318
- Archimedes' principle, 8
- asthenosphere, 4–5, 7
- axis, 28
  - crystallographic, 348
  - fold, 350
- azimuth, 34, 39
  
- barreling, 150
- basin, 319
- bending, 324
- bending moment, 324–325, 327
- body force
  - buoyant, 8, 409
  - gravitational, 7, 409
- bonded interface, 336
- boundary condition, 232, 235, 389, 392
  - displacement, 232, 243, 327
  - no flow, 413
  - no interpenetration, 413
  - no separation, 336
  - no slip, 213, 336, 366, 413
  - stress, 281
  - symmetry, 326
  - traction, 232, 243, 281
  - traction-free, 247, 401
- Boundary Element Method, 340
- breccia, 260, 384
- brecciation, 384
- brittle, 106, 145, 152
- Brittle–Ductile Transition, 368
- buckling, 331
- bud, 383
  
- buoyancy
  - neutral, 389, 409
- Burgers circuit, 165
- Burgers vector, 165, 170
- Byerlee's law, 368
  
- calculus
  - vector, 43
- canonical model, 18
  - bending, 323
  - buckling, 334
  - faulting, 279
  - fracturing, 230
  - intrusion, 411
  - shearing, 365
- cataclasis, 152, 163
  - distributed, 152
  - localized, 152
- cataclasite, 260, 295, 368
- Cauchy's first law, 92, 135, 206, 330, 333
- Cauchy's formula, 60, 127, 232, 234, 282, 334
- Cauchy's laws of motion, 176, 230, 235, 279, 282, 324, 331, 333, 365
- Cauchy's second law, 94, 117, 135, 206, 330, 333, 399
- chain rule, 53
- circle
  - great, 37
  - small, 37
- cleavage, 349
- cleavage fan, 352
- Coble creep, 196
- coefficients
  - first fundamental form, 318
  - second fundamental form, 319
- commutative
  - matrix multiplication, 57
- compass, 34
- component
  - tensor, 54–55, 60
  - vector, 29, 31, 60
- compressible, 112, 114
- compression, 106, 116
- conduction
  - heat, 405
- conductivity
  - thermal, 95, 392
- conservation
  - energy, 96
  - mass, 85, 88
  - momentum, 89, 91–92
- constitutive law
  - linear elastic, 134, 325
  - linear viscous, 331, 410
- continuum
  - material, 79, 85, 89, 230, 235, 279
  - mathematical, 79
- continuum mechanics, 230
- contour, 27
- contour map, 27
- contraction, 106
- controversy
  - laccolith-stock, 405
- convention
  - geologic, 28, 36
  - on-in, 55, 91
  - RH/SF, 165, 168
  - right-hand, 33–34
- coordinate
  - Cartesian, 30, 39, 41, 55, 62, 411
  - cylindrical, 401
  - geographic, 28, 34, 39
  - spherical, 411
- Coulomb criterion, 121, 125, 371
- crack
  - secondary, 247
  - wing, 230, 264, 266, 286
- creep
  - diffusion, 175, 196–197
  - dislocation, 148, 154, 174–175, 197
  - ductile, 295
  - test, 147, 152, 195
- cross section, 50, 274, 327, 403
  - strike-view, 25, 267, 272, 310
- crust, 5, 7, 154, 190, 409
  - continental, 5
  - oceanic, 5
- crystal system, 347
- Crystallographic Preferred Orientation, 348
- curvature, 301, 308, 319
  - Gaussian, 321
  - mean normal, 321
  - radius of, 308, 325
  - scalar, 310, 314
- curve
  - plane, 307
  - synformal, 309
  - $u$ -parameter, 315
  - $v$ -parameter, 316

- damage zone, 260, 281  
 decimal degrees, 11  
 defect  
   line, 164, 166  
   point, 166  
   surface, 166  
 definite  
   negative, 62, 117, 161  
   positive, 62, 117, 161  
 deformation  
   brittle, 9, 357, 359  
   chemical, 196  
   coaxial, 162  
   ductile, 9, 13, 357, 359, 368, 370  
   elastic, 105, 111, 373  
   elastic–brittle, 106, 119  
   elastic–ductile, 119, 146  
   elastic–plastic, 173  
   elastic–viscous, 185  
   heterogeneous, 155, 361  
   homogeneous, 29, 155, 362  
   localized, 4, 365  
   mechanical, 196  
   mechanism, 361  
   non-coaxial, 162  
   plastic, 166, 373  
   progressive, 362  
   viscous, 10, 188, 196, 205  
 deformation band, 121, 150, 152, 267, 269  
   zone, 268–269  
 del operator, 54  
 density  
   dislocation, 174  
   mass, 8, 27, 52, 80, 87–88  
 derivative  
   material time, 50–52, 88, 92, 210  
   ordinary, 317  
   partial, 47, 316–317, 366  
   total, 364, 366  
 description of motion, 50  
   material, 51  
   referential, 17, 50, 85, 129, 154, 198, 201–202, 205, 287, 361  
   spatial, 17, 50–51, 85, 129, 187, 198–199, 201–202, 205, 212, 363  
 deviatoric stress  
   second invariant, 371  
 diagonal  
   principal, 55  
 diapir, 50, 408, 410  
   salt, 175, 410, 414  
 differential, 48  
   total, 49, 155, 200  
 differential geometry, 302, 307, 313  
 diffusion  
   chemical, 196  
 diffusivity  
   thermal, 392  
 Digital Elevation Model, 312–313, 384, 396  
 dike, 12, 223, 226, 241, 352, 379  
   swarm, 226, 385  
 dip, 35, 346  
   apparent, 35  
   direction, 35  
 direction angle, 31, 39, 62  
 direction cosine, 31, 39, 62, 317  
 discontinuity  
   displacement, 80, 128, 138, 169, 171, 240–241, 243, 259, 285  
 dislocation  
   climb, 175, 196  
   core, 170–171  
   creep, 410  
   edge, 82, 164, 166, 171, 279  
   glide, 174, 196  
   line, 165, 174  
   loop, 167  
   screw, 165–166, 168–170  
 displacement  
   relative, 287, 289  
 dome, 275, 319  
   sedimentary, 323, 327, 403  
 ductile, 145, 152  
 earthquake, 188, 275, 285, 292  
   Borrego Mountain, 273  
   fingerprint, 293  
   geology, 292  
   Hector Mine, 147  
   strike-slip, 147  
 echelon, 369, 382  
 eigenvalue, 61  
 eigenvector, 61  
 elastic, 144, 188  
 elastic constants  
   anisotropic, 135  
   isotropic, 135  
 elastic theory  
   dynamic, 130, 237  
   quasi-static, 130, 237  
 Electron Backscatter Diffraction, 348  
 element  
   linear, 34, 37  
   planar, 34–35  
 elliptic paraboloid, 316  
 elongation, 160, 163  
 engineering geology, 126  
 equation  
   biharmonic, 238, 283, 337  
   compatibility, 238, 283  
   constitutive, 203, 333, 366, 399  
   continuity, 88, 92, 205, 365, 412  
   equilibrium, 137, 177, 236, 283, 331, 333, 335  
   kinematic, 132, 287, 290, 333, 335  
   ordinary differential, 326  
 equilibrium  
   quasi-static, 136, 209, 235, 324  
 extension, 106  
 fabric, 10, 346, 350  
   homogeneous, 360  
   linear, 13, 40, 346, 349  
   localized, 356  
   mylonitic, 357  
   planar, 13, 346, 348–349  
   regional, 356  
 factor  
   amplification, 338, 340  
   weighting, 63  
 fault, 9–10, 12, 109, 122, 124, 127–128, 260  
   bedding-plane, 328  
   blind thrust, 339  
   boundary, 265  
   left-lateral, 138  
   normal, 259, 274, 286  
   reverse, 260  
   right-lateral, 138  
   strike-slip, 78, 259  
   thrust, 272  
   wrench, 259  
 fault core, 260  
 fault rock, 260  
 fault throw, 274  
 fault zone, 280  
   simple, 264  
 fence diagram, 403  
 field  
   displacement, 238, 240, 283–284  
   near-tip stress, 244, 250  
   scalar, 30  
   stress, 242, 286  
   tensor, 30, 53  
   vector, 30, 50  
   velocity, 335  
 Finite Element Method, 367  
 fissure eruption, 247  
 flaws, 245  
 flexural rigidity, 326  
   effective, 328

- flow  
 fully-developed plastic, 175–176  
 laminar, 209, 211, 333, 399, 411  
 Newtonian, 147  
 plug, 400  
 power-law, 147  
 slow viscous, 208  
 solid-state, 152, 195–196  
 steady, 51  
 steady viscous, 212  
 turbulent, 209, 411  
 volume rate, 214
- flow law, 147, 153–154, 195–196
- fluid  
 dynamics, 185, 208, 211  
 incompressible, 412  
 linear viscous, 398–399, 410–411  
 mechanics, 208  
 power-law, 398–399  
 statics, 206, 208
- fold, 10, 12, 301  
 amplitude, 302  
 asymmetric, 304  
 axial surface, 303  
 axis, 302  
 backlimb, 310  
 bending, 301  
 buckling, 301  
 cylindrical, 302, 313, 321  
 fault-bend, 339  
 fault-propagation, 339  
 fault-tip, 339  
 flexural flow, 303  
 flexural slip, 303, 339  
 forelimb, 310  
 hinge, 274, 302  
 inflection, 302  
 limb, 302  
 monoclinical, 267, 274  
 multi-layer, 301, 304  
 parallel, 303, 313  
 profile, 302, 304, 309  
 similar, 303  
 single layer, 331  
 style, 303  
 synform, 309  
 wavelength, 302
- fold mechanism  
 bending, 322  
 buckling, 322
- foliation, 264, 346  
 mylonitic, 266, 356, 359, 368, 372
- force  
 body, 5, 409, 415  
 buoyant, 208  
 drag, 415  
 gravitational, 208  
 inertial, 211  
 resultant, 89  
 shear, 324, 327  
 surface, 5  
 viscous, 211
- Fourier's law, 95, 392
- four-way closure, 276
- fracture, 9–10, 260  
 2D blade-shaped, 247  
 2D edge, 249  
 3D penny-shaped, 248  
 axial splitting, 120  
 breakdown, 251  
 brittle, 295  
 conjugate shear, 120, 127  
 mixed-mode, 244  
 mode I, 244, 251  
 mode II, 244, 284  
 mode III, 244  
 opening, 326, 380, 394, 401  
 shear, 121–122, 125  
 termination, 381  
 tip, 226  
 tipline, 226, 381  
 wedge, 120
- fracture mechanics  
 linear elastic, 250
- fracture toughness  
 mode I, 250–251, 389
- friction  
 coefficient of, 371  
 coefficient of internal, 125, 127, 371
- fugacity  
 water, 153
- function  
 error, 392  
 stream, 337  
 vector-valued, 41, 43, 308, 314
- fundamental form  
 first, 318  
 second, 318
- geochemistry, 5
- geodynamics, 4
- geographic coordinate system, 11
- glacier  
 ice, 188  
 salt, 408, 410
- Global Positioning System, 34
- Google Earth, 14
- Google Maps, 11
- gouge, 260
- gradient  
 displacement, 187  
 of a scalar, 49, 54  
 of a vector, 53–54  
 velocity, 186
- hackle, 227
- hazard  
 earthquake, 19, 110, 292  
 volcano, 19, 212
- heat  
 conduction, 95  
 convection, 95  
 radiation, 95
- heat capacity  
 specific, 97, 392
- heat transport  
 advection, 393  
 conduction, 97, 391, 393  
 convection, 391
- helix  
 circular, 44
- homogeneity  
 dimensional, 74
- Hooke's law, 134–135, 187, 230, 236, 283
- Hutton's unconformity, 16
- inclination, 35, 39
- inclinometer, 34
- incompressible, 88, 112, 177, 333–334, 337
- initial condition, 391
- integrability condition, 238
- interferogram, 396
- International System of Units, 70–71
- intrusion, 10  
 concordant, 379, 394, 400, 403, 408  
 discordant, 379, 403, 408  
 sheet, 379, 394
- isochemical, 89
- isothermal, 89
- joint, 9, 12, 109, 124–125, 128, 136, 138, 223, 260, 367  
 columnar, 228  
 sheared, 228
- Keyhole Markup Language (zipped), 14
- kinematics, 128, 324, 350, 361
- kink band, 307
- laccolith, 13, 76, 209, 323, 400, 402–403
- Lame's constant, 135
- Laplace's equation, 169

- lengthening
  - bulk, 333
- level curve, 27
- Level of Neutral Buoyancy, 390
- LIDAR, 312
- linear algebra, 54
- lineation, 41, 346, 349–350
- liquid, 145, 187, 197
  - incompressible, 205
  - isotropic, 204
  - Newtonian, 185, 204
  - non-Newtonian, 187
  - viscous, 9–10, 184, 187, 197, 333
- lithosphere, 4–5, 7, 10, 85
  
- magma, 13
- mantle, 5, 154
- map
  - geological, 25, 241, 260, 267, 274, 307, 310, 327, 350, 382–383, 403, 405
  - structure, 230, 247, 260, 265, 272, 352
  - structure contour, 49, 270, 272, 276, 311, 313
  - topographic, 27
- marker horizons, 270
- marks
  - rib, 227
- materials engineering, 166
- materials science, 166
- MATLAB, 56, 66, 118, 132, 392
  - functions, 57
  - scripts, 56
- matrix, 54
  - column, 55
  - displacement gradient, 290
  - element, 54
  - identity, 59, 399
  - inverse, 59
  - multiplication, 57
  - order, 55, 57
  - orthogonal, 59, 156
  - rotation, 59
  - row, 55
  - singular, 59
  - skew-symmetric, 201, 364
  - small rotation, 288
  - square, 55
  - symmetric, 55, 117, 132, 161, 201
  - transpose, 58
- mechanics
  - complete, 18
  - continuum, 5–6, 17, 19
  - fracture, 244–245
  - Newtonian, 17
  - solid, 236–237
- metamorphism
  - contact, 380
- metrology, 71
- mica-fish, 359
- microstructures
  - deformation, 361
- microtectonics, 361
- mode
  - fracture, 243–245
- model
  - canonical, 239, 242, 286, 290
- modulus
  - elastic, 76, 325
  - shear, 135, 187, 238
  - tangent, 112
- moment magnitude, 293
- momentum
  - angular, 93
  - linear, 89
- motion
  - rigid body, 287
- Multiples of a Uniform Density, 349
- Multi-View Stereo, 384
- mylonite, 260, 295, 348, 368
  - S-C, 357
  
- Nabarro–Herring creep, 196
- Navier’s equations of motion, 136, 168
- Navier–Stokes equations, 207, 209, 365
- neck
  - volcanic, 383
- neutral surface, 325
- Newton’s laws, 18–19
- Newton’s second law, 77, 93, 135–137, 206–207, 235
- normal distribution, 73
- normal stress, 92, 117
  
- observer
  - moving, 414
  - stationary, 414
- offset, 354
- oolith, 26
- operator
  - del, 50
- orientation
  - mean, 40
- origin, 227
- Orowan’s equation, 175
- overlap
  - dike segment, 382
  
- paraboloid
  - elliptic, 46
- parameter
  - arbitrary, 43, 309
  - natural, 43
- parameter plane, 316, 320
- petrology, 5
- phenocryst, 212
- photoelasticity, 83
- photograph
  - orthorectified, 384
- piercing point, 225, 243, 259
- plane
  - extra half, 165
  - meridian, 411
  - parameter, 46
  - slip, 165
- plane strain, 325
- plastic, 188
  - rigid, 172
- plasticity, 368
  - intracrystalline, 152, 163, 352
  - time-independent, 173
- plume
  - mantle, 387
- plumose structure, 227
- plunge, 36, 42, 346
- point
  - elliptic, 319
  - hyperbolic, 319
  - parabolic, 319
  - planar, 319
- point cloud, 312
- Poisson’s ratio, 76, 112, 134, 238, 290
- Polar Decomposition Theorem, 159
- porphyroclast, 354, 357, 368
  - mantled, 359
- precision, 73
- pressure
  - confining, 118, 149, 368–369
  - driving, 76, 398
  - effective confining, 123
  - hydrostatic, 206
  - lithostatic, 206, 334
  - magma, 389
  - magmatic, 206
  - mean normal, 204, 398–399
  - pore fluid, 122, 151, 381
  - static, 203
  - thermodynamic, 204
  - thermostatic, 204
- pressure solution, 163
- principal axis, 116–118, 132, 320
- principal curvature, 320
- principal direction, 29, 62, 118
- principal stress, 281
  - greatest, 380

- principal stretch, 351, 371  
 greatest, 347, 351  
 least, 347, 351  
 principal value, 29, 61, 116, 118,  
 132, 320  
 principal vector, 61  
 problem  
 boundary-value, 6, 8, 282  
 eigenvalue, 118  
 three-point, 42, 353  
 product  
 scalar, 31, 57, 318–319  
 vector, 32–33, 43, 318  
 projection  
 stereographic, 37  
 Universal Transverse Mercator,  
 34  
 pseudotachylyte, 260, 294–295
- rate  
 strain, 151, 153  
 rate of deformation, 333  
 deviatoric, 399  
 mean normal, 399  
 relaxation time, 340  
 representation  
 parametric, 43, 46–47, 314  
 Reynolds number, 211, 213, 365  
 Richter magnitude, 293  
 rigidity  
 flexural, 76  
 rock mechanics, 109, 118, 120  
 rotation  
 coordinate, 62  
 pure, 58, 60, 133, 156, 158–159, 162,  
 202, 287, 365  
 small, 288, 290–291
- saddles  
 antiformal, 275  
 synformal, 275  
 sample mean, 73  
 San Andreas Fault, 30, 274  
 scalar, 25, 27  
 scale factor, 211  
 seismic energy  
 reflected, 271  
 transmitted, 271  
 seismic moment, 293  
 seismic reflection, 271  
 seismic survey, 50, 275  
 separation  
 horizontal, 259  
 strike, 260  
 vertical, 259
- set  
 fault, 38, 270  
 joint, 109, 224  
 shape  
 second-order, 319  
 shape operator, 320  
 shear modulus, 173, 284, 290  
 shear strain, 363  
 angle of, 363  
 distributed, 356  
 pure, 157, 347, 351  
 simple, 157, 362–363  
 shear stress, 83, 92, 94–95, 117  
 drop, 284–286, 290  
 shear zone, 352, 365  
 ductile, 146  
 mylonitic, 352  
 viscous, 185–186  
 shearing, 130  
 shortening, 160, 163  
 bulk, 332  
 significant figures, 74  
 sill, 13, 209, 223, 394, 403  
 climbing, 395  
 slickenline, 9, 34, 45, 228, 259  
 slip  
 dip, 259, 273–274  
 direction, 259  
 left-lateral, 368  
 localized, 356  
 magnitude, 259  
 oblique, 259  
 right-lateral, 272–273  
 seismic, 295  
 strike, 259  
 slip surface, 269  
 solid, 145  
 brittle, 9  
 ductile, 9  
 elastic, 145  
 isotropic, 205  
 plastic, 145  
 viscoelastic, 188  
 spherulites, 294  
 spring constant, 106  
 standard deviation, 73  
 state  
 base, 334, 336  
 brittle, 112, 119, 148  
 current, 187, 199  
 deformed, 61  
 ductile, 112, 119, 148  
 elastic, 119, 148  
 equation of, 204  
 final, 130, 154, 162, 287, 351  
 initial, 130, 154, 161–162, 287, 351  
 perturbed, 336  
 steady, 186  
 stress, 118, 124  
 undeformed, 61
- step  
 contractional, 368  
 dike segment, 382  
 extensional, 368  
 left, 264, 272, 368  
 right, 272, 356, 359, 368
- stereonet, 37  
 stiffness, 107, 111, 114, 119  
 stock, 403, 405  
 Stokes' stream function, 412–414  
 stoping, 384, 403
- strain  
 axial, 153, 195  
 contractional, 129  
 elastic, 144–145, 280  
 extensional, 129  
 finite, 162  
 inelastic, 281  
 infinitesimal, 133  
 longitudinal, 106  
 maximum principal logarithmic, 372  
 maximum shear, 173  
 normal, 325  
 plane, 136, 170, 176, 236, 281, 283,  
 370  
 plastic shear, 173  
 principal axis, 161  
 principal value, 161  
 rate, 195  
 shear, 129, 131, 283, 291, 355  
 small, 162, 287, 290  
 small normal, 131  
 small shear, 132  
 stratigraphic section, 270–271, 311, 327  
 strength, 106  
 compressive, 119  
 differential, 121  
 frictional, 281, 371  
 inherent shear, 125, 371  
 shear, 109, 281  
 tensile, 109, 251  
 theoretical shear, 172  
 uniaxial compressive, 112, 114  
 uniaxial tensile, 112, 114  
 yield, 144, 370
- stress, 106  
 component, 116  
 concentration, 226, 243, 245, 249–250,  
 286  
 conjugate shear, 94, 116

- deviatoric, 371, 399
- differential, 120, 153, 173, 195
- effective, 123, 125, 381, 384
- first invariant, 371
- isotropic, 117, 203
- least compressive, 389, 394
- maximum shear, 172, 203
- mean normal, 369–371
- mode I driving, 239–240, 243–244
- mode II driving, 284, 286
- normal, 94, 116, 203, 326
- principal, 117, 203
- remote, 281
- shadow, 243, 286
- shear, 116, 186, 192, 331
- thermal, 407
- stress intensity, 244
  - mode I, 244, 247, 250, 389–390, 395
  - mode II, 251, 395
  - mode III, 252, 382
- stretch, 29, 53, 160, 332, 346
  - ellipse, 162
  - principal, 162
- stretching, 130
- strike, 34, 346
  - direction, 34
- structural geology, 5, 9, 13, 17–18
- structural petrology, 360
- structure
  - linear, 259
  - planar, 259
- Structure from Motion, 384
- symmetry condition, 412
- syncline, 303, 321
- synform, 303–304, 319
- Synthetic Aperture Radar
  - Interferometry, 83, 396
- tangent line, 45, 48
- tangent plane, 49
- tectonics
  - plate, 4
- temperature
  - liquidus, 10
  - solidus, 10
- tension, 106, 116
- tensor, 25, 29, 54
  - deformation gradient, 29, 155, 163, 351, 361
  - displacement gradient, 133
  - finite strain, 159, 163
  - Lagrangian strain, 160
  - linear properties, 60
  - rate of deformation, 186, 199, 201–202, 364, 366
  - rate of spin, 199, 202–203, 364
  - rate of stretch and shearing, 201
  - small strain, 134
  - spatial gradient of deformation, 201
  - spatial gradient of velocity, 201–202, 363
  - stress, 55, 60, 116–117, 203
  - symmetric, 95
  - velocity gradient, 54
  - vorticity, 202, 364
- test
  - axisymmetric, 118
  - compression, 118
  - conventional triaxial, 118
  - creep, 195
  - extension, 118
  - true triaxial, 119
  - uniaxial, 109
- testing machine
  - universal, 109
- thickness
  - effective, 190, 330, 402
- thin-plate theory, 324
- tide
  - solid Earth, 107
- time
  - dimensionless, 392
- torque, 93, 192
- traction, 5
- trajectory
  - principal stress, 124
- transducer
  - displacement, 109
  - force, 109
- transition
  - sill-laccolith, 401–402
- translation, 287
- trend, 36, 346
- Tresca's yield criterion, 173, 176
- unit, 27, 29
  - base, 70
  - common, 70
  - derived, 70
- Universal Transverse Mercator, 11
- variables
  - state, 204
- variance, 73
  - spherical, 40
- vector, 25, 27, 30
  - arbitrary tangent, 317
  - arrow, 28
- base, 31
- curvature, 309
- differential normal, 319
- differential tangent, 318
- direction, 29
- displacement discontinuity, 354
- fixed, 31, 34
- gradient, 133
- gravitational acceleration, 319
- heat flux, 95
- magnitude, 29, 31
- mapping, 34
- mathematical, 27
- physical, 29
- position, 34, 41, 43, 46, 308, 314, 411
- resultant, 40
- sense, 165
- tangent, 47, 165, 316, 318
- temperature gradient, 96
- traction, 60
- unit, 29–30, 34, 39, 41
- unit normal, 33–34, 43, 47, 60, 317–318
- unit tangent, 44–45, 309
- vein, 9, 12, 223, 326, 405
  - injection, 295
  - sheared, 228
- velocity
  - angular, 191
  - local, 51–52, 86, 199
  - particle, 87
  - relative, 53
  - rise, 415
  - rupture tip, 293
  - slip, 293
- velocity field
  - layer, 337
  - medium, 337
- vessel
  - triaxial pressure, 118
- viscometer, 190
- viscosity, 184, 186, 192
  - isotropic, 190
  - Newtonian, 186–187, 191, 205, 400
  - ratio, 413, 415
  - silica dependence, 192
  - temperature dependence, 193
  - water dependence, 193
- viscous, 184
- wall
  - foot, 259
  - hanging, 259

- wavelength
  - current, 332
  - dominant, 338, 340
  - initial, 332
- wing cracks, 368
- xenolith, 212
- yield criterion, 370
  - Drucker–Prager, 371–372
  - von Mises, 371–372
- yield point, 112, 145, 148
- yielding
  - small scale, 281
- Young’s modulus, 106, 112, 115, 134, 145