

Index

- (−1)-curve, 55
- $\mathbb{A}^n / \frac{1}{m}(a_1, \dots, a_n)$, cyclic quotient singularity, 104
- f_* , birational transform, 12
- f_*^{-1} , birational transform, 12
- $L^{[m]}$, reflexive power, 5
- \sim , linear equivalence, 5
- $\sim_{\mathbb{Q}}$, \mathbb{Q} -linear equivalence, 6
- $\sim_{f, \mathbb{Q}}$, relative \mathbb{Q} -linear equivalence, 6
- $\overset{\text{bir}}{\sim}$, birational equivalence, 12
- $\overset{\text{cbir}}{\sim}$, crepant birational equivalence, 51
- \simeq_{qis} , quasi-isomorphism, 80
- \ll , coordinatewise $<$ of vectors, 298
- $[D]$, round down, 6
- $D_{>1}$, $D_{\geq 1}$, 6
- $D_{>0}$, 6
- $D_{<0}$, 6
- $\hat{\otimes}$, reflexive tensor product, 5
- \square_n^+ , cubic category, 340
- 2-resolution, 342

- ACC conjecture, 252
- Accumulation conjecture, 253
- Adjunction, 157, 158
 - and sources, 183
 - for crepant log structures, 236
 - for surfaces, 118
 - formula for surfaces, 120
 - inversion of, 158
 - precise, 236
- Age, of a group element, 104
- Almost
 - group action, 283
 - group action, finiteness of, 284
 - groupoid action, 283

- Arc space, 253
- $\text{Aut}^{\text{Spr}}(Z, X, \Delta)$, source-automorphism group, 209

- Birational
 - contraction, 12
 - crepant log structures, 173
 - crepant self-map, 52
 - equivalence $\overset{\text{bir}}{\sim}$, 12
 - map, 12
 - map, crepant, 51
 - maps of Fano varieties, 264
 - transform of a subscheme, 12
 - transform of resolution datum, 325
- $\text{Bir } X$, group of birational self-maps, 12
- $\text{Bir}^c(X, \Delta)$, group of crepant, birational self-maps, 52
- $\text{Bir}(X, V)$, 334
- Boundary
 - divisor, 6
 - hereditary, 276
 - of a stratification, 205, 273
 - of surface pair, 125
 - perturbation of, 144
 - seminormal, 275
- Branch divisor, 64

- $C_a(X, L)$, affine cone, 97
- $C_a^*(X, L)$, punctured cone, 98
- cA -type singularity, 34
- Calabi–Yau pair, 172
- Canonical
 - bundle, 8
 - bundle formula, 41
 - bundle on a demi-normal scheme, 211
 - class, 8

- Canonical (*cont.*)
 model, 14, 19
 model, weak, 18
 modification, 28
 numerically, 56
 ring, 13, 16
 sheaf, 8
 sheaf on a demi-normal scheme,
 192
 singularity, 42
 Castelnuovo contractibility criterion, 301
 Categorical quotient, 268
 cDV, compound Du Val, 74
 center _{X} E , center of a divisor, 38
 Center
 lc, 163, 172
 log \sim of a crepant log structure,
 233
 log canonical, 163, 172
 of a divisor over X , 38
 Chevalley's criterion, 36
 Chevalley-Kleiman property, 281
 CK, Chevalley-Kleiman property, 281
 $Cl(X)$, class group, 5
 Class group, 5
 Closure, stratified, 280
 CM, Cohen-Macaulay, 79
 coeff _{D} Δ , 5
 Coefficient, 5
 Cohen-Macaulay, 79
 Complex singularity exponent, 251
 Compound Du Val, cDV, 74
 cond _{X} , conductor, 189
 Conductor
 ideal, 189
 subscheme, 189
 Cone
 affine, 97
 affine, classical, 97
 CM, 99
 of a sheaf, 100
 Picard group of, 100
 projective, 97
 projective, classical, 97
 punctured, 98
 rational, 99
 Contraction, birational, 12
 Cover
 cyclic, 67
 index one, 70
 μ_m -cover, 67
 ramified, 63
 Cox ring, 101
 $C_p(X, L)$, projective cone, 97
 Crepant
 birational map, 51
 birational equivalence $\overset{\text{cbir}}{\sim}$, 51
 birational self-map, 52
 log structure, weak, 172
 log structure, 172
 morphism, 51
 Cubic hyperresolution, 344
 Curve, (-1) , 55
 Cusp, 110
 Cyclic
 cover, 67
 quotient singularity, 115
 quotient singularity, 73, 103
 DB
 defect, 223
 non Du Bois locus is closed, 223
 non-Du Bois locus, 222
 pair, 222
 singularity, 222
 Deformation
 no lc \sim , 146
 of lc pairs, 159
 to cones, 98
 Deligne-Du Bois complex
 of a pair, 217
 of a scheme, 217
 Demi-normal, 188
 and canonical sheaf, 192
 descending the canonical bundle,
 211
 divisorial sheaf on, 190
 divisors on, 190
 in characteristic 2, 192
 Demi-normalization, 188
 Depth
 of ω , 243
 of a sheaf, 78
 of slc scheme, 242
 Determinantal variety, 133
 Diagram of schemes, 340
 Diff, different, 154
 Diff*, general different, 166
 Different, 153
 and discrepancy, 156
 for surfaces, 60
 formula for surfaces, 129
 higher codimension, 166
 Dihedral quotient singularity, 73
 discrep(center $\cap S \subset Z, X, \Delta)$, 157
 discrep(center $\subset Z, X, \Delta)$, 157

- discrep(X, Δ), 44
- Discrepancy, 38
 - and finite morphisms, 65
 - log, 40
 - of a divisor, 40
 - of a pair, 44
 - of ideal sheaves, 249
 - of linear systems, 248
 - total, 44
- Discriminant of a morphism, 341
- Divisor, 5
 - branch, 64
 - nef, 6
 - on a demi-normal scheme, 190
 - over X , 38
 - \mathbb{Q} -, 6
 - \mathbb{Q} -Cartier, 5
 - \mathbb{R} -, 6
 - ramification, 64
 - reduced, 5
 - semiample, 6
 - support of, 5
 - Weil, 5
 - \mathbb{Z} -, 6
- Divisorial
 - log terminal, 42
 - sheaf, 190
- dlt, divisorial log terminal, 42
 - modification, 28
 - modification, thrifty, 29
- Double cover of slc schemes, 203
- Double-nc locus, 10
- Double-snc locus, 10
- Du Val
 - compound, cDV, 74
 - singularity, 109
- Dual complex, 138
- Dual graph, 54, 138
 - extended, 55
- Dualizing
 - complex, 80
 - sheaf, 9
- Du Bois
 - defect, 223
 - non Du Bois locus is closed, 223
 - non-Du Bois locus, 222
 - pair, 222
 - singularity, 222
- Effective base point freeness, 263
- Einstein metric, 265
- Elliptic singularity, 110
- Embedded semi-snc pair, 11
- Equivalence
 - closure, 267
 - relation, set theoretic, 267
- $\text{Ex}(f)$, exceptional set, 12
- Exceptional set (or locus), 12
- Factorial scheme, 5
- Fano variety
 - and birational maps, 264
 - and K-E metrics, 264
 - cone over, 95
 - of index 2, 140
- Finite relation, 267
- Frobenius power, 254
- F -
 - injective, 254
 - pure, 254
 - rational, 254
 - regular, 254
- Fundamental cycle, 300
- Fundamental group
 - of a link, 259
 - of a resolution, 259
 - of an lc singularity, 130
- Galois group of a spring, 183
- Gap conjecture, 252
- General type variety, 14
- Generically fixed point free, 189
- Geometric quotient, 208, 268
 - by finite group, 281
 - descending line bundles, 288
 - pure dimensional case, 272
 - stratified case, 277
- Gluing relation, 190, 207
 - non-finite, 292
 - quotient by, 208
 - structure of, 210
- \mathbb{G}_m , multiplicative group, 289
- Gorenstein, 79
- Graph, dual, 54
- Henselization, 178
- Hereditarily
 - normal stratum, 276
 - seminormal stratum, 276
 - seminormal scheme, 311
 - seminormal subscheme, 285, 286
 - unibranch stratum, 276
- Hereditary
 - boundary, 276
 - lc center, 207
 - normalization, 276

- (HN), hereditarily normal stratum condition, 276
 Hodge index theorem, 297
 (HSN), hereditarily seminormal boundary condition, 276
 (HU), hereditarily unibranch stratum condition, 276
 Hurwitz formula, 64
 Hyperresolution
 cubic, 344
 good, 216
- Icosahedral quotient singularity, 73
 Index
 of K_X , 70
 of a pair, 70
 one cover, 70
 Inversion of adjunction, 158
 Isomorphic in codimension one, 12
- Jet space, 253
- K_X , canonical class, 8
 K-equivalence, 51
 Kähler–Einstein metric, 264
 klt, Kawamata log terminal, 42
 Kodaira dimension, numerical, 318
- lc center
 hereditary, 207
 lc center, 163, 172
 directly \mathbb{P}^1 -linked, 179
 dlt case, 164
 is Du Bois, 230
 \mathbb{P}^1 -linked, 179
 lc stratification, 205
 lc, log canonical, 42
 lcth, log canonical threshold, 251
 Leaf, 121
 Left inverse, 216
 Linear equivalence, 5
 Link
 of a singular point, 259
 \mathbb{P}^1 -link, 179
 \mathbb{P}^1 -link, standard, 176
 Locus
 double-nc, 10
 double-snc, 10
 exceptional, 12
 nc, 10, 11
 non-klt, 48
 non-lc, 48
 non-snc, 10, 11
 snc, 10, 11
 Log canonical
 center, 163
 center of $\overline{\text{mld}}$ -function, 239
 origin, 206
 stratification of $\overline{\text{mld}}$, 239
 Log center
 of $\overline{\text{mld}}$ -function, 239
 on a seminormal scheme, 240
 Log resolution, 324
 Log structure
 crepant, 172
 Log canonical
 lc, 42
 center, 172
 maximally, 252
 modification, 28
 numerically, 56
 origin, seminormal, 240
 stratification, 205
 threshold, 251
 Log center
 of crepant log structure, 233
 on a seminormal scheme, 196
 Log discrepancy, 40
 Log minimal resolution, 53
 Log resolution, 12
 Log smooth, 10
 Log structure
 weak crepant, 172
 Log terminal, lt, 43
 lt, log terminal, 43
- Map, birational, 12
 Maximally log canonical, 252
 Method of two spectral sequences, 244
 Minimal
 log discrepancy, 232
 log discrepancy function, 239
 log discrepancy, mld, 44
 model, 14, 18
 model conjecture, 25
 model from MMP, 21
 mld, minimal log discrepancy, 44, 232
 $\overline{\text{mld}}$, truncated version of mld function, 239
 log canonical center of, 239
 $\overline{\text{mld}}$, truncated version of mld, 239
 log center of, 239

- Model
 f -canonical, 17
 f -minimal, 17
 f -weak canonical, 17
 canonical, 14, 19
 minimal, 14, 18
 minimal, from MMP, 21
 relative, 17
 semi-dlt, 203
 slc, non-existence, 32
 weak canonical, 18
- Modification
 canonical, 28
 dlt, 28, 29
 log canonical, 28
 slc, non-existence, 32
 small and \mathbb{Q} -factorial, 29
 terminal, 28
 thrifty, 29
- Morphism
 compatible with $\overline{\text{mld}}$, 239
 crepant, 51
 stratifiable, 273
 stratified, 206, 273
- μ_m
 m th roots of unity, 289
 cover, 67
- Multiplicity in Seifert bundles, 290
- (N), normal stratum condition, 275
- nc locus, 10, 11
- nc, normal crossing, 9, 10
- Nef divisor, 6
- non-klt(X, Δ), non-klt locus, 48
- non-lc(X, Δ), non-lc locus, 48
- Node, 33
- Non-klt locus, 48
- Non-lc locus, 48
- Non-snc locus, 10, 11
- Norm of a Cartier divisor, 64
- Normal
 crossing, 9, 10
 crossing, global, 9
 crossing, simple, 9, 10
 crossing, strict, 9
 log centers, 235
 stratum, 275
 topologically, 35
- Normalization
 hereditary, 276
 relative to V , 308
- Normalized trace map, 315
- Numerical Kodaira dimension, 318
- Numerically log canonical, 56
- Octahedral quotient singularity, 73
- Open
 spring, 209
 stratum, 273
- \mathbb{P}^1 -link
 direct, 179
 of lc centers, 179
 standard, 176
- Pair, 7
 boundary of, 6
 Calabi–Yau, 172
 Du Bois, 222
 embedded semi-snc, 11
 rational, 86
 reduced, 216
 semi-snc, 11
 subboundary of, 6
- Perturbation
 method, 144
 no klt \sim , 144
- $\text{Pic}(X)$, Picard group, 5
- Picard group
 of a cone, 100
- Pinch point, 35
- plt, purely log terminal, 42
- Pluricanonical representation, 334
- Plurisubharmonic function, 250
- Poincaré residue map, 152, 165, 183
- Power map of Seifert bundles, 292
- Pre-relation, 267
- Precise inversion of adjunction, 236
- Pro-finite relation, 268
- Pseudo-reflection, 103
- Pull-back
 by rational map, 19
 of a relation, 270
 of Weil divisor, 64
- Punctured cone, 98
- Purely log terminal, plt, 42
- Push forward of a relation, 271
- \mathbb{Q} -Cartier
 divisor, 5
 \mathbb{Q} -divisor, 6
- \mathbb{Q} -factorial
 modification, 29
 scheme, 5

- \mathbb{Q} -linear equivalence, 6
 - relative, 6
- \mathbb{Q} -divisor, 6
- Quasi-finite relation, 267
- Quotient
 - by a gluing relation, 208
 - categorical, 268
 - cyclic, 115
 - geometric, 208, 268
 - geometric, by finite group, 281
 - geometric, descending line bundles, 288
 - geometric, pure dimensional case, 272
 - geometric, stratified case, 277
 - singularity by linear action, 102
 - singularity, classification, 103
 - wild, 108
- $R(\tau)$, gluing relation, 207
- $\mathcal{R}F$, total right derived functor of F , 80, 216
- \mathbb{R} -divisor, 6
- Ramification
 - divisor, 64
 - tame, 64
- Ramified cover, 63
- Rational
 - cone, 99
 - double point, 109
 - implies Du Bois, 228
 - pair, 86
 - resolution, 85
 - resolution of a pair, 86
 - singularity, 85
 - surface singularity, 303
- red D , reduced divisor, 5
- red X , reduced scheme, 4
- Reduced
 - divisor, 5
 - pair, 216
 - scheme, 4
- Reflexive power, $L^{[m]}$, 5
- Reid-Tai criterion, 105
- Relation, 267
 - finite, 267
 - non-finite, example of, 295
 - pro-finite, 268
 - pull-back of, 270
 - push forward of, 271
 - quasi-finite, 267
 - restriction of, 270
 - stratified, 274
- Representation, pluricanonical, 334
- Residue map, 152, 165, 183
- Resolution, 12
 - 2- \sim , 342
 - for a divisor, 50
 - Hironaka's theorem, 324
 - in families, 324
 - log, 12, 324
 - log \sim , with double nc points, 332
 - log \sim , with double nc and pinch points, 331
 - of I -schemes, 341
 - of Du Val singularities, 109
 - rational, 85
 - rational, of a pair, 86
 - semi-, 13
 - semi-log-, 329
 - surface pairs, 53
 - Szabó version, 324
 - thriftly, 86, 333
 - with double nc and pinch points, 330
 - with double nc points, 330
- Ring
 - canonical, 13
 - log canonical, 16
- Round down, $\lfloor \cdot \rfloor$, 6
- Seifert bundle, 290
 - Einstein metric on, 265
 - over a semi-normal scheme, 290
 - power map of, 292
- Semi-divisorial-log-terminal, 200
- Semi-dlt, 200
 - model, 203
- Semi-log-canonical, 194
 - and depth, 242
 - implies Du Bois, 230
 - surface, 196
- Semi-log-resolution, 329
- Semi-resolution, 13
- Semi-snc pair, 11
- Semiample divisor, 6
- Seminormal
 - boundary, 275
 - hereditarily, 311
 - in V , 308
 - log centers, 196, 234, 240
 - relative to V , 308
 - relative, of log centers, 235
 - scheme, 307
- Seminormalization, 307
 - in $\mathbb{I}_j X_j$, 312
 - in V , 308
 - is a functor, 309
 - partial, 306
 - relative, 308

- Serre's condition S_m , 78
- Set theoretic equivalence relation, 267
- Sheaf, dualizing, 9
- Simple normal crossing
 - pair, 9
 - resolution datum, 324
 - scheme, 10
- Sing X , 4
- Singular locus, 4
- Singularity
 - cA -type, 34
 - canonical, 42
 - canonical, of a threefold, 73
 - classification of quotients, 103
 - complex singularity exponent, 251
 - cuspidal, 110
 - cuspidal quotient, 73
 - cyclic quotient, 73, 103, 115
 - dihedral quotient, 73
 - dlt, 42
 - Du Val, 109
 - Du Bois, 222
 - elliptic, 110
 - elliptic quotient, 73
 - icosahedral quotient, 73
 - isolated quotient, 107
 - klt, 42
 - lc but not CM, 96
 - lc of 3-fold, 130
 - lc, log canonical, 42
 - log canonical, surface, 122
 - log terminal, 42
 - log terminal, of a threefold, 72
 - node, 33
 - octahedral quotient, 73
 - of index 1 cover, 96
 - pinch point, 35
 - plt, 42
 - quotient by linear action, 102
 - quotient, wild, 108
 - rational, 85
 - rational is Du Bois, 228
 - rational surface, 303
 - slc is Du Bois, 230
 - terminal, 42
 - terminal of 3-fold, 76
 - terminal of 4-fold, 130
 - tetrahedral quotient, 73
- slc, semi-log-canonical, 194
 - and depth, 242
 - double cover of, 203
 - implies Du Bois, 230
- (SN), seminormal boundary condition, 275
- Snc locus, 10, 11
- snc, simple normal crossing, 9, 10
- Source, 183
 - automorphism group, 209
 - Galois property of, 183
 - isomorphism, 209
- $\text{Spr}(Z, X, \Delta)$, spring, 183
- Spring, 183
 - Galois property of, 183
 - open, 209
- $\text{Spr}^0(Z, X, \Delta)$, open spring, 209
- $\text{Src}(Z, X, \Delta)$, source, 183
- Stratifiable morphism, 273
- Stratification
 - boundary of, 205
 - log canonical, 205
 - log canonical, of mld, 239
 - of a scheme, 273
 - of log canonical origin, 206
- Stratified
 - closure property, 280
 - morphism, 206, 273
 - relation, 274
 - subscheme, 280
- Stratum
 - hereditarily normal, 276
 - hereditarily seminormal, 276
 - hereditarily unibranch, 276
 - normal, 275
 - of semi-snc pair, 11
 - of snc pair, 9
 - of snc scheme, 10
 - open, 273
 - unibranch, 275
- Subboundary, 6
- Subscheme
 - hereditarily seminormal, 285, 286
 - stratified, 280
- Support, of a divisor, 6
- Terminal
 - modification, 28
 - singularity, 42
 - singularity, 3-dimensional, 76
 - singularity, 4-dimensional, 130
- Tetrahedral quotient singularity, 73
- Theta divisor, 264
- Threshold, log canonical, 251
- Thrifty
 - dlt modification, 29
 - resolution, 86, 333
- tight closure, 254

370

Index

- Topologically normal, 35
- Total discrepancy, 44
- $\text{totaldiscrep}(X, \Delta)$, 44
- Trace map, 314
 - point-wise formula, 315
 - seminormal case, 315
- Transform, birational, 12
- (U), unibranch stratum condition, 275
- Unibranch, 35
 - stratum, 275
- Vanishing theorem
 - Kawamata–Viehweg, singular case, 320
- Vanishing theorem
 - Du Bois version, 322
- Grauert-Riemenschneider, 300
- Kawamata–Viehweg, 318
- Kodaira, 318
- Kodaira, singular case, 320
- ω
 - dual, 82
 - canonical bundle, 8
 - canonical or dualizing sheaf, 8
 - depth of, 243
 - ω_X^\bullet , dualizing complex, 80
 - Weak canonical model, 18
 - Weil divisor, 5
 - $\text{Weil}(X)$, 5
 - $\text{Weil}^*(X)$, 190
- \mathbb{Z} -divisor, 6