

Index

- absolute pressure, 330
- advanced control, 641
- all-pass element, 312, 669
- all-pass filter, 81
- amplitude ratio, 78, 159, 297
- asymptotes, 503
- asymptotic stability
 - and eigenvalues, 221
 - and forced response, 224
 - and ultimate response, 225
- bioreactor example, 233
- CSTR example, 237
- definition, 221
- of nonlinear systems, 231
- theorem of Lyapunov, 233
- automatic control, 1
- backward rectangle approximation, 84
- ball in a valley, 220
- band-pass filter, 81
- band-stop filter, 81
- block diagram, 118, 120
 - heating tank example, 333
 - multi-loop systems, 356
 - representation, 351
 - simplification, 350
 - simplification rules, 353
- Bode diagrams, 298
 - and straight-line approximation, 303
 - first-order systems, 79, 299
 - high-frequency, 311
 - higher-order systems, 302
 - integrating systems, 300
 - lead-lag element, 306
 - low-frequency, 311
 - nonminimum phase element, 310
 - second-order systems, 299
- Bode plots, 298
- bounded-input–bounded-output
 - stability, 273
 - and asymptotic response, 275
 - conditions, 274
- bounded-input–bounded-state
 - property, 224
- cascade control
 - “triple” cascade systems, 688
 - advantages, 685
 - benefits, 688
 - examples, 684
 - introduction, 684
 - model-based, 688
- Cayley–Hamilton theorem, 752
- center of gravity, 503
- characteristic polynomial, 216, 253
- closed loop, 328
 - characteristic polynomial, 385
 - poles, 385
 - stability, 385
- closed-loop response
 - systems with dead time, 467
- closed-loop system, 5
 - and P control in state space, 415
 - and PI control in state space, 417
 - general case in state space, 419
- closed-loop transfer function, 352
- conservation laws
 - energy, 22
 - general form, 20
 - mass of a component, 22
 - total mass, 21
- conserved quantities, 20
- control actions
 - general comments, 395
- control laws
 - introduction, 338
 - proportional controller, 339
 - proportional-derivative controller, 340
 - proportional-integral controller, 340
 - proportional-integral-derivative
 - controller, 342
 - state space, 341
- control room, 6
- control valve, 331
- control volume, 20
- controlled variable, 5
- controller, 2, 328
- controller bias, 339
- controller gain, 339
- convolution integral, 83
- convolution theorem, 722
- CSTR
 - nonlinear closed loop, 427
- damped-oscillation frequency, 152
- damping factor, 146
- dead time
 - accuracy of approximations, 452
 - and distributed parameter systems, 442
 - Bode stability criterion, 583
 - derivation of Padé approximation, 450
 - low-order Padé approximations, 451
 - n first-order systems in series, 445
 - Padé approximation, 449
 - reverse Taylor approximation, 455
 - stability, 460
 - step response of a first-order system, 441
 - Taylor approximation, 449
- decay ratio, 154
- decibels, 303
- delayed measurement, 438
- denominator polynomial, 259
- derivative time, 342
- deviation variables, 59, 63, 176
- diagonal elements, 744
- differential delay systems, 468
- differential pressure, 330
- differential pressure cell, 330
- discrete time model
 - general SISO system, 193
 - general state space, 422
- distributed control system, 7

- disturbance rejection, 379
- disturbance variables, 5
- dynamic output response
 - standard inputs, 190
- dynamic response
 - forced response, 187
 - to an arbitrary input, 191
 - to standard inputs, 188
 - unforced response, 187
- using the matrix exponential function, 195
- eigenvalues and dynamic response, 218
- equal-percentage valve, 332
- equilibrium point, 221
- error, 5, 8
- Euclidian norm, 232
- Faraday's law, 35
- feedback control
 - disturbance rejection, 701
- feedback control loop
 - block diagram, 377
 - parts, 351
 - steady-state analysis, 378
 - steady-state error, 378, 380
- feedback control loop examples
 - flow control, 337
 - heating tank, 332
 - liquid level, 335
 - pressure control, 337
- feedback control system, 5
- feedforward control
 - comparison with feedback, 708
 - disadvantages, 696
 - examples, 696
 - FOPDT system, 705
 - ideal form, 698
 - introduction, 695
 - model-based, 700
 - optimal, 702
- feedforward-feedback control, 699
 - model-based, 709
 - Q*-parameterization, 712
- filter factor, 87
- filtering, 87
- final control element, 2, 328, 351
- final-value theorem, 723
- first order plus dead time
 - approximation of higher-order systems, 455
- Bode stability criterion, 584
- exact stability limits under P control, 463
- feedforward control, 705
- general model, 441
- model-based control, 661
- parameter estimation, 456
- stability analysis with P control, 461
- step response, 441
- first-order system
 - Bode diagrams, 79
 - CSTR, 57
 - definition, 55
 - discrete, 82
 - estimation of parameters, 70
 - frequency response, 78
 - general form, 99
 - general model, 58
 - mercury thermometer, 55
 - sinusoidal response, 78
 - solution by integrating factor, 60
 - solution by Laplace transform, 61
 - transfer function, 64
- first-order system response
 - to impulse input, 75
 - to pulse input, 73
 - to ramp input, 75
 - to sinusoidal input, 77
 - to step input, 68
- first-order systems
 - in parallel, 119
 - in series, 115
 - interacting, 122
 - forced response, 63
 - forward rectangle approximation, 84
 - fractional opening of a valve, 332
 - frequency response, 298
 - first-order system, 78
 - gain margin, 588
 - heat of reaction, 31
 - heating tank
 - P control, 360
 - PI control, 363
 - with dead time, 437
 - heating tank example
 - combined performance criterion, 562
 - discrete PI control, 424
- eigenvalue analysis, 412, 415
- ISE performance criterion, 551
- stability under P control, 393
- stability under PI control, 386, 391
- stability under PID control, 396
- state-space model, 409
- state-space under PI control, 413
- steady-state analysis, 412
- Heaviside function, 719
- higher-order systems
 - approximation by FOPDT, 455
- high-pass filter, 81
- improper transfer function, 257
- information flow, 4
- inherent characteristics of a valve, 332
- initial-value theorem, 723
- input-output model, 254
- integral action, 384
- integral time, 340
- integrating process
 - P control, 364
- integrating system, 90
- integrating system plus dead time
 - stability analysis, 465
- internal model controller, 650
- inventory rate equation, 20
- inverse Laplace transform, 725
- inverse response, 272
- Kirchhoff's law, 40
- Laplace expansion, 747
- Laplace transform, 719
 - definition, 719
 - elementary functions, 720
 - properties, 721
 - solving ODE, 732
- lead-lag element, 306
- level sensors, 330
- linear approximation of a function, 90
- linear partial differential equation, 443
- linear time-invariant systems, 175
- linear valve, 332
- linearization, 91, 94, 228, 230
 - general first-order system, 100
- locally asymptotically stable, 231
- locus of the roots, 502
- loop transfer function, 353, 576
- low-pass filter, 81, 87
 - equation, 82

762 Index

- Luedeking and Piret model, 34
- Lyapunov equation, 550
- Lyapunov theorem, 233
- manipulated variable, 2, 5
- Maple command
 - `BodePlot`, 320
 - `dsolve`, 45
 - `GainMargin`, 605
 - `ImpulseResponse`, 285
 - `int`, 104
 - `invlaplace`, 105, 737
 - `laplace`, 105
 - `matrix`, 205
 - `MatrixExponential`, 205
 - `pade`, 473
 - `parfrac`, 738
 - `PhaseMargin`, 606
 - `plot`, 165
 - `residue`, 284
 - `RootLocusPlot`, 534
 - `vectorr`, 205
 - `ZeroPoleGain`, 283
- mathematical models
 - distributed, 19
 - empirical, 19
 - general comments, 18
 - lumped, 19
 - mechanistic, 19
 - steps in developing, 19
- MATLAB command
 - `bode`, 319
 - `c2d`, 204
 - `conv`, 736
 - `dchgain`, 280, 400
 - `expm`, 202
 - `feedback`, 367
 - `fminsearch`, 566
 - `impulse`, 281
 - `linspace`, 202
 - `margin`, 604
 - `nyquist`, 319
 - `ode45`, 43
 - `pole`, 280
 - `residue`, 280, 736
 - `rlocfind`, 532
 - `rlocus`, 531
 - `roots`, 736
 - `series`, 281, 367
 - `ss`, 203, 473
 - `ss2tf`, 203
 - `step`, 203
 - `tf`, 281, 473
 - `tf2zp`, 280
 - `zero`, 280
- matrix
 - addition, 743
 - adjoint, 749
 - commands in Maple, 758
 - commands in MATLAB, 756
 - definition, 743
 - determinant, 747
 - diagonal, 744
 - differentiation, 755
 - eigenvalues, 750
 - identity, 744
 - integration, 755
 - inversion, 749
 - square, 744
 - subtraction, 743
 - symmetric, 745
 - transpose, 745
 - zero, 744
- matrix exponential, 745
- matrix exponential function, 180
 - definition, 180
 - properties, 180, 181
- maximum overshoot, 154
- measured variables, 5
- measurement, 8
- mercury thermometer
 - selection of reference temperature, 62
- minimum-phase factor, 645, 669
- model-based control, 642
 - cascade control, 688
 - controller synthesis formula, 649
 - dynamic performance, 645
 - factorization of the transfer function, 645
 - feedforward, 700
 - feedforward and feedback, 709
 - filter selection, 676
 - in state space, 668
 - introduction, 642
 - ISE optimal, 645
 - large dead time, 657
 - low-order models, 650
 - MIMO systems, 674
 - modeling error, 660
 - nearly optimal controllers, 648
 - specifications, 642
 - zero offset, 644
- modelling example
 - bioreactor, 32
 - blending process, 25
 - CSTR isothermal, 28
 - CSTR, nonisothermal, 30
 - electrical circuit, 39
 - flash distillation, 37
 - heating tank, 26
 - integrating system, 88
 - interacting tanks, 122
 - liquid storage tank, 23
 - mechanical systems, 41
 - mercury thermometer, 55
 - mixing tank, 614
 - n* tanks in series, 174
 - solid-oxide fuel cell, 34
 - spring with an attached object, 145
 - tank with input bypass, 97
 - tanks in parallel, 119
 - three tanks in series, 173
 - two tanks in series, 116
- Monod equation, 33
- multi-input–multi-output systems, 197
 - state-space description, 197
 - transfer function description, 201
- multiple input–multiple output
 - closed loop in state space, 625
 - closed-loop transfer function, 625
 - decoupling, 632
 - dynamic response, 620
 - interaction, 627
 - introduction, 613
 - poles, 621
 - stability, 621
 - state space, 615
 - steady-state gain matrix, 616
 - transfer-function matrix, 618
 - zeros, 621
- Myshkys method of steps, 468
- natural frequency, 147
- Nernst potential, 36
- Newton's second law, 42
- noise, 87
- nonlinear systems
 - closed-loop system in state space, 426
- nonminimum phase element, 310
- numerator polynomial, 259
- Nyquist criterion for stability, 595

- Nyquist plots, 298, 312
 - first-order systems, 313
 - higher-order systems, 317
 - integrator, 315
 - lead system, 316
 - second-order systems, 314
- offset, 379, 380, 381, 382
- optimal PID controller parameters
 - combined criteria, 559
 - quadratic criteria, 557
- Padé approximation
 - and step response, 470
- Parseval's theorem, 723
- partial fraction expansion, 725
- partial fractions, 216
- peak time, 154
- pendulum system, 220
- performance criteria
 - based on input variation, 556
 - calculation for infinite and finite time, 544
 - calculation in Laplace domain, 554
 - combined, 546
 - derivative of the error, absolute, 546
 - derivative of the error, squared, 546
 - input variation, 546
 - integral of the absolute error, 543
 - integral of the error, 543
 - integral of the squared error, 543
 - integral of the time-weighted squared error, 545
 - integral of time-weighted absolute error, 545
 - integrating process, example, 546
 - introduction, 541
 - Lyapunov equation, 550
 - quadratic criteria, calculation, 549
 - symbolic calculation, 569
- phase angle, 298
- phase margin, 587
- polar plot, 298, 312
- poles, 259, 484
 - and eigenvalues, 259
- pressure sensors, 330
- principle of the argument, 594
- Process and Instrumentation
 - Diagrams, 8
- process control, 1
- process dynamics
 - typical responses, 10
- Process Flow Diagram, 8
- proper transfer function, 257
- proportional-derivative controller
 - ideal, 342
 - real, 343
 - real, state-space, 343
- proportional-integral controller
 - phase and gain margin specification, 590
- proportional-integral-derivative controller
 - ideal, 342
 - real, 344
 - summary, 344
 - Ziegler–Nichols tuning, 592
- Q*-parameterization, 644
- rate of cell growth, 32
- ratio control
 - examples, 694
 - introduction, 694
- rational function, 253
- RC circuit, 40
- reaction rate, 22
- recursive calculation, 84
- relative order, 257, 649
- relative stability, 587
- resistance thermometers detectors, 329
- resolvent identity, 753
- resolvent matrix, 177, 216, 753
- resonance, 160
- rise time, 154
- robust stability, 664
 - conditions, 664
- root-locus diagram, 485, 488
 - angles of arrival, 508, 515
 - angles of departure, 508, 512
 - approximate sketching, 504
 - basic properties, 502
 - break-away points, 508
 - controller parameters, 527
 - points of intersection, 521, 524
- third-order system and P control, 505
- third-order system and PI control, 506
- third-order system and PID control, 507
- Routh array, 389
- Routh criterion, 389
- sampling period, 83
 - choice and accuracy, 225
- second-order system
 - as two first-order systems in series, 147
 - Bode diagram, 159
 - estimation of the parameters, 158
 - example, 145
 - frequency response, 159
 - general equation, 146
 - general form, 161
 - step response, 148
 - step response, characteristics, 154
 - step response, critically damped, 151
 - step response, overdamped, 150
 - step response, underdamped, 152
 - transfer function, 146
- sensitivity coefficient, 381, 384
- sensitivity function, 381, 384
- sensor, 6, 328, 351
- set point, 2, 5
- set point tracking, 378
- settling time, 154
- single-input-single-output systems, 175
- Smith predictor, 657
- specific enthalpy, 23
- specifications
 - in model based control, 642
- stability, 10
 - Bode criterion, 576, 577
 - criteria in the frequency domain, 575
 - Nyquist criterion, 594
- stability limits, 394
- stabilizing controllers, 644
- standard inputs
 - pulse, 66
 - ramp, 66
 - sinusoidal, 67
 - step, 65
- Standard ISA-S5, 8
- state space
 - with input delay, 440
 - with output delay, 440
- state-space description, 171
- state-space equations
 - general solution, 182

764 Index

- state-space model, 117
- static gain, 176, 260
- steady-state gain, 58, 69
- step response
 - and zeros of the transfer function, 268
- stoichiometric number, 22
- summing point, 120
- superposition principle, 61
- surge tank, 88
- symbols
 - in P&ID diagrams, 9
- system eigenvalues, 217
- take-off point, 121
- temperature sensors
 - models, 330
- thermocouples, 329
- thermoelectric circuit, 329
- third-order process
 - P control, 485
 - PI control, 490
 - PID control, 490
- time constant, 58
- transducer, 9
- transfer function, 252
- transient behavior, 10
- transmitter, 328
- ultimate gain, 591
- ultimate period, 591
- unforced response, 63
- vapor–liquid equilibrium, 37
- zero-order hold, 84
- zeros, 259
- Ziegler–Nichols tuning rules, 591