

Index of names

Arthan, R.D., 374, 376

Barendregt, H.P., xvi, xviii, 5, 15, 21, 28, 125, 383

van Benthem Jutting, L.S., xxii, 301, 373

Berardi, S., 124

Berarducci, A., 80

Bézout, É., 349

Böhm, C., 80

Brouwer, L.E.J., 388

de Bruijn, N.G., xvi, 28, 119, 126, 133, 189, 207, 231, 341, 382, 388

Burali-Forti, C., 297

Cantor, G., 297

Chaieb, A., 374

Church, A., xvi, xviii, 5, 21, 27, 34, 36, 65, 131, 133, 275, 298, 343, 387

Constable, R.L., 388

Coquand, Th., 123, 207, 388

Curry, H.B., xviii, 4, 16, 31, 36, 65, 119

Fitch, F., 161, 254

Fraenkel, A.H., 298

Frege, F.L.G., xv, 272

Gandy, R.O., 66

Gentzen, G., 159

Geuvers, J.H., 300

Girard, J.-Y., xvi, 80, 81, 100, 133, 388

Gödel, K.F., 343

Gonthier, G., 384, 389

Hales, T.C., 384, 389

Harrison, J., 374, 389

Heyting, A., 388

Hilbert, D., xv, 159, 276, 343

Hindley, J.R., 5, 65, 389

Howard, W., 119

Huet, G., 207, 388

Iemhoff, R., 309, 341

Jaśkowski, S., 159

Kwiatek, R., 374

Landau, E., xxii, 299

Leibniz, G.W., 259

Luo, Z., 133, 389

Margaris, A., 309

Martin-Löf, P., xvi, 120, 133, 388

McCarthy, J., 28

Milner, R., 65, 82, 389

Peano, G., 306, 343

Pierce, B.C., 65

Plotkin, G., 66

Poll, E., 184

Pollack, R., 389

Prawitz, D., 161

Ramsey, F.P., 298

Reynolds, J.C., 81, 82, 389

Robinson, J.A., 65

Rosser, J.B., 21

Russell, B., xv, 65, 80, 297, 387

Sanchis, L.E., 66

Schönfinkel, M., 4, 27

Seldin, J.P., 5, 119

Severi, P.G., 184

Sørensen, M.H., 120

Tait, W.W., 66, 82

Terlouw, J., 124

Turing, A.M., 27, 31, 66, 131, 343

Urzyczyn, P., 120

Visser, A., 309, 341

Voevodsky, V.A., 389

Wand, M., 65

Wells, J.B., 82

Whitehead, A.N., 80, 298, 387

Wiedijk, F., 374, 389

Zermelo, E.F.F., 298

Cambridge University Press
978-1-107-03650-5 - Type Theory and Formal Proof: An Introduction
Rob Nederpelt and Herman Geuvers
Index
[More information](#)

Index of definitions

$+$, Fig.14.12, 320	$\wedge$ - <i>in</i> , Fig.11.10, 236
$\times$, Fig.14.22, 336	$\vee$, Fig.11.11, 237
$-$, Fig.14.16/14.17, 328, 331	$\vee$ - <i>el</i> , Fig.11.11, 237
$ $, Fig.14.23, 339	$\vee$ - <i>el-alt</i> ₁ , Fig.11.19, 244
0 , Fig.14.1/14.3, 307, 310	$\vee$ - <i>el-alt</i> ₂ , Fig.11.19, 244
1 , Fig.14.13, 321	$\vee$ - <i>in</i> ₁ , Fig.11.11, 237
2 , Fig.14.13, 321	$\vee$ - <i>in</i> ₂ , Fig.11.11, 237
3 , Fig.14.13, 321	$\vee$ - <i>in-alt</i> ₁ , Fig.11.19, 244
$\cap$, Fig.13.2, 283	$\vee$ - <i>in-alt</i> ₂ , Fig.11.19, 244
$\cup$, Fig.13.2, 283	$\Leftrightarrow$, Fig.11.12, 237
$\backslash$, Fig.13.2, 283	$\Leftrightarrow$ - <i>el</i> ₁ , Fig.11.12, 237
$\dots^c$, Fig.13.2, 283	$\Leftrightarrow$ - <i>el</i> ₂ , Fig.11.12, 237
$\emptyset$, Fig.13.6, 287	$\Leftrightarrow$ - <i>in</i> , Fig.11.12, 237
$\emptyset_S$, Fig.13.6, 287	$\forall$, Fig.11.22, 246
$\subseteq$, Fig.13.2, 283	$\forall$ - <i>el</i> , Fig.11.22, 246
$=$, Fig.13.2, 283	$\forall$ - <i>in</i> , Fig.11.22, 246
$[\dots]_R$, Fig.13.10, 290	$\exists$, Fig.11.23/12.14, 247, 270
ε , Fig.13.1, 282	$\exists^1$, Fig.12.14, 270
ε_S , Fig.13.1, 282	$\exists \geq^1$, Fig.12.14, 270
ε - <i>el</i> , Fig.13.3, 284	$\exists \leq^1$, Fig.12.14, 270
ε - <i>in</i> , Fig.13.3, 284	$\exists$ - <i>el</i> , Fig.11.23, 247
$\leq$, Fig.14.18, 333	$\exists$ - <i>el-alt</i> , Fig.11.28, 251
$\leq_{\mathbb{Z}}$, Fig.14.18, 333	$\exists$ - <i>in</i> , Fig.11.23, 247
$<$, Fig.14.18, 333	$\exists$ - <i>in-alt</i> , Fig.11.28, 251
$\geq$, Fig.14.19, 334	<i>antisymm</i> , Fig.12.7, 264
$\geq_{\mathbb{Z}}$, Fig.14.19, 334	<i>antisymmetric</i> , Fig.8.2, 173
$>$, Fig.14.19, 334	<i>assoc-add</i> , Fig.14.14, 324
$\Rightarrow$, Fig.11.5, 234	<i>ax-int</i> ₁ , Fig.14.3, 310
$\Rightarrow$ - <i>el</i> , Fig.11.5, 234	<i>ax-int</i> ₂ , Fig.14.4, 311
$\Rightarrow$ - <i>in</i> , Fig.11.5, 234	<i>ax-int</i> ₃ , Fig.14.6, 312
$\perp$, Fig.11.6, 235	<i>ax-nat</i> ₁ , Fig.14.1, 307
$\perp$ - <i>el</i> , Fig.11.6, 235	<i>ax-nat</i> ₂ , Fig.14.1, 307
$\perp$ - <i>in</i> , Fig.11.6, 235	<i>ax-nat</i> ₃ , Fig.14.1, 307
$\neg$, Fig.11.7, 235	<i>bijective</i> , Fig.13.13, 293
$\neg$ - <i>el</i> , Fig.11.7, 235	<i>class</i> , Fig.13.10, 290
$\neg$ - <i>in</i> , Fig.11.7, 235	<i>clos-prop</i> , Fig.14.5, 312
$\neg\neg$ - <i>el</i> , Fig.11.17, 242	<i>com-div</i> , Fig.14.23, 339
$\neg\neg$ - <i>in</i> , Fig.11.17, 242	<i>comm-add</i> , Fig.14.14, 324
$\wedge$, Fig.11.10, 236	<i>coprime</i> , Fig.14.23, 339
$\wedge$ - <i>el</i> ₁ , Fig.11.10, 236	<i>d</i> , Fig.15.7, 357
$\wedge$ - <i>el</i> ₂ , Fig.11.10, 236	<i>D</i> , Fig.8.1/15.20, 169, 370
	<i>div</i> , Fig.14.23, 339

<i>div-the</i> , Fig.15.3/15.22, 354, 372	<i>neg</i> , Fig.14.9, 315
<i>doub-neg</i> , Fig.11.16, 241	<i>opp</i> , Fig.14.17, 331
<i>element</i> , Fig.13.1, 282	<i>origin</i> , Fig.13.15, 294
<i>eq</i> , Fig.12.3, 261	<i>p</i> , Fig.14.3, 310
<i>eq-cong₁</i> , Fig.12.5, 263	<i>part-ord</i> , Fig.12.7, 264
<i>eq-cong₂</i> , Fig.12.6, 263	<i>partially-ordered</i> , Fig.8.2, 173
<i>eq-refl</i> , Fig.12.3, 261	<i>plus</i> , Fig.14.11, 320
<i>eq-subst</i> , Fig.12.4, 262	<i>plus-clos-nat</i> , Fig.14.15, 325
<i>eq-subset</i> , Fig.13.5, 286	<i>plus-i</i> , Fig.14.12, 320
<i>eq-sym</i> , Fig.12.10, 267	<i>plus-i-alt</i> , Fig.14.14, 324
<i>eq-sym'</i> , Fig.12.11, 268	<i>plus-ii</i> , Fig.14.12, 320
<i>eq-trans</i> , Fig.12.12, 268	<i>plus-ii-alt</i> , Fig.14.14, 324
<i>equivalence-relation</i> , Fig.13.9, 289	<i>plus-iii</i> , Fig.14.12, 320
<i>exc-thrd</i> , Fig.11.16, 241	<i>plus-iii-alt</i> , Fig.14.14, 324
<i>full-set</i> , Fig.13.6, 287	<i>pos</i> , Fig.14.9, 315
<i>gcd</i> , Fig.14.23, 339	<i>pre-ord</i> , Fig.12.7, 264
<i>gcd-pos</i> , Fig.14.23, 339	<i>ps</i> , Fig.13.1, 282
<i>gcd-prop</i> , Fig.14.23, 339	<i>p-s-ann</i> , Fig.14.3, 310
<i>gcd-unq</i> , Fig.14.23, 339	<i>q</i> , Fig.15.21, 371
<i>grtst_ℤ</i> , Fig.15.19, 370	<i>r</i> , Fig.15.22, 372
<i>ι</i> , Fig.12.16, 272	<i>rec-add-lem</i> , Fig.14.11, 320
<i>ι-prop</i> , Fig.12.16, 272	<i>rec-add-prop</i> , Fig.14.11, 320
<i>image</i> , Fig.13.15, 294	<i>rec-mult-lem</i> , Fig.14.21, 336
<i>increasing</i> , Fig.8.1, 169	<i>rec-mult-prop</i> , Fig.14.21, 336
<i>injective</i> , Fig.13.13, 293	<i>refl</i> , Fig.12.7, 264
<i>inj-subset</i> , Fig.13.14, 293	<i>reflexive</i> , Fig.8.2/13.9, 173, 289
<i>inj-suc</i> , Fig.14.3, 310	<i>right-canc-add</i> , Fig.14.14, 324
<i>inv</i> , Fig.13.13, 293	<i>s</i> , Fig.14.1/14.3, 307, 310
<i>inverse</i> , Fig.8.8, 181	<i>S</i> , Fig.15.5, 355
<i>Id</i> , Fig.8.8, 181	<i>S⁺</i> , Fig.15.5, 356
<i>IS</i> , Fig.13.2, 283	<i>s-p-ann</i> , Fig.14.3, 310
<i>IS-prop</i> , Fig.13.5, 286	<i>spec-rec-th</i> , Fig.14.10, 319
<i>least</i> , Fig.15.1, 353	<i>subtr-prop₁</i> , Fig.14.16, 328
<i>Least</i> , Fig.12.13, 269	<i>subtr-prop₂</i> , Fig.14.16, 328
<i>least_ℤ</i> , Fig.15.1, 353	<i>surjective</i> , Fig.13.13, 293
<i>left-canc-add</i> , Fig.14.14, 324	<i>surj-suc</i> , Fig.14.3, 310
<i>lw-bnd</i> , Fig.14.20, 335	<i>sym-∨</i> , Fig.11.14, 239
<i>lw-bnd_ℤ</i> , Fig.14.20, 335	<i>symmetric</i> , Fig.13.9, 289
<i>max-prop</i> , Fig.15.19, 370	<i>times</i> , Fig.14.21, 336
<i>max-the</i> , Fig.15.19, 370	<i>times-i</i> , Fig.14.22, 336
<i>max-uni-the</i> , Fig.15.19, 370	<i>times-ii</i> , Fig.14.22, 336
<i>maximum</i> , Fig.15.19, 370	<i>times-iii</i> , Fig.14.22, 336
<i>min</i> , Fig.15.1, 353	<i>total</i> , Fig.8.1/8.8, 169, 181
<i>Min</i> , Fig.12.18, 274	<i>trans</i> , Fig.12.7, 264
<i>min-prop</i> , Fig.15.2, 353	<i>transitive</i> , Fig.8.2/13.9, 173, 289
<i>min-the</i> , Fig.15.2/15.18, 353, 368	<i>trip</i> , Fig.14.9, 315
<i>min-uni-the</i> , Fig.15.2, 353	<i>uni-dif</i> , Fig.14.16, 328
<i>minimal-element</i> , Fig.8.3, 175	<i>up-bnd_ℤ</i> , Fig.15.19, 370
<i>minimum</i> , Fig.15.2, 353	<i>ℤ</i> , Fig.14.3, 310
<i>minus</i> , Fig.14.16, 328	<i>zero-prop</i> , Fig.14.5, 312
<i>N</i> , Fig.14.1/14.5, 307, 312	
<i>N⁺</i> , Fig.15.5, 356	
<i>nat-cond</i> , Fig.14.5, 312	
<i>nat-ind</i> , Fig.14.8, 314	
<i>nat-prop₁</i> , Fig.14.7, 313	
<i>nat-prop₂</i> , Fig.14.7, 313	
<i>nat-smallest</i> , Fig.14.5, 312	
<i>nat-split</i> , Fig.14.9, 315	
<i>nat-split-alt</i> , Fig.14.9, 315	

Index of symbols

$=$, 261, 283	$\leq$, 333
$=_{\alpha}$, 9, 10	$\leq_{\mathbb{Z}}$, 333
$=_{\beta}$, 18, 61, 202	$<$, 333
$\triangleq$, 199	$\geq$, 334
$\triangleq_{\beta}$, 203	$\geq_{\mathbb{Z}}$, 334
$\equiv$, 6	$>$, 334
$\rightarrow$, 42	$\Rightarrow$, 43, 111, 114, 144, 234
$\rightarrow_{\beta}$, 16, 61, 79, 202	$\perp$, 82, 137, 144, 225, 235
$\rightarrow_{\beta}$, 17, 61, 202	$\neg$, 144, 225, 235
Δ , 198, 219	$\neg\neg$, 241, 242
$*$, 70, 189	$\wedge$, 144, 226, 236
$*_p$, 175	$\vee$, 144, 237
$*_s$, 175	$\Leftrightarrow$, 144, 237
$\square$, 87, 189	$\forall$, 112, 114, 150, 246
$\vdash$, 38	$\exists$, 150, 247, 270
$\perp$, 213	$\exists^1$, 270
$\circ$, 71, 303	$\exists^{\geq 1}$, 270
$\in$, 114, 280	$\exists^{\leq 1}$, 270
$\sim$, 344	$\beta\text{-nf}$, 19
$\mid$, 53	$\delta\text{-nf}$, 200
$+$, 320	ε , 276, 282
$+_m$, 317	ε_S , 282
$\times$, 336	ι , 271, 275, 292
$\times_m$, 336	λ , 1, 5
$-$ (binary), 328	$\lambda\rightarrow$, 40, 125
$-$ (unary), 331	$\lambda 2$, 69, 73, 125
$ $, 339	λC , 123, 125, 232
0, 307, 310	λD , 165, 211, 212, 215
1, 321	λD_0 , 189, 192, 204, 211
2, 321	λP , 103, 105, 125
3, 321	$\lambda P2$, 125
$\cap$, 283	$\lambda\omega$, 125
$\cup$, 283	$\lambda\omega$, 86, 125
$\setminus$, 283	Δ , 190
$\dots^c$, 283	Λ , 5
$\emptyset$, 287	Λ^0 , 9
$\emptyset_S$, 287	Λ_{T} , 39
$\subseteq$, 283	$\Lambda_{\text{T}2}$, 74
$[\dots]_R$, 290	Π , 72
	Σ , 72
	Ω , 20

424

Index of symbols

d , 357	$False$, 84
i_{ET} , 147	FV , 8
q , 371	$Iszero$, 84
r , 372	$Mult$, 83
s , 71, 87, 306, 309	Nat , 83
s_1 , 124	Neg , 84
s_2 , 124	One , 83
s_3 , 124	Suc , 83
D , 169, 370	$Tree$, 84
$M^{x \rightarrow y}$, 9	$True$, 84
S , 355	Two , 83
S^+ , 356	$Zero$, 83
V , 5	$(abst)$, 40, 94, 111, 203
Y , 25, 31	$(abst_2)$, 72
Y_σ , 66	$(appl)$, 40, 94, 111, 203
Z , 31	$(appl_2)$, 73
$\mathbb{K}$, 86	$(\beta\delta\text{-}conv)$, 203
$\mathbb{L}$, 35	$(conv)$, 97, 203
$\mathbb{N}$, 33, 306, 307, 311, 312	$(\delta\text{-}conv)$, 202
$\mathbb{N}^+$, 356	(def) , 193
$\mathbb{T}$, 34	$(def\text{-}prim)$, 214
$\mathbb{T}2$, 73	$(form)$, 76, 93, 123, 203
$\mathbb{V}$, 34, 73	$(func\text{-}abst)$, 42
$\mathbb{Z}$, 308, 309	$(func\text{-}appl)$, 42
B , 30	$(inst)$, 197
I , 30	$(inst\text{-}pos)$, 195
K , 28, 30, 66, 83	$(inst\text{-}prim)$, 215
List, 101	$(inst\text{-}zero)$, 196
S , 28, 30, 66, 83	(par) , 206
$\mathcal{D}$, 190, 192	$(sort)$, 88, 203
$\mathcal{E}$, 128	(var) , 40, 75, 89, 203
$\mathcal{E}_{\lambda D}$, 190	$(weak)$, 90, 203
$\mathcal{P}$, 80, 281	$(\Rightarrow\text{-}elim)$, 43, 114
$\overline{A}$, 160, 172	$(\Rightarrow\text{-}intro)$, 43, 114
$\overline{x}$, 172	$(\perp\text{-}elim)$, 138
$\overline{x} : \overline{A}$, 172	$(\perp\text{-}intro)$, 138
$\overline{U} : \overline{V}$, 195	$(\neg\text{-}elim)$, 139
$[\overline{x} := \overline{U}]$, 194	$(\neg\text{-}intro)$, 139
conclusion, 40	$(\wedge\text{-}elim\text{-}left)$, 140
dom, 53, 75	$(\wedge\text{-}elim\text{-}left\text{-}sec)$, 140
premiss, 40	$(\wedge\text{-}elim\text{-}right)$, 140
Sub, 6	$(\wedge\text{-}elim\text{-}right\text{-}sec)$, 140
add, 30	$(\wedge\text{-}intro)$, 140
false, 31	$(\wedge\text{-}intro\text{-}sec)$, 140
gcd, 339, 340	$(\vee\text{-}elim)$, 142
gcd', 374	$(\vee\text{-}elim\text{-}sec)$, 143
if-then-else, 31	$(\vee\text{-}intro\text{-}left)$, 142
iszero, 31	$(\vee\text{-}intro\text{-}left\text{-}sec)$, 143
mult, 30	$(\vee\text{-}intro\text{-}right)$, 142
not, 31	$(\vee\text{-}intro\text{-}right\text{-}sec)$, 143
one, 30	$(\forall\text{-}elim)$, 112, 114
suc, 30	$(\forall\text{-}intro)$, 113, 114
true, 31	$(\exists\text{-}elim)$, 151
two, 30	$(\exists\text{-}elim\text{-}sec)$, 152
zero, 30	$(\exists\text{-}intro)$, 153
Add, 83	$(\exists\text{-}intro\text{-}sec)$, 153
Bool, 84	

Index of subjects

- α -conversion, 9, 10
 - extended, 78
- α -convertible, 11
- α -equivalence, 9, 10
 - extended, 78
- α -equivalent, 11
- α -variant, 11
- abbreviation, 183
- abbreviation mechanism, 207
- absolute value, 318
- abstract data type, 389
- abstract syntax, 5
- abstraction, 2, 5, 35
 - first order, 69, 74
 - second order, 70, 72, 74
 - type-, 69, 71
- absurdity, 137, 225, 392
- AC, 297
- accumulated dependency, 191
- adding a definition, 192
- addition, 80, 305
 - associativity of, 323
 - commutativity of, 323
 - integer, 316
 - left cancellation for, 323
 - right cancellation for, 323
- addition in $\mathbb{N}$
 - closure under, 324, 403
- addition of axiom, 147
- Agda, 120, 382, 388, 389
- ALF, 120, 388
- algebraic data type, 80
- Algol 60, 63
- algorithm
 - Euclidean, 350
 - type checking, 222
 - typing, 82
- alpha-conversion, 9, 10
 - extended, 78
- alpha-convertible, 11
- alpha-equivalence, 9, 10
 - extended, 78
- alpha-equivalent, 11
- alpha-variant, 11
- alphabet
 - Greek, xxviii
- alternative rules for $\vee$, 243
- alternatives for disjunction, 394
- alternatives for existential quantification, 396
- antisymmetric, 258
- application, 2, 4, 5, 35
 - second order, 70, 73
 - twofold, 264
 - type-, 69
- argument, 1, 16
- arithmetic, 305
 - integer, 308
- arithmetical laws for addition, 322
- arithmetical operation, 316
- arrow type, 34
- associativity of addition, 323
- associativity of multiplication, 337
- assumption, 174
 - overall, 213
- asymmetric, 45
- at least one, 269
- at most one, 269
- AUT-68, 119
- AUT-QE, 119
- Automath, xvi, 119, 126, 231, 372, 382, 383, 388
- Automath project, 207, 221
- automatic verification, 296
- axiom, 147, 211, 212, 221, 350
 - addition of, 147
 - parameterised, 221
- Axiom of Choice, 276, 297
- axiom of induction for $\mathbb{N}$, 307
- axiom of induction for $\mathbb{Z}$, 311
- axiom scheme, 160
- axiomatic method, 161
- axiomatic notion, 211, 212, 222
- axiomatic set theory, 297
- axiomatic system, 159
- axiomatisation of integers, 309

- axioms
 - Peano-, 306, 307, 309
- axioms for $\mathbb{N}$, 313
- β -conversion, 18, 97
- β -convertible, 18
- β -equality, 18
- β -normal form, 19, 63
- β -normalising, 19
- β -reduction, 3, 5, 16, 59, 61, 97, 220
 - extended, 78
 - one-step, 16, 61, 79
 - zero-or-more-step, 17, 61
- β -reduction for λD_0
 - one-step, 202
- β -reduction step, 16
- $\beta\delta$ -confluence, 220
- $\beta\delta$ -conversion, 203
- backward rule, 139
- Barendregt convention, 15
- Barendregt cube, 125, 133
- base, 57
- basic type, 34
- basis, 16, 38, 61
- beta-conversion, 18
- beta-convertible, 18
- beta-delta-confluence, 220
- beta-delta-conversion, 203
- beta-equality, 18
- beta-nf, 19
- beta-normal form, 19, 63
- beta-reduction, 3, 16, 59, 61, 220
 - one-step, 16, 61, 79
 - zero-or-more-step, 17, 61
- beta-reduction for λD_0
 - one-step, 202
- beta-reduction step, 16
- Bézout's Theorem, 374
- Bézout's Lemma, 176, 349
 - proof of, 350, 354
- biimplication, 393
- bijective map, 292
- binary minus-operator for $\mathbb{Z}$, 327
- binary plus-operation, 320
- binary predicate, 115, 289
- binary relation, 288, 295
- binder
 - Π -, 72
 - type-, 72
- binding occurrence, 8
- body, 16
- body of definition, 190, 216
- book, 120, 222, 231
- bound occurrence, 8
- bound variable, 8
- Brouwer–Heyting–Kolmogorov, 120
- de Bruijn criterion, 383
- de Bruijn index, 28
- calculus
 - λ -, 1
- Calculus of Constructions, 100, 123, 133, 232, 388
- Calculus of Inductive Constructions, 120, 133, 388
- call-by-name, 66
- call-by-value, 66
- cancel, 310
- cancellation for addition
 - left, 323
 - right, 323
- cancellation for multiplication, 338
- cancellation for subtraction
 - left, 329
 - right, 329
- capture, 120
- Cartesian product, 107, 115, 280
- case distinction, 142
- CC, 133
- choice function, 276
- choice operator, 276
- Church-computability, 27
- Church numerals, 27, 65, 305
 - polymorphic, 80, 305
- Church–Rosser for $\rightarrow_{\beta\delta}$ in λD , 220
- Church–Rosser Theorem, 21, 61, 79, 130
- Church's $\lambda \rightarrow$, 40
- Church's thesis, 27
- Church–Turing thesis, 27, 343
- Church–Turing Undecidability Theorem, 131
- Church-typing, 36, 65
- CIC, 133, 167, 388
- class
 - equivalence, 289
- classical logic, 146, 233
- classical predicate logic, 249, 396
- classical propositional logic, 240, 393
- closed λ -term, 9
- closure under addition in $\mathbb{N}$, 324, 403
- closure under multiplication in $\mathbb{N}$, 337
- combination
 - legal, 217
- combination of flags, 234
- combinator, 9
 - fixed point, 25, 31, 66
- combinatory logic, 27
- common divisor, 176, 339, 351
 - greatest, 176, 339, 340
- commutativity of $\vee$, 239
- commutativity of addition, 323
- commutativity of multiplication, 337
- compatibility, 10, 16, 61
- compatibility rule, 3
- complement, 280, 283
- composite unary predicate, 289
- composition, 67, 70, 303
 - function, 71, 303, 343
- computability, 343
 - Church-, 27
 - effective, 27

- Herbrand–Gödel-, 27
- Turing-, 27
- computable function, 343
- computation, 351
 - model of, 343
- compute, 316
- computer program
 - correctness of, 132
- conclusion, 40, 160
- condensed derivation, 229
- Condensing Lemma, 56, 79, 129, 218
- condition, 174
 - side, 35
- confluence, 19, 21, 61, 130, 220, 222
- congruence property, 262
- conjunction, 139, 226, 392
- conservative extension, 275
- consistency
 - logical, 81, 222, 223
- consistent, 81, 298
- constant, 168, 172, 189
 - defined, 168
 - introduction of, 172
 - primitive, 211, 216
 - proper, 216
 - reuse of, 238
 - use of, 172
- construction scheme for typing problems, 53
- constructive logic, 146, 211, 225
- constructive predicate logic, 246, 395
- constructive propositional logic, 234, 391
- constructor, 87
 - proper, 87
 - type, 85, 101
- context, 38, 39, 57
 - empty, 39, 170
 - $\lambda 2$ -, 75
 - legal, 217
 - well-formed, 129
- context of definition, 169, 190, 216
- contractum, 16
- contradiction, 137
- convention
 - Barendregt, 15
 - parameter list, 239, 240
- conversion, 61, 98
 - α -, 9, 10
 - β -, 18, 97
 - $\beta\delta$ -, 203
 - δ -, 197, 199
- conversion rule, 97, 202
- convertible
 - α -, 11
 - β -, 18
 - δ -, 200
- coprime, 176, 339, 351, 354
- Coq, 120, 134, 161, 374, 375, 382–384, 388
- correct instantiation, 201
- correctness of computer program, 132
- CR, 21, 61, 130, 220
- cube
 - Barendregt 121, 123, 125, 133
- cumulativity, 133
- Curry fixed point operator, 31
- Curry–Howard interpretation, 119
- Curry–Howard isomorphism, 119
- Curry–Howard–de Bruijn embedding, 119
- Currying, 115, 289, 291
- Curry-typing, 36, 65
- cut elimination, 161
- δ -confluence in $(\lambda D, \xrightarrow{\Delta})$, 220
- δ -conversion, 197, 199
- δ -convertible, 200
- δ -normal form, 200
- δ -reduction, 199
 - one-step, 198
 - zero-or-more-step, 199
- data type, 80, 120, 388
 - abstract, 389
 - algebraic, 80
 - polymorphic, 133
- decidability, 59, 65, 279, 280, 296, 343
- Decidability of Term Finding, 59
- Decidability of Type Assignment, 59
- Decidability of Type Checking, 59
- decidability of typing, 280
- Decidability of Well-Typedness, 59
- decidable, 47
- declaration, 39, 74
- deduction
 - natural, 43, 157, 208
- definability
 - lambda-, 27
- defined constant, 168
- defined constant of definition, 190, 216
- defined name, 166, 168
- definiendum, 168, 172, 190, 216
- definiens, 168, 172, 216
- definiens of definition, 190, 216
- definite description, 275
- definite description operator, 275
- definition, 126, 165, 189, 213
 - adding of, 192
 - body of, 190, 216
 - context of, 169, 190, 216
 - defined constant of, 190, 216
 - definiens of, 190, 216
 - descriptive, 189, 190, 211, 212, 216
 - element of, 190, 216
 - format for, 168
 - inductive, xx, 5, 55, 167
 - instantiation of, 170, 193
 - linguistic, 184
 - local, 185
 - mathematical, 184
 - parameterised, 207
 - primitive, 211–214, 216
 - proper, 216

- recursive, 167, 192, 316, 344
 - statement of, 190, 216
 - type of, 190, 216
 - well-formed, 183
- definition format, 231
- definition in a context, 169
- definition of a primitive entity, 213
- definition unfolding, 197, 220
 - one-step, 198
- definitional equivalence, 198
- delta-confluence in $(\lambda D, \xrightarrow{\Delta})$, 220
- delta-conversion, 197, 199
- delta-normal form, 200
- delta-reduction, 199
 - one-step, 198
 - zero-or-more-step, 199
- dependency, 45
 - accumulated, 191
 - first order, 69
 - second order, 69
- dependent product, 106, 120
- dependent type, 121, 124
- deramification, 298
- derivability, 38
- derivable, 343
- derivable rule, 140
- derivation, 41, 44
 - condensed, 229
 - shortened, 95, 96, 98, 116
 - state of, 230
- derivation in λD , 225
- derivation in natural deduction, 238
- derivation rule, 40, 160
- derivation rules for Church's $\lambda \rightarrow$, 40
- derivation rules for $\lambda 2$, 76
- derivation rules for λD , 409
- derivation rules for λD_0 , 204
- derivation rules for λP , 105
- derivation rules for the λ -cube, 127
- derivation scheme, 40
- derivation system, 39
- derivation tree, 161
- descending sequence, 345
- description
 - definite, 275
- description operator, 275
 - definite, 275
- descriptive definition, 189, 190, 211, 212, 216
- descriptor, 271
- diagram, 45
- difference, 280, 283, 327
 - uniqueness of, 327
- disjunction, 139, 142, 393
 - alternatives for, 394
- distributivity
 - left, 337
 - right, 336
- divide, 338
- dividend, 369
- divisibility, 338
- divisibility operator, 351
- division, 351, 354
- Division Theorem, 351, 353, 369
- divisor, 338, 369
 - common, 176, 339, 351
- DN, 213, 240, 249
- domain, 53, 75
- double negation, 213, 233, 240, 394
- double negation law, 146
- ε -operator, 276
- ECC, 133
- Edinburgh LF, 120
- effective computability, 27
- element, 110, 280
 - least, 258, 269, 352
 - minimal, 174
- element of definition, 190
- element of definition in λD , 216
- element of subset, 281
- elementhood, 280
- Elements, 350
- elimination rule, 160, 232
- elimination rule for $\Rightarrow$, 43, 111
- elimination rule for $\perp$, 138
- embedding, 301
- empty context, 39, 170
- empty parameter list, 196
- empty type, 81
- environment, 190
 - legal, 217
- equality, 259, 275
 - β -, 18
 - Leibniz, 275, 286
 - parameterised, 259
 - reflexivity of, 260
 - transitivity of, 268
- equality checker, 222
- equality of subsets, 283
- equality relation, 259
- equivalence
 - α -, 9, 10
 - definitional, 198
- equivalence class, 289
- equivalence relation, 10, 289
- equivalent
 - α -, 11
- ET, 213, 240, 249
- Euclidean algorithm, 350
- evaluation rule, 2
- evaluation strategy, 28
- ex falso, 137
- exactly one, 269, 272
- excluded third, 213, 233, 240, 393
- excluded third law, 146
- existence, 251
- existence quantifier
 - unique, 269
- existential quantification, 395

- alternatives for, 396
- existential quantifier, 269
 - second order encoding of, 150
- explicit typing, 36, 65
- expression, 189
 - legal, 130, 217
- expressions of λC , 128
- expressions of λD , 190
- expressions of λD_0 , 190
- extended α -conversion, 78
- extended α -equivalence, 78
- extended β -reduction, 78
- Extended Calculus of Constructions, 133, 389
- extended judgement, 191
- extensional type theory, 120
- F, 100
- $F\omega$, 100
- factorial, 26
- family of types, 104
- feasibility, 296
- finite reduction path, 20
- first order abstraction, 69, 74
- first order dependency, 69
- Fitch style, 208
- Fitch style natural deduction, 161
- fixed point, 24, 63
- fixed point combinator, 25, 31, 66
 - Curry, 31
 - Turing, 31
- Fixed Point Theorem, 24
- fixpoint, 24
- flag, 43, 45
- flag format, 45
- flag notation, 45
- flag pole, 43, 45
- flag style, 208
- flag-style λD_0 , 228
- flag-style natural deduction, 161, 225
- flag-style proof, 229
- flags
 - combination of, 234
- Flyspeck project, 384
- folding, 199
- foreknowledge, 259, 274
- formal λD_0 , 228
- formal logic, xv
- formal mathematics, xv
- format
 - flag, 45
 - linear, 44
 - tree, 44
- format for definition, 168
- formation rule, 76, 93, 107, 123
- forward rule, 139
- free occurrence, 8
- free variable, 8
- Free Variables and Constants Lemma, 217
- Free Variables Lemma, 54, 79, 128
- fresh, 193
- function, 1, 42, 292, 295
 - computable, 343
 - general recursive, 27
 - identity, 36, 69
 - injective, 306
 - μ -recursive, 343
 - polymorphic, 71
 - proposition-valued, 104
 - recursive, xxii, 27
 - set-valued, 103
 - successor, 24, 71, 167, 212, 306
 - surjective, 306
 - two-place, 4
 - two-valued, 295
 - type-valued, 103
- function composition, 71, 303, 343
- function evaluation, 3
- function of two variables, 4
- function space, 295
- function type, 34, 35, 111
- functional language, 100
- functional program, 120
- functional programming language, 28, 65, 81
- functional relation, 292
- general recursive function, 27
- generalised polynomial, 66
- generalised term, 85
- generalised type, 85, 124
- Generation Lemma, 58, 79, 129, 218
- Gentzen style natural deduction, 161
- grammar, 5
- greatest common divisor, 176, 339, 340
- Greek alphabet, xxviii
- Haskell, 100
- Herbrand–Gödel-computability, 27
- high level programming language, 63
- higher order predicate logic, 133
- Hilbert style system, 159
- Hilbert’s Program, 276
- hint, 284, 361
- HOL, 389
- HOL Light, 374, 375, 384
- hole, 260, 361, 363, 382
- Homotopy Type Theory, 389
- hypothesis, 160
 - induction, 55
- ι -operator, 272, 276
- ideal element, 276
- identity
 - syntactical, 6
- identity function, 36, 69
 - polymorphic, 70
- identity instantiation, 173
- illative logic, 119
- image, 293
- implication, 43, 109, 111, 295, 391
- implicit typing, 36, 65, 81
- impredicative Σ -type, 133
- impredicativity, 80, 388

- inclusion, 283
- inclusion of λC in λD_0 , 216
- inclusion of λD_0 in λD , 216
- incompleteness theorem, 343
- inconsistent, 80, 133, 297
- index
 - de Bruijn, 28
- indexed type, 104
- indirect proof, 243
- indiscernibility, 259
- induction, 213
 - mathematical, 307
 - structural, 55
 - symmetric, 310
- induction for $\mathbb{N}$, 213, 313
- induction for $\mathbb{Z}$, 311
 - variant of, 311, 346, 366
- induction hypothesis, 55
- induction on the generation, 62
- induction property, 213
- inductive definition, xxii, 5, 55, 167
- inductive type, 120, 133, 161, 167, 383
- inequality in $\mathbb{Z}$, 332
- inference
 - type, 81, 82
- infinite reduction path, 20, 219
- inhabitant, 51
- Inhabitation, 47
- initialisation rules, 126
- injective function, 306
- injective map, 292
- input value, 1
- instance, 40
- instantiate, 183
- instantiation
 - correct, 201
 - identity, 173
- instantiation of parameter, 170
- instantiation of definition, 170, 193
- integer
 - opposite of, 330
- integer addition, 316
- integer arithmetic, 308
- integer multiplication, 335
- integer number, 308
- integer subtraction, 327
- integers
 - axiomatisation of, 309
 - negative, 312
- intensional type theory, 120
- interpretation
 - Brouwer–Heyting–Kolmogorov, 120
- intersection, 280, 283, 351
- introduction of constant, 172
- introduction rule, 160, 232
- introduction rule for $\Rightarrow$, 43, 111
- introduction rule for $\perp$, 138
- intuitionistic logic, 146
- intuitionistic type theory, 120, 388
- inverse map, 293
- irreflexive, 45
- irrelevance of proof, 273, 340, 341
- Isabelle, 374, 375, 389
- iteration, 70
- judgement, 38, 39, 160, 190
 - extended, 191
 - typing, 190
- judgement chain, 87
- judgement with definitions, 190
- junk, 56
- kernel, 383
- kind, 86, 87
- λ -abstraction
 - second order, 71
- λ -calculus, 1
 - simply typed, 33, 121
 - untyped, 1, 2, 5
- λ -Coquand, 123
- λ -cube, 121, 123, 125, 133
- λ -definability, 27
- λ -term, 5
 - closed, 9
 - pre-typed, 39
- $\lambda \rightarrow$
 - properties of, 53
- $\lambda \rightarrow$ -term
 - legal, 43
- $\lambda 2$ -context, 75
- $\lambda 2$ -term, 74
 - legal, 76
- lambda calculus, 1
 - polymorphic, 81
 - simply typed, 33, 121
 - untyped, 1, 2, 5
- lambda-cube, 121, 123, 125, 133
- lambda-definability, 27
- lambda-term, 4, 5
 - closed, 9
 - pre-typed, 39
- law
 - arithmetical, 322
 - double negation, 146
 - excluded third, 146
- LCF, 389
- leaf, 7, 9
- least element, 258, 269, 352
- least-element-predicate, 270
- left-associative, 8, 34, 36
- left cancellation for addition, 323
- left cancellation for multiplication, 338
- left cancellation for subtraction, 329
- left distributivity, 337
- left-most redex, 28
- legal, 217
- legal $\lambda \rightarrow$ -term, 43
- legal $\lambda 2$ -term, 76
- legal combination, 217
- legal context, 217

- legal environment, 217
- Legal Environment Lemma, 217
- legal expression, 130, 217
- legal term, 43, 58
- Legality Lemma, 217
- Lego, 389
- Leibniz's law, 259
- Leibniz-equality, 275, 286
- lemma, 271
- Lemma
 - Bézout's, 176, 349
 - Condensing, 56, 79, 129, 218
 - Free Variables, 54, 79, 128
 - Generation, 58, 79, 129, 218
 - Permutation, 56, 79, 129
 - Subject Reduction, 61, 79, 98, 130, 219
 - Substitution, 59, 79, 130, 219
 - Subterm, 58, 79
 - Thinning, 56, 79, 129, 218
 - Uniqueness of Types, 59, 79, 99, 130, 218, 280
- level, 87
- LF, 120
- library, 380
- line, 120, 222
- linear combination, 355
- linear format, 44
- linguistic definition, 184
- Lisp, 28
- list, 80
- local definition, 185
- log-book, 231
- logic
 - classical, 146, 233
 - combinatory, 27
 - constructive, 146, 211, 225
 - formal, xv
 - illative, 119
 - intuitionistic, 146
 - predicate, 150
 - propositional, 144
- logic in λC , 137
- logic in λD , 232
- logical consistency, 81, 222, 223
- logical framework, 119, 388, 389
- logical operation, 111
- logician approach, 298
- μ -recursive function, 343
- many-to-one map, 295
- map, 291, 292
 - bijective, 292
 - injective, 292
 - inverse, 293
 - many-to-one, 295
 - partial, 292
 - surjective, 292
 - total, 292
- Martin-Löf type theory, 388
- mathematical definition, 184
- mathematical induction, 307
- mathematical statement, 180
- mathematics
 - formal, xv
- mathematics in λD , 257
- Matita, 389
- maximum, 339, 371
- Maximum Theorem, 364, 369, 377
- meta-level abbreviation, 183
- meta-notation, 12
- mini reduction, 185
- minimal element, 174
- minimal predicate logic, 109, 114
- minimal propositional logic, 137
- minimisation, 344
- minimum, 272, 273, 351, 364, 368
- minimum operator, 274, 351, 352
- Minimum Theorem, 351, 352, 356, 364, 376, 405
- minus-operator
 - binary, 327
 - unary, 330
- Mizar, xvi, 374, 375, 384
- mnemonic, 167
- model, 29
- model of computation, 343
- modulo α -equivalence, 15
- modus ponens, 43, 161
- most general type, 81
- most general unifier, 65
- multiplication, 80, 305
 - associativity of, 337
 - commutativity of, 337
 - integer, 335
 - left cancellation for, 338
 - right cancellation for, 338
- multiplication in N
 - closure under, 337
- multiset, 6
- Naive Set Theory, 80
- name, 9
 - defined, 166, 168
 - temporary, 166
- name of proof, 176, 178
- naming of a unique element, 272
- natural deduction, 43, 157, 208
 - derivation in, 238
 - Fitch style, 161
 - flag-style, 161, 225
 - Gentzen style, 161
 - tree-style, 161
- natural deduction system, 159
- natural number, 305, 311
- negation, 137, 138, 225, 392
- negative integers, 312
- nf, 19
- node, 7
- non-emptiness, 351
- normal form, 19
 - β -, 19, 63
 - δ -, 200

- normal forms in $(\lambda D, \overset{\Delta}{\rightarrow})$
 - uniqueness of, 220
- normalisation, 222
 - strong, 21, 66, 131, 219
 - weak, 21, 66, 219
- normalising
 - β -, 19
- notation convention, 234
- notion
 - axiomatic, 211, 212, 222
 - primitive, 211, 221
- number, 305
 - integer, 308
 - natural, 305, 311
- number theory, 308
- numerals
 - Church, 27, 65, 305
 - polymorphic, 305
- Nuprl, 120, 382, 388, 389
- occurrence, 6
 - binding, 8
 - bound, 8
 - free, 8
- one
 - at least, 269
 - at most, 269
 - exactly, 269, 272
- one-step β -reduction, 16, 61, 79
- one-step β -reduction for Λ_2 , 79
- one-step β -reduction for λD_0 , 202
- one-step δ -reduction, 198
- one-step definition unfolding, 198
- one-step folding, 199
- one-step unfolding, 199
- operation
 - arithmetical, 316
- operator
 - choice, 276
 - description, 275
 - ε -, 276
 - ι -, 272, 276
- opposite of an integer, 330
- order, 264
 - partial, 257, 264, 334, 363
 - pre-, 264
- order between definitions, 174
- origin, 293
- outcome, 19, 63, 317
- output value, 1
- overall assumption, 213
- overlap, 290
- overloading, 81, 174
- Π -binder, 72
- Π -type, 71, 106
- pair, 115
- pair of types, 291
- paradox
 - Russell's, 298
- parameter, 169
 - instantiation of, 170
- parameter list, 169, 172
 - empty, 196
- parameter list convention, 239, 240
- parameterised axiom, 221
- parameterised definition, 207
- parameterised equality, 259
- parameters
 - suppressed, 240
- parametricity, 81
- parenthesis, 7, 74
- partial map, 292
- partial order, 257, 264, 334, 363
 - strict, 45, 334
- PAT, 53, 81, 104, 340
- PAT-interpretation, 53, 104, 110
- path
 - reduction, 20
- PCF, 66
- Peano arithmetic, 212
- Peano-axioms, 306, 307, 309
- permutation, 53
- Permutation Lemma, 56, 79, 129
- plus-operation
 - binary, 320
 - unary, 317
- PN, 221
- polymorphic, 70
- polymorphic Church numerals, 80, 305
- polymorphic data type, 133
- polymorphic function, 71
- polymorphic identity function, 70
- polymorphic lambda calculus, 81
- polynomial
 - generalised, 66
- postulated concept, 212
- powerset, 80, 280, 281
- powersets-as-types, 299
- preamble, 227
- pre-context, 213
- predecessor, 306, 310
- predicate, 104, 110, 114, 295
 - binary, 115, 289
 - composite unary, 289
- predicate logic, 150
 - classical, 249, 396
 - constructive, 246, 395
 - higher order, 133
 - minimal, 109
 - quantifier free, 276
- premiss, 40
- preorder, 264
- pre-typed λ -term, 39
 - second order, 74
- primitive constant, 211, 216
- primitive definition, 211–214, 216
- primitive entity, 212
 - definition of, 213
- primitive notion, 211, 221

- primitive recursion, 344
- principal type, 65
- principal type algorithm, 65
- Principia Mathematica*, xv, 80, 298, 387
- product, 72
 - Cartesian, 107, 115, 280
 - dependent, 106, 120
- product rule, 107
- product type, 72
- program
 - functional, 120
- programming language, 63
 - functional, 28, 65, 81
 - high level, 63
- projection, 53
- proof, 53, 110, 114, 271
 - flag-style, 229
 - irrelevance of, 273, 340, 341
 - name of, 176, 178
 - skeleton, 265
 - specialised, 362
- proof assistance, 158
- proof assistant, 131, 133, 158, 161, 207, 222, 380, 388
- proof by contradiction, 242, 243, 250
- proof by induction, 55
- proof checker, 133, 222
- proof checking, 158, 280, 381
- proof development, 380
- proof irrelevance, 340
- proof object, 110, 117, 363
- proof of a proposition, 52
- proof of Bézout's Lemma, 350, 354
- proof term, 161
- proof theory, 161
- ProofPower, 374, 376
- proofs-as-terms, 53, 110
- proper constant, 216
- proper constructor, 87
- proper definition, 216
- proper subterm, 7
- properties of $\lambda \rightarrow$, 53
- properties of $\lambda 2$, 78
- properties of λC , 128
- proposition, 51, 110, 114
 - proof of, 52
- proposition-valued function, 104
- propositional logic, 144
 - classical, 240, 393
 - constructive, 234, 391
 - minimal, 137
- propositions-as-types, 53, 81, 104, 110
- provable correctness, 132
- PTS, 124, 207
- Pure Type System, x, 124, 207
- PVS, 301
- quantification
 - existential, 395, 396
 - universal, 109, 112, 395
- quantifier
 - existential, 269
 - unique existence, 269
- quantifier free predicate logic, 276
- quotient, 344, 354, 369, 371
- Ramified Type Theory, 65, 298, 299, 387
- recursion, 317
 - primitive, 344
 - well-founded, 120, 317
- recursion scheme, 167
- Recursion Theorem for $\mathbb{Z}$, 318, 344
 - restricted, 319
- recursive call, 344
- recursive definition, 167, 192, 316, 344
- recursive function, xxii, 27
- redex, 16
- reduction, 5, 59
 - β -, 3, 5, 16, 59, 61, 97, 220
 - mini, 185
 - one-step δ -, 198
 - zero-or-more-step δ -, 199
- reduction path, 20
 - finite, 20
 - infinite, 20, 219
- reduction strategy, 28
- refinement step, 382
- reflexive, 6, 10, 257, 289
- reflexivity of equality, 260
- relation, 288
 - binary, 288, 295
 - equality, 259
 - equivalence, 10, 289
 - functional, 292
 - well-founded, 345
- remainder, 354, 369, 371
- renaming, 9, 10, 78
- representation
 - tree, 7
- restricted Recursion Theorem for $\mathbb{Z}$, 319
- reuse of constant, 238
- rewriting in logic, 252
- right-associative, 8, 34, 36
- right cancellation for addition, 323
- right cancellation for multiplication, 338
- right cancellation for subtraction, 329
- right distributivity, 336
- root, 9
- root path, 9
- RTT, 65, 299
- rule
 - derivable, 140
 - derivation, 40, 160
 - elimination, 160, 232
 - introduction, 160, 232
- Russell's paradox, 298
- Σ -type, 120, 133, 300
- Σ -type
 - impredicative, 133
- second order abstraction, 70, 72, 74

- second order application, 70, 73
- second order dependency, 69
- second order encoding of conjunction, 140
- second order encoding of disjunction, 142
- second order encoding of $\exists$, 150
- second order λ -abstraction, 71
- second order pre-typed λ -term, 74
- second order typed lambda calculus, 69
- self-application, 27, 63, 81
- separation marker, 38
- sequent calculus, 121, 159
- sequential substitution, 13
- set, 110, 114, 279
- set building, 281
- set comprehension, 281
- set of all sets, 80
- set theory
 - axiomatic, 297
 - Zermelo–Fraenkel, 213, 297, 299
- set-valued function, 103
- shortened derivation, 95, 96, 98, 116
- side condition, 35
- simple theory of types, xvi, 275, 387
- simple type, 34
- simply typed λ -calculus, 33, 121
- simultaneous substitution, 194
- skeleton proof, 265
- SN, 220
- sort, 87
- specialised proof, 362
- Start Lemma for declarations and definitions, 218
- state of a derivation, 230
- statement, 35, 39, 74, 231
 - mathematical, 180
 - typing, 35
 - universal, 295
- statement of definition, 190, 216
- step
 - β -reduction, 16
- strict partial order, 45, 334
- strong normalisation, 21, 66, 131, 219
- strong normalisation of $\overset{\Delta}{\rightarrow}$, 219
- strong normalisation for $\rightarrow_{\beta\delta}$ in λD , 221
- Strong Normalisation Theorem, 79, 131
- Strong Normalisation Theorem for $\lambda\rightarrow$, 62
- structural induction, 55
- subcontext, 53
- Subexpression Lemma, 130
- subject, 39
- Subject Reduction, 61, 79, 98, 130, 219
- subset, 279, 280, 295, 350
 - element of, 281
- subset-as-predicate, 281
- subset-equality, 283, 286
- subsets via embedding, 301
- substitution, 3, 11, 12, 59
 - sequential, 13
 - simultaneous, 194
- Substitution Lemma, 59, 79, 130, 219
- substitutivity, 261
- subterm, 6
 - proper, 7
- Subterm Lemma, 58, 79
- subtraction
 - integer, 327
 - left cancellation for, 329
 - right cancellation for, 329
- subtree, 7
- successor, 30, 309
- successor function, 24, 71, 167, 212, 306
- sum, 72, 316
- super-kind, 133
- super-super-type, 87
- super-type, 85
- suppressed parameters, 240
- surjective function, 306
- surjective map, 292
- symmetric, 10, 289
- symmetric induction, 310, 313
- syntactical identity, 6
- syntax
 - abstract, 5
- syntax-directed, 58
- system F, 80, 100
- system $F\omega$, 100
- tactic, 162, 383
- tautology, 52
- temporary name, 166
- term
 - generalised, 85
 - $\lambda 2$ -, 74
 - legal, 43, 58, 76
 - typable, 36, 58, 81
- Term Construction, 47
- term depending on term, 69, 124
- term depending on type, 69, 124
- Term Finding, 47, 51, 59, 131
- term variable
 - renaming of, 78
- termination, 219
- Termination Theorem, 131
- Termination Theorem for $\lambda\rightarrow$, 62
- theorem, 271
- Theorem
 - Division, 351, 353, 369
 - Maximum, 364, 369, 377
 - Minimum, 351, 352, 356, 364, 376, 405
 - Undecidability, 131
- theory of types
 - intuitionistic, 120, 388
 - simple, xvi, 275, 387
- thinning, 91
- Thinning Lemma, 56, 79, 129, 218
- total map, 292
- transitive, 6, 10, 45, 258, 289
- transitivity of equality, 268
- tree, 80

- tree format, 44
- tree representation, 7
- tree-style natural deduction, 161
- tripartition property, 315
- true, 343
- Turing-complete, 26–28
- Turing-computability, 27
- Turing fixed point operator, 31
- Turing machine, 27, 343
- Twelf, 120
- twofold application, 264
- two-place function, 4
- two-valued function, 295
- Typability, 46
- typable term, 36, 58, 81
- type, 33, 39
 - arrow, 34
 - basic, 34
 - data, 80, 120, 388
 - dependent, 121, 124
 - empty, 81
 - function, 34, 35, 111
 - generalised, 85, 124
 - indexed, 104
 - inductive, 120, 133, 161, 167, 383
 - most general, 81
 - Π -, 71, 106
 - principal, 65
 - Σ -, 120, 133, 300
 - simple, 34
 - super-, 85
 - super-super-, 87
- type-abstraction, 69, 71
- type-application, 69
- Type Assignment, 46, 59
- Type Checking, 47, 50, 59, 131
- type checking, 158, 222, 280
- type checking algorithm, 222
- type constructor, 85, 101
- type depending on term, 103, 124
- type depending on type, 85, 86, 124
- type inference, 81, 82
- type of all kinds, 87
- type of all types, 70
- type of definition, 190, 216
- Type Reduction, 98
- Type System
 - Pure, xvi, 124, 207
- type theory, xv
 - extensional, 120
 - intensional, 120
 - intuitionistic, 120, 388
 - Martin-Löf, 388
 - ramified, 65, 298, 299, 387
 - simple, xvi, 275, 387
- type-valued function, 103
- type variable, 34
 - renaming of, 78
- type-binder, 72
- typed lambda calculus
 - second order, 69
 - simply, 33, 121
- types
 - family of, 104
- typing
 - Church-, 36, 65
 - Curry-, 36, 65
 - explicit, 36, 65
 - implicit, 36, 65, 81
- typing à la Church, 36
- typing à la Curry, 36
- typing algorithm, 82
- typing judgement, 190
- typing problems, 53
- typing statement, 35
- unary minus-operator for $\mathbb{Z}$, 330
- unary plus-operation, 317
- unary predicate
 - composite, 289
- Undecidability Theorem, 131
- undecidable, 47, 343
- unfold, 183
- unfoldable, 200
- unfolding, 220
 - definition, 197, 220
 - one-step, 198, 199
- unification, 65
- unification algorithm, 65
- union, 280, 283
- unique element, 272
 - naming of, 272
- unique existence, 268
- unique existence quantifier, 269
- Uniqueness of $\beta\delta$ -normal form, 220
- uniqueness of δ -normal forms in $(\lambda D, \overset{\Delta}{\rightarrow})$, 220
- uniqueness of difference, 327
- Uniqueness of Types, 59, 79, 280
- Uniqueness of Types up to $\beta\delta$ -conversion, 218
- Uniqueness of Types up to Conversion, 99, 130
- Univalent Foundations, 390
- universal quantification, 109, 112, 395
- universal statement, 295
- universe, 133
- untyped λ -calculus, 1, 2, 5
- use of constant, 172
- variable, 1, 5, 34, 167
 - bound, 8
 - free, 8
 - type, 34
- variant of induction for $\mathbb{Z}$, 311, 346, 366
- vector, 104
- verification
 - automatic, 296
- weak normalisation, 21, 66, 219
- weak normalisation for $\rightarrow_{\beta\delta}$ in λD , 221
- weak normalisation of $\overset{\Delta}{\rightarrow}$, 219
- weaken, 90

weakening, 90, 91
well-definedness, 344
well-formed context, 129
well-formed definition, 183
well-formedness, 222
well-founded, 318
well-founded recursion, 120, 317
well-founded relation, 345
Well-typedness, 46, 47, 59, 131
witness, 251
WN, 220
Zermelo–Fraenkel set theory, 213, 297, 299
zero element, 306
zero-or-more-step β -reduction, 17, 61
zero-or-more-step δ -reduction, 199
zero-test, 26
ZF, 297, 298