

Index

- Abel equation, 143
- Abel’s formula, 211
- Abel, Niels Henrick, 143
- Abel-Ruffini theorem, 589
- Abelian groups, 301
- acceleration, 52, 53, 112, 145, 278
 - centripetal, 52, 53
 - Coriolis, 52, 53
 - gravitational, 27, 62
- adjoint, 215, 334–337, 339, 345, 349, 384, 385, 471
- adjoint operator, 171–173, 334, 336, 337, 340, 348, 350, 417
- affine, 36, 39, 147
- Airy
 - equation, 265, 370, 513, 596
 - functions, 371, 513, 596
- Airy, George Biddell, 265
- algebraic multiplicity, 441
- alias, 33, 37, 43, 48, 55, 66, 67
- aliasing, 429, 431, 432
- alibi, 33, 37, 40, 55, 66, 415, 444, 470
- alternating symbol, 65
- amplification, 202
- amplitude modulation (AM), 255
- analytic, 220, 226, 231, 232, 237
- angular speed, 582
- anisotropic, 114
- antisymmetric
 - matrix, 396, 397, 522, 531
 - tensor, 74–76, 78, 89
- Apollonius identity, 381
- Apollonius of Perga, 381
- approximation methods, 219
- Askey, Richard, 373
- associative, 284, 395
- asymmetric
 - matrix, 396
- asymptotic, 222
- asymptotic methods, 220
- asymptotic series, 219, 593
- asymptotic stability, 498, 529, 532
- attractive invariant manifold, 535
- attractor, 500, 529
 - strange, 569
- augmented matrix, 590
- autonomous system, 504, 529
- backward Euler method, 530, 576
- ball
 - closed, 289
 - open, 289
- Banach space, 290–292, 297, 298, 333
- Banach, Stefan, 290
- basin of attraction, 529
- basis, 286, 358
 - orthonormal, 314
- basis function, 297, 310–313, 315–320, 350, 361–363, 374, 375, 382, 383, 387, 492, 494, 495, 559, 560
- basis vector, 47, 48, 54–56, 65, 78, 84, 286, 307–309, 313, 314, 343, 379, 382–384, 438, 457, 458, 566
 - contravariant, 44, 45, 54, 326
 - covariant, 44, 45, 55, 57, 326
 - reciprocal, 55, 325, 327–329, 349, 350, 379, 383
- Bayes, Thomas, 593
- ber and bei functions, 193
- Bernoulli equation, 125, 143
- Bernoulli, Jacob, 125
- Besicovitch, Abram Samoilovitch, 501
- Bessel differential equation, 189
- Bessel function, 215
 - modified of the first kind, 192, 237
 - modified of the second kind, 192, 237
 - of the first kind, 191
 - of the second kind, 191
 - of the third kind, 192
- Bessel, Friedrich Wilhelm, 189
- bifurcation, 500, 554, 555, 562
 - diagram, 500, 555, 557, 558, 564, 573, 578–580
 - Hopf, 558
 - parameter, 555, 578–580
 - pitchfork, 555, 556, 558, 563, 564
 - point, 555

- bifurcation (*cont.*)
 - saddle-node, 557
 - subcritical, 564
 - supercritical, 567
 - transcritical, 556
- bijection, 331
- binormal, 88, 90
- Bjerhammar Arne, 467
- Blasius equation, 574
- Blasius, Paul Richard Heinrich, 574
- Bode
 - magnitude plot, 205
 - phase plot, 206
- Bode, Hendrik Wade, 205
- Boltzmann, Ludwig Eduard, 145
- boundary layer, 256–262, 273
- boundary value problem, 160, 202
- bounded
 - operator, 332
 - set, 280
- brachistochrone, 62
- Brillouin, Léon, 263
- calculus, 18
 - multivariable, 1
 - of variations, 1, 22, 292, 372
 - Euler-Lagrange equation, 24
- Cantor set, 501
- Cantor, Georg Ferdinand Ludwig Philipp, 501
- Cartesian
 - index notation, 64, 83, 110, 111
 - product, 280, 284
 - tensor, 64
 - vector, 64, 67
- catenary, 26
- Cauchy
 - principal value, 282, 379, 595
 - root test, 221
 - sequence, 289, 295–297, 380, 381, 383
- Cauchy, Augustin-Louis, 154
- Cauchy-Green tensor
 - left, 454, 455, 476
 - right, 454, 455, 476
- Cauchy-Schwarz inequality, 298, 299, 302, 303, 379
- Cayley, Arthur, 410
- Cayley-Hamilton theorem, 410, 411, 473
- center, 532, 533, 538
- center manifold
 - projection, 565
 - theorem, 566
- chain rule, 35, 49, 59, 87, 202, 512
- chaos, 373, 569
 - polynomial, 279, 373, 377, 388
- characteristic equation, 144, 150–152, 212
 - matrix, 77, 79, 151, 155, 203, 209, 210, 344, 345, 371, 410, 473
 - ordinary differential equation, 150
- Chebyshev equation, 182
- Chebyshev, Pafnuty Lvovich, 182
- Cholesky decomposition, 397, 434, 435
- Cholesky, André-Louis, 397
- Christoffel symbols, 49, 50, 64
- Christoffel, Elwin Bruno, 50
- Clairaut equation, 134
- Clairaut, Alexis Claude, 134
- collocation method, 360, 361, 368, 376
- column
 - buckling, 217
 - deflection, 217
- column space, 358, 359, 392–394, 399–403, 405, 408, 436, 438, 441, 456, 457
- column vector, 390, 392–394, 401, 402, 404, 422, 428, 444, 450
- commutative, 284, 395
- commutative ring, 283
- commutator, 476
- compact, 331
- compact support, 359
- complement, 279
- complementary function, 146–151, 155, 156, 158, 159, 169, 176, 177, 180, 182–190, 201, 202, 204, 211–213, 272
- complete, 281, 289
- complete set, 314
- completeness, 330
- complex conjugate, 150, 151, 290, 297, 298, 339, 343, 345, 346, 348, 417, 444, 599
- complex matrix, 416
- complex number, 280, 283, 285, 340, 598
- condition number, 410, 488
- conduction, 217
- conductivity
 - thermal, 217, 278
- conjugate transpose, 342, 345, 416, 418, 450
- conservation
 - energy, 28, 249
- conservative, 113, 543
 - field, 94
 - system, 529
- constraint, 20, 21, 28–30, 60, 63, 214, 292, 334, 391, 437, 547–549, 579
 - nonlinear, 548
- continuum mechanics, 49, 78, 98
- contraction, 82
 - double, 75
- contravariant, 35, 43, 64, 66, 67, 73, 326–328
- control system
 - linear, 581
- convection, 217
- convergence, 219, 290, 297, 315, 330
 - exponential, 313, 321
 - radius of, 221, 231
 - spectral, 313, 321
 - Weierstrass M test, 228
- convex, 21, 286, 287
- coordinate system, 36, 43, 47, 55, 67, 73, 82, 328, 420, 523
 - Cartesian, 43, 46, 48, 61, 64, 67, 84, 95, 110–112
 - cylindrical, 40, 50–52, 61, 113
 - elliptic spherical, 61
 - general, 64, 84
 - non-Cartesian, 43

- nonorthogonal, 54, 57, 327
- orthogonal, 47
- orthogonal bipolar, 62
- orthogonal curvilinear, 58
- orthogonal parabolic, 62
- polar, 40, 46–48
- right-handed, 68, 70
- spherical, 61
- Coriolis, Gaspard-Gustave, 52
- cosine integral function, 594
- countable, 280
- covariant, 35, 43, 64, 66, 67, 73, 326–329
- Cramer’s rule, 7, 14, 37, 148, 308, 407, 589, 600
- Cramer, Gabriel, 7
- critical point, 508, 529, 573, 575–582
- critically damped, 204
- cross product, 82
- cube, 112, 502
- curl, 62, 95, 98, 111, 114
- curvature, 86, 90, 100, 112–114
 - field, 507, 508
 - Gaussian, 103, 286
 - mean, 104
 - principal, 103
- cylinder, 16, 18, 61, 113, 114
- D Operator**, 166
- damped
 - critically, 204
 - over-, 204
 - under-, 204
- damping coefficient, 203
- de Moivre’s formula, 150, 322, 324, 599
- de Moivre, Abraham, 150
- deformation, 416, 439, 440, 444, 523
 - extensional, 78
 - shear, 440
- delay differential equation, 140, 144, 145
 - method of steps, 141
- delta
 - Dirac, 161, 376, 596
 - distribution, 596
 - Kronecker, 32, 50, 65, 171
- density, 62, 114
 - probability, 378
- Descartes, René, 31
- determinant, 14, 68, 70, 71, 148, 149, 176, 391, 392, 396, 399, 407, 411, 418, 452, 456, 469, 471, 498, 509, 546, 565
 - Jacobian, 8, 10, 11
- diagonal matrix, 396, 399, 432, 434, 436, 441, 442, 450, 464, 475, 506, 522, 525
- diagonalization, 441
- diameter, 289, 498
- difference equation, 497
 - linear, 146, 207
 - nonlinear, 207
- differential equation
 - constant coefficients, 149
 - delay, 140
 - partial, 559
 - singular, 132
 - variable coefficients, 154
- differential geometry, 64, 84, 115
- differential-algebraic system, 510, 512, 545, 548
 - linear homogeneous, 545
 - nonlinear, 548
- diffusion, 99
- Dirac delta, 161, 376, 596
- Dirac, Paul Adrien Maurice, 161
- direct sum, 285, 393
- direction cosine, 67, 68
- Dirichlet conditions, 177
- Dirichlet, Johann Peter Gustav Lejeune, 177
- dissipation, 28
- dissipative, 498, 530, 531, 536, 537
 - standard map, 501
 - system, 529
- distance, 26, 31, 32, 34, 35, 39, 84, 85, 96, 280, 289, 291, 292, 380, 559
- distributive, 395
- div, 95
- divergence, 62, 98, 111, 114, 530
 - tensor, 98
 - theorem, 94, 105–108, 114
 - vector, 98
- domain, 280, 331
- dot product, 34, 55, 82, 297, 300, 325
- dual basis, 324, 383
- dual basis vector, 55
- dual vector, 76
- Duffing equation, 248, 540, 542, 579
- Duffing, Georg, 248
- Duhamel, Jean-Marie Constant, 114
- dummy index, 34
- dummy variable, 18, 20
- dyadic product, 395
- dynamical system, 497, 501, 529, 530, 534, 545, 547, 549, 551, 554, 562, 565, 577, 580
 - nonnormal, 538
- dynamics, 204, 205, 378, 529, 536, 539, 549, 562, 566, 567
 - fast, 535
 - global, 549, 553
 - nonlinear, 373
 - slow, 535, 537
 - system, 161, 203
- eigenfunction, 169–171, 177, 178, 182–189, 214, 305, 340, 347–350, 356, 385, 386, 389, 482–485, 487, 492, 493, 495, 496
- eigensystem, 345
- eigenvalue, 21, 77, 79, 153, 169, 170, 176, 201, 214, 279, 287, 339, 340, 342–348, 350, 352–356, 370, 371, 385, 386, 388, 390, 399, 410, 417, 418, 421, 442, 450, 472–475, 480, 482–487, 495, 506, 507, 512, 515–519, 522, 523, 525, 528, 530–532, 536, 546, 547, 558, 563–566, 570
 - generalized, 414, 546, 548
 - left, 472
 - right, 346, 472

- eigenvector, 77, 79, 153, 339, 340, 342, 343, 352, 355, 357, 358, 385, 390, 399, 410, 412, 413, 418–422, 426, 441–448, 450, 451, 464, 469, 472–475, 483–485, 491, 493, 506, 515–520, 532, 565, 566, 575
- expansion, 355, 357, 358, 386
- generalized in the first sense, 344, 519
- generalized in the second sense, 414, 415, 546, 548, 549
- left, 77, 342, 344–346, 410, 413, 472
- right, 77, 342, 344, 345, 410, 412, 413, 472
- Einstein notation, 32–35, 65, 74
- Einstein, Albert, 31
- elastic beam, 389
- elasticity, 480
- electromagnetics, 480
- ellipse, 17, 18, 112, 113, 331, 334, 445, 549
- Emden, Jacob Robert, 212
- empty set, 280
- energy
 - kinetic, 28, 216, 249, 251, 543, 544
 - mechanical, 216, 251, 544
 - potential, 28, 216, 249, 251, 543, 544
- energy conservation, 28
 - mechanical, 249
- engineering, 1, 20, 31, 49, 64, 99, 115, 146, 165, 169, 189, 195, 202, 219, 220, 240, 247, 279, 359, 390, 426, 497, 503, 528, 539, 559, 593
- equilibrium, 22, 500, 504, 505, 507, 514, 526, 528–530, 533–535, 537, 538, 541, 546, 548–550, 552, 553, 556–558, 561, 562, 564, 565, 568–572, 582
- error function, 217, 262, 594, 601
 - complementary, 594
 - imaginary, 186, 232, 594
- Euclid of Alexandria, 31
- Euler angles, 421
- Euler axis, 421
- Euler method
 - backward, 530, 576
 - forward, 522, 575
- Euler’s formula, 598
- Euler, Leonhard, 24
- Euler-Bernoulli bending theory, 389
- Euler-Cauchy equation, 154, 212
- Euler-Lagrange equation, 24, 61
- exact differential equation, 120
- existence, 7, 8, 78, 136, 180, 200, 225, 354, 360
 - local, 2, 7
- exponential convergence, 313, 361
- exponential integral function, 189, 594
- extrema, 21
- factorial function, 270, 593
- Feigenbaum’s constant, 573
- Feigenbaum, Mitchell, 573
- field, 283–286, 295, 380
 - gravitational, 583
 - scalar, 92, 94, 113
 - vector, 92–95, 97, 104–107, 109, 110, 113, 114, 505, 507, 508, 529, 530, 533, 534, 538, 555, 558, 573, 575, 576, 578
- velocity, 100, 101, 114
- filter
 - low pass, 206
- finite difference, 207, 208, 210, 359, 361, 497, 522, 559
 - explicit, 208, 522, 530
 - implicit, 530
- finite dimensional vector space, 299
- finite element, 285, 289, 359, 361, 363, 372, 559
- first law of thermodynamics, 114
- first-order ordinary differential equation, 115
 - existence, 136
 - uniqueness, 136
- fixed point, 498–500, 504, 505, 509, 512, 529, 549, 553, 573
- fixed point at infinity, 549
 - Poincaré sphere, 549
 - projective space, 553
- fluid, 62, 278, 562
 - mechanics, 114
- force, 28, 63, 114, 204
 - centrifugal, 582
 - damping, 203
 - drag, 145
 - gravity, 582
 - spring, 203, 204, 248
 - surface, 98
 - transverse, 389
 - viscous, 278
- forced convection, 217
- forward Euler method, 208, 522, 575
- four fundamental subspaces, 392
- Fourier series, 146, 169, 193, 194, 215, 281, 314, 321, 322, 324, 350, 375, 490–493, 495, 560
 - trigonometric, 215
- Fourier transform, 427
 - fast (FFT), 426
 - slow (SFT), 426
 - discrete (DFT), 390, 426, 428, 430–432, 474, 539
 - inverse (IFT), 427
- Fourier’s law, 114
- Fourier, Jean Baptiste Joseph, 114
- Fourier-Bessel series, 215, 216
- Fourier-Chebyshev series, 215, 216
- Fourier-Hermite series, 215, 216
- Fourier-Laguerre series, 216
- Fourier-Legendre series, 215, 216
- Fourier-sine series, 215, 216, 314, 317–319, 356
- fractals, 497, 501
- Fredholm alternative, 356
 - differential equations, 200
 - integral equations, 490
 - linear algebra, 408, 472
- Fredholm equation, 481
 - first kind, 481, 487
 - homogeneous, 481
 - inhomogeneous, 487
 - second kind, 481, 482, 489

- Fredholm, Erik Ivar, 200
- free index, 65
- Frenet, Jean Frédéric, 89
- Frenet-Serret relations, 89
- frequency, 145, 146, 157, 195–197, 204–207, 210, 216, 248, 252, 265, 277, 361, 378, 426, 503, 539, 540
 - natural, 202, 204, 206, 216, 539
 - resonant, 202, 206
- frequency modulation (FM), 252
- friction, 62
 - coefficient, 278
- Frobenius, Ferdinand Georg, 232
- function, 280
- functional, 23, 60
 - dependence, 7, 13, 14, 32
 - equation, 224–226
- fundamental matrix, 521
- fundamental theorem
 - of calculus, 20, 123
 - of linear algebra, 393
- Galerkin method, 360–364, 366, 369, 371–373, 376
- Galerkin, Boris Gigorievich, 360
- gamma function, 246, 270, 593
- Gauss’ theorem, 105, 106
- Gauss, Johann Carl Friedrich, 106
- Gaussian distribution, 374, 377, 378
- Gaussian elimination, 308, 405, 407, 432, 590, 600
- Gelfand’s formula, 411
- Gelfand, Israel, 411
- generalized eigenvector, 472
 - in the first sense, 344, 447
 - in the second sense, 414
- generalized inverse, 468
- geometric multiplicity, 441
- geometric series, 461
- geometry, 1, 64, 115, 415, 497, 535, 559, 562
 - differential, 64, 84, 115
 - Euclidean, 279, 299
 - non-Euclidean, 279
 - three-dimensional, 114
- Gibbs
 - notation, 32, 34, 35, 38, 41, 46, 48, 74, 308, 390, 483
 - phenomenon, 215, 315
- Gibbs, Josiah Willard, 32
- Givens rotation matrix, 422
- Givens, James Wallace Jr., 422
- global stability, 541, 542
- grad, 95
- gradient, 44, 62, 95, 114, 507
 - scalar, 96
 - vector, 97
 - velocity, 101
- Gram, Jørgen Pedersen, 304
- Gram-Schmidt procedure, 304–306, 368, 382, 383, 404, 438, 440, 474
- Gramian matrix, 308
- gravity, 62, 277, 278, 582
- greatest lower bound, 280
- Green’s
 - function, 146, 160, 161, 173, 174, 213, 214, 217, 338, 339, 480, 486
 - identities, 108
 - theorem, 104, 114
- Green, George, 104
- Green–St. Venant tensor, 455, 476
- group theory, 301
- Hamilton, William Rowan, 410
- Hamiltonian, 543, 544, 548, 576
 - system, 543, 548
- Hankel function, 192
- Hankel, Hermann, 192
- Hausdorff, Felix, 501
- Hausdorff-Besicovitch dimension, 501, 572
- heat, 145
 - conduction, 114
 - equation, 559, 561, 562, 581
 - generation, 217
 - radiation, 480
- Heaviside function, 162, 596, 597
- Heaviside, Oliver, 162
- Heiles, Carl Eugene, 576
- Heisenberg uncertainty principle, 301
- Heisenberg, Werner Karl, 301
- helix, 90
- Hénon map, 500, 573
- Hénon, Michel, 500
- Hénon-Heiles system, 576
- Hermite equation, 185
 - physicists’, 172, 185
 - probabilists’, 187
- Hermite, Charles, 185
- Hermitian
 - matrix, 418, 425, 435, 453
 - transpose, 289, 416–418, 420, 422, 435
- Hesse, Ludwig Otto, 21
- Hessenberg form, 456
- Hessenberg, Karl, 456
- Hessian matrix, 21, 103, 286, 287
- heteroclinic
 - connection, 534, 537
 - orbit, 573
 - trajectory, 533–538
- Hilbert space, 298, 299, 301, 303, 317, 331, 333, 340, 381, 382, 384, 419
- Hilbert, David, 297
- Hilbert-Schmidt theory, 337, 491
- Hoene-Wroński, Józef Maria, 148
- Hölder inequality, 299
- Hölder, Otto, 299
- homeomorphism, 331
- homoclinic trajectory, 533
- homogeneity, 147
- homogeneous, 118, 146, 147, 211, 545, 559
 - equations, 515
 - function, 118
- Hopf bifurcation, 558
- Hopf, Eberhard Frederich Ferdinand, 558

- Householder reflection matrix, 423
- Householder, Alston Scott, 423
- hyperbolic
 - function, 62, 131, 593
 - point, 532
- hypergeometric function, 238, 246, 595
 - confluent limit, 596
 - Kummer confluent, 186
 - Tricomi confluent, 189
- ideal gas, 62
- idempotent, 396
- identity element
 - addition, 284
 - multiplication, 284
- identity matrix, 32, 396, 397, 422, 433, 434, 436, 438, 492
- identity operator, 332
- image, 280, 331, 470, 473
- imaginary error function, 186, 232
- implicit function, 1
- implicit function theorem, 2, 59
 - multivariable, 6
- index
 - free, 65
 - repeated, 65
- indicial equation, 233
- inertia, 247, 278
 - tensor, 114
- infimum, 280, 379
- infinite series, 176, 180, 181, 191, 193, 197, 224, 240, 360
- inhomogeneous equation, 525
- initial transients, 205
- initial value problem, 165, 202
- injection, 331
- inner product, 82, 171, 215, 297, 298, 300–304, 308, 316, 325, 335, 336, 359, 364, 366, 374, 376, 379–381, 383, 385, 392, 395, 416, 490, 560
 - tensor, 75, 76, 412
- inner product space, 297, 380, 381, 383
- inner region, 257
- integral asymptotics, 268
- integral equation, 275, 337, 480
 - degenerate kernel, 482
 - Fredholm equation, 481
 - homogeneous, 480
 - kernel, 480
 - separable kernel, 482
 - singular, 481
 - Volterra equation, 481, 495
- integral equations, 161
- integral operator, 336
- integrating factor, 122–124, 126, 128, 142, 172
- integration
 - by parts, 23, 173, 335, 336, 338, 348, 359, 363, 560
 - Lebesgue, 280, 282
 - rectangular rule, 484
 - Riemann, 280, 281
- integro-differential equations, 480
- interior layer, 261
- intersection, 279
- interval, 280
 - closed, 280
 - open, 280
- invariant
 - manifold, 529, 553
 - principal, 114
 - tensor, 76, 77, 79, 80, 112
- inverse, 33, 34, 36, 59, 76, 198, 328, 331, 337, 355, 359, 397–399, 436, 443, 473, 492, 506
 - additive, 75
 - Fourier transform, 427
 - function theorem, 11, 12
 - generalized, 468
 - operator, 337, 338
 - pseudo, 467, 487
- invertible, 331
- involutary, 71, 396, 423
- irregular singular point, 237
- irrotational, 114
- iterated map, 497, 501, 504
 - Gaussian, 573
- Jacobi, Carl Gustav Jacob, 8
- Jacobian, 8, 11–13, 34, 36, 59, 66, 73, 97, 527, 565
 - determinant, 8, 10, 11, 14, 15, 33, 38, 41
 - matrix, 8, 34–37, 39, 41, 61, 62, 498, 526, 532, 535, 536
- Jeffreys, Harold, 263
- Jordan canonical form, 447, 474, 475, 518
- Jordan, Marie Ennemond Camille, 447
- Julia set, 503
- Julia, Gaston Maurice, 503
- Kálmán, Rudolf Emil, 461
- Kálmán filter, 461
- Kelvin function, 193
- Kepler’s second law, 583
- Kepler, Johannes, 583
- kernel, 332, 480–482, 484, 486
 - degenerate, 482, 483
 - symmetric, 337, 494, 495
- kinetic energy, 27, 28, 216, 249, 251, 543, 544
- Koch curve, 502
- Kramers, Hendrik Anthony, 263
- Kronecker delta, 32, 50, 65, 171
- Kronecker, Leopold, 32
- Kummer, Ernst, 186
- Lagrange multiplier, 1, 28
- Lagrange, Joseph-Louis, 24
- Lagrangian, 27
- Laguerre equation, 188
- Laguerre, Edmond Nicolas, 188
- Lane, Jonathan Homer, 212
- Lane-Emden equation, 212
- Laplace’s method, 268, 270, 277
- Laplace, Pierre-Simon, 62
- Laplacian, 62, 99, 111, 385
- law of cosines, 68–70, 73
- $\mathbf{L} \cdot \mathbf{D} \cdot \mathbf{U}$ decomposition, 432

- least action principle, 27, 28
- least squares method, 361, 390, 458, 477, 478
 - unweighted, 459
 - weighted, 321, 460
- least upper bound, 280
- Lebesgue
 - integral, 280, 282
 - space, 300
- Lebesgue, Henri Léon, 280
- Legendre
 - differential equation, 179
 - polynomial, 180, 191, 194, 195, 197, 214, 305
- Legendre, Adrien-Marie, 179
- Leibniz rule, 18–20, 59, 110, 137, 162
 - multiple independent variables, 110
 - one independent variable, 18
- Leibniz, Gottfried Wilhelm, 18
- level set, 102
- Levi-Civita symbol, 65
- Levi-Civita, Tullio, 65
- l'Hôpital's rule, 222
- light, 62
 - speed of, 62
- Lighthill's method, 247
- Lighthill, Michael James, 247
- limit cycle, 252, 253, 256, 539, 540
- limit point, 289
- Lindstedt, Anders, 247
- line integral, 92, 93, 104, 109
- linear algebra, 34, 37, 77, 152, 308, 309, 369, 371, 390–392, 406, 408, 497, 506, 507, 521, 562
- linear analysis, 55, 169, 200, 279, 390
- linear combination, 45, 48, 65, 147, 155, 157, 162, 176, 184, 286, 304, 307, 314, 353, 371, 379, 381, 383, 393, 394, 404, 406, 408, 477, 511, 518
- linear control system, 581
- linear differential equation, 146–147
 - first-order, 123
- linear independence, 54, 146, 148, 149, 242, 317
- linear operator, 147, 160, 166, 170, 279, 330, 332, 339, 354, 385, 390, 394, 417
 - unbounded, 332
- linear oscillator, 146, 175, 177, 210, 539, 548
- linear space, 284
- linear stability, 532
- linear system of algebraic equations, 390
 - over- and underconstrained, 405
 - overconstrained, 400
 - square systems, 406
 - underconstrained, 12, 13, 403
- linear system of differential equations, 514
 - homogeneous with constant coefficients, 152, 515
 - inhomogeneous with constant coefficients, 525
- linearization, 1–6, 13, 14, 41, 219, 240, 279, 505, 528, 556, 557, 561
- linearly dependent, 148, 286, 358, 589
- linearly independent, 45, 147, 212, 286, 304–310, 319, 355, 358, 360, 365, 368, 380, 383, 393, 403, 441, 442, 447, 458, 596
- Liouville, Joseph, 170
- Lipschitz condition, 133
- Lipschitz, Rudolf Otto Sigismund, 133
- local form, 532
- logistics map, 498, 573
- Lorenz equations, 562–569, 571, 572, 581
- Lorenz, Edward Norton, 562
- low pass filter, 206
- Lyapunov function, 541–543, 555, 577, 578
- Lyapunov, Alexandr Mikhailovich, 541
- Mandelbrot set, 503
- Mandelbrot, Benoît, 503
- manifold, 529
 - attractive, 535
 - invariant, 529
 - stable, 533, 538
 - unstable, 533, 538
- mapping, 11–13, 22, 40, 320, 328, 331, 415, 416, 428, 440, 444, 445, 498, 530, 550, 553
 - alibi, 416, 440, 444, 446, 447, 453, 470
 - identity, 45
 - inverse, 12, 13, 33, 553, 554
- mass, 27, 62, 145, 203, 216, 248, 277, 278
- mass-spring system, 146, 169, 216
 - damped, 161, 252, 542
 - damped and forced, 203, 204, 539, 540
 - undamped, 248, 543
- matched asymptotic expansion, 256
- matrix, 384
 - addition, 392
 - adjoint, 471
 - antisymmetric, 396
 - as a linear mapping, 415
 - asymmetric, 396
 - cofactor, 399
 - commutator, 476
 - complex, 416, 417
 - condition number, 410
 - decomposition, 432
 - diagonal, 385, 396, 399, 432, 434, 436, 441, 442, 450, 464, 475, 522
 - exponential, 462, 470, 574
 - fundamental, 521
 - Givens rotation, 422
 - Gramian, 308
 - Hermitian transpose, 416
 - idempotent, 396
 - identity, 32, 396, 397, 422, 433, 434, 436, 438, 492
 - inverse, 398, 471, 473
 - involuntary, 71, 396, 423
 - Jacobian, 61, 62, 69, 535, 536
 - lower triangular, 397
 - minor, 399
 - multiplication, 394
 - nilpotent, 396, 470
 - nonnormal, 524
 - orthogonal, 36, 70, 342, 419–421, 423, 446, 450, 451, 464–466, 474
 - permutation, 397, 420, 432, 433, 435, 436
 - positive definite, 397

- matrix (*cont.*)
 - projection, 309, 390, 397, 401, 432, 456, 477
 - rank, 392
 - reflection, 71, 420
 - rotation, 70, 71, 420–422, 453, 454, 522
 - similar, 399, 454, 475
 - skew-symmetric, 396
 - spectral norm, 410
 - spectral radius, 410
 - square, 391, 395–397, 410, 432, 433, 441, 447, 456
 - symmetric, 42, 335, 396, 464, 471
 - trace, 411
 - transpose, 396
 - triangular, 397
 - unitary, 419, 420, 422, 428, 450, 453, 456, 474, 522
 - upper triangular, 397
- matrix decomposition, 390, 432
 - Cholesky, 397, 434, 435, 475
 - diagonalization, 441
 - Hessenberg, 456, 474
 - Jordan canonical form, 447, 474, 475
 - $\mathbf{L} \cdot \mathbf{D} \cdot \mathbf{U}$, 432, 475
 - $\mathbf{P}^{-1} \cdot \mathbf{L} \cdot \mathbf{D} \cdot \mathbf{U}$, 474, 476
 - polar, 453
 - $\mathbf{Q} \cdot \mathbf{U}$, 439, 470, 474, 475
 - row echelon form, 435, 474
 - Schur, 449, 474, 475
 - singular value decomposition (SVD), 390, 450, 470, 474, 476
- maxima, 1, 21
- Maxwell's reciprocity theorem, 217
- Maxwell, James Clerk, 217
- May, Robert McCredie, 498
- mean, 374, 377, 378, 388
- mean value theorem, 94
- mechanical energy, 216, 249, 251, 544
- mechanics, 27, 28, 64
 - computational, 1
 - continuum, 49, 78, 98
 - fluid, 114
 - vector, 34, 171
- Menger sponge, 502, 573
- Menger, Karl, 502
- Mercator, Gerardus, 550
- method of moments, 361
- method of multiple scales, 253, 276
- method of steps, 141
- method of undetermined coefficients, 156
- method of weighted residuals, 279, 359, 372, 387, 388
 - collocation, 360, 387–389
 - Galerkin, 360, 372, 387–389, 559
 - least squares, 361, 387–389
 - moments, 361, 387–389
 - pseudospectral, 361, 387
 - spectral, 361, 387
 - subdomain, 360, 389
- metric, 289
- metric tensor, 34, 38, 39, 41, 42, 46, 56, 57, 61, 62, 66, 69, 73, 308, 327, 454
- min-max theorem, 353
- minima, 1, 21
- Minkowski
 - inequality, 288, 302, 303
- Minkowski, Hermann, 288
- modulus, 290
- Monte Carlo, 373, 377, 378, 388
- Moore, Eliakim Hastings, 467
- Moore-Penrose pseudoinverse, 467–470, 479, 496
- multivariable calculus, 1
- multiple scales
 - method of, 253, 276
- natural circulation loop, 582
- natural frequency, 202
- negative definite, 21, 332
- negative semi-definite, 332
- neighborhood, 2, 133, 163, 280, 289
- Neumann
 - condition, 177
 - series, 461, 478
- Neumann, Carl Gottfried, 177
- neutral stability, 529
- Newton's law of motion, 28, 203, 248
- Newton, Isaac, 18
- nilpotent, 396, 470
- nonautonomous system, 508
- nonlinear, 1–5, 9, 20, 24, 31, 32, 40, 45, 115, 116, 118, 120–123, 125–127, 131, 132, 134, 136, 207, 212, 219, 220, 247, 248, 252, 279, 369, 373, 497, 498, 503, 504, 509–512, 514, 526, 528, 529, 533, 534, 539–542, 545, 548, 556, 559–562, 565, 566, 576, 581
 - oscillator, 247
 - stability, 565
 - system, 528
- nonnormal matrix, 524
- norm, 81, 288–291, 293–298, 301, 303, 315, 318, 319, 321, 330, 333, 368, 380–382, 384, 389, 408, 411, 413, 417, 424, 488, 490, 492
 - 1-, 82, 289
 - 2-, 81, 289
 - Schatten p -, 82, 333
 - Chebyshev, 289
 - chessboard, 289, 292
 - Euclidean, 81, 289, 400, 405, 406, 408, 459
 - infinity, 82, 289, 292
 - Manhattan, 289, 292
 - maximum, 289
 - operator, 332
 - p -, 82, 289
 - spectral, 332, 410, 411, 418
 - supremum, 289
 - taxicab, 289, 292
- normal stretching, 536–538
- null
 - set, 280
 - vector, 81, 284, 289, 515
- null space, 147, 332, 359, 384, 386, 481, 488
 - left, 392, 393, 436, 477

- right, 392–394, 398, 400, 403, 404, 406, 408, 436–438, 470, 477, 487, 488
- one-to-one, 331
- open interval, 280
- operator, 330
 - adjoint, 334
 - differential, 94, 147, 155, 161, 166, 171, 200, 335, 336, 347, 354, 359, 384, 385, 480
 - inverse, 337, 338
 - left, 332
 - linear, 330, 332, 384, 389
 - matrix, 354
 - norm, 332
 - right, 332
 - self-adjoint, 334, 340
 - Sturm-Liouville, 171–173, 176, 190, 201
 - unitary, 331
- optimization, 1, 20, 354
 - constrained, 28, 334
 - unconstrained, 21
- orbit, 529
 - heteroclinic, 538, 573
 - homoclinic, 538
 - periodic, 558
- ordinary point, 231
- Orr, William McFadden, 582
- Orr-Sommerfeld equation, 382
- orthogonal, 42, 45, 47, 48, 55, 57, 58, 77–79, 82, 87–89, 169, 171, 195, 197, 198, 218, 303–305, 307, 310, 313, 320, 326, 342–347, 355, 357, 358, 360, 361, 368, 379–382, 386, 387, 393, 404, 422, 424, 438, 444, 446, 454, 457, 464, 472, 474, 491
 - matrix, 420
- orthogonal complement, 393
- orthogonal curvilinear coordinates, 57
- orthogonal functions, 380
 - ber and bei functions, 193
 - Bessel and Neumann functions, 191
 - Chebyshev polynomial, 183, 218, 320, 368
 - Hankel function, 192
 - Hermite polynomial, physicists', 185
 - Hermite polynomial, probabilists', 187, 374
 - Kelvin function, 193
 - Laguerre polynomial, 188
 - Legendre polynomial, 180
 - trigonometric function, 175
- orthogonal matrix, 36, 70, 342, 419–421, 423, 446, 450, 451, 464–466
- orthogonality condition, 171, 303
- orthonormal, 1, 47, 48, 58, 64, 65, 78, 79, 169, 171, 179, 181, 184, 186, 187, 189, 192–195, 297, 303–306, 314, 316–319, 325, 330, 342–344, 350, 365–367, 379, 381–383, 389, 404, 428, 438, 450, 559
- orthonormal basis, 314
- oscillation, 146, 169, 204, 210, 252, 256, 277, 458, 539, 540, 558
- outer region, 257
- overdamped, 204
- Padé approximant, 219, 222–224, 272
- Padé, Henri Eugène, 219
- parallelogram, 37, 61, 415, 416
- parallelogram equality, 301
- Parseval des Chênes, Marc-Antoine, 330
- Parseval's equation, 330, 384, 428
- partial differential equation, 497, 544, 559, 560, 562, 581
 - Galerkin projection, 559, 560, 562, 581
- partial fraction expansion, 119
- particular solution, 146, 147, 156, 213
- path-dependent, 93
- pendulum, 277
- Penrose, Roger, 467
- perimeter, 61
- permutation matrix, 397, 420, 432, 433, 435, 436
- permutation symbol, 65
- perturbation method, 240
 - polynomial equation, 240
 - singular, 256
 - transcendental equation, 240
- phase angle, 206
- phase plane, 249, 250, 253, 255, 256, 533, 534, 538, 549, 558, 562, 573, 575, 576, 578, 582
- phase shift, 204
- phase space, 505, 514, 529, 530, 549, 550, 553, 554, 561, 568, 570, 572, 573, 579, 581
- physics, 31, 195, 219, 458
 - statistical, 480
- Picard iteration, 136, 144
- Picard, Émile, 136
- pitchfork bifurcation, 555, 556, 558, 563, 564
- Planck, Max Karl Ernst, 301
- Poincaré sphere, 549, 550, 552, 553, 579
- Poincaré, Henri, 247
- Poincaré-Lindstedt method, 247
- polar decomposition, 453, 523
 - left, 453, 476
 - right, 453, 476
- polynomial chaos, 279, 373, 377, 388
- porous media, 217
- positive definite, 21, 286–288, 301, 331, 332, 380, 384, 385, 397, 471, 479
- positive operator, 332
- positive semi-definite, 114, 286–288, 332, 454
- potential, 94, 113
- potential energy, 28, 216, 249, 251, 543, 544
- power series, 219, 224–227, 272
 - first-order equation, 226
 - higher order equation, 237
 - second-order equation, 230
- Prandtl's method, 257
- Prandtl, Ludwig, 257
- pre-Hilbert space, 297
- principal axes, 63, 76, 78, 79, 454, 566, 582
 - deformation, 523
- principal axis theorem, 464
- principal normal, 88, 90
- principal value, 111
 - Cauchy, 282, 379, 595
- principle of least action, 27, 28

- Pritulo’s method, 275
- Pritulo, Mikhail Fiodorovich, 275
- probability density, 378
- product rule, 84, 88, 123, 559
- projection, 17, 146, 193, 307, 559
 - matrix, 397, 401, 432, 456, 477
 - nonorthogonal basis, 307
 - orthogonal basis, 313
- projection matrix, 309
- projective space, 549, 553
- pseudoinverse, 467, 487
 - Moore–Penrose, 467–470, 479, 487, 496
- Pythagoras of Samos, 32
- Pythagoras’ theorem, 32, 82, 84, 303
- Q · U decomposition**, 439
- quadratic form, 390, 464–467, 478, 479
 - standard form, 464
- quadrature, 137
- quadric surface, 464
- quadrilateral, 61
- quantum mechanics, 301
- quotient rule
 - derivative, 87, 551
 - tensor, 81
- radiation, 145
- radiation heat transfer, 480
- radius of convergence, 221, 231, 232
- radius of curvature, 86, 88, 90, 101, 112, 113
- random, 374, 376–378, 388, 431, 432
- range, 280, 331
- rank, 391, 392, 394, 396, 398, 399, 405, 407, 436, 437, 441, 450, 457, 458, 470, 485, 487, 492
- rank-deficient, 405
- ratio test, 229
- Rayleigh quotient, 350, 351, 386
- Rayleigh–Ritz method, 372, 388
- reciprocal basis, 324
- reciprocal basis vector, 55, 325, 327–329, 350, 379, 383
- rectangle, 114, 484
- rectangular rule, 484
- recursion relation, 176, 180, 228, 231
- reduction of order, 129
- reflection, 36, 68, 71, 390, 397, 423, 424, 439, 444, 454, 466
- reflection matrix, 71, 420, 423
- regular perturbation, 244, 247, 256, 257
- regular singular point, 232
- relaxation distance, 116
- repeated index, 47, 65
- repeated substitution, 267
- representation, 307
- residual, 360, 387, 391, 400, 402, 405–408, 457–459, 470, 478
- resonance, 146, 202
- resonant frequency, 202, 206
- Riccati equation, 126, 143
- Riccati, Jacopo, 126
- Riemann integral, 280, 281
- Riemann, Georg Friedrich Bernhard, 280
- Ritz method, 371, 372
- Ritz, Walther, 353
- Rodrigues formula, 181
- Rodrigues, Benjamin Olinde, 181
- root-mean-square, 312
- Rössler equations, 581
- Rössler, Otto, 581
- rotation, 36, 37, 64, 66, 67, 70–73, 78, 79, 328, 342, 343, 390, 397, 416, 420, 421, 439, 440, 444, 446, 447, 450, 452–455, 458, 522, 523, 531, 535–538
 - Givens, 422
- row echelon form, 404, 435, 474
- row space, 392–394, 400–406, 408, 436–438, 470, 477
- row vector, 392, 394, 402, 438
- saddle, 21, 22, 507, 532–538, 550, 553
- saddle-node bifurcation, 557
- Saint-Venant, Adhémar Jean Claude Barré de, 455
- scalar, 66, 72, 298
 - field, 62, 92, 94, 95, 113
 - product, 82, 297
 - triple product, 83
- scale factors, 58, 62
- Schatten, Robert, 82
- Schmidt, Erhard, 304
- Schur decomposition, 449
- Schur, Issai, 449
- Schwarz, Karl Hermann Amandus, 298
- second law of thermodynamics, 114
- secular equation, 150
- secular term, 250, 519
- self-adjoint, 172–175, 215, 334–337, 339, 340, 342–345, 347, 350, 381, 384, 385, 410–412, 418, 420, 425, 458, 491
- semi-norm, 288
- separation of variables, 117
- sequence, 289, 331, 383
 - Cauchy, 289, 295–297, 380, 381, 383
- series
 - asymptotic, 219, 593
 - Fourier, 146, 169, 193, 194, 215, 281, 314, 321, 322, 324, 350, 375, 490–493, 495, 560
 - geometric, 461
 - infinite, 176, 180, 181, 191, 193, 197, 224, 240, 360
 - Neumann, 461
 - power, 219, 224–227, 272
 - Taylor, 4, 21, 85, 138, 139, 176, 219–225, 227, 230, 234, 238, 239, 244, 256, 268–272, 312, 320, 389, 509, 532
- Serret, Joseph Alfred, 89
- set, 279
 - boundary, 280
 - closed, 280
 - interior, 280
 - open, 280
- shooting method, 218
- similar matrix, 399, 454
- sine integral function, 594

- singular, 11, 24, 45, 133–136, 154, 179, 181, 182, 202, 241, 256, 282, 371, 396–398, 414, 509, 511, 512, 516, 546
 - integral equation, 481
 - matrix, 392
 - perturbation method, 256
 - value, 450, 451, 453, 476
 - value decomposition (SVD), 390, 450, 476
 - values, 488
- singular point, 232, 529
 - irregular, 237
 - regular, 232
- singular value decomposition (SVD), 453, 455, 458, 469
- singularity theory, 555
- sink, 532, 534–537, 554
 - spiral, 532, 533
- skew-Hermitian matrix, 418
- skew-symmetric matrix, 396
- Sobolev, Sergei Lvovich, 285
- Sobolov space, 285, 300
- solenoidal, 114
- Sommerfeld, Arnold Johannes Wilhelm, 582
- source, 532, 533, 553, 554
 - spiral, 532
- space
 - inner product, 297
 - normed, 288
 - vector, 283
- span, 147, 286, 309–311, 313, 325, 329, 355, 358, 383, 384, 392, 394, 401, 402, 457, 473, 477
- special functions, 593
- specific heat, 114, 145
- spectral
 - convergence, 313, 361
 - method, 361, 365, 559
 - norm, 332, 410, 411, 413, 416, 418, 446, 531
 - radius, 410, 412–414, 416, 418, 523
- spectrum, 201
 - continuous, 146, 201
 - discrete, 146, 201, 202
 - eigenvalue, 201
- sphere, 5, 6, 114, 145, 331, 537, 549–553
 - Poincaré, 549, 550, 552, 553, 579
- spring
 - constant, 203
- square matrix, 391, 395–397, 410, 432, 433, 441, 447, 456
- square root of a matrix, 454
- square wave, 216, 384
- stability, 504
 - asymptotic, 529
 - neutral, 529
 - structural, 529
- stable, 141, 498, 499, 507, 529, 530, 532, 538, 541–543, 555–558, 564, 565, 567, 569, 570, 575, 577–580
- stable manifold, 533, 538
- standard deviation, 374, 377, 378, 388
- state space, 529
- stationary point, 529
- statistical physics, 480
- Stefan, Jožef, 145
- Stefan-Boltzmann constant, 145
- Stirling’s approximation, 271, 593
- Stirling, James, 271
- Stokes’ theorem, 108, 109, 114
- strained coordinates, 247, 277
- strange attractor, 500, 529, 569, 572
- stress tensor, 63
- stretching, 37, 43, 328, 416, 439, 440, 444, 446, 447, 450, 453, 523
 - eigen-, 446, 453
 - normal, 536–538
 - shear, 440
 - tangential, 536, 537
- strong
 - formulation, 359, 372
 - solution, 360
- structural stability, 529
- Strutt, John William (Lord Rayleigh), 350
- Sturm, Jacques Charles François, 170
- Sturm-Liouville
 - equation, 146, 169, 170, 201, 214, 215, 305
 - operator, 171–173, 176, 190, 201, 381
- subdomain method, 360
- subset, 279, 280, 380
- subspace, 285, 286, 297, 335, 336, 338, 380, 385, 392–394, 401, 402, 405, 407, 408, 436
 - four fundamental, 392
- superposition principle, 146, 147
- supremum, 280, 379
- surface integral, 94, 106, 109, 113
- surjection, 331, 446
- Sylvester equation, 476
- Sylvester, James Joseph, 476
- symmetric matrix, 42, 335, 396, 464
- tangent of a curve, 84
- tangent plane, 6, 96, 103
- tangential stretching, 536, 537
- Taylor series, 4, 21, 85, 138, 139, 176, 219–225, 227, 230, 234, 238, 239, 244, 256, 268–272, 312, 320, 389, 509, 532, 598
 - function approximation, 220
 - solution approximation, 238
- Taylor, Brook, 4
- temperature, 114, 145, 217, 278, 559
 - field, 559
- tension, 217
- tensor, 64, 66, 73–76, 78, 79, 106, 111, 112, 114, 328, 329
 - antisymmetric, 74, 75
 - as a matrix, 73
 - asymmetric, 74, 79
 - Cartesian, 56, 64
 - conductivity, 114
 - contravariant, 44
 - covariant, 44
 - field, 98
 - Green–St. Venant, 455, 476
 - inertia, 114

- tensor (*cont.*)
 - invariants, 76, 77, 79, 80, 112
 - metric, 34, 38, 39, 41, 42, 46, 56, 57, 61, 62, 66, 69, 73, 308, 327, 454
 - mixed, 44
 - quotient rule, 81
 - stress, 63
 - symmetric, 74, 455
 - transpose, 74
 - velocity gradient, 100, 101
- thermodynamics, 62
 - first law, 114
 - second law, 114
- Thomson, William (Lord Kelvin), 193
- time constant, 116
- topologically equivalent, 331, 529
- torsion, 89, 91, 112, 113
- torus, 331
- total differential, 1, 5, 12, 13, 120
- trace, 77, 396, 411, 412, 457, 458
- traction, 63
- trajectory, 100, 101, 136, 249, 253, 255, 508, 529, 533, 534, 536, 538, 548, 549, 553, 565, 568, 572, 581
 - heteroclinic, 533
 - homoclinic, 533
- transcendental equation, 176, 224, 240, 277, 529
- transcritical bifurcation, 556
- transformation, 32, 35, 36, 38, 40–43, 45, 50, 61, 62, 331
 - affine, 37, 39
 - alias, 33, 37, 43, 55, 67, 325, 415
 - alibi, 33, 55, 415, 444, 530
 - coordinate, 1, 31, 49, 57
 - inverse, 33, 34, 36, 37, 40, 41, 46, 50, 69, 428, 465, 466, 550
 - linear, 18
 - linear homogeneous, 37
 - linearly homogeneous affine, 36
 - nonlinear, 40, 45
 - nonorthogonal, 36, 39
 - orientation-preserving, 35, 68
 - orientation-reversing, 35, 68
 - reflection, 68
 - rotation, 67, 71
 - volume-preserving, 35, 68
- transpose, 14, 34, 36, 42, 396
 - Hermitian, 289, 416
 - tensor, 74
- trapezoid, 114
- trapezoidal rule, 384, 600
- trial function, 353, 360, 361, 365, 367, 387, 388
- triangle inequality, 81, 288
- triangular matrix, 397
 - lower, 397, 432, 435
 - upper, 397, 419, 432, 433, 435, 439, 449, 450
- Tricomi, Francesco Giacomo, 189
- trigonometric relations, 591
- turning point, 265
- two-point boundary value problem, 160
- uncertainty quantification, 279, 373
- uncountable, 280
- underdamped, 204
- undetermined coefficients, 156, 213
- uniformly convergent, 228
- union, 279
- uniqueness, 4, 115, 132, 133, 136, 200, 354
 - non-, 40, 292
- unit
 - normal, 74, 79, 95–97, 102, 106, 107, 113, 535, 536
 - tangent, 84, 85, 87, 88, 90, 96, 113, 536
- unitary
 - matrix, 419, 420, 422, 428, 450, 453, 456, 474
 - operator, 331
- unitary matrix, 522
- unstable, 141, 498, 499, 507, 529, 532, 537, 538, 555, 557, 563–565, 569–572, 578–580
- unstable manifold, 533, 538
- van der Pol equation, 252, 276, 578, 582
- van der Pol, Balthasar, 252
- Van Dyke’s method, 258
- Van Dyke, Milton Denman, 258
- variance, 44
- variation of parameters, 158, 213, 528
- variational principle, 27, 28, 371, 372
- vector, 15, 32, 34, 39, 43–48, 54–57, 64–66, 70–74, 76, 79, 81–84, 98, 99, 108, 111, 112, 152, 171, 279, 284–286, 288–291, 295, 299, 301, 303–310, 314, 325, 327, 328, 340, 342, 343, 358, 359, 368, 383, 384, 390, 392–395, 397, 400–408, 413, 415, 419–421, 423, 424, 426–429, 436–438, 440, 444, 446, 447, 450, 454, 456–458, 470, 474, 477, 493, 506, 515, 517, 527, 530, 531, 546, 589
- acceleration, 52
- algebra, 81
- basis, 47, 48, 54–56, 65, 78, 84, 286, 307–309, 313, 343, 379–381, 383, 438, 457, 458, 566
- calculus, 84
- Cartesian, 43, 56, 64, 67, 300, 328, 420
- column, 15, 32, 35, 47, 48, 54, 65, 82, 307, 309, 390, 392–394, 401, 402, 404, 422, 428, 444, 450
- complex, 416, 418
- contravariant, 35, 43, 45, 49, 50
- covariant, 35, 43, 45
- dual, 55, 76, 78, 79
- field, 46–49, 62, 92–95, 97, 98, 104–107, 109, 110, 113, 114, 301, 505, 507, 508, 529, 530, 532–534, 538, 555, 558, 573, 575, 576, 578
- function, 84
- gradient, 44, 45, 102
- identities, 83
- normal, 97
- null, 81, 284
- null space, 400
- operator, 95, 100
- orthogonal, 79, 305
- orthonormal, 47, 58, 64, 304, 419, 474
- position, 92, 96
- reciprocal, 383

reciprocal basis, 55, 325, 327–329, 350, 379	Volterra, Vito, 481
residual, 457	volume integral, 106
row, 15, 32, 35, 82, 392, 394, 402, 438	von Koch, Niels Fabian Helge, 502
row space, 401	vorticity, 114
space, 283–286, 289, 290, 297–299, 332, 340, 355, 379, 380, 382, 390, 392, 436	weak
unit, 46, 47, 54, 84–88, 99, 112, 327, 420, 423	formulation, 359, 360
unit normal, 74, 79, 94–97, 102, 106, 107, 113	solution, 359
unit tangent, 84, 87, 88, 90, 536	Weierstrass M test, 228
velocity, 43, 44, 52, 61, 84, 101	Weierstrass function, 503
velocity, 43, 44, 52, 59, 61, 62, 84, 100, 101, 110, 112, 145, 203, 248, 277, 278	Weierstrass, Karl Theodor Wilhelm, 228
angular, 112, 582	weighting function, 360, 374, 379, 386, 560
field, 100, 101, 114	Wentzel, Gregor, 263
gradient, 100, 101	white noise, 431
Venn, John, 300	Wiener, Norbert, 373
viscous, 278	Wiener-Askey chaos, 373
Volterra equation, 481, 495	WKB method, 263, 276
	work, 114
	Wronskian, 148, 211