

# Index

Locators in *italic* refer to figures.

Locators in **bold** refer to tables.

- AAICH; *see* anticoagulant-associated intracerebral hemorrhage
- AAN (American Academy of Neurology) 37
- abciximab 66, 76, 173–4, **233**, **234**
- Abciximab in Emergency Treatment of Stroke Trial (AbESTT) 66–7
- abdominal aortic aneurysm (AAA) 13, **14**, **16**, 16–17, **17**, 18, 19
- acenocoumarol 147–9, 255
- acetylsalicylic acid; *see* aspirin
- activase, tissue-plasminogen activator 71
- activated coagulation time (ACT), heparin 67
- activated partial thromboplastin time (aPTT) 67, 78, 256, **257**
- ACTIVE-A (Atrial Fibrillation Clopidogrel Trial with Irbesartan for Prevention of Vascular events – Aspirin) 173
- acute coronary syndromes (ACS), in-hospital stroke 47–50
- acute lymphoblastic leukemia (ALL) 243
- acute myocardial infarction (AMI) 47–50; *see also* myocardial infarction
- adenosine diphosphate (ADP) 63, 64
- adenosine diphosphate receptor inhibitors 170–3
- AfAs (antifibrinolytic agents) **228**, 229–30
- age of patient, as risk factor for stroke 101
- ATRIA risk score **190**
- coronary artery bypass graft surgery 100
- general surgery 1, **2**
- HAS-BLED scoring system **189**
- HEMORR<sub>2</sub>HAGES scoring system **190**
- intra-arterial cerebral angiography 90–3
- intracerebral hemorrhage 157, 162, 185, 191, **193**
- AHA; *see* American Heart Association
- air gas embolism 134–8
- diagnosis *137*
- non-surgical conditions associated **135**
- surgeries associated **135**
- airway management, intracerebral hemorrhage 176, 257
- alcoholism, as risk factor for stroke 23–4, **190**
- ALL (acute lymphoblastic leukemia) 243
- alteplase 163
- American Academy of Neurology (AAN) 37
- American College of Cardiology, National Cardiovascular Data Registry 97
- American College of Chest Physicians Evidence-Based Clinical Practice Guidelines 7
- American College of Surgeons, National Surgical Quality Improvement Program 14
- American Heart Association (AHA)
- delayed cerebral ischemia guidelines **41**
- prevention of stroke in pregnancy 211
- aminocaproic acid 229–30
- amniotic fluid embolism 208
- amphetamines **231**
- anabolic steroids 229, **241**, 242–3, **248**
- anemia, ATRIA risk score **190**
- anesthesia, residual effects
- misdiagnosis as stroke 1
- aneurysmal subarachnoid hemorrhage 33, 44
- definitions 33–4
- delayed cerebral ischemia 38–43, **39**, **41**, **43**
- pathophysiology 34–6
- pregnancy and puerperium 213–18
- vasospasm **36**, 36–8, **37**, 38
- see also* subarachnoid hemorrhage
- aneurysms, cerebral
- endovascular coil embolization procedure 70
- neurosurgery 27–8, 29
- radiation therapy 118
- angiogenesis inhibitors **241**, 243–4
- angiographic contrast agents; *see* contrast agents
- angiography; *see* cerebral angiography; CT angiography; digital subtraction angiography; MR angiography
- angiopathy, risk factors for stroke in pregnancy 210; *see also* cerebral amyloid angiopathy
- angioplasty
- aneurysm occlusion 75, 78
- carotid angioplasty and stenting 49
- delayed cerebral ischemia **41**, 42–3, **43**
- stroke risk associated with different procedures 77
- animal models, air gas embolism 137, 138
- antihistamines **234**
- antiarrhythmic agents **234**
- antibiotics **233**, **234**
- anticoagulants
- air gas embolism 138
- cardioversion 222–3
- coagulation assays 256, **257**
- endovascular procedures 68–9
- epidemiology 255
- in-hospital stroke on medical wards 48–9, 53
- medication-induced stroke 227, **232**, 232–3; *see also below*
- pregnancy and puerperium 212
- surgery, perioperative management 4, 7–8
- therapy reversal 257–9, **258**
- trauma patients 60
- withdrawal 147–9, **148**
- see also* heparin; warfarin
- anticoagulant-associated intracerebral hemorrhage 175, 185–7, 189, 255, 262
- coagulation assays 256, **257**
- diagnosis/clinical presentation 196–7

## Index

- anticoagulant (cont.)  
 epidemiology 197, 255  
 guidelines 259–60  
 pathophysiology and etiology 191, 192, 255–6  
 restarting oral anticoagulation 261, 261–2  
 reversal of INR 260–1  
 risk assessment 189, 189–91, 190  
 risk factors 191–6, 193, 194, 195  
 treatment 197, 257–9, 258, 259, 260
- anticonvulsant agents 234
- antidiabetic treatment, withdrawal of 150
- antifibrinolytic agents 228, 229–30
- antihypertensive treatment, withdrawal of 150
- Antihypertensive Treatment in Acute Cerebral Hemorrhage (ATACH) trial 176
- anti-inflammatory agents 234; *see also* NSAIDs
- antiphospholipid syndrome (APS) 241, 255
- antiplatelet therapy  
 endovascular procedures 69  
 in-hospital stroke on medical wards 48–9, 53  
 medication-induced stroke 233, 233–4, 234; *see also below*  
 neurosurgery 23–4  
 open arterial surgery 19  
 pregnancy and puerperium 211–12  
 trauma patients 60  
 withdrawal 4, 6–7, 144–7, 145, 146
- antiplatelet-induced intracerebral hemorrhage 169–74, 175, 178
- antiplatelet therapy reversal 175  
 combined with anticoagulants 193, 194
- endovascular procedures 68–9  
 ICU care 177–8  
 management 176–7  
 platelet function assays 175  
 risk factors 174–5  
 types of antiplatelet treatment 169–74
- antipsychotics 60–1, 234, 241, 244
- antiretrovirals 228, 230
- antithrombotics  
 blunt cerebrovascular injury 60  
 endovascular procedures 64–7  
 trauma patients 59  
 perioperative management 2, 4, 5–6, 6  
*see also* anticoagulants; antiplatelet therapy
- apixaban 149, 189, 223, 255–6
- apoptosis 36
- aprotinin 229–30
- APS (antiphospholipid syndrome) 241, 255
- aPTT; *see* activated partial thromboplastin time
- aorta, open arterial surgery 13, 15
- aortic valve replacement (AVR) 100–2
- ARISTOTLE (Apixaban for Reduction in Stroke and Other Thromboembolic Events in Atrial Fibrillation) trial 149, 223
- arrhythmia 234; *see also* atrial fibrillation
- arterial air embolism 136; *see also* air gas embolism
- arterial injury  
 chiropractic manipulations 123–7  
 trauma patients 58–9
- arterial surgery; *see* angioplasty; open arterial surgery
- arterial thrombo-occlusive disease 227–8
- arteriolosclerosis 191
- arteriovenous malformations (AVMs)  
 cerebral venous thrombosis 247, 249  
 embolization techniques 76–7, 79  
 neurosurgery 28–9  
 pregnancy and puerperium 213, 215–16, 217–18
- aSAH; *see* aneurysmal subarachnoid hemorrhage
- ASPECTS (Alberta Stroke Program Early CT Score) 157–8
- aspirin (acetylsalicylic acid)  
 clinical trials 66, 171  
 endovascular procedures 65  
 in-hospital stroke on medical wards 48–9  
 intracerebral hemorrhage 169–70, 171–3, 175, 185, 193, 194  
 medication-induced stroke 233, 233–4  
 neurosurgery 23–4  
 open arterial surgery 19  
 patent foramen ovale closure 99  
 percutaneous transluminal angioplasty 76  
 pregnancy and puerperium 211–12  
 withdrawal 144–7, 145, 146
- assisted reproductive technology (ART) 218–19
- ATACH (Antihypertensive Treatment in Acute Cerebral Hemorrhage) trial 176
- atherosclerosis 12  
 carotid artery stenosis 116  
 risk factors for stroke 101  
*see also* angioplasty; open arterial surgery
- ATRIA (Anticoagulation and Risk Factors in Atrial Fibrillation) 189, 190
- atrial fibrillation  
 cardioversion-related stroke 222–5  
 catheter ablation 98  
 combination antiplatelet therapy 173  
 coronary artery bypass graft surgery 100  
 in-hospital stroke on medical wards 47, 50  
 open arterial surgery 12  
 patient-related risk factors in general surgery 2  
 risk factor management 5  
 vitamin K antagonists 148, 148–9, 255
- atrial stunning 222
- atrial thrombus, cardioversion-related stroke 222
- atypical antipsychotics 234
- avalanche model, hematoma expansion 191
- AVMs; *see* arteriovenous malformations
- AVR; *see* aortic valve replacement
- balloon aortic valvuloplasty 100–1
- balloon therapy, aneurysms 75, 78; *see also* angioplasty
- Beçhet's disease 249
- beta-blockers 5, 40, 100, 233
- biomarkers, intracerebral hemorrhage 163
- bisphosphonates 235
- bleeding; *see* hemorrhage; microbleeds
- blood–brain barrier (BBB)  
 permeability 165
- blood glucose; *see* hyperglycemia; hypoglycemia
- blood pressure  
 acute stroke treatment 48  
 anticoagulation 8  
 delayed cerebral ischemia 40, 41–2  
 intracerebral hemorrhage 157, 163, 176  
 neurosurgery 24–6  
 trauma patients 59, 60–1  
*see also* hypotension; hypertension
- blood transfusion, fat embolism 130
- blunt cerebrovascular injury 58–9; *see also* trauma patients
- body position, air gas embolism 137
- bone fractures, fat embolism 130, 130–1
- bone marrow transplantation, fat embolism 130
- Brain Attack Coalition 176

- brain injury, aneurysmal subarachnoid hemorrhage 35; *see also* traumatic brain injury
- brain microembolism; *see* embolism
- breast cancer 243
- bridging therapy, heparin 5, 6, 7–8, 148
- burns, fat embolism 130
- CAA; *see* cerebral amyloid angiopathy
- CABACS (Coronary Artery Bypass graft surgery in patients with Asymptomatic Carotid Stenosis) trial 102
- CABG; *see* coronary artery bypass grafts
- cesarean delivery 208, 217
- calcium channel blockers 40, 43, 233
- calcium ion channels 34, 35, 40
- Canadian American Ticlopidine Study 66
- cancer patients
- carotid artery stenosis 116
  - causes of stroke 114
  - cerebral venous thrombosis 241, 249
  - HEMORR<sub>2</sub>HAGES scoring system 190
  - in-hospital stroke 52
  - see also* chemotherapeutic agents; radiation therapy
- CAPRIE (Clopidogrel versus Aspirin in Patients at Risk for Ischemic Events) study 66, 171
- carbamazepine 234
- carbon tetrachloride 130
- cardiac embolism
- general surgery 4
  - trauma patients 59
- cardiac index
- delayed cerebral ischemia 42
  - general surgery 3, 3
- cardiac valve surgery 50, 101–2, 148, 255; *see also* aortic valve replacement
- cardiology wards, in-hospital stroke 47–50
- cardiomyopathy 255
- cardiopulmonary bypass 100, 245, 248
- cardiopulmonary resuscitation, air gas embolism 135
- cardiothoracic surgery 99–102
- cardiovascular disease, preexisting 97
- cancer patients 114
  - cerebral angiography 97
  - coronary artery bypass graft surgery 100
  - hormone replacement therapy 228–9
  - intracerebral hemorrhage 193, 193
  - pregnancy and puerperium 215–16
  - preoperative assessment 4–5
- cardioversion-related stroke 222–5, 255
- CARESS (Clopidogrel and Aspirin for Reduction of Emboli in Symptomatic Carotid Stenosis) trial 173
- carotid artery stenosis
- carotid revascularization procedures 109
  - in-hospital stroke on medical wards 49
  - open arterial surgery 17, 17–18
  - patient-related risk factors in general surgery 2
  - prophylactic carotid endarterectomy 12
  - radiation therapy 115–17, 116
- carotid artery stenting (CAS) 49, 107–9, 109
- carotid artery surgery 13–16, 15, 19
- carotid endarterectomy (CEA) 12, 106–7
- combined with open valve replacement 102
  - diagnosis of stroke 107
  - in-hospital stroke 49
- catheter ablation, atrial fibrillation 98
- catheterization/catheters
- arteriovenous malformations 77
  - cerebral venous thrombosis 248
  - intra-arterial cerebral angiography 93
  - thrombogenic potential 69–70, 97–8
- causation mechanisms; *see* pathophysiology and etiology
- cavernous angiomas/malformations 114–15
- CBF; *see* cerebral blood flow
- CBV; *see* cerebral blood volume
- CEA; *see* carotid endarterectomy
- cerebral air gas embolism 136–7; *see also* air gas embolism
- cerebral amyloid angiopathy (CAA) 174, 191, 193
- cerebral aneurysms; *see* aneurysms
- cerebral angiography 89, 94
- children 94
  - complications 89–90, 91–2
  - diffusion-weighted MRI 93–4
  - intracranial aneurysms 75
  - open arterial surgery 19
  - operator experience 90–3
  - pathophysiology of stroke 93
  - risk factors for stroke 73, 77, 90–3
  - stroke prevention strategies 78
  - thrombogenic potential 69–70
- cerebral angiopathy, stroke in pregnancy 210
- cerebral angioplasty; *see* angioplasty
- cerebral blood flow (CBF)
- delayed cerebral ischemia 41–2
  - intracerebral hemorrhage 158
  - neurosurgery 24, 25
- cerebral blood volume (CBV), intracerebral hemorrhage 158, 164
- cerebral fat embolism syndrome 130
- cerebral hemorrhage; *see* intracerebral hemorrhage
- cerebral salt wasting syndrome (CSWS) 39
- cerebral vasospasm; *see* vasospasm
- cerebral venous thrombosis (CVT) 241, 249
- ISCVT study 248–9, 249
  - medical and surgical interventions 245, 245–8
  - medication-induced stroke 227–8, 241, 241–5
  - pregnancy and puerperium 210–11
- cerebrospinal fluid (CSF) analysis, pregnancy 213
- cervical arterial dissection 123–7
- cervical disc arthroplasty 245, 248
- cervical manipulation treatment 123–7
- CHA<sub>2</sub>DS<sub>2</sub>-VASC scoring system 148, 148
- CHANCE (Clopidogrel in High-risk Patients with Acute Non-disabling Cerebrovascular Events) trial 172
- CHARISMA (Clopidogrel for High Atherothrombotic Risk and Ischemic Stabilization, Management, and Avoidance) trial 172
- chemotherapeutic agents 228, 229, 233, 241, 243–4, 248
- children, intra-arterial cerebral angiography 94
- chiropractic manipulations 123–7
- choriocarcinoma 210, 213
- chromogenic coagulation assays 256, 257
- chronic airflow limitation, in-hospital stroke 52–3
- chronic obstructive pulmonary disease (COPD) 2, 13
- cigarette smoking; *see* smoking
- cilostazol 66, 76, 174
- circle of Willis, radiation therapy 113, 118–19
- cisplatin 114, 241, 244
- CITF (collagen-induced thrombus formation time) 72

## Index

- CLAIR (Clopidogrel plus Aspirin versus Aspirin Alone for Reducing Embolization in Patients with Acute Symptomatic Cerebral or Carotid Artery Stenosis) trial 172, 173
- clopidogrel  
 clinical trials 66, 171, 172, 173  
 endovascular procedures 65–6  
 in-hospital stroke on medical wards 48–9  
 intracerebral hemorrhage 170–3, 175  
 medication-induced stroke 233, 233–4  
 neurosurgery 23–4  
 open arterial surgery 19  
 patent foramen ovale closure 99  
 percutaneous transluminal angioplasty 76, 78–9  
 pregnancy and puerperium 212  
 clot signature analyzer (CSA) 72  
 clozapine 241, 244  
 coagulation assays 256, 257  
 coagulation cascades 63–4, 65  
 coagulation profiles, preoperative assessment 23–4  
 coagulopathies  
 cancer patients 114  
 medication-induced stroke 232, 232–3; *see also* anticoagulant-associated intracerebral hemorrhage  
 Cochrane Review, diabetic patients 53  
 coil embolization; *see* endovascular coil embolization  
 collagen-induced thrombus formation time 72  
 collateral vessels, intracerebral hemorrhage 165  
 combination therapies  
 endovascular procedures 69, 71  
 intracerebral hemorrhage 170, 171–3, 175, 185, 193, 194  
 combined oral contraceptives; *see* oral contraceptive pills  
 completion control, open arterial surgery 19  
 compression stockings 8–9  
 computed tomography; *see* CT scans  
 confusion, misdiagnosis 1  
 congenital malformations  
 anticoagulant therapy 212  
 antiplatelet therapy 211–12  
 tissue-plasminogen activator 212  
 connective tissue adaptations, pregnancy 206–7  
 contrast agents  
 cerebral angiography 90, 93, 94  
 intracerebral hemorrhage 158  
 pregnancy and puerperium 207–8  
 renal unit 51  
 thrombogenic potential 69  
 transcranial Doppler ultrasonography 107  
 COPD; *see* chronic obstructive pulmonary disease  
 CoreValve Revalving systems 100  
 coronary artery bypass grafts (CABG) 99–100  
 cerebral venous thrombosis 245, 248  
 combined with open valve replacement 102  
 clinical trials 102  
 in-hospital stroke on medical wards 47, 49–50  
 coronary artery disease 144  
 coronary care units 47–50  
 coronary intervention-related strokes 97–8  
 cortical spreading depression 35–6  
 corticosteroid therapy  
 air gas embolism 138  
 cerebral venous thrombosis 241, 242, 248  
 fat embolism/fat embolism syndrome 130, 134  
 COSSACS (Continue Or Stop post-Stroke Antihypertensives Collaborative Study) trial 150  
 cough suppressants, vasospasm 231  
 coughing, in-hospital stroke 52–3  
 coumadin; *see* warfarin  
 coumarins 68  
 CPB (cardiopulmonary bypass) 100, 245, 248  
 critical limb ischemia 14  
 Crohn's disease 53  
 CSA (clot signature analyzer) 72  
 CSF (cerebrospinal fluid) analysis, pregnancy 213  
 CSWS (cerebral salt wasting syndrome) 39  
 CT angiography (CTA)  
 cerebral vasospasm 37, 37–8, 38  
 intracerebral hemorrhage 158  
 CT (computed tomography) scans  
 air gas embolism 136–7  
 carotid revascularization 106, 107, 109  
 fat embolism/fat embolism syndrome 133–4  
 intracerebral hemorrhage 157–8  
 neurosurgery 25  
 pregnancy and puerperium 207–8  
 small vessel disease 117–18  
 vasospasm 36  
 CVT; *see* cerebral venous thrombosis  
 cyclic adenosine monophosphate (cAMP) 174  
 cyclooxygenase (COX)-1 144, 169–70  
 cyclophosphamide, methotrexate, and 5-fluorouracil (CMF) chemotherapy 241, 243  
 cyclosporine 241, 244  
 CYP2C19 gene 171, 190  
 CYP45049 gene 193, 193–4  
 dabigatran 149, 189  
 cardioversion-related stroke 223  
 intracerebral hemorrhage 186–7, 255–6  
 reversal 261  
 decompression sickness 130, 135  
 deep vein thrombosis (DVT)  
 intracerebral hemorrhage 177  
 prophylactic strategies 8–9  
 warfarin 255  
 DEFUSE (Diffusion and Perfusion Imaging Evaluation for Understanding Stroke Evolution) Study 158  
 dehydration 4–5, 249  
 delayed cerebral ischemia  
 definitions 33–4  
 monitoring 38–9, 39  
 predictors 36  
 prevention 39–40  
 treatment 40–3, 41, 43  
*see also* aneurysmal subarachnoid hemorrhage  
 dementia, silent microembolizations 101  
 depression  
 in-hospital stroke 54  
 silent microembolizations 101  
 descending thoracic aorta 15  
 DHE (dihydroergotamine) 241, 244–5, 248  
 diabetes mellitus  
 coronary artery bypass graft surgery 100  
 fat embolism 130  
 in-hospital stroke 53–4  
 risk factors for stroke 2, 101  
 treatment withdrawal 150  
*see also* hyperglycemia  
 diabetic ketoacidosis 53–4  
 diagnosis of stroke, perioperative 99  
 diagnostic intra-arterial cerebral angiography; *see* cerebral angiography  
 diet, intracerebral hemorrhage 177  
 diffusion-weighted magnetic resonance imaging (DWI-MRI)  
 air gas embolism 136–7, 137  
 cerebral angiography 93–4

- fat embolism/fat embolism syndrome 134  
 general surgery 1  
 intracerebral hemorrhage 158  
 small vessel disease 117–18  
 transcatheter aortic valve implantation 101
- digital subtraction angiography (DSA) 36–7
- digoxin 234
- dihydroergotamine (DHE) 241, 244–5, 248
- dilute prothrombin time, coagulation assays 256, 257
- dipyridamole 170, 212, 233–4
- direct oral anticoagulants 148–9;  
*see also* apixaban; dabigatran; edoxaban; rivaroxaban
- direct thrombin inhibitors 189  
 endovascular procedures 67–8  
 intracerebral hemorrhage 255–6  
 medication-induced stroke 232  
*see also* apixaban; dabigatran; rivaroxaban
- disseminated intravascular coagulation (DIC) 23–4
- diabetic ketoacidosis 53–4
- DNR (do not resuscitate) status 178
- dobutamine 42
- door-to-needle times, intracerebral hemorrhage 163
- Doppler ultrasonography; *see* transcranial Doppler ultrasonography
- drug-induced psychosis (street drugs) 54
- DSA (digital subtraction angiography) 36–7
- duplex ultrasonography, open arterial surgery 19
- Durant's maneuver, air gas embolism 137
- DVT; *see* deep vein thrombosis
- DWI-MRI; *see* diffusion-weighted magnetic resonance imaging
- dysphagia, intracerebral hemorrhage 177–8
- ear infection, cerebral thrombosis 249
- ear, nose and throat surgery 245, 247
- ecarin clotting time, coagulation assays 256, 257
- ECASS (European Cooperative Acute Stroke Study) 155, 156–7
- eclampsia 208–9, 213, 215–16
- ECST (European Carotid Surgery Trial) 14
- edoxaban 189
- Edwards SAPIEN transcatheter heart valves 100
- electro-encephalography (EEG) 106
- embolism  
 carotid artery stenting 107, 108  
 diagnosis 107  
 coronary artery bypass graft 99–100  
 imaging 93  
 transcatheter aortic valve implantation 101  
*see also* air gas embolism; fat embolism
- embolization techniques  
 arteriovenous malformations 76–7  
 stroke prevention strategies 79
- endoscopy, air gas embolism 135
- endothelial damage, thrombosis 63
- endothelial nitric oxide synthase (eNOS), statins 149–50
- endothelial repair, endovascular procedures 64
- endothelin-1 34
- endotracheal intubation, intracerebral hemorrhage 176, 257; *see also* airway management
- endovascular coil embolization procedure  
 cerebral aneurysms 70  
 stroke prevention strategies 78  
 stroke risk associated 73–5, 74
- endovascular procedures 63  
 antiplatelet versus anticoagulant therapy 68–9  
 antithrombotic medication 64–7  
 clinical trials 156–7, 165  
 coagulation cascade 63–4, 65  
 combination therapy 69, 71  
 endothelial damage 63  
 endothelial repair 64  
 fibrinolysis 70  
 platelet adhesion 63, 64, 65  
 platelet GP IIb/IIIa receptor inhibitors 67  
 platelet GP IIb/IIIa receptor-specific antibodies 66  
 point of care testing 71–3  
 preventive and therapeutic strategies 77–80  
 stroke risk associated 73–7, 74, 97–9
- thrombin and fibrinogen inhibitors 67–8
- thrombogenic factors/procedures 69–70
- thrombolysis/thrombolytic agents 70–1  
*see also* cerebral angiography  
 endovascular stents 60, 64
- ENGAGE (Effective Anticoagulation with Factor Xa Next Generation in Atrial Fibrillation) trial 149
- ephedrine 227
- EPIC (Evaluation of abciximab for Prevention of Ischemic Complications) trial 66–7
- epidemiology of stroke risk  
 air gas embolism 135–6  
 cerebral angiography 91–2, 94  
 cerebral vein and dural sinus thrombosis study 248–9  
 chiropractic manipulations 125–7  
 coronary artery bypass graft surgery 99–100  
 endovascular procedures 63, 70  
 fat embolism 130–1  
 general surgery, perioperative stroke 1  
 in-hospital stroke 47, 52  
 intracerebral hemorrhage 156–7, 185, 197, 255  
 open arterial surgery 14, 15, 18, 19  
 pregnancy and puerperium 203–6, 209, 210  
 radiation therapy 113–14, 116  
 trauma patients 60–1  
 types of stroke 23
- epidural anesthesia 245, 246, 248
- epinephrine-free local anesthesia 24–6
- EPITHET study (Effects of Alteplase beyond 3 h After Stroke in the Echoplanar Imaging Thrombolytic Evaluation Trial) 163, 164
- epoetin alfa therapy 241, 244
- eptifibatid 66, 173–4, 233, 234
- ergot derivatives, vasospasm 231
- ergotamine 241, 244–5, 248
- erythrocytes, subarachnoid space 35
- erythropoiesis stimulating agents 228, 229
- erythropoietin 244
- ESCAPE (Endovascular Treatment for Small Core and Anterior Circulation Proximal Occlusion with Emphasis on Minimizing CT to Recanalization Times) trial 156–7, 164
- etiology of stroke; *see* pathophysiology and etiology
- European Carotid Surgery Trial (ECST) 14
- European Cooperative Acute Stroke Study (ECASS) 155, 156–7
- European Society of Cardiology (ESC) guidelines, cardioversion-related stroke 223, 224
- EuroSCORE (European System for Cardiac Operative Risk Evaluation) 101
- EXTEND-IA trial (Extending the Time for Thrombolysis in Emergency Neurological Deficits with Intra-Arterial Therapy) 156–7, 165

## Index

- external ventricular drains (EVD) 176–7  
 extradural hematoma 23  
 extraschismic intracerebral hemorrhage 163  
 extrinsic pathway, coagulation cascades 63–4, 65
- factor Xa inhibitors 189, **232**; *see also* apixaban; edoxaban; rivaroxaban
- falls, intracranial–extracerebral hemorrhage 185; *see also* trauma patients
- FASTER (Fast Assessment of Stroke and Transient Ischemic Attack to Prevent Early Recurrence) trial 172
- fat embolism/fat embolism syndrome 130–4  
 etiology **130**  
 Gurd and Wilson criteria **132**, **133**  
 Lindeque criteria **133**  
 Shonfeld criteria **133**  
 trauma patients 59
- fenprocoumon 147–9
- fever, intracerebral hemorrhage 177
- fibrinogen 144, 173, **207**
- fibrinogen inhibitors, endovascular procedures 67–8
- fibrinolysis, endovascular procedures 70
- fibronectin, biomarker 163
- Fisher scale, vasospasm **36**
- flow-diverting stents, cerebral aneurysms 70
- flow-reversal techniques, carotid artery stenting 108
- fluid balance, delayed cerebral ischemia 40, 41–2
- Food and Drug Administration (FDA) 229
- free fatty acids (FFAs) 131
- fresh frozen plasma (FFP) 186, 258
- fungal infections, cancer patients **114**
- FXa inhibitors; *see* factor Xa inhibitors
- gadolinium-enhanced MRI  
 intracerebral hemorrhage 158  
 pregnancy and puerperium 207–8
- gastric ulcer prophylaxis 177
- gastroenterology ward, in-hospital stroke 53
- gastrointestinal endoscopy, air gas embolism **135**
- GBS (Guillain–Barré syndrome) 50–1
- gender, risk factors for stroke **2**, 101
- general surgery, perioperative stroke 1, 9  
 acute stroke management 9  
 epidemiology 1  
 intraoperative interventions 8
- pathophysiology and etiology 3, 3–4  
 postoperative management 8–9  
 prevention 4–8  
 risk factor management 5–8, **6**  
 risk factors 1–3, **2**, **3**
- genetic polymorphisms 123, **193**, 193–4
- Glasgow Coma Scale (GCS) 177, 257, 259
- glucocorticoids; *see* corticosteroids
- glycemic control 5; *see also* hyperglycemia; hypoglycemia
- glycoprotein antagonists and inhibitors 76
- intracerebral hemorrhage 173–4, 175
- medication-induced stroke **234**, **234**
- glycoproteins, platelet adhesion 63
- granulocyte-macrophage-colony stimulating factor **241**, **244**
- groin hematoma 90
- Guglielmi detachable coils 73–5
- guidelines  
 anticoagulant therapy 7, 259–60, **260**  
 cardioversion-related stroke 223, 224  
 delayed cerebral ischemia **41**  
 prevention of stroke in pregnancy 211
- guidewires, thrombogenic potential 69–70, 93, 97–8, 108
- Guillain–Barré syndrome (GBS) 50–1
- HARM (hyperintense acute reperfusion marker) 158
- HAS-BLED (Hypertension, Abnormal Renal/Liver Function, Stroke, Bleeding History or Predisposition, Labile International Normalized Ratio, Elderly, Drugs/Alcohol) scoring system 185, **189**
- head and neck resection, patient-related risk factors 1
- headache, cerebral angiography 90
- heart disease; *see* cardiovascular disease, pre-existing
- heart failure, general surgery 2
- heart valves; *see* cardiac valve surgery
- HELLP syndrome (hemolytic anemia, elevated liver enzymes, and low platelet count) 208–9
- hematology ward, in-hospital stroke 52
- hematoma, groin 90
- hematoma expansion  
 avalanche model 191  
 intracerebral hemorrhage 259
- hemodynamic adaptations during pregnancy 206–7
- hemodynamic treatment, delayed cerebral ischemia 41–2
- hemophilia, risk factors 23–4
- HEMORR<sub>2</sub>HAGES (hepatic or renal disease, ethanol abuse, malignancy, older age, reduced platelet count or function, re-bleeding, hypertension, anemia, genetic factors, excessive fall risk and stroke) 185, 189, **190**
- hemorrhagic stroke/hemorrhage 23  
 antithrombotic medication 66  
 pathophysiology and etiological mechanisms 4–5  
 pregnancy and puerperium 207, **215–16**  
*see also* microbleeds
- hemorrhagic transformation 155–6, 157, 165
- hemostatic adaptations during pregnancy **207**, 207
- hemostatic treatments, CVT **241**, **244**
- heparin  
 air gas embolism 138  
 bridging therapy 5, **6**, 7–8, 148  
 endovascular procedures 67, 79–80
- fat embolism/fat embolism syndrome 134
- intracerebral hemorrhage 157
- medication-induced stroke **228**, **233**
- percutaneous transluminal angioplasty 76
- restarting **261**  
*see also* low molecular weight heparin
- heparin-induced thrombocytopenia (HIT) 67, 212, 229, **241**, **244**
- hepatic function, scoring systems **189**, **190**
- HepTest coagulation assays 256, 257
- hip replacement, patient-related risk factors 1
- Hodgkin lymphoma **116**
- hormonal therapy  
 cancer patients **114**  
 cerebral venous thrombosis **241**, **241–3**
- hormone replacement therapies (HRT)  
 cerebral venous thrombosis 241, **242**, **248**  
 medication-induced stroke 227, **228**, **228–9**  
 vasospasm **231**
- human immunodeficiency virus (HIV) **228**, **230**
- hydrophilic coatings, microcatheters 69–70
- hydroxymethylglutaryl coenzyme A (HMG-CoA) reductase 149–50

- hyperbaric-oxygen therapy 137–8  
 hyperglycemia  
   in-hospital stroke 53–4  
   intracerebral hemorrhage 157, 163, 177, 257  
   neurosurgery 24  
   *see also* diabetes mellitus  
 hyperintense acute reperfusion marker (HARM) 158  
 hyperlipidemia 100  
 hyper-osmolar non-ketotic coma 53–4  
 hyperperfusion, diagnosis 107  
 hypertension  
   coronary artery bypass graft surgery 99–100  
   induced 40, 41, 41–2  
   intracerebral hemorrhage 192–3, 193  
   medication-induced stroke 234  
   neck surgery 247  
   scoring systems 189, 190  
   withdrawal of medication 150  
 hypervolemia  
   delayed cerebral ischemia 41–2  
   physiological changes during pregnancy 206–7  
 hypoglycemia 53–4, 235  
 hypoperfusion  
   carotid artery stenting 108–9  
   coronary artery bypass graft surgery 99–100  
   diagnosis 107  
 hypotension  
   cerebral angiography 90  
   fat embolism/fat embolism syndrome 134  
   general surgery 3–5  
 hypothermia, induced 24  
 hypovolemia  
   delayed cerebral ischemia 39, 40  
   neurosurgery 24  
   pathophysiology and etiology 4–5  
 hypoxia, fat embolism 134  
 ibuprofen 233  
 ICH; *see* intracerebral hemorrhage  
 ICP; *see* intracranial pressure  
 ICU care, intracerebral hemorrhage 177–8  
 idiopathic thrombocytopenic purpura (ITP) 52  
 IL-2 (interleukin-2) 241, 244  
 imaging in pregnancy 207–8  
 immune-mediated thrombocytopenia 234  
 immunoglobulins, intravenous  
   cerebral venous thrombosis 241, 244  
   medication-induced stroke 228, 230  
 immunosuppressant agents, vasospasm 231  
 IMS; *see* Interventional Management of Stroke trial  
 incidence and prevalence; *see* epidemiology  
 infection  
   cerebral thrombosis 249  
   in-hospital stroke 52–3  
   intracerebral hemorrhage 177  
 infective endocarditis 48  
 inflammatory bowel disease 53  
 inflammatory response, CABG surgery 99–100  
 infrainguinal surgery 13, 16  
 in-hospital stroke 47, 54  
   cardiology and coronary care unit 47–50  
   diabetic patients 53–4  
   gastroenterology ward 53  
   hematology ward 52  
   neurology ward 50–1  
   oncology ward 52  
   psychiatry ward 54  
   renal unit 51–2  
   respiratory ward 52–3  
 intensive care units, intracerebral hemorrhage 177–8  
 INTERACT (Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial) 176  
 interhemispheric approach, neurosurgery 25  
 interleukin-2 (IL-2) 241, 244  
 international normalized ratio (INR)  
   anticoagulant therapy 256, 257  
   cardioversion-related stroke 223  
   intracerebral hemorrhage 260–1  
   stroke risk factors 192, 193  
   warfarin 232–3  
 International Stroke Thrombolysis Registry (ISTR) 162, 163  
 International Study in Cerebral Vein and Dural Sinus Thrombosis (ISCVT) study 242, 248–9  
 International Study on Unruptured Intracranial Aneurysms (ISUIA) 217  
 Interventional Management of Stroke (IMS) trials 156–7, 164  
 intra-arterial diagnostic cerebral angiography; *see* cerebral angiography  
 intra-arterial thrombolysis, prevention strategies 79–80  
 intracellular adhesion molecule 123  
 intracerebral hemorrhage (ICH) 23  
   acute stroke treatment 48  
   and endovascular therapy for acute stroke 155–9  
   and intravenous thrombolysis 162–5  
   pregnancy and puerperium 213–18  
   *see also* anticoagulant-associated intracerebral hemorrhage; antiplatelet-induced intracerebral hemorrhage  
 intracranial aneurysm, endovascular balloon therapy 75  
 intracranial angioplasty 77  
 intracranial mass effect 176–7  
 intracranial occlusive disease, radiation therapy 117  
 intracranial hypertension, neck surgery 247  
 intracranial pressure (ICP)  
   intracerebral hemorrhage 257  
   neurosurgery 24, 25, 27  
 intraoperative hypotension, general surgery 3  
 intraoperative stroke  
   classification of neurosurgical complications 30–1  
   open arterial surgery literature search 12  
 intrathecal methotrexate 114  
 intravenous contrast agents; *see* contrast agents  
 intravenous immunoglobulin (IVIG)  
   cerebral venous thrombosis 241, 244  
   in-hospital stroke 50–1  
   medication-induced stroke 228, 230  
 intrinsic pathway, coagulation cascades 63–4, 65  
 intubation; *see* endotracheal intubation; nasogastric tubes; orogastric tubes  
 in-vitro fertilization – embryo transfer (IVF-ET) 218–19  
 ISAT (International Subarachnoid Aneurysm Trial) 217  
 ischemic stroke 23  
   aspirin 144  
   pregnancy and puerperium 207, 214, 215–16  
 ISCVT (International Study in Cerebral Vein and Dural Sinus Thrombosis) study  
 isotretinoin 248  
 ISTR (International Stroke Thrombolysis Registry) 162, 163  
 ISUIA (International Study on Unruptured Intracranial Aneurysms) 217  
 ITP (idiopathic thrombocytopenic purpura) 52  
 IVIG; *see* intravenous immunoglobulin  
 kidney function; *see* renal function

## Index

- lacunar infarcts, radiation therapy 117–18
- large-vessel disease, antiplatelet therapy 172–3
- L-asparaginase 114, 241, 241, 243, 248
- left atrial appendage (LAA) closure 148–9
- left atrial thrombus, cardioversion-related stroke 222
- lenalidomide 243–4
- leucoencephalopathy 164
- leukoaraiosis 193, 194, 194
- lidocaine 138
- Lindgaard Index  
cerebral vasospasm 37  
fat embolism/fat embolism syndrome 133
- lipohyalinosis 191
- literature search methodology, open arterial surgery 12–13
- liver function, scoring systems 189, 190
- liver transplant, in-hospital stroke 53
- local anesthesia 8, 24–6
- long bone fractures, fat embolism 130, 130–1
- low molecular weight heparin (LMWH)  
bridging therapy 148  
endovascular procedures 67–8  
general surgery, perioperative stroke 8–9  
medication-induced stroke 232  
pregnancy and puerperium 211, 212  
prophylactic strategies 52  
*see also* heparin
- lumbar puncture 50–1, 245, 245–6
- lupus 23–4
- macroembolization, coronary artery bypass grafts 99–100
- magnesium, delayed cerebral ischemia prevention 40
- magnetic resonance imaging; *see* MRI scans
- mass effect, intracranial 176–7
- MATCH (Aspirin and Clopidogrel Compared with Clopidogrel Alone after Recent Ischemic Stroke or Transient Ischemic Attack in High-risk Patients) trial 172
- matrix metalloproteinase-9, biomarker 163
- mean arterial pressure (MAP), delayed cerebral ischemia 41–2
- mean transit time (MTT), intracerebral hemorrhage 158
- mechanical heart valves, thrombogenic potential 148
- mechanical thrombectomy 77, 164–5
- medication-induced stroke 227, 235  
cerebral venous thrombosis 241, 241–5  
classification of mechanisms 227  
coagulopathies 232, 232–3  
immune-mediated  
thrombocytopenia 234  
platelet dysfunction 233, 233–4  
prevention and management 235  
thromboembolism 227–30, 228  
thrombolysis 234  
vasculitis 231  
vasospasm 230–1, 231  
*see also* anticoagulant-associated intracerebral hemorrhage; antiplatelet-induced intracerebral hemorrhage; *and other specific drugs by name*
- Medline, open arterial surgery literature search 12
- meningioma surgery 246–7
- MERCI (Mechanical Embolus Removal in Cerebral Ischemia) trials 156–7
- methotrexate 241, 244
- methylene-tetrahydrofolate reductase (MTHFR) 123
- MI; *see* myocardial infarction
- microbleeds  
anticoagulation therapy 193, 195–6, 195  
antiplatelet treatment 174  
in-hospital stroke 50  
radiation therapy 118, 118  
symptomatic intracerebral hemorrhage 164
- microcatheters, thrombogenic potential 69–70
- microembolism; *see* embolism
- microthrombosis; *see* thrombosis
- milrinone 42
- misdiagnosis, perioperative stroke 1
- mitogenic factors, platelet-derived 65
- mortality and morbidity; *see* epidemiology
- moyamoya phenomenon, radiation therapy 118–19
- MR angiography, cervical arterial dissection 127
- MR CLEAN trial (Multicenter Randomized Clinical Trial of Endovascular Treatment in the Netherlands) 156, 164
- MR RESCUE trial (Mechanical Retrieval and Recanalization of Stroke Clots Using Embolectomy) 164
- MRI (magnetic resonance imaging)  
acute stroke treatment 48
- carotid revascularization 106, 107, 109
- fat embolism/fat embolism syndrome 133–4
- in-hospital stroke 50
- intracerebral hemorrhage 158, 174, 194
- pregnancy and puerperium 207–8
- symptomatic intracerebral hemorrhage 163–4  
*see also* diffusion-weighted magnetic resonance imaging; gadolinium-enhanced MRI
- MTHFR (methylene-tetrahydrofolate reductase) 123
- multidisciplinary approaches, postoperative care 31
- multiple sclerosis 245–6
- muraglitazar 235
- myocardial infarction (MI) 4, 47–50, 255
- naproxen 233
- NASCET (North American Symptomatic Carotid Endarterectomy Trial) 14
- nasogastric tubes 178
- National Cardiovascular Data Registry 97
- National Institutes of Health Stroke Scale (NIHSS) 156, 162, 259
- National Surgical Quality Improvement Program (NSQIP) 14
- National Symposium on Rapid Identification and Treatment of Acute Stroke 176
- Nationwide Inpatient Sample, pregnancy 203
- nausea, cerebral angiography 90
- neck surgery  
cerebral venous thrombosis 245, 247  
patient-related risk factors 1
- neoplasia, fat embolism 130; *see also* cancer patients
- Neurocritical Care Society 41
- neuroleptic medication 60–1, 234, 241, 244
- neurological symptoms, fat embolism syndrome 132–4
- neurology ward, in-hospital stroke 50–1
- neuroprotective agents 75
- neurosurgery 23  
approach-related complications 24–6  
arteriovenous malformations 28–9  
brain aneurysms 27–8, 29  
cerebral venous thrombosis 245, 246–7, 248

- classification of complications 30, 30–1
- closure-related complications 26, 27
- intraoperative management 24
- postoperative management 24, 25, 26
- preoperative assessment 23–4
- trauma surgery 26–7, 28
- tumors 29–30
- nicardipine 43
- NIHSS; *see* National Institutes of Health Stroke Scale
- nimodipine 40, 41
- NINDS (National Institute of Neurological Disorders and Stroke) trial 155, 156–7
- nitric oxide 34–5
- non-steroidal anti-inflammatory agents; *see* NSAIDs
- non-Hodgkin lymphoma 116
- novel oral anticoagulants (NOACs) 189, 190, 193, 197, 223–4, 261; *see also* apixaban; dabigatran; rivaroxaban
- NSAIDs (non-steroidal anti-inflammatory agents) 60–1, 228, 230, 234
- NSQIP (National Surgical Quality Improvement Program) 14
- OAT-related ICH (OAT-ICH); *see* anticoagulant-associated intracerebral hemorrhage
- oncology ward; *see* cancer patients
- open arterial surgery 12, 18–20
- abdominal aortic aneurysm 13, 14, 16, 16–17, 17, 18, 19
- carotid artery 13–16, 15, 19
- literature search methodology/ definitions 12–13
- non-cerebrovascular 13, 14, 15
- Swedish vascular surgical registry 12, 16, 16–18, 17
- oral anticoagulation therapy (OAT); *see* anticoagulants
- oral bisphosphonates 235
- oral contraceptive pill (OCP) 227–8, 228, 241, 241–2, 249
- orogastric tubes 178
- orthopedic procedures 1
- osteoporosis 212, 235
- ovarian hyperstimulation syndrome 218–19, 242
- oxidative stress 34
- oxyhemoglobin 34
- P2Y12 adenosine diphosphate receptor inhibitors 170–3; *see also* clopidogrel
- P2Y12 test 171
- PAIs (plasminogen activator inhibitors) 70–1
- pancreatitis, fat embolism 130
- papaverine 43
- parenchymal hemorrhage (PH) 163
- partial thromboplastin time (PTT) 233
- PARTNER (Placement of Aortic Transcatheter Valves) trial 100
- PATCH (Platelet Transfusion in Cerebral Hemorrhage) trial 234
- patent foramen ovale (PFO) 98–9
- pathophysiology and etiology of iatrogenic stroke
- air gas embolism 135, 136
- aneurysmal subarachnoid hemorrhage 34–6
- cerebral angiography 93
- coronary artery bypass graft surgery 99–100
- fat embolism 131
- general surgery 3, 3–4
- intracerebral hemorrhage 157, 163, 191, 192, 255–6
- open valve replacement 101
- pregnancy and puerperium 209, 215–16
- reduced mobility/bed rest 4
- trauma patients 58–9
- PCC; *see* prothrombin complex concentrate
- pCO<sub>2</sub>, neurosurgery 24
- pediatrics, intra-arterial cerebral angiography 94
- PEG (percutaneous endoscopic gastrostomy) 178
- penicillin 233, 234
- percutaneous closure, patent foramen ovale 98–9
- percutaneous coronary intervention (PCI) 97–8
- percutaneous transluminal angioplasty (PTA) 43, 43, 75–6, 78–9
- peripartum cardiomyopathy 209–10
- peripheral artery disease 2, 144, 255
- permissive arterial hypertension 40, 41, 41–2
- PFO (patent foramen ovale) 98–9
- PGA (polyglycolic acid) 70
- PH (parenchymal hemorrhage) 163
- pharmacological causes; *see* medication-induced stroke
- phenprocoumon 255
- phenylpropranolamine 227
- phenytoin 234
- PHT (platelet hemostasis time) 72
- phytoestrogens 245
- plaque/thrombus dislodgement catheterization 97
- endovascular procedures 74, 98
- percutaneous transluminal angioplasty 75
- plasminogen activator inhibitors (PAIs) 70–1
- platelet-derived mitogenic factors 65
- platelet function/dysfunction assays 175
- endovascular procedures 63, 64, 65
- HEMORR<sub>2</sub>HAGES scoring system 190
- in-hospital stroke 52
- intracerebral hemorrhage 193, 195–6
- medication-induced stroke 233
- pregnancy 207
- vasospasm following subarachnoid hemorrhage 36
- platelet GP IIb/IIIa receptor inhibitors 67
- platelet GP IIb/IIIa receptor-specific antibodies 66
- platelet hemostasis time (PHT) 72
- Plateletworks test, point of care testing 72
- PLATO (Platelet Inhibition and Patient Outcomes) trial 171
- pneumonia, in-hospital stroke 52–3
- POINT (Platelet-Oriented Inhibition in New TIA and Minor Ischemic Stroke) trial 172
- point of care testing (POC) 71–3
- polycythemia/thrombocytopenia 249
- polyglycolic acid (PGA) 70
- polyurethane/polyethylene catheters 69–70
- POSSUM (Preoperative Risk of Morbidity and Mortality Due to Pre-morbid Medical Conditions) scoring system 2
- posterior fossa, postoperative stroke 24, 26
- postoperative confusion, misdiagnosis 1
- postoperative stroke
- general surgery 4
- neurosurgery 30, 30–1
- open arterial surgery 12
- posterior fossa 24, 26
- postpartum cerebral angiopathy 210
- potassium ion channels 34, 35
- PPIs (proton pump inhibitors) 171
- predictive models of stroke
- endovascular therapy 157–8
- general surgery 3, 3
- symptomatic intracerebral hemorrhage 163–4
- preeclampsia 208–9, 213, 215–16

## Index

- pregnancy and puerperium 203  
acute treatment 212–13, **214**  
anticoagulant therapy 212  
assisted reproductive technology 218–19  
cerebral hemorrhage 213–18  
cerebral venous thrombosis 210–11, 241, **249**  
diagnosis 207–8, **215–16**  
epidemiology 203–6, 209, 210  
pathophysiology and etiology 209, **215–16**  
physiological changes 206–7, **207**  
prevention 211–12  
risk factors for stroke 208–10  
risk of stroke at different stages of pregnancy **206**  
spinal–dural anesthesia **245**, 246  
studies of pregnancy-related stroke **204–5**  
prevalence; *see* epidemiology  
PROACT (Prolyse in Acute Cerebral Thromboembolism) trials 156–7  
procainamide **234**  
PROFESS (Prevention Regimen for Effectively Avoiding Second Strokes) trial 171  
prothrombin complex concentrate (PCC)  
intracerebral hemorrhage 186, 258, **260**  
pregnancy **207**  
prothrombinase-induced clotting time assay 256, **257**  
proton pump inhibitors (PPIs) 171  
prourokinase 71  
pseudoephedrine 227  
psychiatry ward, in-hospital stroke 54  
PTA; *see* percutaneous transluminal angioplasty  
PTT (partial thromboplastin time) 233  
PubMed open arterial surgery literature search 12  
pulmonary embolism 255  
puerperium; *see* pregnancy and puerperium
- quinidine **234**
- race, as risk factor for stroke 191–2, **193**  
radiation exposure, pregnancy 207–8, 217  
radiation therapy 52, 113, **114**, 119  
carotid artery stenosis 115–17, **116**  
cavernous angiomas 114–15  
cerebral aneurysms 118  
epidemiology 113–14, **116**  
intracranial occlusive disease 117  
moyamoya phenomenon 118–19  
small vessel disease 117–18, **118**  
SMART syndrome 113, 119  
stroke risk factors 52  
raised head positioning, neurosurgery 25  
rebound prothrombotic phenomenon 146; *see also* withdrawal of preventive medication  
recombinant factor VIIa (rFVIIa) 186, 258–9, **259**  
RE-LY (Randomized Evaluation of Long-term Anticoagulant Therapy) trial 149  
remote parenchymal hemorrhage (PHr) 163  
renal function  
general surgery **2**  
scoring systems **189**, **190**  
renal units, in-hospital stroke 51–2  
respiratory distress, embolism **132**, 132–4, **133**, 136  
respiratory ward, in-hospital stroke 52–3  
retavase 71  
reversible cerebral vasoconstriction syndrome (RCVS) 210, 231  
RIETE (Registry of Patients with Venous Thromboembolism) 185  
risk evaluation and mitigation strategy 229  
risk factors for stroke  
anticoagulants 185, **189**, 189–96, **190**, **193**, 194, 195  
antiplatelet agents 174–5  
cerebral angiography 90–3  
cerebral venous thrombosis **249**  
coronary artery bypass graft surgery 100  
general surgery 1–3, **2**, **3**  
endovascular therapy 157  
intravenous thrombolysis 162  
neurosurgery 23–4  
open valve replacement 101  
pregnancy and puerperium 208–10  
risperidone 234  
rivaroxaban 149, 186–7, 189, 223–4, 255–6  
ROCKET-AF (Rivaroxaban vs. Warfarin for Prevention of Ischemic Stroke in Atrial Fibrillation) trial 149  
rosiglitazone 235
- SAH; *see* subarachnoid hemorrhage  
SAMMPRIS (Stenting vs. Aggressive Medical Management for Preventing Recurrent Stroke in Intracranial Stenosis) trial 77, 172  
Sapien transcatheter heart valves 100  
schizophrenia, in-hospital stroke 54  
SDH; *see* subdural hematoma
- SEDAN score for prediction of intracerebral hemorrhage in stroke thrombolysis 162  
seizures, intracerebral hemorrhage 177  
serine protease inhibitors 229–30  
serotonin, platelet adhesion 63; *see also* SSRIs  
serum albumin, intracerebral hemorrhage **193**, 195–6  
SIADH (syndrome of inappropriate secretion of antidiuretic hormone) 39  
SICH (symptomatic intracerebral hemorrhage) 162–5  
sickle cell disease, fat embolism **130**  
silent microembolizations 93, 101  
sinus procedures **245**, 246  
SITS (Safe Implementation of Treatments in Stroke) study 162, 163  
SITS-MOST (Safe Implementation of Thrombolysis in Stroke – Monitoring Study) 162, 163  
small vessel disease  
combination antiplatelet therapy 172  
lipohyalinosis and arteriolosclerosis 191  
radiation therapy 117–18, **118**  
symptomatic intracerebral hemorrhage 164  
SMART (stroke-like migraine attacks after radiation therapy) syndrome 113, 119  
smoking **2**, 116  
smoking cessation, psychiatric patients 54  
SPARCL (Stroke Prevention by Aggressive Reduction in Cholesterol Levels) trial 149  
spinal cord infarction 4  
spinal cord injury patients 61; *see also* trauma patients  
spinal–dural anesthesia **245**, 246  
spinal manipulation 123–7  
spreading depression 35–6  
SPS3 (Secondary Prevention of Small Subcortical Strokes) trial 172  
squamous cell carcinoma **116**  
SSRIs (selective serotonin reuptake inhibitors) **231**, **233**  
statins  
aneurysmal subarachnoid hemorrhage 34, 40  
coronary artery bypass graft surgery 100  
in-hospital stroke 53  
intracerebral hemorrhage 163  
open arterial surgery 19

- withdrawal of preventive medication 149–50  
 Stent Antithrombotic Regimen Study 69  
 stent placement, stroke risk associated 77  
 steroids; *see* anabolic steroids; corticosteroids  
 stroke  
   causation mechanisms; *see* pathophysiology and etiology  
   definitions 23  
   and heart disease; *see* cardiovascular disease, pre-existing  
   perioperative diagnosis 99  
   types 12–13, 18  
 stroke-like migraine attacks after radiation therapy (SMART) syndrome 113, 119  
 ST-segment myocardial infarction (STEMI) 47, 48  
 subarachnoid hemorrhage (SAH)  
   antifibrinolytic agents 229–30  
   brain aneurysms 27–8  
   intracranial–extracerebral hemorrhage 186  
   pregnancy and puerperium 213, 218  
   thrombocytopenia 23–4  
   vasospasm following 35  
   *see also* aneurysmal subarachnoid hemorrhage  
 subcortical hypertensive small vessel disease 191  
 subdural hematoma (SDH) 23, 26–7, 28, 170, 185–6  
 superior sagittal sinus 25  
 Swedish vascular surgical registry (Swedvasc) 12, 16, 16–18, 17  
 SWIFT (Solitaire Flow Restoration Device versus the Merci Retriever in Patients with Acute Ischemic Stroke) trial 156–7  
 SWIFT PRIME (Solitaire with the Intention for Thrombectomy as Primary Treatment for Acute Ischemic Stroke) trial 164–5  
 Swiss Society for Manual Medicine 125  
 symptomatic intracerebral hemorrhage (SICH) 162–5  
 syndrome of inappropriate secretion of antidiuretic hormone (SIADH) 39  
 SYNTHESIS (Local versus Systemic Thrombolysis for Acute Ischemic Stroke) trial 164  
 systemic inflammatory response, CABG surgery 99–100  
 tamoxifen 241, 243, 248  
 TAVI; *see* transcatheter aortic valve implantation  
 TBI (traumatic brain injury) 26–7, 28, 60–1  
 TCD; *see* transcranial Doppler ultrasonography  
 TEE; *see* transesophageal echocardiography  
 teratogenicity; *see* congenital malformations  
 testosterone 229  
 thalassemia 130  
 thalidomide 243–4  
 thienopyridines 147, 233; *see also* clopidogrel  
 thoracic aorta, open arterial surgery 13, 15  
 thoracoabdominal aneurysm 15  
 thoroscopic surgery 245, 248  
 throat infection, cerebral thrombosis 249  
 thrombectomy 77, 164–5  
 thrombin inhibitors; *see* direct thrombin inhibitors  
 thrombin time, coagulation assays 256, 257  
 thrombocytopenia, neurosurgery 23–4, 67; *see also* heparin-induced thrombocytopenia  
 thrombocytopenia  
   thromboembolism  
     carotid artery stenting 108  
     cerebral angiography 93  
     in-hospital stroke 52  
     medication-induced stroke 227–30, 228, 255  
     postoperative stroke 4  
     pregnancy 211  
     prophylactic strategies 8–9  
 thrombolysis  
   endovascular procedures 70–1, 79–80  
   intracerebral hemorrhage 162–5  
   lumbar punctures 50–1  
   pregnancy and puerperium 212–13, 214  
 Thrombolysis in Myocardial Infarction trial 71  
 thrombosis  
   aneurysmal subarachnoid hemorrhage 36  
   diagnosis 107  
   and endothelial damage 63  
   thrombotic endocarditis 114  
 thromboxane 63, 144  
 thrombus dislodgement; *see* plaque/thrombus dislodgement  
 thunderclap headaches 213, 231  
 thyroid disease, cerebral venous thrombosis 249  
 ticagrelor 171  
 ticlopidine 65–6, 76, 78–9, 170  
 Ticlopidine Aspirin Stroke Study (TASS) 66  
 ‘time is brain’ principle 197; *see also* door-to-needle times  
 tirofiban 66–7, 173–4, 233, 234  
 tissue-plasminogen activator (t-PA)  
   acute stroke treatment 59–60  
   endovascular procedures 70–1, 79–80  
   intracerebral hemorrhage 163, 165  
   pregnancy 207, 212–13  
 tobacco smoking; *see* smoking  
 tracheostomy 178  
 tranexamic acid 229–30  
 transcatheter aortic valve implantation (TAVI) 100–1  
 transcatheter thrombolysis treatments 79–80  
 transcranial Doppler (TCD)  
   ultrasonography  
   aneurysmal subarachnoid hemorrhage 37, 37  
   carotid artery 106, 107, 109  
   embolism 132, 133, 137  
   in-hospital stroke 51  
 transesophageal echocardiography (TEE)  
   cardioversion 222, 223, 224  
   embolism 130, 132, 133, 137  
   pregnancy and puerperium 208  
 transient ischemic attacks (TIAs) 144  
 transit time ultrasound flow 19  
 transplant surgery 245, 247–8  
 transtentorial herniation 176–7  
 trauma patients 61  
   acute therapy 59–60  
   embolism 130, 135  
   stroke causation mechanisms 58–9  
   stroke in the months following trauma 60–1  
   time course and diagnosis of stroke 59  
 traumatic brain injury (TBI) 26–7, 28, 60–1  
 traumatic craniocervical arterial dissection 58–9  
 Trendelenburg position, air gas embolism 137  
 TREVO 2 (Trepo versus Merci Retrievers for Thrombectomy Revascularisation of Large Vessel Occlusions in Acute Ischemic Stroke) trial 156–7  
 tricyclic antidepressants 233  
 triple H (hypervolemia, hypertension, and hemodilution) 41–2, 49  
 tumors, neurosurgery 29–30  
 ultrasonography; *see* transcranial Doppler ultrasonography; transit time ultrasound flow  
 unfractionated heparin (UFH) 211, 212, 232

## Index

- upper gastrointestinal endoscopy, gas embolism **135**  
urokinase 71, 79–80
- valproic acid **234**  
valve surgery; *see* cardiac valve surgery  
vascular cell membranes, vasospasm 35  
vascular malformations 114–15  
Vascular Study Group of New England 19  
vascular surgery; *see* open arterial surgery  
vasculitis 231  
vasopressor agents 42  
vasospasm  
  definitions 33–4  
  medication-induced stroke 230–1, **231**  
  oxidative stress 34  
  predictors **36**  
venous air embolisms 136; *see also* air gas embolism  
venous malformations 114–15  
venous thromboembolism (VTE)  
  pregnancy 211  
  warfarin 255  
  *see also* thromboembolism  
venous thrombosis, malignancy 52
- verapamil 43  
VerifyNow assays 71–3, 171–3  
vertebral artery dissection  
  chiropractic manipulations 123, 124  
  epidemiology 125–7  
  vertebral artery stenosis, radiation therapy 115–17  
vincristine/vinblastine **233**  
VISTA (Virtual International Stroke Trials Archive) 162  
vitamin K, anticoagulant reversal 257–8, **258**  
vitamin K agonists (VKAs) 189, 255  
  medication-induced stroke **232**  
  withdrawal of preventive medication 147–9, **148**  
  *see also* acenocoumarol; warfarin  
vomiting, cerebral angiography complications 90  
von Willebrand disease, risk factors 23–4  
von Willebrand factor (vWF) 173, **207**, **243**  
VTE; *see* venous thromboembolism
- warfarin 189  
  cardioversion 222–3  
  concomitant aspirin therapy **193**, **194**  
  congenital malformations 212  
  endovascular procedures 68, 98  
  in-hospital stroke 49, 50, 51  
  medication-induced stroke **232**, 232–3, 255; *see also* anticoagulant-associated intracerebral hemorrhage  
  restarting **261**  
  reversal 186  
  withdrawal of 147–9  
  Watchman device 148–9  
  weight, tissue-plasminogen activator dosage 163  
  white matter hyperintensities (WMH), radiation therapy 117, **118**  
  white matter lesions **193**, **194**, **194**  
  withdrawal of preventive medication 144, 150  
  anticoagulation therapy 147–9, **148**  
  antidiabetic treatment 150  
  antihypertensive treatment 150  
  antiplatelet therapy 4, 6–7, 144–7, **145**, **146**  
  bridging therapy 5, **6**, 7–8, 148  
  reasons for discontinuation **144**  
  statins 149–50  
  trauma patients 59