

Index

|                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3 E's, injury prevention 690–1<br>4–2–1 rule, fluids for pediatric patients 580 | damage control surgery 331–2, 526, 549<br>diagnostic studies 540–2<br>CT scanning 178–81, 542<br>FAST scan <i>see</i> FAST scan<br>ED management 20, 540–2<br>hollow organ injuries 529–32, 543<br>hospital resuscitation and diagnosis 540–2<br>late postoperative complications 551<br>nonoperative management 549–50<br>pediatric 584–6<br>penetrating 20, 539<br>postoperative ICU considerations 550–1<br>pregnancy 544, 626–7<br>prehospital care 539<br>retroperitoneal structures 530–1, 543<br>solid organ injuries 527–9, 542–3<br>surgical considerations 526–34 <i>see also specific injuries</i> | acetic acid soaks, burn wounds 676<br>acetylsalicylic acid (aspirin) 250<br>acid–base abnormalities<br>abdominal trauma 548<br>normal pregnancy 625<br>transfusion related 131<br>trauma-induced 327–8, 450<br><i>see also</i> metabolic acidosis<br>activated partial thromboplastin time (aPTT) 327<br>activated protein C 75<br>acupuncture 318<br>acute lung injury (ALI) 340–2<br>acute renal failure, burn injuries 672–3<br>acute respiratory distress syndrome (ARDS) 69<br>ARDS network ventilator protocol 679<br>Berlin definition and classification 341<br>burn injuries 660, 679<br>etiology 345<br>mechanical ventilation 343, 345–6<br>mild, terminology 340<br>musculoskeletal trauma and 448, 464<br>transport of ventilated patients 349<br>acute traumatic coagulopathy <i>see</i> coagulopathy, acute traumatic<br>adenosine, cardiac surgery 486, 505<br>Advanced Trauma Life Support (ATLS) 11–13, 69, 446<br>Battlefield version 640–1<br>classification of shock 70–2<br>fluid resuscitation guidelines 8, 14<br>history of development 700<br>pediatric patients 569–75<br>pregnant patients 628–9<br>teamworking 710–11<br>thoracotomy guidelines 15<br>aerobic capacity, aging-related changes 610–12 | aeromedical transport 9, 11<br>afterload, postinduction increase 61<br>aging 609<br>normative 609<br>physiologic changes 610–13<br>successful 609<br>air bags, injuries caused by 2<br>air embolism, venous<br>abdominal trauma 548–9<br>blast injury 513<br>bronchial tears 514–15<br>airway(s)<br>difficult <i>see</i> difficult airway<br>edema, burn injuries 659<br>extrinsic compression 58–60, 648<br>inhalation injury <i>see</i> inhalation injury<br>Mallampati classification 32–3<br>physical examination 32–3<br>suction 30<br>surgical <i>see</i> surgical airway<br>airway assessment<br>burn injuries 666–7<br>oral and maxillofacial trauma 429<br>pediatric patients 569<br>primary survey 11<br>airway devices 34–5<br>oral and maxillofacial trauma 431–2<br>pediatric patients 571<br>airway disruption/trauma 56, 515–16, 556<br>airway management 54–5, 60<br>military casualties 648<br><i>see also</i> tracheal injuries<br>airway management 13, 27–62<br>airway adjuncts 34–5<br>burn injuries 658–60, 666–8<br>cervical spine injury <i>see</i> cervical spine injury, airway management<br>complications 58–61<br>conventional techniques 33–7<br>difficult <i>see</i> difficult airway<br>ED thoracotomy 485 |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- endotracheal intubation  
   *see* endotracheal intubation  
 equipment and drugs 27–30  
 laryngeal mask airway  
   *see* laryngeal mask airway  
 laryngoscopy *see* laryngoscopy  
 mask ventilation *see* bag-mask ventilation  
 military casualties 646–8  
 oral and maxillofacial trauma  
   *see under* oral and maxillofacial trauma  
 oxygen administration 28–9  
 patient preparation and positioning 33  
 pediatric patients 569–73, 577–8  
 pregnant patients 625, 629, 631  
 prehospital setting 7–8  
 recommendations 61–2  
 spinal cord injury 400–1, 403–5  
 thoracic aortic surgery 510  
 thoracic trauma 555–6  
 tracheobronchial injuries 515–16  
 traumatic brain injury 52–3, 60, 368–9  
 airway obstruction  
   oral and maxillofacial trauma 57, 429–30  
   pediatric patients 570–2  
   unconscious patients 34  
 airway pressure release ventilation (APRV) 344, 349  
 airway tube exchange 564–5  
 alarms, anesthesia machine 140, 142  
 albumin solutions 115–16  
   pediatric patients 580–1  
   traumatic brain injury 369  
 albuterol, inhalation injury 669  
 alcohol-related trauma 1–3, 626  
   *see also* intoxicated patients  
 alfentanil 318, 614, 649  
 Allen test, modified 87  
 Alloderm dermal matrix, burn injury 677–8  
 allodynia 306  
 $\alpha$ -adrenergic activity, elderly patients 610  
 $\alpha_2$ -adrenergic receptor agonists 247, 256–7  
   *see also* clonidine  
 American College of Surgeons Committee on Trauma (ACSCOT)  
   Advanced Trauma Life Support *see* Advanced Trauma Life Support  
   interhospital transfer criteria 9–11  
   optimal hospital resources guidelines 699–700  
 prehospital care guidelines 9–10, 702–4  
 trauma center classification 701–2  
 American Society of Anesthesiologists (ASA)  
   difficult airway algorithm 48–52  
   airway compression 59  
   airway disruption 56  
   awake limb 49  
   cervical spine injury 54  
   head injury/intoxication 53  
   maxillofacial trauma 57  
   modified for trauma 49–52  
   pregnant patients 631  
   principles 48  
   recognition of difficult airway 49  
   safety benefits 27  
   uncooperative/unstable 49  
 fire prevention  
   recommendations 684  
 monitoring standards 137–8  
 transfusion recommendations 121  
 American Spinal Injury Association (ASIA)  
   impairment scale 385, 388, 397, 399  
   neurological classification of spinal cord injury 383, 386  
 amitriptyline 247, 255, 653  
 amniotic fluid embolism 544, 634  
 AMPLE mnemonic 575–6  
 amputation  
   pain management 283–4, 472–3  
   preventing chronic pain after 479  
   traumatic 455–7, 472–3  
   *see also* phantom limb pain  
 analgesia  
   fiberoptic intubation 44  
   multimodal 259  
   patient-controlled *see* patient-controlled analgesia  
   postoperative *see* postoperative analgesia, pain management  
 analgesic agents 246–57  
   pediatric patients 587–8  
   pediatric traumatic brain injury 598–9  
   traumatic brain injury 359–60  
 anaphylaxis, monitoring for 145  
 anemia  
   acute, limits of tolerance 118–19  
   burn-associated 670  
   indications for transfusion 121  
   risks/benefits of transfusion 120–1  
   traumatic brain injury 374  
 anesthesia apparatus  
   alarms 140, 142  
   military field anesthesia 648–9  
 angiography  
   abdominal trauma 186–7  
   damage control surgery 329  
   great vessel trauma 491  
   pelvic trauma 185–6, 452, 455, 472  
   pregnant patients 630  
 ankle block 278  
 ankle brachial index (ABI) 459  
 ankylosing spondylitis 182, 184, 398  
 anterior cord syndrome 385, 398–400  
 anterior ischemic optic neuropathy (AION) 441  
   etiological factors 441–2  
 anterior spinal artery (ASA) 395  
 antibiotic therapy  
   abdominal trauma 531, 548  
   burn injuries 663, 671  
   open fractures 461  
   topical, burn wounds 662, 676  
 antibodies 95  
 anticholinesterase agents 217–18, 220  
 anticoagulated patients  
   hemorrhage control 14  
   neuraxial anesthesia for hip fracture repair 475–6  
   traumatic brain injury 17  
 anticonvulsants (antiepileptics)  
   pain management 247, 256, 318  
   pediatric traumatic brain injury 602  
   traumatic brain injury 376, 583  
 antidepressants, pain management 247, 255–6  
 antiemetics, eye trauma 438  
 antihistamines, burn injury 258  
 antisialogogues 44  
 aorta, aging-related changes 610  
 aortic aneurysms, thoracic 506  
 aortic crossclamping  
   abdominal vascular trauma 532–3  
   damage control surgery 331  
   potential complications 533  
   thoracic aortic injury 492  
 aortic dissection, thoracic 506–7  
   blood pressure control 509  
   classification 507  
   extension into adjacent arteries 506–8, 510  
 aortic injury, abdominal 169, 533  
 aortic injury, thoracic 489–96  
   anatomy and pathophysiology 489–90, 499–500, 502, 506  
   blunt (aortic transection) 502, 506–11  
   anesthetic considerations 508–11, 556  
   clinical features 506–7  
   delayed repair 507  
   diagnosis 169, 507–8  
   endovascular repair 187–8, 492–6, 507  
   open surgery 491–2, 508  
   clinical features 490  
   diagnosis 490–1  
   CT scanning 175, 177, 179, 490–1, 493, 495  
   transesophageal echocardiography 169–70, 491  
   initial management 19, 491  
   management 491–6  
   open surgery 491–2, 508  
   clamp-and-sew 492  
   lower-body perfusion 492  
 aortic transection, thoracic  
   *see* aortic injury, thoracic, blunt  
 aortic valve injury 488  
 aortography 491  
 apnea, time to desaturation 28–9  
 apoptosis 67, 598  
 aprotinin 327  
 APRV *see* airway pressure release ventilation  
 ARDS *see* acute respiratory distress syndrome  
 L-arginine 96–7  
 Arginine Vasopressin During the Early Resuscitation of Traumatic Shock (AVERT) Study 99  
 arrhythmias *see* cardiac arrhythmias  
 arterial blood gas analysis 139–40  
 arterial blood pressure monitoring  
   continuous noninvasive (CNAP) 143–4  
   intraarterial 86, 144  
   *see also* blood pressure  
 arterial cannulation, peripheral 86–8  
   burn injuries 678  
   pediatric patients 577  
   thoracic aortic injury 510  
 arterial dissection, major vessels 506–7  
 arterial injuries  
   musculoskeletal trauma 457–61  
   thoracic 506, 511  
   ultrasound assessment 194  
   unstable pelvic fractures 452–5  
 arterial pulse contour analysis 144–7  
 arthrotomy, traumatic 461  
 articular injuries 447, 461–3  
 ASA *see* American Society of Anesthesiologists

## Index

- asphyxia  
   hypothermic cardiac arrest  
     with 234  
   inhalation injury 668  
   traumatic 519  
 aspiration of gastric contents 61  
   difficult airway and 49–51  
   pregnant patients 625  
 aspirin (acetylsalicylic acid) 250  
 ATLS *see* Advanced Trauma Life Support  
 AT-MIST handover format 646–7  
 atracurium 211–12, 216  
 atrial–caval shunts 528, 549  
 atropine, pediatric anesthesia 579  
 autonomic hyperreflexia 408  
 autonomic nervous system, senescence 610  
 avalanche victims 234  
 AVPU evaluation 575  
 awake intubation 37, 46–8  
   airway disruption 55  
   analgesia, sedation, antisialogogue 44  
   ASA difficult airway algorithm 49, 51  
   burn injuries 668  
   cervical spine injuries 52  
   local anesthesia and  
     vasoconstriction 44–7  
   nasal fiberoptic technique 46–8  
   oral and maxillofacial trauma 431  
   pregnant patients 631  
 axillary artery cannulation 87  
   complications 88  
 axillary brachial plexus block 275  
   ultrasound guidance 197–8  
 axillary vein cannulation, ultrasound guidance 205–6  
  
 B cells 95  
 back pain, chronic posttraumatic 307, 314–15  
 baclofen, intrathecal 318  
 bag-mask ventilation  
   airway devices 34  
   difficult 30–1  
   oral and maxillofacial trauma 431  
   patient transfers 348–9  
   pediatric patients 571, 573, 577  
   rapid sequence induction 36, 210  
   techniques 34  
 barbiturate-induced coma, traumatic brain injury 360–1, 601–2  
 base deficit (BD) 101, 327–8  
 Battlefield Advanced Trauma Life Support (BATLS) 640–1  
 battlefield casualties *see* military casualties  
 Beck's triad 483, 504–5  
 Benumof 11-step airway examination 32–3  
 benzodiazepines  
   burn injury 258  
   pain management 247, 257  
   pregnant patients 633  
   traumatic brain injury 359, 584, 598–9  
 $\beta$ -adrenergic agonists, for tocolysis 632  
 $\beta$ -adrenergic receptor antagonists (beta-blockers)  
   pregnant patients 633  
   thoracic aortic injury 508–9  
 bicarbonate *see* sodium bicarbonate  
 Bier's block 278  
 bilevel airway pressure (BiPAP) 345  
 biliary injuries 527–8  
 Birmingham Eye Trauma Terminology (BETT) 437  
 Bispectral Index (BIS) 151–2  
 bladder rupture, imaging 180–1  
 bladder temperature 230  
 blast injuries 511–13  
   anesthetic management 512–13  
   military casualties 643  
   oral and maxillofacial trauma 428  
   surgical management 513  
 blind intubation *see* endotracheal intubation, blind  
 blood gas analysis, arterial 139–40  
 blood loss  
   burn excision surgery 663, 675, 681  
   detection in pregnancy 624  
   estimation 113  
     burn excision surgery 681  
   ischemic optic neuropathy risk 441–2  
   maximum allowable (MABL) 581  
   pharmacologic effects on IV anesthetics 105–10  
   *see also* hemorrhage  
 blood pressure (BP)  
   changes in pregnancy 624  
   control  
     after intubation 60–1  
     shock 72  
   spinal cord injury 400–2  
   thoracic aortic injury 508–9  
   traumatic brain injury 17, 52, 369, 377  
   elderly patients 21  
   monitoring 143–4  
     burn injuries 678  
   continuous noninvasive (CNAP) 143–4  
   intraarterial 86, 144  
   noninvasive 143  
   thoracic aortic injury 510  
   normal pediatric values 574  
   pediatric patients 574  
 blood products  
   availability during burns  
     excision surgery 675  
   ratios for massive transfusion 94–5, 127, 501, 645  
   supplies, military environment 642, 645  
 blood salvage, abdominal trauma 547, 549–50  
 blood transfusion 14, 118–32  
   abdominal trauma 540  
   burn injuries 120, 670, 675, 682  
   coagulation factors and platelets 122–4  
   complications 95, 128–31  
     effects of red blood cell storage 128–30  
     strategies to reduce 128–9  
   damage control resuscitation 501  
   endpoints 132  
   hemorrhagic shock 73–4  
   immunomodulatory effects 95, 121, 128  
   inflammatory response 95–6  
   laboratory evaluation 101–2  
   leukodepleted blood 129  
   massive *see* massive blood transfusion  
   military casualties 645–6  
   pediatric patients 574, 581–2  
   pharmacologic adjuncts 97–100  
   practices 94–5  
   prehospital setting 8  
   red blood cell *see* red blood cell (RBC) transfusion  
   risk–benefit balance 120–1  
 blood volume  
   changes in pregnancy 624  
   estimated (EBV), pediatric patients 581  
 blood warming devices 131–2, 228–31  
 “bloody vicious cycle” (triad of death) 324–8  
 body weight, predicted (PBW) 341  
 bolt, intracranial 151  
 bombs *see* explosions, improvised explosive devices  
 bone healing, effects of coxibs/NSAIDs 251–2  
 bowel injuries  
   pediatric 586  
   *see also* large bowel trauma; small bowel injuries  
 brachial artery  
   cannulation 87  
   injuries, ultrasound assessment 194  
 brachial plexus blocks 272–5  
   complications 289  
   opioids as adjuvants 286  
   ultrasound guidance 196–9  
 brachiocephalic vessel injuries 490  
   clinical features 490  
   diagnosis 491  
   management 492  
 bradycardia  
   fetal, management 632  
   spinal cord injury 400, 402  
 brain  
   aging-related changes 613  
   pediatric, anatomic differences 596  
   brain contusions 354, 366  
   surgical management 356–7  
 brain herniation, emergent imaging 184  
 brain injury  
   primary 353, 365–7, 596  
   secondary 353, 365, 367  
   pediatric patients 596–8  
   traumatic *see* traumatic brain injury  
 brain swelling (cerebral edema) 354, 597  
 brain tissue oxygenation monitoring 372–3  
 Brain Trauma Foundation recommendations 373  
 breathing  
   burn injuries 658–60  
   pediatric trauma 573–4  
   primary survey 11  
 breathing circuit, heated humidified gases 237  
 bronchial anatomy 559  
 bronchial blockers (BBs) 558, 561–2  
   commonly available 562  
   postoperative ventilation 564  
   vs. double-lumen tubes 558–62  
 bronchial injuries 514–16  
   airway management 556  
 bronchopleural fistula (BPF) 514–15  
   mechanical ventilation and 348  
 bronchoscopy  
   fiberoptic *see* fiberoptic bronchoscope (FOB)-assisted intubation  
   inhalation injury 667  
   rigid, difficult airway management 38, 40  
 Brown-Séquard syndrome 385, 399–400

- Bullard laryngoscope 53–4  
 bupivacaine 247  
   liposomal 255  
 buprenorphine 247  
 burn injuries 4, 657–63  
   anesthetic management 666–85  
   blood transfusion 120, 670, 675, 682  
   depth classification 657–8  
   first-degree 657–8, 676  
   fluid resuscitation 660–1, 670, 681  
   complications 662–3  
   during excision and grafting 681  
   first 24 hours 661–2, 682  
   second 24 hours 682  
   initial management 658–61  
   intraoperative management 678–81  
   blood loss and fluid therapy 681  
   induction and maintenance of anesthesia 680  
   monitoring and urinary catheters 678–9  
   thermal regulation 679  
   ventilation 679  
 military casualties 643  
 mortality 657  
   risk factors 657, 674  
 neuromuscular blocking agents 219, 668, 680  
 oral and maxillofacial trauma 428  
 pain management 258, 683–4  
   regional techniques 258, 283, 684  
 pathophysiology 657–8, 666–72  
 pharmacokinetic/  
   pharmacodynamic effects 679–80  
 postoperative management 681–4  
   extubation and tracheotomy 681–3  
   sedation and analgesia 683–4  
   transport and monitoring 683  
 pregnancy 627–8, 674  
 preoperative management 672–5  
   fasting guidelines 672  
   history and examination 672  
   intravenous access 674–5  
   laboratory tests 674  
   premedication 675  
   supply of blood products 675  
 prevention program 693–4  
 second-degree 658, 676  
 size estimation 660–1  
 surgical management 676–8  
   artificial skin substitutes 677–8  
   escharotomy 662, 676–7  
   excision and grafting 663, 677  
   preventing blood loss 675  
   third-degree 658, 676  
   topical wound care 662, 676  
   types of burns 672–4  
   *see also* inhalation injury  
 Burn Prevention, Project 693–4  
 burn shock 669  
 butyrylcholinesterase 211  
 <C>ABC paradigm, military resuscitation 644  
 C2–C3 joint pain, chronic posttraumatic 314  
 calcium-channel blocking agents, pregnancy 632  
 Canadian C-Spine Rules 18  
 capillary leak syndrome, burn injury 658  
 capnogram 140  
 capnography 140, 576  
   *see also* end-tidal carbon dioxide monitoring  
 capnometry 140  
 carbon dioxide tension, arterial blood (PaCO<sub>2</sub>)  
   adequacy of mechanical ventilation 343  
   pediatric traumatic brain injury 583, 600  
   postinduction decrease 61  
 carbon monoxide (CO)  
   poisoning 659, 668–9  
   pregnant patients 627–8  
   pulse oximetry 138, 668  
 cardiac arrest  
   hypothermic  
     with history of asphyxia 234  
     without history of asphyxia 233–4  
   penetrating cardiac trauma 486  
   pregnant patients 544, 633–5  
   succinylcholine-induced 214  
   traumatic 15  
 cardiac arrhythmias  
   blast injury 512  
   electrolyte abnormalities 143  
   myocardial contusion 143, 487–8, 504  
 cardiac contusion *see* myocardial contusion  
 cardiac enzymes 487  
 cardiac function  
   burn injuries 658, 662, 669–70  
   elderly patients 610–12  
 cardiac luxation (herniation) 486, 503–4  
   imaging 488, 503–4  
 cardiac magnetic resonance imaging (CMRI) 488  
 cardiac output  
   burn injuries 658, 662, 669–70  
   end-tidal CO<sub>2</sub> and 142  
   low, neuromuscular blocking agents and 210–11  
   measurement, pulmonary artery catheters 148  
   pregnant patients 624  
 cardiac rupture *see* myocardial rupture  
 cardiac tamponade 14–15, 483–6, 504  
   anesthetic management 505  
   blast injury 513  
   clinical features 483–4  
   diagnosis 484, 504–5  
   central venous pressure 148, 484  
   echocardiography 170–1, 484, 488  
   intermittently decompressing 483–4  
   management 484–6  
   pediatric patients 586  
 cardiac trauma 482–9, 499  
   Abbreviated Injury Scale (AIS) 500–1  
   anesthetic considerations 501–5  
   associated injuries 502  
   blast injury 512  
   blunt 486–9, 502–4  
     clinical features 487  
     diagnosis 169–70, 487–8  
     management 488–9  
     pathophysiology/mechanisms 486–7, 502  
   electrical injury 489  
   etiologies 482–3  
   iatrogenic 489  
   intracardiac missiles 489  
   mechanisms 502  
   metabolic injury 489  
   pediatric patients 586  
   penetrating 482–6, 504–5  
     anesthetic considerations 504–5  
     clinical features 483–4  
     diagnosis 484  
     ED thoracotomy 15, 484–5  
     hemorrhage control and surgery 485–6  
     management 484–6  
     mortality 504  
     pathophysiology 482–3, 502  
   postoperative complications 520  
   relevant anatomy 499–500  
   *see also* cardiac tamponade  
 cardiac valve injuries 169–70, 488  
 cardiopulmonary arrest  
   *see* cardiac arrest  
 cardiopulmonary bypass (CPB) 502  
 great vessel trauma 508  
 hypothermic cardiac arrest 233–4  
   trauma-associated hypothermia 237  
 cardiopulmonary resuscitation (CPR)  
   cardiac injury from 486, 502  
   hypothermic cardiac arrest 233–4  
   maternal and fetal complications 634–5  
   pregnant patients 544, 633–5  
   prehospital termination 9, 702–4  
 cardiorrhaphy 485–6  
 cardiothoracic trauma 499–521  
   anesthetic considerations 501–2  
   blast injury 511–13  
   damage control resuscitation 500–1  
   indications for surgery 513  
   initial assessment 500  
   postoperative management 520  
   relevant anatomy 499–500  
   *see also* cardiac trauma; great vessel trauma; thoracic trauma  
 cardiovascular system  
   aging 610–12  
   changes in pregnancy 624  
   effects of burn injuries 669–70  
 catecholamines  
   aging changes 610  
   burn injuries 670  
   preinduction increase 60  
 cauda equina syndrome 399  
 caudal epidural blocks, pediatric patients 588  
 causalgia *see* complex regional pain syndrome (CRPS), type II  
 CD4+ T cells (helper T cells) 95  
 CD8+ T cells (cytotoxic T cells) 95  
 celecoxib 250–1  
 celiac axis injury 533  
 cellular phones, driver distraction 1, 694  
 central cord syndrome 384–5, 398–400  
 central nervous system (CNS)  
   aging 613  
 central pain 306  
 central retinal artery occlusion (CRAO) 408  
 central sensitization 244–5, 267, 309  
 central venous access 80–6  
   burn injuries 674–5, 678  
   clinical uses 147–8  
   femoral vein cannulation 80–2  
   internal jugular vein cannulation 82–4

## Index

- central venous access (cont.)  
 pediatric patients 574–5  
 spinal surgery 405  
 subclavian vein cannulation 84–6  
 ultrasound guidance 204–5  
 central venous pressure (CVP)  
 cardiac tamponade 148, 484  
 monitoring 147–8  
 burn injuries 661, 678  
 indications 147  
 waveform analysis 147  
 cerebral blood flow (CBF)  
 effects of anesthetic agents 369, 584–5  
 effects of hyperventilation 600  
 pediatric traumatic brain injury 597  
 cerebral edema/swelling 354, 597  
 cerebral metabolic rate (CMRO<sub>2</sub>), effects of anesthetic agents 369, 377, 584–5  
 cerebral metabolic therapy, traumatic brain injury 375–6  
 cerebral oximetry 153, 372–3  
 cerebral perfusion monitors 370–1  
 cerebral perfusion pressure (CPP) 151  
 cerebral oximetry monitoring and 153  
 management 373–6  
 initial resuscitation 369  
 pediatric patients 583, 598–604  
 target values 373  
 cerebral salt wasting syndrome (CSWS) 375  
 cerebrospinal fluid (CSF)  
 drainage 360, 601  
 leaks 57–8, 365  
 cerebrovascular injury  
 CT angiography 176–8  
 endovascular treatment 187  
 cervical spine (C-spine)  
 clearance rules 18, 402–3  
 Halo device 404  
 imaging 18, 177, 181, 402–3  
 pediatric patients 183–4  
 radiographic 15, 175  
 manual in-line stabilization (MILS) 36, 368, 401  
 pediatric patients 577  
 motion, video vs. direct laryngoscopy 42  
 precautions 17, 400–3  
 military casualties 648  
 musculoskeletal trauma 465–6  
 oral and maxillofacial trauma 431  
 pediatric patients 569–70, 573  
 pregnant patients 631  
 prehospital setting 9  
 cervical spine injury 17–18, 382  
 airway examination 33  
 airway management 33, 52–5, 60, 403–5  
 ASA difficult airway algorithm 54  
 ED 17–18, 401  
 one-lung ventilation 556  
 complicating intubation 61  
 concomitant injuries 17, 368, 414, 428–9  
 examples 397–9  
 facet dislocations 389–90  
 facet fractures with displacement 384, 386  
 patterns of neurologic injury 384–5  
 pediatric patients 573  
 surgery  
 decompression 389, 391  
 extubation after 404–5  
 stabilization 382, 387, 389–91  
 timing 388  
 timing of tracheostomy 389  
 cervical stenosis, congenital 383  
 cervicogenic headache, chronic posttraumatic 314  
 cesarean section  
 indications 631  
 perimortem 22, 544, 635  
 postmortem 544  
 chain of survival, trauma 223  
 chemical burns 673  
 chest radiographs (CXR) 15  
 abdominal trauma 540  
 acutely unstable patients 174–5  
 burn injuries 666–7  
 cardiac tamponade 484  
 fat embolism syndrome 477  
 great vessel injuries 490–1, 507  
 tracheobronchial injury 515  
 chest trauma *see* thoracic trauma  
 chest tube (thoracostomy tube)  
 insertion  
 blast injury 511–12  
 hemothorax 347, 517  
 iatrogenic arterial injuries 511  
 mechanical ventilation and 346  
 open pneumothorax 517  
 prior to/with induction 501, 505, 517, 556  
 tension pneumothorax 516  
 thoracic trauma 514–15  
 ultrasound guidance 203–4  
 chest wall injuries  
 Abbreviated Injury Scale (AIS) 519  
 mechanical ventilation 346–7  
 open/sucking 14, 517  
 traumatic asphyxia 519  
*see also* rib fractures  
 child abuse 22  
 burn injuries 674  
 head injuries 582–3  
 children *see* pediatric patients  
 chin-lift maneuver 34, 431, 572  
 cholinesterase, plasma 211  
 chronic obstructive pulmonary disease (COPD), end-tidal CO<sub>2</sub> monitoring 141  
 chronic pain, posttrauma 304–19, 478–9  
 abdominal pain 311–13  
 burn injuries 684  
 complex regional pain syndrome 307–11  
 definition 305  
 evaluation 305–7  
 historical perspective 304–5  
 phantom limb pain 314  
 spinal cord injury 315–18  
 traumatic brain injury 313–14  
 vertebral fractures 314–15  
 chronic traumatic encephalopathy (CTE) 694–5  
 circulation  
 burn injuries 660–1  
 monitoring methods 142–9  
 pediatric patients 574  
 pregnant patients 629  
 primary survey 11  
*see also* hemodynamic status  
 cisatracurium 211–12, 216, 548  
 citrate intoxication 74, 131  
 clevidipine, thoracic aortic injury 509  
 clinical governance, military medicine 642  
 clinical microsystems 716–17  
 clonidine  
 acute pain management 247, 256  
 chronic pain management 317–18  
 regional anesthesia 285–6  
 cluster headache 314  
 coagulation factors 122–4  
 concentrates 100, 122–4  
 deficiencies 122  
 coagulation system  
 burn-associated changes 670  
 changes in pregnancy 625  
 effects of crystalloids 115  
 coagulation testing 122  
 acute traumatic coagulopathy 326–7  
 military environment 646  
 point-of-care (POC) methods 122, 327  
 shock 74  
 coagulopathy  
 abdominal trauma 547  
 acute traumatic 122, 325–7  
 military casualties 645, 653  
 prevention/treatment 326–7  
 hypothermia-related 130, 236  
 pediatric trauma 581  
 regional anesthesia and 271, 653  
 transfusion-related 95, 325, 582  
 traumatic brain injury 374–5  
 cocaine, topical, fiberoptic intubation 45–6  
 codeine 247  
 pediatric patients 588  
 cognitive dysfunction, postoperative 613  
 cold-induced injuries 233  
 Colles' fracture 478  
 colloid solutions 116  
 burn injuries 662–3  
 pediatric trauma 580–1  
 traumatic brain injury 369  
 colonic pseudo-obstruction, opioid-induced 253  
 colonic trauma 531–2, 543  
 Combat Application Tourniquet (CAT) 640–1  
 Combitube 37  
 commotio cordis 487  
 communication  
 damage control surgery 334  
 military medical setting 646  
 team protocols 717–18  
 compartment syndrome 460–1, 476–7  
 burn injuries 663  
 complicating aortic crossclamping 533  
 diagnosis 476  
 pediatric patients 279  
 regional anesthesia masking 271–2, 289, 476–7, 653  
 treatment 461  
*see also* abdominal compartment syndrome (ACS)  
 complement system 95  
 complex regional pain syndrome (CRPS) 307–11  
 diagnostic criteria 308–9  
 musculoskeletal trauma 477–8  
 pathophysiology 309–10  
 patient evaluation 308–9  
 prevention 478  
 regional anesthesia 284, 311, 478  
 spinal cord injury 317  
 treatment 310–11  
 type I (reflex sympathetic dystrophy) 308–9, 477–8  
 type II (causalgia) 306–9, 477  
 computed tomography (CT) 16  
 abdominopelvic 178–81, 542  
 cardiac trauma 488  
 cardiothoracic trauma 500  
 chest 177–9, 503

- great vessel trauma 507  
 head 176–8, 370  
 oral and maxillofacial trauma 415–16  
 pediatric trauma 183–4  
 penetrating trauma 185  
 pregnant patients 630  
 resuscitation room 175  
 spine 181–3, 402  
 stable trauma patients 176–82  
 thoracic aortic injury 175, 177, 179, 490–1, 493, 495, 508  
 computed tomography  
   angiography (CTA)  
     aortic injury 177–9, 490–1  
     head and neck 176–8  
     spinal cord injury 402  
 concussion 313, 694  
 conflict, within teams 710  
 Confusion Assessment Method 613  
 congenital pain insensitivity syndrome 305  
 consent, regional anesthesia 271, 291–2  
 Consolidated Omnibus Budget Reconciliation Act (COBRA) 705  
 contamination control, damage control surgery 331  
 continuous arteriovenous rewarming (CAVR) 237–8  
 continuous positive airway pressure (CPAP) 345  
   one-lung ventilation 557  
 contractures, succinylcholine-induced 212  
 CONTROL trial 124, 327, 332  
 conus medullaris injuries 384  
 convective air blankets  
   *see* forced-air warming  
 Cook airway exchange catheter (CAEC) 564, 682–3  
 Cookgas Intubating Laryngeal Airway (ILA) 37–9, 62  
 cooking oil burns 673–4  
 Cormack and Lehane classification,  
   laryngoscopic views 30–1, 578  
 coronary artery  
   air embolism, blast injury 512  
   injuries 486, 488–9, 504  
 coronary artery disease,  
   underlying 612  
 cortical blindness 408  
 corticosteroids  
   ischemic optic neuropathy 442  
   pediatric traumatic brain injury 583, 600  
   spinal cord injury 387, 403  
   traumatic brain injury 376  
 coxibs (COX-2 selective inhibitors) 250–1  
   effects on bone and wound healing 251–2  
   gastric protection 251  
   as regional anesthesia adjuvants 285  
 craniectomy, decompressive  
   *see* decompressive craniectomy  
 craniotomy, emergent,  
   preoperative imaging 184  
 CRASH-2 trial 74, 97–8, 326, 501, 600  
 creatine kinase, MB isoform (CK-MB) 487  
 crew resource management 715  
   military setting 646  
 cricoid pressure 36, 209–10  
   cervical spine injury 54, 404  
   military anesthesia 648  
   pediatric patients 577–8  
   traumatic brain injury 368–9  
 cricothyroidotomy  
   open surgical 40, 573  
   oral and maxillofacial trauma 432  
   percutaneous (needle) 39–40, 573  
 CRPS *see* complex regional pain syndrome  
 crush injury, traumatic asphyxia 519  
 crush syndrome 473–4  
 cryoprecipitate 122, 582  
 crystalloid solutions 14, 114–16  
   hemorrhagic shock 72  
   pediatric trauma 580–1  
   prehospital setting 8, 114  
   timing and aggressiveness of administration 114  
   warming 131  
 C-spine *see* cervical spine  
 Cullen sign 540  
 Curling's ulcers 671  
 Curreri formula 671  
 Cushing's response 377, 594  
 cyanide poisoning 659, 669  
 cyclooxygenase (COX) 246, 250  
 cyclooxygenase (COX)-2  
   selective inhibitors  
     *see* coxibs  
 cyclooxygenase/5-lipoxygenase (COX/LOX) inhibitors 251  
 cytokines 95–6  
 cytotoxic T cells (CD8+ T cells) 95  
 Dakin's solution 676  
 damage-associated molecular patterns (DAMPs) 96  
 damage control orthopedics 333, 448  
   long-bone fractures 455, 458  
 damage control principles 323–35, 499  
   military trauma 644–6  
 damage control resuscitation (DCR) (hemostatic resuscitation) 114, 330, 500–1  
   military trauma 500, 645  
   pediatric trauma 582  
   traumatic amputation 472  
 damage control surgery (DCS) 323–35  
   abdominal trauma 331–2, 526, 549  
   aims 331  
   communication 334  
   complications 332–4  
   four phases 330–5  
   historical background 323  
   interventional radiology 328–30  
   military trauma 646  
   patient selection 324  
   phase 1 (ED) 330–1  
   phase 2 (OR) 331–3  
   phase 3 (ICU) 333–5  
   phase 4 (definitive surgery) 335  
   preparation for 324  
   rationale 324–8  
 Dawson maneuver, dislocated mandible 415  
 deaths, trauma  
   declaration at scene 702–4  
   statistics 1–3, 698  
   trimodal distribution 6  
 DeBakey classification, aortic dissection 507  
 debriefing, after simulation training 716–17  
 decision-making theory,  
   naturalistic 713  
 decompressive craniectomy 376  
   current opinions 358  
   indications 357  
   pediatric patients 601  
 DECRA study 358, 376  
 decubitus ulcers, prophylaxis 615–16  
 deep venous thrombosis 550  
 DeHaven, Hugh 689  
 delirium, perioperative 479, 613  
 dementia  
   preexisting 613  
   sports-related 694–5  
 demographics, trauma 1  
 Denis's three-column concept,  
   spine 396  
 dental prostheses, missing 426  
 dentoalveolar injuries 17, 412–14, 426  
 depth of anesthesia monitoring 151–2  
 desflurane, cerebral  
   hemodynamic effects 584  
 desipramine 247  
 desmopressin 327  
 dexmedetomidine 247, 256–7, 286  
   burn injury 684  
   fiberoptic intubation 44  
   thoracic aortic injury 509–10  
 dextran solutions 115–16  
 diabetes insipidus 375  
 diagnostic peritoneal lavage (DPL) 541  
   pediatric patients 585  
   pregnant patients 630  
 diaphragm weakness,  
   complicating nerve blocks 289  
 diaphragmatic injuries 20, 543–4  
   gastric injury with 529  
   mechanical ventilation 347  
 diastolic blood pressure (DBP) 143  
 diastolic heart failure/  
   dysfunction  
   echocardiographic diagnosis 162–3  
   elderly patients 611  
   management 163–4  
 diazepam 247, 598  
 diclofenac 247, 251  
 difficult airway 30–2, 37–44  
   ASA algorithm 27, 48–52  
   awake intubation 37  
   blind intubation techniques 40–1  
   burn injuries 667  
   definition 30–1  
   esophageal tracheal Combitube 37  
   historical indicators 31–2  
   laryngeal mask airway 37–8  
   military anesthesia 647–8  
   pathologic/anatomic predictors 32  
   pediatric patients 578  
   pregnant patients 625, 629, 631  
   recognition 32–3, 49  
   recommendations for managing 61–2  
   regional anesthesia for surgery 44  
   rigid bronchoscope 38  
   scenarios 52–8, 60  
   surgical airways 38–40  
   training 62  
   unstable, uncooperative or apneic patients 37, 40  
   video laryngoscopy 41–3  
 diffuse axonal injury (DAI) 354, 365–7  
 diffuse idiopathic spinal hyperostosis (DISH) 182–4  
 digit reimplantation, regional anesthesia 284  
 2,3-diphosphoglyceric acid (2,3-DPG) 118–19, 128

## Index

- diplopia, monocular 418  
 direct vascular control (DVC),  
   damage control surgery 331  
 disability (primary survey) 11, 575  
 disaster management 511–12, 698  
 dislocations 461–3  
 disseminated intravascular  
   coagulation (DIC) 325, 670  
 distracted driving 1, 694  
 domestic violence, pregnancy 22, 635  
 dopamine, spinal cord injury 402  
 dorsalis pedis artery cannulation 87  
 double-lumen tubes (DLT) 558, 560–1  
   airflow resistance 563–4  
   postoperative ventilation 563–4  
   sizing 560–1  
   tube exchanges 564–5  
   vs. bronchial blockers 558–62  
 doxacurium 211–12, 217  
 doxepin 247  
 dronabinol 318  
 drowning, near 234  
 drug abuse 1, 22–3  
   meth lab explosions 673  
   trauma during pregnancy and 626  
   *see also* intoxicated patients  
 duodenal injury 530–1, 543  
   combined with pancreatic injury 531  
 dysesthesia 306  
 dysynchronia 309–10
- ear temperature 229  
 early appropriate care (EAC),  
   musculoskeletal trauma 450  
 Eastern Association for the  
   Surgery of Trauma (EAST) guidelines  
   blunt abdominal trauma 527–8  
   emergency intubation 7–8  
   geriatric trauma 616–17  
   penetrating neck trauma 18–19  
 ECG *see* electrocardiogram  
 echocardiography 149, 158–72  
   applications 158–9  
   cardiac trauma 169–71, 484, 488  
   clinical examples 164–6  
   FATE protocol 149–50  
   goal focused 158  
   hemodynamic state  
     assessment 159–64  
   training and education 171–2
- transesophageal  
   *see* transesophageal  
   echocardiography  
   transthoracic (TTE) 149  
 economic burden, trauma 1, 3  
 ED *see* emergency department  
 edentulous patients, airway  
   difficulty 32  
 edrophonium 217–18  
 ejection fraction,  
   echocardiographic  
   estimation 160–1  
 EKG *see* electrocardiogram  
 elbow, nerve blocks 275–6  
 elderly patients 609–20  
   burn injuries 658, 661, 674  
   ED management 21–2  
   falls 3  
   hip fractures *see* hip fractures,  
     elderly  
   individualized assessment 609  
   multisystem trauma 616–19  
   nonaccidental trauma 22  
   outcomes of trauma 616–18  
   pain management 246, 616  
   perioperative delirium 479, 613  
   physiology of aging 610–13  
   regional anesthesia 279–81  
   rib fractures 519–20  
   spinal cord injury 383  
   trauma care 613–19  
   vertebral fractures 314–15  
 electrical alternans 144  
 electrical burns 489, 672–3  
 electrocardiogram (ECG) 142–3  
   burn injuries 678  
   myocardial contusion 143, 487, 504  
   pregnancy-related changes 624  
 electroencephalogram (EEG) 151  
 electrolyte disturbances  
   crush syndrome 473  
   ECG changes 143  
   massive resuscitation 74–5  
   transfusion related 131  
   traumatic brain injury 375  
 electromyography (EMG), spine  
   surgery 406  
 embolization, transcatheter  
   (arterial) 328–9  
   intraabdominal hemorrhage 186–8, 329–30  
   pelvic hemorrhage 185–6, 329, 452, 472  
 emergency department (ED) 6, 9–22  
   damage control surgery 330–1  
   elderly trauma patients 21  
   initial assessment 9–13, 15–16  
   management of specific  
     injuries 16–20  
   pain management 16  
   patient transport to 9  
   pediatric trauma patients 20–1  
   pregnant trauma patients 21–2
- procedural sedation 16  
 supplies and equipment 12  
 transfer of care to 11–12  
 emergency medical services  
   (EMS) 6–11  
   care providers 7  
   on-scene trauma care 7–9  
   patient transportation 9  
   termination of resuscitation 9, 702–4  
   trauma triage 702  
 Emergency Medical Services  
   Systems Act 699–700  
 emergency medical technicians  
   (EMTs) 7  
 Emergency Medical Treatment  
   and Labor Act  
   (EMTALA) 705  
 EMLA cream 258  
 endobronchial tubes 558, 562–3  
 endorphins 107  
 endotoxin, burn injury 672  
 endotracheal intubation 28–62  
   abdominal trauma 545  
   airway suction after 30  
   awake *see* awake intubation  
   blind 40–1  
     light wand technique 40–1  
     nasal route 40  
     via laryngeal mask airway 37–8  
   burn injuries 658–9, 666–8  
   cervical spine injuries 17–18, 52–5, 403–5  
   complications 58–61  
   dental trauma during 414  
   difficult  
     definition 30–1  
     trauma scenarios 52–8, 60  
     unstable, uncooperative or  
     apneic patients 37, 40  
   *see also* difficult airway  
   elderly patients 612  
   emergency department 13  
   equipment 29–30  
   extubation *see* extubation,  
     tracheal  
   failure 45, 58  
   fiberoptic *see* fiberoptic  
     bronchoscope (FOB)-  
     assisted intubation  
   laryngoscopy *see* laryngoscopy  
   neuromuscular blocking  
     agents 214, 218–20  
   oral and maxillofacial trauma 57–8, 417, 427, 431–2  
   pediatric trauma 571–3, 577–8  
   pregnant patients 625, 629, 631  
   prehospital setting 7–8  
   preoxygenation 28–9  
   rapid sequence *see* rapid  
     sequence induction and  
     intubation  
   retrograde wire technique 43
- retromolar 433–4  
 shocked patients 72  
 spinal cord injury 400–1, 403–5  
   with spontaneous ventilation 36–7  
   submental 417, 434  
   traumatic brain injury 52, 368–9  
 endotracheal tubes (ETTs) 29  
   advanced into bronchus 558  
   awake nasal intubation 46  
   confirmation of position 30, 58–60  
   drug administration via 30  
   fixation, burn injuries 668  
   inserted via laryngeal mask  
     airway 38  
   pediatric patients 571–2  
 Endotrol endotracheal tube 40  
 endovascular aneurysm repair  
   (EVAR) 493  
 endovascular repair of thoracic  
   aorta (TEVAR) 187–8, 492–6, 507  
 end-tidal carbon dioxide  
   (P<sub>ET</sub>CO<sub>2</sub>) monitoring 140–2  
   adequacy of mechanical  
     ventilation 343  
   causes of P<sub>ET</sub>CO<sub>2</sub> changes 141  
   Combitube placement 37  
   confirming endotracheal tube  
     position 30, 59  
   pediatric trauma 576  
 enteral feeding, burn injuries 671–2  
 Entonox 247, 257, 650  
 epidemiology, trauma 1  
 epidural anesthesia/analgesia  
   abdominal trauma 547  
   blunt chest trauma 283  
   burn injury 684  
   caudal, pediatric patients 588  
   diagnosis of compartment  
     syndrome and 476  
   hip fractures 615–16  
   military casualties 653  
   opioid-based 279  
   thermoregulatory effects 225  
   thoracic (TEA) 511, 519–20  
   ultrasound guidance 201  
 epidural hematoma 355, 366  
   pediatric 583, 595  
   surgical management 356–7  
 epiglottitis, infants and children 571  
 epilepsy, posttraumatic 376  
 epinephrine  
   age-related changes 610  
   burns excision surgery 675  
   ischemic optic neuropathy and 442  
   peripheral nerve blocks 285–7  
 epistaxis 417, 427

- erythrocyte transfusion *see* red blood cell transfusion  
 escharotomy 662, 676–7  
 esmolol  
   pregnant patients 633  
   thoracic aortic injury 508–9  
 esophageal stethoscope 142, 150, 232  
 esophageal tracheal Combitube 37  
 esophagus  
   inadvertent intubation 58–60, 141  
   injuries 519, 556  
   temperature measurement 150, 228, 232  
 estimated blood volume (EBV), pediatric patients 581  
 estrogen, pain sensitivity and 245  
 etomidate  
   abdominal trauma 546  
   burn injury 680  
   effects of blood loss 109–10  
   elderly patients 614  
   pediatric patients 579, 599  
   traumatic brain injury 369, 584, 599  
 evoked potentials 152–3  
 excitotoxicity, causing neuronal death 597  
 exercise intolerance, elderly patients 611  
 expert performance approach 712–13  
 explosions 511  
   disaster management 511–12  
   methamphetamine laboratory (meth lab) 673  
   military casualties 643  
   *see also* blast injuries  
 exposure (primary survey) 11, 575  
 extracorporeal membrane oxygenation (ECMO) 233–4, 237  
 extradural hematoma  
   *see* epidural hematoma  
 extremity trauma 20  
   concomitant abdominal trauma 544  
   limb-threatening 455–61  
   *see also* fractures; long-bone fractures; musculoskeletal trauma  
 extubation, tracheal  
   after cervical spine surgery 404–5  
   after one-lung ventilation 563  
   burn patients 681–3  
   criteria 217, 220  
   elderly patients 612  
   pediatric patients 582  
 eye trauma 17, 437–42  
   associated injuries 438  
   closed-globe injury 437  
   contusions 437–8  
   definition 437  
   epidemiology 438  
   globe rupture 437–9  
   ischemic optic neuropathy (ION) 441–2  
   lacerations 437–8  
   open-globe injury 437–8  
   neuromuscular blocking agents 219, 440  
   ophthalmologic evaluation 417–18, 438–9  
   pediatric patients 439  
   penetrating 438  
   succinylcholine and 219, 439–41  
   timing of surgery 439  
 face masks 29, 34  
   pediatric patients 571  
   *see also* bag-mask ventilation  
 facet dislocations, cervical 389–90  
 facet fractures, cervical, with displacement 384, 386  
 facial injuries  
   bony *see* midface fractures  
   ED management 17  
   lacerations 412, 426  
   soft tissue 413, 426  
   *see also* oral and maxillofacial trauma  
 facial skeleton buttresses 422  
 factor VIIa, recombinant (rFVIIa) 99–100, 124  
 cardiothoracic trauma 501  
 damage control approach 327, 332  
   military trauma 646  
   pediatric trauma 582  
 falls 3–4, 661  
 fascia iliaca block 277  
 fasciculations, succinylcholine-related 212  
 fasciotomy 461, 653  
 FAST (focused assessment with sonography in trauma) scan 158, 166–8, 541  
   acutely unstable patients 174  
   anatomy 166  
   cardiac tamponade 484  
   pediatric patients 585  
   pregnant patients 630  
   scanning windows 167  
   technique 166–8  
 Fastrach laryngeal mask airway 37–9  
 fat embolism syndrome (FES) 346, 477  
 FATE protocol 149–50  
 femoral artery cannulation 87  
   complications 88  
 femoral fractures, proximal  
   *see* hip fractures  
 femoral head  
   dislocation 462–3  
   osteonecrosis of 463  
 femoral neck fractures  
   displaced, young adults 463–4  
   elderly 464–6  
   femoral nerve block 283  
   *see also* hip fractures  
 femoral nerve 276  
 femoral nerve block 277  
   hip and femoral fractures 283  
   prehospital setting 270  
   ultrasound guidance 199–200  
 femoral shaft fractures 453–6, 458, 463–4  
   fat embolism syndrome 477  
 femoral triangle 82  
 femoral vein cannulation 80–3  
   ultrasound guidance 82, 205  
 fenoldopam, thoracic aortic injury 509  
 fentanyl 247  
   burn injury 683  
   effects of blood loss 109–10  
   elderly patients 614  
   fiberoptic intubation 44  
   inhaled, acute pain 252  
   military casualties 647, 649–50  
   pediatric patients 580, 585, 588, 598–9  
   transdermal delivery 252–3  
   traumatic brain injury 360, 585, 598–9  
 fetal death  
   maternal abdominal trauma 544, 626  
   maternal burn injuries 627  
   risk factors 626  
 fetus  
   complications of maternal CPR 634–5  
   monitoring/assessment 629–30, 632  
   optimizing chances of survival 623  
   radiation exposure 183, 630  
   traumatic injuries 626  
 fiberoptic bronchoscope (FOB)-assisted intubation 44–8  
   awake techniques 37, 46–8  
   causes of failure 45  
   cervical spine injury 404  
   one-lung ventilation 559–60  
   oral and maxillofacial trauma 432  
   oral technique 48  
   patient positioning 44  
   patient preparation 44–6  
   patient selection 44  
   pediatric trauma 578  
   pregnant patients 631  
   via laryngeal mask airway 35, 38, 48  
 fiberoptic bronchoscopes (FOB) 30  
 fibrinogen  
   concentrate 100, 122–3  
   plasma concentrations 327  
 field anesthesia 648–50  
   environment 640–3  
   regional anesthesia 649–50  
   *see also* military casualties  
 field hospitals, established  
   anesthesia 650–1  
   resuscitation 641  
 field medical units 640–1  
 field resuscitation 641  
 “finger fracture” technique, liver injuries 527  
 firearm-related injuries  
   *see* gunshot wounds  
 firearms, prevention 692  
 fires, operating room 684–5  
 first aid, battlefield 640  
 flail chest 347, 518–19  
 flavocoxid 251  
 fluid resuscitation 13–14, 113–18  
   abdominal trauma 539  
   accidental hypothermia 233  
   adjunctive therapies 73–5  
   ATLS guidelines 8, 14  
   burn injuries *see under* burn injuries  
   choice of fluids 114–18  
   complications, burn injuries 662–3  
   crush syndrome 473  
   damage control *see* damage control resuscitation  
   elderly trauma victims 618  
   endpoints 132  
   guidance methods  
     arterial pulse contour analysis 144–7  
     central venous pressure 148  
     pulmonary artery catheters 148  
   hip fractures 615–16  
   hypotensive *see* hypotensive resuscitation  
   massive  
     electrolyte disturbances 74–5  
     ischemic optic neuropathy risk 442  
     *see also* massive blood transfusion  
   neurogenic shock 383  
   nonresponders 70–2  
   pediatric trauma 574, 580–1  
   prehospital setting 8–9, 114  
   responders 70–2  
   shock 72–3  
   spinal cord injury 383, 401  
   timing and aggressiveness 113–14  
   transient responders 70–3  
   traumatic brain injury 114, 369–70

Index

- fluid resuscitation (cont.)
  - vasopressors 97
  - see also* blood transfusion; resuscitation
- fluid warming devices 131–2, 228–31
- fluoroscopy
  - pregnant patients 630
  - spinal cord injury 402
- forced duction testing 418
- forced-air warming (convective air blankets) 226–8
  - accidental hypothermia 232
  - trauma-associated hypothermia 237–8
- forearm, ultrasound-guided nerve blocks 198–9
- foreign bodies
  - aspiration 426
  - intracardiac 489, 505
  - ocular 438
- fractional area change (FAC) 160–1
- fractional shortening (FS) 160–1
- fractures
  - complex regional pain syndrome complicating 478
  - damage control approach 448, 455, 458
  - local anesthetic infiltration 278
  - with neurological or vascular injury 461
  - open 461
    - classification 461
    - timing of surgery 474
  - pediatric patients 587
  - postoperative analgesia 478–9
  - stabilization/fixation 447
    - benefits of early 447–8
    - decision-making process 448
    - enhanced mobility 447
    - pain control 447
    - timing 447–50, 474–5
    - vascular injuries 460
  - see also* long-bone fractures; musculoskeletal trauma; pelvic fractures
- Frank–Starling relationship 144–5
  - aging-related changes 611
- fresh frozen plasma (FFP) 122
  - pediatric trauma 581
  - ratios, massive transfusion 94–5, 326, 501, 645
- frontal sinus fractures 421–2
- f/TV ratio (rapid shallow breathing index) 344
- functional residual capacity (FRC), changes in pregnancy 625
- furosemide, traumatic brain injury 374
- gabapentin
  - burn injury 258
- pain management 247, 256, 317
  - gantacurium 212, 215
  - gastric injuries 529, 543
  - gastric tonometry 70
  - gastric tube *see* nasogastric tube
  - gastric ulceration
    - NSAID-induced 251
    - stress-related 551, 671
  - gastric volume, ultrasound assessment 206
  - gastroesophageal reflux, pregnant patients 625
  - gastrointestinal function
    - burn injuries 670–1
    - changes in pregnancy 625
  - gelatin solutions 115–16
  - gender differences
    - burns mortality 674
    - pain sensitivity 245
  - genitourinary (GU) tract
    - changes in pregnancy 625
    - injuries 20
  - gestational age, estimation 628
  - Gibson, James 690
  - Glasgow Coma Scale (GCS) 369–70
    - modified for children 575, 594–5
  - GlideScope video laryngoscope 42
  - glossopharyngeal nerve blocks 46–7
  - glucose-containing solutions 115–16, 580
  - glycemic control 115–16
    - pediatric head trauma 584
    - spinal cord injury 407
    - traumatic brain injury 375
  - glycopyrrolate 44
  - golden hour concept 499
  - Gordon, John 689–90
  - grease burns 673–4
  - great vessel trauma 482, 489–96, 499
    - Abbreviated Injury Scale (AIS) 506
    - anatomy and pathophysiology 489–90, 499–500, 506
    - anesthetic considerations 505–11
    - blast injury 513
    - blunt 506–11
    - clinical features 490
    - diagnosis 490–1, 507–8
    - endovascular repair 187–8, 492–6
    - initial management 19, 491
    - management 491–6
    - open surgery 491–2, 508
    - penetrating 511
    - see also* aortic injury, thoracic
  - Grey–Turner sign 540
  - gum elastic bougie
    - cervical spine injury 53, 404
  - pediatric patients 577
  - gunshot wounds (GSW) 4
    - abdomen 539
    - heart 482–3, 504–5
    - imaging 184–5
    - military casualties 643
    - oral and maxillofacial region 413, 417–19, 427–8, 433
    - pregnant patients 626–7
    - prevention 692
    - thorax 502, 515
    - timing of fracture surgery 474
  - Haddon, William, Jr. 690
  - Haddon’s matrix 690, 692
  - Haemophilus influenzae* vaccine 548
  - Hagen-Poiseuille law 79
  - Halo device, spine stabilization 404
  - halothane 546–7, 584
  - handoffs (handovers)
    - AT-MIST format 646–7
    - by prehospital providers 11–12
    - standardized protocols 717–18
  - head and neck
    - infections 422–3
    - nerve blocks 278–9
  - head positioning
    - infants 570–1
    - pediatric traumatic brain injury 602–3
  - head trauma 353–61, 364–78
    - cerebrovascular angiography 187
    - concomitant injuries 428–9, 544
    - imaging 176–8, 184, 370
    - pediatric 582–5, 594–604
    - prevention 353, 694–5
    - see also* traumatic brain injury
  - headache
    - cervicogenic 314
    - chronic posttraumatic 306–7, 313–14
  - heart failure
    - diastolic *see* diastolic heart failure
    - echocardiographic diagnosis 163
    - systolic 163
    - systolic and diastolic 163
  - heart rate (HR)
    - monitoring 138–9
    - normal pediatric values 574
  - heart trauma *see* cardiac trauma
  - heat loss
    - mechanisms 226–7
    - prevention 236–8
    - see also* thermal management
  - helicopter transportation 9, 11, 644
  - helmets, motorcycle 2
  - helper T cells (CD4+ T cells) 95
  - hematocrit
    - burn injuries 670
    - critical 118–19
    - normal/acceptable, pediatric patients 581
    - pediatric blood transfusion and 581
  - hematologic changes
    - burn injuries 670
    - pregnancy 625
  - hemodilution, acute
    - normovolemic 119
  - hemodynamic status
    - abdominal trauma 540, 545
    - burn injuries 658
    - categories 159, 162–3
    - echocardiographic assessment 159–64
    - influence on management 163–4
    - intubation-related
      - compromise 60–1
    - monitoring methods 142–9
    - regional anesthesia and 271, 293
    - spinal cord injury 400–1
    - traumatic brain injury 377
  - hemoglobin concentration
    - critical lower limits 118–19
    - ischemic optic neuropathy risk and 441
    - normal pregnancy 624
    - triggering transfusion 121
  - hemolytic transfusion reactions 131
  - hemorrhage
    - abdominal trauma
      - see* intraabdominal hemorrhage
    - blood transfusion *see* blood transfusion
    - catastrophic, military casualties 644
    - control 13–14
      - cardiac trauma 485–6
      - damage control surgery 331
      - interventional radiology 185–7, 328–30
      - military casualties 644, 647
      - pediatric trauma 574
      - prehospital setting 8
      - preventing/treating
        - coagulopathy 326–7
    - diagnosis of cause 71–2
    - exsanguinating
      - rapid identification 330–1
      - triad of death 324–8
    - liver injuries 527–8
    - musculoskeletal trauma 446, 451–6, 587
    - oral and maxillofacial trauma 432–3
    - pelvic fractures 451–4, 472
    - pharmacologic profile of IV anesthetics 105–10
    - see also* blood loss

## Index

- hemorrhagic shock  
 adjuvant therapies 73–5, 98–9  
 classification 450  
 fluid resuscitation 72–3, 113–14  
 pathophysiology 65, 67–9  
 pediatric patients 574  
 therapeutic hypothermia 223
- hemostatic resuscitation  
*see* damage control resuscitation
- hemothorax 19  
 imaging 177, 179  
 initial management 514–15  
 massive 14–15, 517  
 mechanical ventilation 347  
 pediatric patients 586  
 tension 517  
 ultrasound diagnosis 203
- hepatic artery injuries 533  
 hepatic injuries *see* liver injuries  
 hetastarch *see* hydroxyethyl starch
- Hibler's method, heat-loss prevention 236
- high-frequency oscillation ventilation (HFOV) 344–5  
 patient transfers 349
- high-frequency ventilation, inhalation injury 660, 679
- high-velocity missile injuries  
 cardiac trauma 502  
 face 428
- hip dislocation 462–3
- hip fractures  
 displaced, young adults 463–4  
 elderly 464–6, 613–16  
 anesthesia management 475–6, 615–16  
 mortality 464  
 perioperative delirium 479  
 timing of surgery 474–5, 615  
 femoral nerve block 283
- history taking, prehospital setting 9
- HMGB1 (high-mobility group box 1) protein 97
- homicide 4
- Horner's syndrome, after brachial plexus block 289
- humeral shaft fractures 453
- hyaluronidase 285, 287
- hydrocodone, pediatric dose 588
- hydromorphone 247  
 pediatric analgesia 588
- hydroxyethyl starch (HES; hetastarch) 115–16  
 pediatric trauma 581  
 traumatic brain injury 369
- hyperalgesia 267–8, 306
- hyperbaric oxygen therapy 659, 669
- hyperchloremic metabolic acidosis 75, 115
- hypercoagulable state  
 fluid therapy-related 115  
 normal pregnancy 625  
*see also* coagulopathy
- hyperglycemia 75, 115–16  
 spinal cord injury 407  
 traumatic brain injury 375, 584
- hyperkalemia  
 crush syndrome 473  
 during massive resuscitation 75  
 succinylcholine-induced 211–13, 219  
 burn injury 219, 680  
 pediatric patients 214  
 spinal cord injury 408  
 transfusion related 131
- hypermetabolic response, burn injury 658, 670–1
- hyperosmolar therapy  
*see* osmotic therapy
- hyperpathia 306
- hypertonic saline (HTS) 115, 117–18  
 immune modulating effects 118  
 pediatric head trauma 583, 599–600  
 prehospital setting 8, 117  
 traumatic brain injury 117–18, 360, 369, 374
- hyperventilation  
 pediatric traumatic brain injury 583, 600  
 traumatic brain injury 52, 348, 374
- hypocalcemia  
 crush syndrome 473  
 massive resuscitation 74, 131
- hypoesthesia 306
- hyponatremia, burn injury 671
- hypotension  
 abdominal trauma 545–6  
 causes in trauma 145  
 ischemic optic neuropathy risk 441  
 pediatric head trauma 583  
 permissive *see* hypotensive resuscitation  
 postinduction/intubation 61  
 shock 70–1  
 spinal cord injury 400–1  
 traumatic brain injury 377
- hypotensive resuscitation 72, 100, 113, 501  
 military casualties 644–5
- hypothermia 223–38  
 accidental 223, 230–4  
 definitions 230  
 physiological consequences 230–2  
 treatment options 232–4  
 grading 230, 235  
 pediatric trauma 224, 575–6, 582
- perioperative 224–6  
 abdominal trauma 547–8  
 adverse effects 225–7  
 damage control laparotomy 333–4  
 predisposing factors 225, 235–6  
 rapidly induced extreme (hibernation) 223  
 rewarming methods 226–8  
 temperature monitoring 150–1, 228–30  
 therapeutic 223  
 pediatric traumatic brain injury 600–1  
 spinal cord injury 407  
 trauma 234–5  
 traumatic brain injury 131, 223, 360, 375  
 transfusion related 95, 130–1, 225  
 prevention 131–2, 228  
 trauma-associated 234–8  
 adverse effects 130–1, 227, 236  
 clinical symptoms 235  
 definitions 235  
 incidence 235–6  
 prevention 74, 236–7  
 rewarming methods 237–8, 325  
 severe exsanguinating injury 325  
*see also* thermal management
- hypovolemia  
 crush syndrome 473  
 effects on IV anesthetics 105–10  
 effects on neuromuscular blocking agents 210–11  
 elderly patients 615  
 pediatric patients 574, 580–2  
*see also* hemorrhagic shock
- hypoxemia  
 causes 28  
 one-lung ventilation 556–7  
 predisposition in elderly 612  
 relative 341  
 treatment 28
- hypoxic pulmonary vasoconstriction (HPV) 556
- ibuprofen 247, 587
- ICP *see* intracranial pressure
- ICU *see* intensive care unit
- iliac vessel injuries 533
- imaging 15–16, 174–88  
 acutely unstable patients 174–5  
 cardiothoracic trauma 177–8, 500  
 diagnostic 174–85  
 pediatric trauma 21, 183–4, 594–5
- penetrating trauma 184–5  
 pregnant patients 182–3, 630–1  
 spinal cord injury 402–3  
 stable trauma patients 175–82  
*see also specific modalities*
- imipramine 247
- immobilization, prehospital 9
- immune response 95–6  
 burn-associated suppression 671–2  
 hypertonic saline and 118  
 opioid effects 253  
 transfusion-related modulation 95, 128  
 trauma and resuscitation 95–7
- improvised explosive devices (IEDs), blast injuries 643
- indomethacin, for tocolysis 632–3
- induction of anesthesia  
 abdominal trauma 546  
 burn injuries 680  
 effects of blood loss 107–8  
 effects on intraocular pressure (IOP) 441  
 hypotensive response 61  
 military casualties 647  
 pediatric trauma 577–80  
 pediatric traumatic brain injury 584  
 penetrating cardiac trauma 505  
 rapid sequence *see* rapid sequence induction and intubation  
 traumatic brain injury 369
- infections  
 burn injuries 659–60, 669, 672  
 complicating regional anesthesia 271, 290  
 head and neck 422–3  
 transfusion related 131
- inferior vena cava (IVC) injuries 528, 533, 543
- inflammatory response  
 burn injury 671–2  
 trauma and resuscitation 95–7  
 traumatic brain injury 597–8
- infraclavicular brachial plexus block 273–5  
 ultrasound guidance 197
- infraorbital nerve blocks 278
- inhalation injury 658–60, 666–9  
 airway management 667–8  
 indications for intubation 658–9, 666–7  
 pathophysiology 657, 668–9  
 pulse oximetry 138, 668  
 signs and symptoms 666–8  
 treatment 660, 669
- inhalational anesthetic agents  
*see* volatile anesthetic agents
- injury prevention 689–95, 698  
 3 E's 690–1

## Index

- injury prevention (cont.)  
 active/passive 690  
 application of science 690–1  
 current challenges 694–5  
 emergence as a science 689–90  
 evaluation of outcomes 691–2  
 examples 692–4  
 limitations 691–2  
 Injury Severity Score (ISS) 701  
 inotropes 30, 328  
   spinal cord injury 402  
 inspiratory/expiratory (I/E) ratio 343  
 insulin infusions 75, 115–16  
   burn injury 671  
   spinal cord injury 407  
 Integra skin substitute, burn injury 677–8  
 intensive care unit (ICU)  
   abdominal trauma 550–1  
   pediatric traumatic brain injury 598–604  
   secondary resuscitation 333–5  
 interatrial septum,  
   echocardiographic assessment 161–2  
 intercostal artery injuries 511  
 intercostal nerve blocks 201, 283, 520  
 interhospital transfers  
   *see* transfers, interhospital  
 internal jugular vein (IJV)  
   cannulation 81–4  
   complications 83  
   ultrasound guidance 83–4, 204–5  
 internal mammary artery injuries 511  
 international normalized ratio (INR), safety of neuraxial anesthesia 475–6  
 interpleural block 283, 520  
 interpreters 646  
 interscalene brachial plexus block 272–3  
   ultrasound guidance 196–7  
 intertrochanteric fractures, elderly 465  
 interventional radiology 185–7, 328–30  
 intoxicated patients  
   airway management 52–3  
   evaluation 16–17, 22  
 intraabdominal hemorrhage 532–4  
   damage control surgery 331  
   interventional radiology 186–7, 329–30  
   *see also* abdominal vascular injuries  
 intraabdominal hypertension (IAH) 332–3  
   *see also* abdominal compartment syndrome  
 intraabdominal pressure (IAP) 333–4  
 intraaortic balloon occlusion (IABO), damage control surgery 332  
 intraaortic balloon pump (IABP) 144  
 intracerebral hemorrhage (ICH) 354, 366  
   pediatric 583  
   surgical management 356–7  
 intracranial hypertension 359–61, 373–6  
   barbiturate therapy 360–1  
   CSF drainage 360  
   decompressive craniectomy 358, 376  
   ED management 17  
   goals of management 373  
   hyperosmolar therapy 360, 373–4  
   hyperventilation 52, 348, 374  
   hypothermia therapy 131, 223, 360, 375  
   management algorithm 359  
   neuromuscular blocking agents 219  
   pediatric patients 583  
   acute management 583–4, 598–604  
   anesthetic considerations 584  
   pathophysiology 596–7  
   propofol infusion 360, 375  
   sedation/paralysis 359–60  
 intracranial pressure (ICP)  
   effects of anesthetic agents 377, 584  
   intervention thresholds 359, 372  
   monitoring 151, 358–9, 371–2  
   indications 356, 358–9, 371  
   methods 358, 371–2  
   pediatric head trauma 598  
   normal pediatric values 583, 597  
   raised *see* intracranial hypertension  
 intramedullary nailing, long-bone fractures 454–6, 464  
 intraocular pressure (IOP)  
   changes, and ischemic optic neuropathy 442  
   effects of succinylcholine 219, 440–1  
   evaluation 439  
   induction of anesthesia and 441  
   physiology 439–40  
   therapeutic manipulation 442  
 intraosseous (IO) access 14, 88, 575  
 intrathecal delivery systems, chronic posttrauma pain 311–13, 317  
 intravascular injections of local anesthetics, accidental 289  
 intravenous (IV) access 30, 79–86  
   abdominal trauma 539, 545  
   burn injuries 660, 674–5  
   central *see* central venous access  
   pediatric patients 574–5  
   peripheral 79–80  
 intravenous (IV) anesthetic agents  
   abdominal trauma 546  
   burn injury 680  
   effects of blood loss 105–10  
   elderly patients 614  
   military anesthesia 649  
   pediatric anesthesia 579  
   pediatric head trauma 584–5  
   spinal surgery 406  
   traumatic brain injury 377  
 intravenous regional anesthesia (IVRA) 278, 287  
 intubation *see* endotracheal intubation  
 IOP *see* intraocular pressure  
 ischemic optic neuropathy (ION), perioperative 441–2  
   pathogenesis 441–2  
   prognosis and treatment 442  
   spinal surgery 407–8  
 isoflurane  
   burn injury 680  
   cerebral hemodynamic effects 377, 584  
   pediatric anesthesia 580  
 jaw-thrust maneuver 34, 431, 572  
 Jehovah's Witnesses 120  
 joint injuries 447, 461–3  
 jugular vein cannulation  
   *see* internal jugular vein cannulation  
 jugular venous oxygenation monitoring 153, 372  
 keratinocytes, cultured human 677–8  
 ketamine 247, 254–5, 285–6  
   burn injury 258, 680, 684  
   cerebral hemodynamic effects 584  
   effects of blood loss 109–10  
   elderly patients 614  
   military casualties 647, 649–50  
   pain management 318  
   pediatric patients 579, 584, 588  
   pregnant patients 633  
   prevention of complex regional pain syndrome 478  
 ketorolac 247, 251  
   pediatric patients 587  
 Kleihauer–Betke test 630  
 knee dislocations, traumatic 458–9  
 Kocher maneuver, duodenal trauma 530  
 Kussmaul's sign 483  
 kyphoplasty 315–16  
 labetalol, thoracic aortic injury 509  
 laboratory tests, trauma 13  
 lactate, serum 70, 101, 450  
 lactated Ringer's (LR) solution 114–15, 580  
 lactic acidosis, trauma-induced 327  
 lamotrigine 318  
 laparoscopy 526–7, 542  
 laparotomy 526–7  
   anesthetic considerations 545–51  
   bedside 527  
   damage control 331–2, 526, 549  
   decompressive 333, 550  
   exploratory 526, 542, 548–9  
   pregnant patients 631  
 large bowel trauma 531–2, 543  
 laryngeal injuries 515  
   blast injury 512  
   clinical features 429–30, 514  
   maxillofacial trauma with 429  
 laryngeal mask airway (LMA) 34–5  
   assisted fiberoptic intubation 35, 38, 48  
   difficult airway management 37–8  
   dimensions 39  
   oral and maxillofacial trauma 432  
   pediatric patients 572–3, 578  
   rapid sequence induction 210  
 laryngoscopes 29–30  
   blades 35  
   cervical spine injuries 53–4  
   video 41–2  
 laryngoscopy  
   direct 35  
   cervical spine injuries 53–4, 403–4  
   Cormack and Lehane classification 30–1, 578  
   difficult 30–1  
   pediatric patients 570–1  
   fiberoptic, inhalation injury 667  
   video *see* video laryngoscopy  
 larynx  
   infants and children 571  
   manipulation during intubation 36  
 laser Doppler flowmetry (LDF) 371  
 laudanoline 216  
 Le Fort fractures 57–8, 419–20, 427

|                                                                                                                                                                                                                            |                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| left atrial pressure (LAP)<br>echocardiographic estimation 161–3<br>pulmonary artery catheter estimation 148                                                                                                               | pediatric patients 587<br>stabilization/fixation 447, 454–6, 463–4                                                                                                                                               | malignant hyperthermia, succinylcholine-induced 212                                                                                                                                                                                                                                                                                                                                | pediatric patients 583<br>spinal cord injury 400, 402<br>traumatic brain injury 369                                                                                                      |
| left heart bypass, partial 492                                                                                                                                                                                             | long-term potentiation (LTP) 245                                                                                                                                                                                 | Mallampati classification 32–3                                                                                                                                                                                                                                                                                                                                                     | mechanisms of injury 1–4<br>diagnosis of shock and 69–70<br>unintentional and intentional 1                                                                                              |
| left ventricle (LV)<br>penetrating trauma 504<br>vulnerability to injury 483, 500                                                                                                                                          | lorazepam 247, 258, 599                                                                                                                                                                                          | mandibular dislocation 415                                                                                                                                                                                                                                                                                                                                                         | median nerve blocks 275–6<br>ultrasound guidance 198–9                                                                                                                                   |
| left ventricular end-diastolic volume (LVEDV)<br>echocardiography 160<br>pulmonary artery catheter 148                                                                                                                     | low back pain, chronic<br>posttraumatic 307                                                                                                                                                                      | mandibular fractures 414–17<br>airway management 58, 60, 430–1                                                                                                                                                                                                                                                                                                                     | medical rules of engagement (MROE) 643–4                                                                                                                                                 |
| left ventricular hypertrophy, aging-related 611                                                                                                                                                                            | low-velocity missile injuries, face 428                                                                                                                                                                          | airway obstruction 429                                                                                                                                                                                                                                                                                                                                                             | meperidine 247, 588, 683                                                                                                                                                                 |
| licofelone 251                                                                                                                                                                                                             | lower body perfusion, thoracic aortic surgery 492                                                                                                                                                                | anesthetic implications 426–7                                                                                                                                                                                                                                                                                                                                                      | metabolic acidosis<br>hyperchloremic 75, 115<br>shock 70                                                                                                                                 |
| lidocaine 247<br>aerosolized 46<br>burn injuries 258<br>eye trauma 440<br>intravenous analgesia 255<br>traumatic brain injury 369, 584                                                                                     | lower limb nerve blocks 276–8                                                                                                                                                                                    | complications 417                                                                                                                                                                                                                                                                                                                                                                  | trauma-induced 327–8                                                                                                                                                                     |
| light wand (intubating lighted stylet) 40–1, 432                                                                                                                                                                           | lower motor neuron injuries 384                                                                                                                                                                                  | concomitant injuries 414, 428–9                                                                                                                                                                                                                                                                                                                                                    | metabolic cardiac injury 489                                                                                                                                                             |
| lightning burns 673                                                                                                                                                                                                        | Ludwig’s angina 423                                                                                                                                                                                              | evaluation 415–16                                                                                                                                                                                                                                                                                                                                                                  | methadone 247, 258                                                                                                                                                                       |
| limb trauma <i>see</i> extremity trauma                                                                                                                                                                                    | lumaricoxib 250                                                                                                                                                                                                  | incidence and pathophysiology 414–15                                                                                                                                                                                                                                                                                                                                               | methamphetamine laboratory (meth lab) burn injuries 673                                                                                                                                  |
| 5-lipoxygenase/cyclooxygenase (LOX/COX) inhibitors 251                                                                                                                                                                     | lumbar spine injuries 18                                                                                                                                                                                         | treatment 415–19, 433                                                                                                                                                                                                                                                                                                                                                              | methemoglobin (MetHgb), and pulse oximetry 138                                                                                                                                           |
| liver function, burn injuries 670                                                                                                                                                                                          | lumbosacral plexus blocks 276–8<br>complex regional pain syndrome 310                                                                                                                                            | mannitol<br>burn injuries 672<br>crush syndrome 473<br>pediatric head trauma 583, 599<br>traumatic brain injury 360, 373–4                                                                                                                                                                                                                                                         | methoxyflurane, pain management 257                                                                                                                                                      |
| liver injuries 527–8<br>anesthetic considerations 542–3, 549<br>blunt 527<br>grading scale 527<br>interventional radiology 186–7, 329–30<br>nonoperative management 527, 549<br>pediatric 585<br>surgical management 527–8 | ultrasound guidance 199–201                                                                                                                                                                                      | mask ventilation <i>see</i> bag-mask ventilation                                                                                                                                                                                                                                                                                                                                   | mexilitine 318                                                                                                                                                                           |
| local anesthesia<br>face 278–9<br>fiberoptic intubation 44–7<br>fractures 278<br><i>see also</i> nerve blocks, peripheral                                                                                                  | Lund–Browder method, burn size estimation 660–1                                                                                                                                                                  | masseter spasm, succinylcholine-induced 212                                                                                                                                                                                                                                                                                                                                        | microaggregates, stored blood 131                                                                                                                                                        |
| local anesthetics 247, 255<br>elderly patients 614<br>intravenous, for analgesia 255<br>neurotoxicity 287–8<br>pharmacologic adjuvants 285–7<br>slow-release formulations 293<br>topical use <i>see</i> topical anesthesia | lung(s)<br>changes in pregnancy 625<br>effects of smoke inhalation 669<br>physiologic effects of trauma 340<br>recruitment 346<br>ultrasound 202–4                                                               | massive blood transfusion<br>93–102, 124–8, 326–7<br>abdominal trauma 547<br>adjunctive pharmacologic agents 97–100<br>blood product ratios 94–5, 127, 501, 645<br>complications 95, 325, 442, 582<br>definition 93, 124–5<br>future options 102<br>mechanical ventilation and 347–8<br>military casualties 645<br>pediatric patients 582<br>predictors 93, 127<br>vasopressors 97 | microamperage current treatment 259                                                                                                                                                      |
| toxicity 289                                                                                                                                                                                                               | lung injuries<br>Abbreviated Injury Scale (AIS) 514<br>blast injury 511–13<br>imaging 177, 179<br>pediatric patients 586<br><i>see also</i> pulmonary contusion                                                  | massive transfusion protocol (MTP) 93–4, 124–7, 326<br>criteria for activating 94, 123, 125–7<br>example 125<br>pediatric trauma 582<br>UK military 645                                                                                                                                                                                                                            | microsystems, clinical 716–17                                                                                                                                                            |
| long-bone fractures 453–6, 474<br>damage control orthopedics 455, 458<br>fat embolism syndrome 346, 477<br>hemorrhage 453–4, 474                                                                                           | lung isolation 558–63<br>bronchial anatomy and 559<br>comparison of different methods 560<br>equipment 558, 560–3<br>fiberoptic bronchoscopy 559–60<br>indications 555–6<br><i>see also</i> one-lung ventilation | maternal deaths 625                                                                                                                                                                                                                                                                                                                                                                | midazolam 247, 257<br>effects of blood loss 110<br>elderly patients 614<br>military anesthesia 647, 649<br>traumatic brain injury 359, 598–9                                             |
|                                                                                                                                                                                                                            | lung protection 346, 555                                                                                                                                                                                         | MATTERs study 98, 327                                                                                                                                                                                                                                                                                                                                                              | midface fractures 417–22<br>airway obstruction 429<br>anesthetic implications 427<br>evaluation 417–20<br>Le Fort classification 419–20, 427<br>surgical treatment 421–2<br>types 419–21 |
|                                                                                                                                                                                                                            | lung-protective ventilation<br>strategies 340–2, 345–6<br>one-lung ventilation 557                                                                                                                               | maxillofacial trauma <i>see</i> oral and maxillofacial trauma                                                                                                                                                                                                                                                                                                                      | migraine, posttraumatic 314                                                                                                                                                              |
|                                                                                                                                                                                                                            | Macintosh laryngoscope blade 35                                                                                                                                                                                  | maxillofacial trauma<br>maxillofacial trauma<br>maxillomandibular fixation (MMF) 416–17                                                                                                                                                                                                                                                                                            | military antishock trousers (MAST) 539                                                                                                                                                   |
|                                                                                                                                                                                                                            | mafenide acetate (Sulfamylon), burn wounds 662, 676                                                                                                                                                              | maximum allowable blood loss (MABL) 581                                                                                                                                                                                                                                                                                                                                            | military casualties 640–53<br>anesthesia 646–53<br>established field hospital 650–1<br>field anesthesia 648–50<br>timing and techniques 646–8                                            |
|                                                                                                                                                                                                                            | magnesium sulfate, for tocolysis 632–3                                                                                                                                                                           | McCoy levering laryngoscope 54                                                                                                                                                                                                                                                                                                                                                     | evacuation chain 644                                                                                                                                                                     |
|                                                                                                                                                                                                                            | magnetic resonance imaging (MRI) 184<br>cardiac (CMRI) 488<br>pregnant patients 630<br>spinal cord injury 402                                                                                                    | McGill Pain Questionnaire, short form 306                                                                                                                                                                                                                                                                                                                                          | oral and maxillofacial trauma 428                                                                                                                                                        |
|                                                                                                                                                                                                                            | maintenance of anesthesia<br>abdominal trauma 546–7<br>burn injuries 680<br>pediatric patients 580–2, 584–5                                                                                                      | McGrath video laryngoscope 42                                                                                                                                                                                                                                                                                                                                                      | pain management 650–3                                                                                                                                                                    |
|                                                                                                                                                                                                                            |                                                                                                                                                                                                                  | mean arterial pressure (MAP) 143                                                                                                                                                                                                                                                                                                                                                   | patterns of injury 643                                                                                                                                                                   |
|                                                                                                                                                                                                                            |                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                    | resuscitation 643–6<br><C>ABC paradigm 644<br>damage control principles 500, 644–6<br>team working 646                                                                                   |

## Index

- military casualties (cont.)  
   thoracic trauma 500–2  
   traumatic brain injury 364, 648  
   ultrasound-guided regional anesthesia 191  
 military medical services 640–3  
   austerity of environment 641–2  
   interaction with other medical systems 642  
   populations treated 642–3  
   supplies and equipment 641–2  
   surge capacity 642  
   threat of attacks 640–1  
 Miller/Wisconsin laryngoscope blade 35  
 missiles, intracardiac 489, 505  
 Mitchell, Silas Weir 307–8  
 mitral valve injury 488, 504  
 mivacurium 211–12, 215  
 mobile medical facilities, military environment 641  
 mobility, enhancing, musculoskeletal trauma 447  
 monitoring 137–54  
   after damage control surgery 334  
   burn patients 678–9  
   circulation 142–9  
   equipment 30  
   neurologic 151–3  
   oxygenation 138–40  
   pediatric anesthesia 576–7  
   standards 137–8  
   temperature 150–1  
   ventilation 140–2, 342–3  
 Monro–Kellie intracranial compliance curve 360  
 morphine 247  
   burn injury 683  
   chronic pain management 317–18  
   effects of blood loss 110  
   liposomal 286  
   military trauma 650, 652–3  
   nebulized 252  
   pediatric analgesia 588  
   pediatric traumatic brain injury 599  
   peripheral administration 252  
   traumatic brain injury 359–60  
 motor evoked potentials (MEPs) 152–3  
   effects of anesthetic agents 406  
   spinal surgery 406  
 motor vehicle collisions (MVCs) 1–2  
   abdominal trauma 538  
   distracted drivers 1, 694  
   pregnancy 625–6, 635  
 motorcycle collisions 2  
 multiple organ failure (MOF), abdominal compartment syndrome 332  
 muscle relaxants  
   *see* neuromuscular blocking agents  
 muscle spasm, fracture-related 478  
 musculoskeletal trauma 20, 446–66  
   anesthesia 471–9  
   complex injuries 471–4  
   complications 476–8  
   concomitant abdominal trauma 544  
   damage control strategy 333, 448  
   emergent injuries 447, 450–61  
   evaluation 448–50  
   goals of treatment 446–7  
   imaging 184  
   life-threatening injuries 451–6  
   limb-threatening injuries 455–61  
   NPO status 466  
   pediatric patients 587  
   perioperative delirium 479  
   postoperative pain management 478–9  
   primary parameters of management 448–50  
   prioritization of injuries 447  
   restoration of function 447  
   secondary parameters of management 450  
   spine protection 465–6  
   sub-acute management 447  
   timing of fracture repair 447–50, 474–5  
   two-hit model of organ dysfunction 448  
   urgent injuries 447, 461–5  
     surgery within 6–8 hours 461–4  
     surgery within 24 hours 463–5  
   *see also* fractures  
 myasthenia gravis 213–14  
 myocardial contusion 503–4  
   cardiac arrhythmias 143, 487–8, 504  
   as clinical entity 486, 503  
   clinical features 487, 503  
   diagnosis 169–70, 487, 503–4  
   management 488  
   pediatric patients 586  
 myocardial depression, postinduction 61  
 myocardial infarction (MI)  
   blunt trauma causing 486, 488–9  
   vs. blunt cardiac trauma 486  
 myocardial rupture 502–3  
   clinical features 487  
   management 488  
   pathophysiology 486–7  
 naproxen, pediatric doses 587  
 nasal septal hematomas 421  
 nasal trauma 17, 421  
 nasogastric tube (NGT)  
   burn injuries 661  
   contraindications 573  
   gastric injury 529  
   inadvertent intracranial placement 431  
 naso-orbito-ethmoid (NOE) fractures 421  
 nasopharyngeal airways 34, 431  
 nasopharyngeal temperature 228–9  
 nasotracheal intubation  
   awake fiberoptic technique 46–8  
   blind 40  
   contraindications 573  
   oral and maxillofacial trauma 431–3  
 National Acute Brain Injury Study: Hypothermia II (NABISH: II) 360  
 National Association of Emergency Medical Services Physicians (NAEMSP) resuscitation guidelines 9, 702–4  
 naturalistic decision-making theory 713  
 near-infrared spectroscopy (NIRS)  
   cerebral oxygenation monitoring 153, 373  
   compartment syndrome 476  
 near-infrared tissue oximetry 70  
 neck  
   nerve blocks 278–9  
   zones 18–19  
   *see also* head and neck  
 neck trauma 18–19  
   airway management 54–5  
   hard and soft signs 19  
   military casualties 647–8  
   potential airway obstruction 429–30  
*Neisseria meningitidis* vaccine 548  
 neostigmine 217–18  
 regional anesthesia 285, 287  
 nerve agent intoxication, regional anesthesia 284  
 nerve blocks, peripheral  
   compartment syndrome diagnosis and 476–7  
   complications 287–90  
   continuous 290–1  
     discharge home with 293, 296  
     follow-up and monitoring 291–4  
   documentation 279–80, 282  
   fiberoptic intubation 46–7  
   head and neck 278–9  
   lower limb 276–8  
   military casualties 653  
   pediatric patients 279  
   pharmacologic adjuvants 285–6  
   prehospital setting 270–1  
   techniques 272–80  
   ultrasound guidance 191–202  
   upper limb 272–6  
 nerve injury, peripheral  
   complicating nerve blocks 287–9  
   fracture associated 461  
   regional anesthesia in preexisting 271  
   ultrasound assessment 194  
 nerve stimulators, peripheral 284, 288–9  
 nerves  
   localization techniques 284–5  
   ultrasound imaging 192–4  
 neuralgia 306  
 neuraxial anesthesia  
   abdominal trauma 547  
   compartment syndrome diagnosis and 476  
   contraindications 653  
   hip fracture surgery in elderly 475–6  
   *see also* epidural anesthesia/analgesia  
 neurogenic shock 18, 383, 385, 400  
   management 383, 401–2  
 neurologic evaluation, pediatric trauma 575  
 neurologic monitoring (neuromonitoring) 151–3  
   effects of anesthetic agents 406–7  
   managing impending neurologic impairment 406  
   spinal surgery 405–6  
 neuromuscular blockade  
   abdominal trauma 548  
   effects of hypothermia 226  
   monitoring 214–15  
   pediatric traumatic brain injury 599  
   traumatic brain injury 359–60  
 neuromuscular blocking agents 209–20  
   burn injuries 219, 668, 680  
   clinical use 218–20  
   depolarizing 211–14  
     *see also* succinylcholine  
   effective dose for 95% block (ED<sub>95</sub>) 212  
   effects of hypovolemia and low cardiac output 210–11  
   elderly patients 614  
   eye trauma 219, 439–41  
   maintenance of relaxation 220  
   nondepolarizing 214–17  
     classification 212, 215–17  
     duration of action 215

## Index

- intermediate acting 215–17  
 IV regional anesthesia 285, 287  
 long-acting 217  
 mechanism of action 214  
 onset time 215  
 potency 214  
 short-acting 215  
 ultra-short-acting 215  
 pediatric anesthesia 579–80  
 pediatric head trauma 584  
 pharmacology 211–12  
 rapid sequence induction 210, 219  
 recovery 220  
 reversal 217–18, 220  
 spinal cord injury 219, 401, 407  
 neuropathic entrapment syndrome, chronic  
 abdominal pain 311–12  
 neuropathic pain 305–6  
 after spinal cord injury 316–17  
 neuropathy 306  
 neurosurgery, emergent 376–7  
 NEXUS rule, cervical spine clearance 18  
 NF- $\kappa$ B (nuclear factor kappa B) 97  
 nicardipine, thoracic aortic injury 509  
 nifedipine, in pregnancy 632  
 nitroglycerin (NTG), thoracic aortic injury 508  
 nitrous oxide ( $N_2O$ )  
 abdominal trauma 546–7  
 burn injury 684  
 cerebral hemodynamic effects 377, 584  
 pediatric anesthesia 580  
 pregnant patients 633  
 nitrous oxide/oxygen (Entonox) 247, 257, 650  
 nitroparacetamol (nitroacetaminophen) 249  
 nociceptive pain 244, 316–17  
 nociceptor 306  
 nonaccidental trauma 22–3  
 burn injuries 674  
*see also* child abuse  
 noninvasive positive-pressure ventilation (NIPPV) 345  
 nonsteroidal anti-inflammatory drugs (NSAIDs) 247, 249–52  
 adverse effects 251  
 COX-2 selective *see* coxibs  
 effects on bone and wound healing 251–2  
 future drug development 251  
 gastric protection 251  
 mechanism of action 250  
 pediatric patients 587  
 reduction of algesic flare 251  
 as regional anesthesia adjuvants 285, 287  
 norepinephrine 402, 610  
 normal saline (0.9% saline) 115, 580  
 Normasol 115  
 nortriptyline 247  
 nose breathing, neonates and infants 571  
 noxious stimulus 306  
 nuclear medicine, pregnant patients 631  
 nutrition  
 burn injuries 670–1  
 musculoskeletal trauma 450  
 obesity  
 difficult airway 32  
 intubation using video laryngoscopy 42–3  
 succinylcholine 213  
 obstetric patients *see* pregnant patients  
 obstetric trauma team 628  
 occipital nerve block 278  
 occipital neuralgia, posttraumatic 314  
 ocular trauma *see* eye trauma  
 odontogenic infections 422–3  
 Ogilvie's syndrome, opioid-induced 253  
 oliguria, causes of 149  
 one-lung ventilation (OLV) 555–64  
 cardiac trauma 501–2  
 ED thoracotomy 485  
 indications 555–6  
 lung isolation techniques 558–63  
 management 557–8  
 physiologic effects 556–7  
 postoperative ventilation 563–4  
 thoracic aortic surgery 491, 510, 556  
 video-assisted thoracoscopic surgery 513  
 volume control vs. pressure control 557–8  
 open abdomen 335  
 operating room (OR)  
 ambient temperature 150, 238  
 damage control surgery 331–3, 335  
 fires 684–5  
 heat-loss prevention 238  
 immediate transfer to 12  
 mechanical ventilation modes 343  
 ophthalmologic evaluation 417–18, 438–9  
 opioids (narcotic analgesics) 247, 252–3  
 acute pain management 16, 252–3  
 addiction 16, 253  
 adverse effects 252–3  
 burn injury 258, 680, 683–4  
 chronic pain management 318  
 effects of blood loss 109–10  
 elderly patients 614  
 epidural 279  
 eye trauma 440  
 fiberoptic intubation 44  
 hemodynamic instability and 293  
 as local anesthetic adjuvants 285–7  
 mechanism of action 252  
 pediatric analgesia 587–8  
 pediatric anesthesia 580  
 pediatric traumatic brain injury 599  
 perioperative delirium risk 479  
 traumatic brain injury 359–60, 584, 598  
 optic nerve decompression 442  
 optic neuropathy, ischemic *see* ischemic optic neuropathy  
 optical stylets 42  
 OR *see* operating room  
 oral and maxillofacial trauma (OMF) 412–24  
 airway management 55–8, 60, 417, 430–3  
 acute situation 430–2  
 ASA difficult airway algorithm 57  
 elective surgery 433–4  
 nasal vs. oral intubation 431–2  
 airway obstruction 57, 429–30  
 anesthetic challenges 426–9  
 anesthetic management 426–34  
 blast injuries 428  
 bleeding 432–3  
 blunt 427  
 burns 428  
 concomitant injuries 428–9  
 ED management 17  
 head and neck infections 422–3  
 mechanisms of injury 427–8  
 penetrating 427–8  
 preoperative assessment 429–30  
 surgical management 433–4  
 types of injuries 412–14, 426–7  
 oral intubation *see* orotracheal intubation  
 orbital floor fractures 419, 421  
 orbital fractures 17, 421  
 pediatric patients 439  
 organ dysfunction, two-hit model 448  
 organ system failure, shock 68  
 organizational environment, teams 716–18  
 oropharyngeal airways 34  
 oral and maxillofacial trauma 431  
 pediatric patients 571–2  
 orotracheal intubation  
 fiberoptic-guided 48  
 oral and maxillofacial trauma 431–3  
 retromolar technique 433–4  
 orthopedic injuries *see* musculoskeletal trauma  
 Orthopedic Trauma Association, classification of spinal injuries 395–6  
 osmotic therapy  
 pediatric head trauma 583, 599–600  
 traumatic brain injury 360, 373–4  
 osteoporosis, vertebral compression fractures 315–16  
 overtriage 702  
 oxandrolone 671  
 Oxford Miniature Vaporizer 648  
 oxidative stress, secondary brain injury 597  
 oxycodone 247, 588  
 oxygen ( $O_2$ ) administration 28–9  
 acute anemia 119  
 carbon monoxide poisoning 659, 668–9  
 pediatric patients 572  
 oxygen analyzers, anesthesia machines 140  
 oxygen consumption, pregnancy 625  
 oxygen saturation  
 arterial ( $SAO_2$ ), decline during apnea 28–9  
 central venous 148  
 cerebral tissue 373  
 jugular bulb venous ( $SjvO_2$ ) 153, 372  
 mixed venous ( $SvO_2$ ) 70, 149  
 pulse oximetry ( $SpO_2$ ) 138–9  
 regional cerebral ( $rSO_2$ ) 153  
 oxygen tension  
 arterial blood ( $PaO_2$ ), one-lung ventilation 556–7  
 brain tissue ( $PbtO_2$ ) 372–3  
 oxygenation  
 cerebral, monitoring 153, 372–3  
 monitoring methods 138–40  
 packed red blood cells (pRBC) *see* red blood cells  
 $PaCO_2$  *see* carbon dioxide tension, arterial blood  
 pain  
 central 306  
 chronic posttrauma *see* chronic pain, posttrauma

## Index

- pain (cont.)  
 congenital insensitivity to 305  
 definitions 244, 305–6, 317  
 epidemiology of traumatic 245  
 functional role 305  
 gender differences in  
   sensitivity 245  
 historical perspective 304–5  
 mechanisms 244–5, 267–8  
 neuropathic *see* neuropathic pain  
 nociceptive 244  
 somatic 305  
 stress response to trauma and 246, 267
- pain assessment 246  
 military casualties 650, 653  
 pediatric patients 258–9, 587
- pain management  
 acute 246–59  
   benefits of adequate 267–8  
   emergency department 16  
   ideal method 268  
   military casualties 650  
   multimodal analgesia 259  
   nonpharmacologic approaches 259  
   pharmacologic: analgesic drugs 246–57  
   prehospital setting 9  
   regional anesthesia 267–93  
   burn injuries 258, 683–4  
   elderly patients 246, 616  
   hip fractures 615  
   military casualties 650–3  
   musculoskeletal trauma 446–7, 478–9  
   pediatric patients 246, 258–9, 587–8, 653  
   post-thoracotomy 511  
   rib fractures 519–20  
   thoracic injuries 257–8, 347  
   *see also* postoperative analgesia
- pancreatic trauma 530–1, 543  
 combined with duodenal injury 531  
 CT scanning 180  
 operative management 531  
 pediatric 586
- pancuronium 211–12, 217
- paracetamol *see* acetaminophen
- paralytic ileus, posttraumatic, pediatric patients 586
- paramedics 7
- paravertebral blocks, thoracic 283  
 rib fractures 519–20  
 ultrasound guidance 201
- parenteral nutrition, burn injuries 671
- paresthesia 306
- Parkland formula 627, 661, 681
- parotid duct, lacerated 412
- paternalistic injury prevention 692
- pathogen-associated molecular patterns (PAMPs) 96
- patient-controlled analgesia (PCA)  
 burn injury 683–4  
 military casualties 652  
 pediatric patients 588
- peak inspiratory pressures (PIP) 343
- pedestrian injuries 2–3  
 prevention program 692–3
- pediatric patients 569–89  
 abdominal trauma 584–6  
 anatomic differences 21, 570–1  
 anesthetic management 576–82  
 burn injuries 666  
   electrical burns 672–3  
   fluid resuscitation 661, 682  
   nonaccidental 674  
   nutrition 671  
   tracheostomy 683  
   vascular access 675  
 cervical spine injury 573  
 dental trauma 414  
 eye trauma 439  
 hypothermia risk 224, 575–6, 582  
 imaging 21, 183–4  
 initial assessment/  
   management 20–1, 569–76  
   primary survey (ABCDE) 569–75  
   secondary survey 575–6  
 intraoperative management 576–82  
 emergence/postoperative care 582  
 induction of anesthesia 577–80  
 maintenance of anesthesia 580–2  
 monitoring 576–7  
 military services treating 642–3  
 nonaccidental injury *see* child abuse  
 pain management 246, 258–9, 653  
   acute postoperative 587–8  
   regional anesthesia 279, 588  
 preoperative evaluation 576  
 succinylcholine 213–14, 579  
 thoracic trauma 586–7  
 tranexamic acid 98  
 traumatic brain injury 582–5, 594–604  
   anatomical considerations 596  
   clinical features 594–6  
   epidemiology 594  
   ICU management 598–604  
   management algorithm 603–4  
   neuroimaging 594–5  
   pathophysiology 596–8  
 Pediatric Trauma Score (PTS) 575  
 pelvic fractures 451–3, 471–2, 537  
   associated injuries 471–2, 544  
   damage control surgery 332  
   external stabilization/binding 452, 454, 472  
   hemorrhage 451–4, 472  
   interventional radiology 185–6, 329, 452, 455, 472  
   management algorithm 455  
   open 453  
   open book 13–14, 451–2, 454, 471–2  
   patterns and biomechanics 451–4  
   pediatric patients 587  
   pregnancy 626  
   urgent surgical interventions 452–6, 463–4  
   vascular injuries 452, 455, 472, 533  
 pelvic trauma 537
- pelvis  
 anatomy 451  
 CT scanning 178–81  
 plain film radiographs 15, 175–6, 540
- penetrating trauma 4  
 imaging 184–5
- Penlon Tri-Service Anaesthetic Apparatus (TSAA) 648–9
- pentazocine 247
- pericardial effusion  
 echocardiography 170–1  
 ECG changes 143–4
- pericardial rupture, blunt 486–8, 503–4
- pericardial tamponade  
*see* cardiac tamponade
- pericardial window, subxiphoid 484, 505, 513
- pericardiocentesis  
 diagnostic 484  
 ultrasound-guided 204
- pericardium 500  
 ultrasound 202–4
- peripheral intravenous catheters 79–80
- peripheral nerve blocks *see* nerve blocks, peripheral
- peripheral nerve injury *see* nerve injury, peripheral
- peripheral sensitization 244, 309
- peritoneal lavage  
 diagnostic *see* diagnostic peritoneal lavage  
 hypothermia management 237
- permissive hypotension  
*see* hypotensive resuscitation
- peroneal nerve blocks, ultrasound guidance 201
- P<sub>ET</sub>CO<sub>2</sub> monitoring *see* end-tidal carbon dioxide (P<sub>ET</sub>CO<sub>2</sub>) monitoring
- pethidine *see* meperidine
- phantom limb pain 314, 472  
 management 283–4  
 prevention 479
- pharmacology  
 aging-related changes 613–14  
 effects of burn injuries 679–80  
 IV anesthetics, effects of blood loss and resuscitation 105–10
- phenolamine, aortic trauma 509
- phenylephrine 402, 442
- phenytoin, pediatric traumatic brain injury 583, 602
- placental abruption 623, 626–7, 629
- plasma  
 fresh frozen *see* fresh frozen plasma  
 liquid 122
- Plasmalyte 114–15
- plateau pressures (Pplat)  
 lung protective strategies 341–2, 346  
 monitoring 342–3
- platelet counts 327
- platelet transfusions 122, 326  
 burn injuries 670  
 pediatric patients 581
- pleural effusion, ultrasound diagnosis 167, 169, 203–4
- pleural lavage, hypothermia management 237
- pneumococcal vaccine 548
- pneumonia, burn injuries 659–60, 669
- pneumopericardium 488, 515
- pneumothorax 19  
 chest tube insertion *see* chest tube insertion  
 complicating nerve blocks 289  
 imaging 177, 179, 516  
 initial management 514  
 mechanical ventilation and 346  
 open 14, 517  
 pediatric patients 586  
 tension 14, 516–17  
   anesthesia-related risk 501–2, 505, 516–17  
   early signs, ventilated patients 346  
   tracheobronchial injuries 515  
   ultrasound diagnosis 167–8, 203, 346
- point-of-care (POC) coagulation testing 122, 327
- porta hepatis injury 528, 533
- portable storage units, resuscitation equipment 28, 30
- portal vein injury 533

- positioning, patient  
 abdominal surgery 545  
 airway management 33, 61  
 fiberoptic intubation 44  
 pediatric patients 570–1  
 pregnancy 624  
 rectal trauma 531  
 spinal surgery 388–90, 407
- positive end-expiratory pressure (PEEP)  
 burn injuries 669, 679  
 lung protective ventilation 341–2, 346  
 traumatic brain injury 348
- posterior cord syndrome 385, 398–9
- posterior fossa mass lesions/hemorrhages 356–7, 366
- posterior ischemic optic neuropathy (PION)  
 407–8, 441  
 etiological factors 441–2
- posterior spinal arteries (PSA)  
 395
- posterior tibial nerve block 201
- postoperative analgesia  
 burn injury 683–4  
 elderly patients 616  
 hip fractures 616  
 military casualties 650–3  
 musculoskeletal trauma 478–9  
 pediatric patients 587–8  
 thoracotomy 511
- postoperative visual loss (POVL)  
 407–8  
*see also* ischemic optic neuropathy
- precurarization 214, 218–19
- predicted body weight (PBW)  
 341
- pregabalin 247, 256  
 military trauma 653  
 spinal cord injury 317–18
- pregnant patients 623–36  
 abdominal trauma 544, 626–7  
 airway management 625, 629, 631  
 anesthetic management 631–3  
 blunt trauma 626  
 burn injury 627–8, 674  
 ED management 21–2, 628–30  
 imaging 182–3, 630–1  
 incidence and etiology of trauma 625–6  
 mechanisms of injury 626–8  
 medications 632–3  
 penetrating trauma 626–7  
 physiologic alterations 623–5  
 prehospital trauma care 628  
 prevention of maternal mortality 635  
 regional anesthesia 279  
 surgical management 631  
 prehospital trauma care 6–11  
 abdominal trauma 539  
 burn injuries 676  
 causes of delayed initiation 8  
 fluid resuscitation 8–9, 114  
 handoff (transfer of care) 11–12  
 hypothermia incidence 235  
 hypothermia prevention 236  
 initial transport of patient 9  
 on-line and off-line medical direction 702  
 pain management 9, 270–1  
 pregnant patients 628  
 providers 7  
 on scene 7–9  
 termination of efforts 9, 702–4  
 traumatic brain injury 368  
 triage 9–10, 702–4
- preload  
 arterial pulse contour analysis 144–6  
 central venous pressure and 147  
 echocardiographic estimation 149, 160  
 postinduction decrease 61  
 pulmonary artery catheter estimation 148
- premedication, burn injuries 675
- preoxygenation 28–9, 209  
 oral and maxillofacial trauma 431
- pressure-controlled ventilation (PCV) 343  
 one-lung ventilation 557–8
- pressure sores, prophylaxis 615–16
- pressure support ventilation  
 postoperative initiation 343  
 weaning from mechanical ventilation 344
- prevention, injury *see* injury prevention
- prilocaine 247
- primary survey 11–12
- Pringle maneuver, complex  
 hepatic injuries 533, 549
- proctosigmoidoscopy 542
- Project Burn Prevention 693–4
- Project Walksafe 692–3
- propacetamol 245–9
- propofol  
 abdominal trauma 546  
 cerebral hemodynamic effects 377, 584  
 chronic pain management 318  
 effects of blood loss 110  
 clinical implications 107–9  
 pharmacodynamics 106–7  
 pharmacokinetics 105–7  
 elderly patients 614  
 military anesthesia 649  
 pediatric anesthesia 579  
 pediatric traumatic brain injury 599  
 traumatic brain injury 360, 369, 375–6
- propofol infusion syndrome 375
- PROPPR (Pragmatic Randomized Optimum Platelet and Plasma Ratio) trial 95, 127
- propranolol, burn injury 671
- ProSeal 37
- prothrombin complex  
 concentrates (PCC) 100, 124
- prothrombin time (PT) 327
- protocols, team communication 717–18
- proton-pump inhibitors 251
- pseudocholinesterase 211
- psoas compartment block 277
- psychologic support, pain management 259
- pulmonary artery (PA) catheters  
 148–9  
 burn injuries 662, 678  
 temperature monitoring 229–30  
 thoracic aortic injury 510
- pulmonary artery occlusion  
 pressure (PAOP) 148
- pulmonary complications,  
 postoperative 551
- pulmonary contusion 20, 517–18  
 mechanical ventilation 347  
 myocardial contusion  
 association 503  
 pediatric patients 586
- pulmonary embolism 550
- pulmonary function  
*see* respiratory function
- pulmonary hypertension, acute,  
 myocardial contusion 503
- pulmonary vein, Doppler flow  
 assessment 162–3
- pulse co-oximeter 138
- pulse oximetry 138–9, 576  
 burn injuries 678  
 carbon monoxide poisoning 138, 668
- pulse pressure variation (PPV)  
 146–7
- pulseless electrical activity (PEA)  
 143
- pulsus paradoxus 483
- pyridostigmine 217–18
- Quinn, James 717
- radial artery cannulation 86–7  
 complications 86–8
- radial nerve blocks 275–6  
 ultrasound guidance 198–9
- radial nerve injuries, ultrasound  
 assessment 194
- radiation exposure, fetus 183, 630
- radicular neuropathic pain,  
 posttraumatic 307, 317
- radiographs, plain film 15  
 acutely unstable patients 174–5  
 mandibular fractures 415–16  
 pregnant patients 630  
 spinal cord injury 402  
 stable trauma patients 184  
 trauma series 174
- radiology  
 diagnostic *see* imaging  
 interventional 185–7, 328–30
- rapacuronium 212, 215
- rapid infusion devices 80
- rapid sequence induction and  
 intubation (RSI) 13, 36, 209–10  
 alternatives to intubation 210  
 burn injuries 668  
 cervical spine injuries 54, 401  
 critical steps 209–10  
 military anesthesia 647  
 modified technique 36, 577  
 neuromuscular blocking agents 210, 219  
 oral and maxillofacial trauma 432  
 pediatric patients 577–8  
 preoxygenation 28–9, 209  
 purpose 61  
 sequence of events 219
- rapid shallow breathing index  
 (f/TV ratio) 344
- RAPTOR concept 328–9
- RAPTOR suite 323
- realistic patient simulation (RPS)  
 715–16
- recognition-primed decision  
 making 713
- rectal examination, abdominal  
 trauma 540
- rectal temperature 230
- rectal trauma 531–2
- red blood cell (RBC) transfusion  
 118–21  
 burn injuries 670  
 decision making 120–1  
 pediatric patients 574  
 recommendations 121  
*see also* blood transfusion
- red blood cells (RBCs), for  
 transfusion  
 calculating number needed 581  
 effects of storage 128–30  
 leukodepletion 129  
 ratios in massive transfusion 94–5, 127, 501, 645  
 type O negative 121  
 type-specific 121  
 warming devices 131–2
- reflex sympathetic dystrophy  
*see* complex regional pain syndrome (CRPS), type II
- regimental aid post (RAP) 641
- regional anesthesia 267–93

## Index

- regional anesthesia (cont.)  
 abdominal trauma 547  
 advantages and limitations 269–70  
 availability of trained personnel 291  
 blunt chest trauma 281–3  
 burn injury 258, 283, 684  
 coagulation status and 271, 653  
 compartment syndrome and 271–2, 289, 476–7, 653  
 complex regional pain syndrome 284, 311, 478  
 complications 287–90  
 contraindications 291  
 difficult airway patients 44  
 digit reimplantation 284  
 documentation 279–80, 282  
 elderly patients 279–81  
 follow-up and monitoring 291–4  
 hemodynamic instability and 271  
 hip fractures 283, 475–6, 479, 615  
 home 293, 296  
 infection risk 271  
 informed consent 271, 291–2  
 intravenous (IVRA) 278, 287  
 military casualties 649–50, 653  
 nerve agent intoxication 284  
 nerve localization techniques 284–5  
 pediatric patients 279, 588  
 phantom limb and stump pain 283–4  
 pharmacologic adjuvants 285–7  
 pregnant patients 279  
 prehospital setting 270–1  
 recent advances 293  
 rib fractures 519–20  
 techniques 272–80  
 traumatic brain injury 284  
 traumatic nerve injury and 271  
 ultrasound guidance 191–202, 285  
   abdominal wall blocks 201–2  
   brachial plexus blocks 196–9  
   epidural anesthesia 201  
   intercostal and paravertebral blocks 201  
   lumbosacral plexus 199–201  
   technique 194–6  
*see also* epidural anesthesia/analgesia; nerve blocks, peripheral  
 rehabilitation centers 702  
 rehearsal, team training 716  
 remifentanyl  
   effects of blood loss 105–6, 109–10  
   elderly patients 614  
   pediatric anesthesia 580  
 renal artery injuries 186–7, 533  
 renal function  
   age-related decline 612–13  
   burn injuries 672  
   changes in pregnancy 625  
 renal injuries 543  
   imaging 180  
   interventional radiology 186–8  
   pediatric 586  
 renal vein injuries 533  
 RESCUEicp study 358, 376  
 resistive heating devices 227–8, 238  
 respiratory depression, opioid-induced 253  
 respiratory function  
   aging-related changes 612  
   burn injuries 668–9  
   effects of trauma 340  
   pregnant patients 625  
 respiratory rate (RR), normal  
   pediatric 574  
 resuscitation 13–14  
   adjunctive therapies 73–5  
   damage control (hemostatic) *see* damage control  
   resuscitation  
   endpoints 132  
   field 641  
   hypotensive 72, 100, 113, 501  
   immune response to 95–7  
   IV anesthetic pharmacology and 105–10  
   laboratory evaluation 101–2  
   massive *see* massive blood transfusion  
   military casualties 643–6  
   musculoskeletal trauma 446, 450  
   pediatric patients 574  
   prehospital setting 8–9  
   termination 9, 702–4  
   prior to interhospital transfer 704–5  
   propofol pharmacology and 108–9  
   secondary 333–5  
   shock 72–3  
   team training 715  
   teamworking 710–11  
   ultrasound-guided vascular cannulation 191–2  
   vasopressors 97  
*see also* blood transfusion; fluid resuscitation  
 retrobulbar hematoma 418  
 retrograde urethrogram 542  
 retrograde wire technique, endotracheal intubation 43  
 retromolar intubation 433–4  
 retroperitoneal trauma 530–1, 537, 543  
   pediatric 586  
 rewarming methods 226–8, 233  
 accidental hypothermia 232–4  
 invasive 232, 237–8  
 prehospital setting 236–7  
 trauma-associated  
   hypothermia 237–8, 325  
 Rhesus (Rh) alloimmunization 544, 630  
 rib fractures 19, 519–20  
   Abbreviated Injury Scale (AIS) 519  
   acute pain control 519–20  
   elderly patients 21  
   flail chest 347, 518–19  
   mechanical ventilation 346–7  
   pediatric patients 586  
 right atrial to femoral artery bypass 492  
 right atrium (RA)  
   penetrating trauma 504  
   vulnerability to injury 500, 503  
 right heart failure, blunt cardiac trauma 503  
 right ventricle (RV)  
   myocardial contusion 503  
   penetrating trauma 504  
   vulnerability to injury 483, 500, 503  
 right ventricular failure 163  
 ritodrine 632–3  
 Rivara, Frederick P. 691–2  
 rocuronium 211–12, 216–17, 219–20  
   burn injuries 668  
   emergent intubation 219  
   eye trauma 440–1  
   military anesthesia 647  
   pediatric anesthesia 579  
   traumatic brain injury 369  
 rofecoxib 250–1  
 ropivacaine 247, 278  
 rotational thromboelastometry (ROTEM) 74, 102, 122  
 RSI *see* rapid sequence induction and intubation  
 rule of nines, burn size estimation 660–1  
 sacral spine injuries 18  
 sacral venous plexus, bleeding 452  
 sacroiliac dislocation/fracture–dislocation 451–2  
 saline solutions  
   hypertonic *see* hypertonic saline  
   normal (0.9%) 115, 580  
 saphenous nerve block 277  
 scalp trauma 413–14  
   pediatric 582  
 sciatic nerve 276  
 sciatic nerve block 277–8  
   popliteal 277–8  
   ultrasound guidance 200–1  
 scopamine, eye trauma 438  
 seat belts  
   education on use in pregnancy 635  
   injuries caused by 2, 538  
   noncompliance in pregnancy 625–6  
 Seattle Bicycle Campaign 691  
 secondary survey 12–13  
 sedation  
   burn patients 683–4  
   fiberoptic intubation 44  
   procedural 16  
   thoracic aortic injury 510  
   traumatic brain injury 359–60, 598–9  
 seizures, posttraumatic 376  
   prophylaxis 376, 583, 602  
 Seldinger technique 82  
 Sellick maneuver *see* cricoid pressure  
 sentinel clot sign 179, 181  
 sepsis, postoperative 550  
 sevoflurane  
   abdominal trauma 546–7  
   burn injury 680  
   cerebral hemodynamic effects 377, 584  
   pediatric anesthesia 580  
 shivering 224, 235  
 shock 65–75  
   adjuvant therapies 73–5, 98–9  
   ATLS classification 70–2  
   causes in trauma 65  
   diagnosis 69–72  
   fluid resuscitation 72–3  
   musculoskeletal trauma 446, 448, 450  
   pathophysiology 65–9  
*see also* hemorrhagic shock; hypovolemia; neurogenic shock; spinal shock  
 short gut syndrome, drug absorption 307, 313  
 shunting procedures, severe  
   hepatic injuries 528, 549  
 silver sulfadiazine (Silvadene), burn wounds 662, 676  
 simulation (of trauma scenarios) 713, 715–16  
   evaluating team performance 714  
   realistic patient (RPS) 715–16  
   rehearsal and warm-up 716  
   scenario design 716  
   training and debriefing 716–17  
   video analysis 715  
 SIRS *see* systemic inflammatory response syndrome  
 situation awareness 714  
 skin grafts, burn injuries 677  
 skin substitutes, artificial 677–8  
 skull base fractures, airway management 431–2, 573

- skull fractures 17, 365  
   indications for surgical  
     management 356–8, 365  
   pediatric patients 582–3  
 small bowel injuries 529–30, 543  
 smoke  
   chemicals within 659, 666  
   signs of exposure 658–9, 666–7  
   *see also* inhalation injury  
 sniffing position 33  
 sodium bicarbonate  
   with local anesthetics 285, 287  
   pregnant patients 634  
   trauma-induced metabolic  
     acidosis 328  
 sodium nitroprusside (SNP),  
   thoracic aortic injury 509  
 soft tissue trauma 20, 450  
   face 413  
   fat embolism syndrome 477  
 somatic pain 305  
 somatosensory evoked potentials  
   (SSEPs) 152–3  
   effects of anesthetic agents  
     406–7  
   spinal surgery 405–6  
 spinal anesthesia  
   abdominal trauma 547  
   hip fracture surgery in elderly  
     475–6  
   thermoregulatory effects 225  
 spinal cord  
   anatomy 394–5  
   infarction 384, 387  
   ischemia 495, 506  
   transection 384, 387, 396  
 spinal cord injury (SCI) 382–91,  
   394–408  
   ASIA classification 383, 386,  
     397, 399  
   chronic pain after 315–18  
   classification of bony injury  
     395–6  
   clinical manifestations 400  
   clinical syndromes 397–400  
   comorbid injuries 399–400  
   complete 383, 397–8  
   complicating thoracic aortic  
     injury 491  
   examples 397–9  
   incomplete 383, 398–9  
   initial management 17–18,  
     400–3  
     airway management 400–1  
     hemodynamic stabilization  
       401–2  
     imaging and C-spine  
       clearance 402–3  
     steroid therapy 387, 403  
   neuromuscular blocking  
     agents 219, 401, 407  
   pathophysiology 383–4, 396  
   penetrating 18  
   prevalence and etiology 394  
   primary 383, 396  
   secondary 383, 396  
   surgery *see* spinal surgery  
   types 382–5, 396–9  
   without CT evidence of  
     trauma (SCIWOCET)  
       396  
   without radiographic  
     abnormality (SCIWORA)  
       386, 396, 573  
 spinal cord stimulators,  
   implantable 311–13, 317  
 spinal injuries 394  
   airway management 33  
   classification 395–6  
   imaging 181–4  
   initial management 17–18,  
     400–3  
   pregnant patients 628  
   *see also* cervical spine injury;  
     thoracic spine injury  
 spinal shock 18, 383, 385, 400  
 spinal surgery 386–91, 403–7  
   airway management 403–5  
   complications of anesthesia  
     407–8  
   decompression 389, 391  
   glycemic control 407  
   managing impending  
     neurologic impairment  
       406  
   monitoring 405–7  
   patient positioning 388–9, 407  
   stabilization 382, 389–91  
   thermoregulation and  
     therapeutic hypothermia  
       407  
   timing 388, 403  
   unique considerations 388–9  
   vascular access 405  
 spine (vertebral column)  
   Denis's three-column concept  
     396  
   imaging 181–3, 402–3  
   immobilization/precautions 9,  
     394, 400–1, 465–6  
   *see also* cervical spine  
 splenectomy 528–9, 543  
   pediatric patients 585  
   vaccination after 548  
 splenic trauma 528–9, 543  
   angioembolization therapy  
     186–8, 329  
   CT scanning 180–1  
   FAST scan 174  
   injury scaling system 528  
   nonoperative management  
     528, 549–50  
   operative management 528–9  
   pediatric 585  
 splenorrhaphy 528  
 spontaneous breathing trial  
   (SBT) 344  
 sports-related eye trauma 438  
 sports-related head trauma 364  
   prevention 694–5  
 stab wounds 4  
   abdomen 539  
   heart 482–3, 504–5  
   lungs 515  
   pregnant patients 626–7  
 Stanford classification, aortic  
   dissection 507  
 stellate ganglion block 279, 310  
 sternal fractures 519  
 steroids *see* corticosteroids  
 stethoscopes  
   esophageal 142, 150, 232  
   precordial 142  
 stomach  
   full, neuromuscular blocking  
     agents 219  
   injuries 529, 543  
 stress response to trauma 246,  
   267  
   burn injury 671  
   elderly patients 610  
 stress ulceration 551, 671  
 stroke, previous 613  
 stump pain 283–4, 472  
 subclavian artery, endovascular  
   repair of thoracic aorta  
     494  
 subclavian vein cannulation 81,  
   84–6  
   complications 84–5  
   ultrasound guidance 85–6  
 subdural hematoma (SDH)  
   355–6, 365–6  
   pediatric 583, 595  
   surgical management 356–7  
 subglottic stenosis, pediatric  
   patients 572  
 sublingual temperature 230  
 submental intubation 417, 434  
 substance abuse 1, 22–3  
   *see also* alcohol-related  
   trauma; drug abuse;  
   intoxicated patients  
 subtalar joint dislocations 462–3  
 subxiphoid pericardial window  
   484, 505, 513  
 succinylcholine 211–14  
   alternatives to 219–20  
   burn injuries 219, 668, 680  
   contraindications 213, 219  
   controversies 214  
   elderly patients 614  
   emergent intubation 218–19  
   eye trauma and 219, 439–41  
   indications 214  
   induced hyperkalemia  
     *see* hyperkalemia,  
       succinylcholine-induced  
   mechanisms of action 211  
   metabolism 211  
   onset and duration 212  
   pediatric patients 213–14, 579  
   pharmacology 211–12  
   precurarization 214, 218–19  
   repeat doses 214  
   side effects 212–13  
   special situations 213–14  
   spinal cord injury 219, 401,  
     408  
   traumatic brain injury 219, 369  
 suction equipment 30  
 sufentanil  
   elderly patients 614  
   traumatic brain injury 360, 598  
 sugammadex 218–20, 440–1  
 suicide 4  
 superior laryngeal nerve block,  
   fiberoptic intubation 46  
 superior mesenteric artery/vein  
   injuries 533  
 supine hypotensive syndrome, of  
   pregnancy 624  
 supraclavicular brachial plexus  
   block 273–4  
   ultrasound guidance 197  
 supraglottic airway devices 432  
   *see also* laryngeal mask airway  
 surge capacity, military medical  
   facilities 642  
 surgical airway 38–40  
   oral and maxillofacial trauma  
     432  
   pediatric patients 573  
 Surgical Fire Risk Assessment  
   Score 684  
 surviving trauma guidelines 334  
 sweating 224  
 sympathetic blocks  
   chronic posttraumatic visceral  
     pain 313  
   complex regional pain  
     syndrome 284, 309–11  
 sympathetic nervous system  
   complex regional pain  
     syndrome  
   pathophysiology 309–10  
   effects of aging 610  
 syndrome of inappropriate  
   antidiuretic hormone  
   (SIADH) 375  
 syringomyelia, neuropathic pain  
   317  
 systemic inflammatory response  
   syndrome (SIRS) 68  
   acute respiratory distress  
     syndrome (ARDS) 345  
   burn injury 671–2  
   musculoskeletal trauma 448  
   pathophysiology 96, 326  
   predisposing factors 69  
   transfusion related 95–6  
 systolic blood pressure (SBP) 143  
 systolic function,  
   echocardiographic  
   estimation 160–1  
 systolic heart failure,  
   echocardiographic  
   diagnosis 163  
 systolic pressure variation (SPV)  
   146, 545

## Index

- T cells 95  
 talus dislocations 462–3  
 tapentadol 254  
 team leaders 711–12  
   military settings 646  
 teams 710–19  
   assessing performance 714–15  
   defined 710  
   human factors influencing performance 713–14  
   importance of conflict 710  
   members 711  
   military 646  
   obstetric trauma 628  
   organizational environment 716–18  
   situation awareness 714  
   training *see* training, trauma team  
   unstable membership 711  
   videotaping performance 714–16  
 teamwork 709–19  
   communication protocols 717–18  
   military settings 646  
   problems and pitfalls 709  
   processes and outcomes 714  
   root cause analysis 712  
 teeth  
   avulsed 17, 413–14  
   missing 414, 426  
   traumatic injuries 412–14  
 temperature, ambient  
   burn patients 679  
   operating room (OR) 150, 238  
 temperature, body  
   monitoring 150–1, 228–31  
   regulation  
     *see* thermoregulation  
   set point (interthreshold range) 224–5  
   *see also* hypothermia  
 temporomandibular joint (TMJ)  
   pain, posttraumatic 314  
 tension headache, posttraumatic 314  
 terbutaline 632–3  
 tetanic stimulation 214, 220  
 tetanus prophylaxis 415, 461, 548, 661  
 Th1 cells 95–7  
 Th2 cells 95–7  
 thermal management 223–30  
   abdominal trauma 532, 547–8  
   burn injuries 663, 679  
   pediatric patients 575, 582  
   warming methods and equipment 226–8  
   *see also* hypothermia  
 thermodilution methods, cardiac  
   output measurement 148  
 thermoneutral zone (TNZ)  
   223–4  
 thermoregulation 223–5  
   burn injury 671  
   spinal cord injury 407  
 thiopental sodium (STP) 546  
   cerebral hemodynamic effects 584  
   effects of blood loss 110  
   elderly patients 614  
   pediatric patients 579, 599  
 thoracic endovascular aortic repair (TEVAR) 187–8, 492–6, 507  
 thoracic epidural analgesia (TEA) 511, 519–20  
 thoracic spine injury 18, 382–3, 387  
   decompression surgery 389  
   patient positioning 388–90  
 thoracic trauma 19–20, 499–521  
   airway management 555–6  
   anesthetic considerations 501–2, 515–20  
   associated injuries 502, 514  
   blunt 514–15  
   concomitant abdominal trauma 544  
   damage control resuscitation 500–1  
   elderly patients 21  
   imaging 177–8, 500  
   initial assessment 500  
   initial management 14–15, 514–15  
   interventional radiology 187  
   life-threatening 14–15  
   long-bone fractures with 464  
   mechanical ventilation 346–8, 563–4  
   military casualties 500–2  
   noncardiac 514–20  
   one-lung ventilation 555–6  
   pain management 257–8, 281–3, 347  
   pediatric 586–7  
   penetrating 515  
   postoperative management 520  
   relevant anatomy 499–500  
   *see also* cardiac trauma; great vessel trauma  
 thoracolumbar (T10–L2) spine injury, decompression surgery 389  
 thoracostomy  
   needle 516  
   tube insertion *see* chest tube insertion  
 thoracotomy  
   abdominal vascular trauma 532  
   emergency department 15, 484–5  
   abdominal trauma 542  
   airway control and anesthesia 485  
   decision making 484–5  
   fluid management 147  
   surgical techniques 485  
 indications, cardiothoracic trauma 513  
 posterolateral, aortic injury 491–2  
 postoperative pain management 511  
 thrombin, topical 675  
 thrombocytopenia  
   burn-associated 670  
   management 122, 326–7  
   transfusion-related 95, 325  
 thromboelastography (TEG) 74, 101–2, 327  
 tibial shaft fractures 453–4, 476  
 tidal volumes (Vt)  
   lung protective ventilation 341–2, 346  
   one-lung ventilation 557–8  
 tocolytic therapy 627, 632–3  
 Toll-like receptors (TLRs) 96, 253  
 topical anesthesia 255  
   burn injuries 258  
   fiberoptic intubation 45–7  
 topiramate 318  
 total intravenous anesthesia (TIVA)  
   military casualties 649  
   spinal surgery 405–6  
 tourniquets  
   burns excision surgery 675  
   Combat Application Tourniquet (CAT) 640–1  
   prehospital use 8  
 toxic epidermal necrolysis 673–4  
 tracheal injuries 515–16  
   airway management 556  
   clinical features 429–30, 514  
   maxillofacial trauma with 429  
   military casualties 648  
   *see also* airway disruption/trauma  
 tracheal intubation  
   *see* endotracheal intubation  
 tracheostomy  
   burn injuries 683  
   cervical spinal cord injury 389  
   emergency 40–1  
   one-lung ventilation 561–2  
   oral and maxillofacial trauma 432–3  
 train-of-four responses 214–15, 217, 220  
 training, trauma team 709–19  
   essential skills 715  
   evaluation of performance 714–15  
   expert performance approach 712–13  
   factors impacting effectiveness 718  
   military services 646  
   research recommendations 718–19  
   simulation-based 715–16  
 TRAINS (Traumatic Aortic Injury Score) 490  
 tramadol 247, 253–4, 285, 287  
 tranexamic acid (TXA) 14, 74, 97–8, 326  
   cardiothoracic trauma 501  
   military trauma 98, 327, 646  
 transcatheter arterial embolization  
   *see* embolization, transcatheter  
 transcranial Doppler ultrasonography (TCD) 370–1, 378  
 transcutaneous electrical nerve stimulation (TENS) 259  
 transesophageal echocardiography (TEE) 149, 167–71  
   great vessel trauma 507–8  
   pleural effusion 167  
   thoracic aortic injury 169–70, 491, 510  
 transfers, interhospital 9–11, 704–5  
   American College of Surgeons criteria 9–11  
   head injuries 367–8  
 transfusion associated circulatory overload (TACO) 95, 130, 347–8  
 transfusion associated microchimerism (TA-MC) 95, 128–9  
 transfusion related acute lung injury (TRALI) 95, 130, 347–8  
 transfusion related immunomodulation 95, 128  
 transitions, patient *see* handoffs  
 transportation  
   after burn excision surgery 683  
   hypothermia prevention 236  
   mechanically ventilated patients 348–9  
   military casualties (casevac) 644  
   need for spine precautions 394  
   prehospital 9  
 transtracheal jet ventilation (TTJV) 38–9  
 transversus abdominis plane (TAP) blocks 202, 653  
 trauma  
   chain of survival 223  
   definition 1  
   prevention *see* injury prevention  
   triad of death 324–8  
   web sites 499  
 trauma centers 698, 700–2  
   classification (levels I to IV) 701–2

- initial trauma care 6, 9
- transfers to 9–11, 704–5
- see also* emergency department
- trauma-induced coagulopathy (TIC) *see* coagulopathy, acute traumatic
- trauma systems 698–702
- components 700
- inclusive and exclusive 698–9
- interhospital transfers 704–5
- trauma triage *see* triage
- traumatic brain injury (TBI) 353–61, 364–78
- airway management 52–3, 60, 368–9
- anemia and coagulopathy 374–5
- anesthetic management 376–8
- emergent neurosurgery 376–7
- emergent non-neurological surgery 377–8
- nonemergent non-neurological surgery 378
- barbiturate therapy 360–1
- cerebral metabolic therapy 375–6
- cervical spine injury risk 17, 368
- chronic pain after 306–7, 313–14
- classification 353–4, 365–7, 370
- clinical categories 16, 365
- concomitant maxillofacial trauma 428–9
- concomitant unstable skeletal injuries 463–4
- corticosteroids 376
- definition 364–5
- diffuse 353–4, 365–7
- elderly patients 619
- electrolyte disturbances 375
- epidemiology 364
- fluid resuscitation 114, 369–70
- focal 353–6, 365
- glycemic control 375
- hypothermia therapy 131, 223, 360, 375
- ICP management *see* intracranial hypertension, management
- ICP monitoring 151, 358–9, 371–2
- indications for surgery 356–8
- initial resuscitation 12, 16–17, 367–70
- management principles 373–6
- mild 313
- military casualties 364, 648
- monitoring methods 151–2, 370–3
- multisystem complications 367–8
- neurologic exam 369–70
- osmotic therapy 360, 373–4
- pathophysiology 353–6, 364–5
- pediatric patients 582–5, 594–604
- posttraumatic epilepsy 376
- prehospital management 368
- primary 353, 365–7
- regional anesthesia techniques 284
- secondary 353, 365, 367
- shock management 75
- ventilation management 348, 374
- see also* head trauma
- triad of death, trauma 324–8
- triage 702–4
- blast injuries 511
- elderly trauma victims 618–19
- military casualties 642
- overtriage and undertriage 702
- prehospital setting 9–10, 702–4
- tricuspid regurgitation 488
- tricyclic antidepressants (TCAs), pain management 247, 255–6
- Tri-Service Anaesthetic Apparatus (TSAA), Penlon 648–9
- troponins, cardiac 487
- two-hit model of organ dysfunction 448
- tympanic membrane temperature 229
- ulnar artery cannulation 87
- ulnar nerve blocks 275–6
- ultrasound guidance 198–9
- ultrasound 15–16, 158–72
- acutely unstable patients 174
- applications 158–9
- equipment 159
- FAST scan *see* FAST scan
- gastric volume assessment 206
- goal focused 158
- lung and pericardium 202–4
- nerves 192–4
- pleural effusion 167, 169, 203–4
- pneumothorax 167–8, 203, 346
- portable systems 193
- pregnant patients 630
- thoracic trauma 484
- tissue characteristics 193
- training and education 171–2
- vascular injury 194
- ultrasound-guided procedures 191–206
- lung and pericardium 202–4
- pericardiocentesis 204
- tube thoracoscopy 203–4
- regional anesthesia 191–202, 285
- abdominal wall blocks 201–2
- brachial plexus blocks 196–9
- epidural anesthesia 201
- intercostal and paravertebral blocks 201
- lumbosacral plexus 199–201
- technique 194–6
- vascular access *see* vascular access, ultrasound-guided
- undertriage 702
- Univent tubes 558, 563–4
- upper limb nerve blocks 272–6
- upper motor neuron injuries 384
- urethrogram, retrograde 542
- urinary catheters
- burn injuries 679
- temperature monitoring 230
- urinary tract trauma 20
- urine output
- monitoring 149, 151
- burn injuries 661, 679
- pediatric patients 574
- normal pediatric values 574
- uterine contractions, monitoring 629
- vaccinations, post-splenectomy 548
- vaginal examination 540, 629
- vascular access 14, 30, 79–88
- abdominal trauma 539, 545
- pediatric patients 574–5
- shock 73–4
- ultrasound-guided 79, 191–2, 204–6
- femoral vein cannulation 82, 205
- internal jugular vein
- cannulation 83–4, 204–5
- radial artery cannulation 86
- subclavian vein cannulation 85–6, 205
- vascular injuries
- complicating nerve blocks 289
- intraabdominal 532–4, 543
- musculoskeletal trauma 457–61
- pelvic fractures 452, 455, 472, 533
- ultrasound assessment 194
- see also* great vessel trauma
- vasoconstrictors, peripheral
- nerve blocks 285–6
- vasopressin 98–9, 402, 574
- vasopressors 30, 97, 328
- ischemic optic neuropathy risk 442
- military casualties 647
- pediatric patients 574
- pregnant patients 632–3
- spinal cord injury 402
- vecuronium 211–12, 216
- military anesthesia 649
- pediatric anesthesia 579–80
- venous access *see* intravenous access
- venous air embolism *see* air embolism, venous
- venous thromboembolism 550
- ventilation
- aging-related changes 612
- equipment 29–30
- failure 58
- monitoring methods 140–2
- pediatric patients 573–4
- ventilation, mechanical 340–9
- abdominal compartment syndrome and 348
- bronchopleural fistula 348
- burn injuries 679
- inhalation injury 660, 669
- lung protective strategies 340–2, 345–6
- massive transfusion and 347–8
- modes
- less conventional 344–5
- TLC phase variables 341
- trauma operating room 343
- monitoring 140–2, 342–3
- neuromuscular blocking agents 220
- noninvasive positive-pressure ventilation (NIPPV) 345
- one lung *see* one-lung ventilation
- postoperative, after one-lung ventilation 563–4
- respiratory changes during 145–6
- shocked patients 72, 74
- specific types of trauma 345–7
- transport of patients on 348–9
- traumatic brain injury 348, 374
- weaning from 343–4
- ventilation/perfusion
- maldistribution, elderly patients 612
- ventilator-induced lung injury (VILI) 345–6
- ventilators
- portable, for patient transport 349
- settings/alarms 142
- ventricular drainage, ICP management 360
- ventricular fibrillation (VF) 487
- ventricular pseudoaneurysms 486–7
- ventricular septal defects (VSD), traumatic 504
- ventriculostomy
- ICP management 360
- ICP monitoring 151, 358, 371–2
- pediatric traumatic brain injury 601
- verapamil 285
- vertebral column *see* spine

Index

|                                 |                                   |                                   |                                            |
|---------------------------------|-----------------------------------|-----------------------------------|--------------------------------------------|
| vertebral fractures             | visual loss, postoperative (POVL) | volume-controlled ventilation     | websites, trauma 499                       |
| chronic pain after 314–15       | 407–8                             | (VCV) 342–3                       | Wee esophageal detector device             |
| classification 395–6            | <i>see also</i> ischemic optic    | one-lung ventilation 557–8        | 59–60                                      |
| vertebroplasty 315              | neuropathy                        |                                   | whiplash 314                               |
| video analysis, trauma team     | vitamin C, prevention of          | Walksafe, Project 692–3           | wind-up phenomenon 245,                    |
| training 714–16                 | complex regional pain             | war injuries <i>see</i> military  | 267                                        |
| video laryngoscopy 41–3         | syndrome 478                      | casualties                        | wound healing, effects of coxibs/          |
| cervical spine injury 404       | volatile anesthetic agents        | warfarin, reversal 124            | NSAIDs 251–2                               |
| double-lumen tube insertion     | abdominal trauma 546–7            | warming devices                   | wrist blocks 276                           |
| 561                             | burn injury 680                   | fluid and blood 131–2, 228–31     | Wuscope fiberoptic laryngoscope            |
| video-assisted thoracoscopic    | elderly patients 614              | patient 226–8                     | 53–4                                       |
| surgery (VATS) 505, 513         | military anesthesia 649           | <i>see also</i> rewarming methods |                                            |
| visceral pain                   | pediatric anesthesia 580          | warm-up concept, team training    | x-rays, plain film <i>see</i> radiographs, |
| after spinal cord injury 316–17 | pediatric head trauma 584–5       | 716                               | plain film                                 |
| posttraumatic chronic 312–13    | pregnant patients 633             | water immersion/submersion 234    |                                            |
| visual evoked potentials (VEP)  | spinal surgery 406                | weaning, from mechanical          | zygoma fractures 421, 427                  |
| 406                             | traumatic brain injury 377        | ventilation 343–4                 |                                            |