

**Author Index**

- Abramowitz, M., 245  
 Ahn, H., 290, 312  
 Ahn, S. C., 58, 102–103, 125n22, 341  
 Ai, C., 463  
 Aigner, D. J., 9, 404, 456  
 Akaike, H., 204, 363  
 Akashi, K., 402  
 Allison, P., 466  
 Alvarez, J., 13, 106, 117, 133, 271, 472  
 Amemiya, T., 44, 97, 99, 116, 170, 193, 195, 230, 232–233, 281n1, 283, 287, 292, 422n11  
 Andersen, E. B., 239, 312  
 Anderson, T. W., 9, 13, 66, 82n2, 84, 94, 99, 184, 209–210, 338–339, 377, 398, 402, 425n14, 469  
 Angrist, J. D., 352n9  
 Anselin, L., 13, 329, 335, 345  
 Antweiler, W., 453  
 Appelbe, T. W., 8, 201  
 Arellano, M., xix, 10, 13, 68, 99–106, 117, 125, 133, 207n19, 243, 261n17, 271, 318, 401–402, 471–472  
 Ashenfelter, O., 2, 81, 456  
 Avery, R. B., 140n4, 141, 144  
  
 Bai, J., 13, 337–340, 342, 392, 394, 398n8, 472  
 Balestra, P., 10, 81, 108–111, 198, 404  
 Baltagi, B. H., 47n8, 140n4, 141, 144, 147, 151, 201, 335, 395, 453–454, 473  
 Banerjee, A., 395  
 Barro, R., 8  
 Barth, J., 179–180  
  
 Bartolucci, F., 277, 280  
 Bassett, G., Jr., 445  
 Bates, G., 250  
 Beckett, S., 2  
 Beckwith, N., 2n1  
 Bekker, P. A., 103  
 Ben-Porath, Y., 5  
 Berkson, J., 233  
 Bernard, A., 386  
 Bhargava, A., 92, 93n8, 95, 106–107, 108n17, 109t, 111n18, 120, 394  
 Binder, M., 9, 128, 374, 396  
 Biørn, E., 9, 404, 458, 460  
 Bishop, Y. M. M., 262n18  
 Blanchard, P., xx  
 Blundell, R., 97, 102n14, 117n19, 125n22, 409  
 Bodkin, R. G., 139, 199, 370n2  
 Bond, S., 99, 101, 102nn13,14, 105, 117n19, 125n22, 212, 401  
 Bonhomme, S., 243, 471  
 Borus, M. E., 2  
 Bover, O., 102–103, 318  
 Box, G. E. P., 193, 345, 379, 426  
 Breitung, J., 328, 395  
 Bresson, G., 170  
 Breusch, T. S., 47n8, 99, 176–177, 185, 192, 193n14, 204, 345  
 Browning, M., 409  
 Burridge, P., 344  
 Butler, J., 245  
  
 Caines, P. E., 82n2  
 Canova, F., 167

508 **Author Index**

- Card, D., 220  
 Carrasco, R., 261n17  
 Carrion-i-Silvestre, J. L., 394  
 Carro, J. M., 273  
 Case, A. C., 333  
 Chamberlain, G., 11, 13, 53, 69–75,  
 92n7, 95–96, 140, 145, 152–153, 155,  
 162, 164, 172n3, 207nn18,19, 240,  
 244, 246, 248n14, 257, 263, 268, 312,  
 457  
 Chan, M. W. Luke, 8  
 Charlier, E., 313–314, 315t–316t  
 Chen, S., 291–292, 298n5, 462  
 Chesher, A. D., 12, 177  
 Chetty, V. K., 415  
 Chiang, M. H., 73n21, 381–382  
 Ching, H. S., 361, 363–364  
 Chintagunta, P., 250, 270  
 Choi, I., 390, 393–395  
 Chou, S., 357  
 Chow, G. C., 170, 186n13, 187, 190  
 Chu, J., 9, 387  
 Chue, T. K., 394  
 Chui, C. K., 462  
 Coleman, J. S., 251  
 Collado, M. D., 407  
 Conley, T. G., 135, 330  
 Cooley, T. F., 187  
 Cornwell, C., 239n10  
 Cosslett, S. R., 274  
 Cox, D. R., 232, 277, 433  
 Crépon, B., 70, 75n26, 444  
 Cripps, T., 262  
  
 Damrongplasit, K., 354, 361n14  
 Das, S., 328  
 Davis, P., 453  
 Deaton, A., 409, 456  
 De Finetti, B., 201  
 Dehejia, R. H., 354, 357  
 Dhrymes, P., 419, 421  
 Dickey, D. A., 9, 386, 389–390, 392,  
 469  
 Dielman, T., 2n1  
 Dineen, C. R., 8, 201  
 Donald, P., 104  
 Douglas, G., 242n11  
 Driscoll, J., 331  
 Duan, J. C., 435–437  
  
 Duguet, E., 444  
 Duncan, G. M., 162  
 Durbin, J., 66, 214t, 345, 415  
 Durlauf, S. N., 8–9, 167, 386, 388, 469  
  
 Eicker, F., 313  
 Engle, R. F., 134, 370n2  
  
 Fan, J., 358  
 Fan, K. T., 224  
 Fazzari, S. M., 212  
 Ferguson, T. S., 233  
 Fienberg, S. E., 262n18  
 Fisher, N. I., 390  
 Fisher, R. A., 331  
 Fitzgerald, J., 297  
 Florens, J. P., 434  
 Fougère, D., 434  
 Frankel, J. A., 386  
 Freeman, R. B., 5  
 Friedman, M., 205, 470  
 Frisch, R., 342  
 Fujiki, H., 8, 218–219, 468  
 Fuller, W. A., 9, 97, 386, 389–390, 392,  
 469  
  
 Galvao, A. F., 447  
 Gardiol, L., 39n5  
 Geweke, J., 448  
 Gijbels, I., 358  
 Girma, S., 410  
 Goldberger, A. S., 152  
 Goodman, L. A., 252  
 Goodrich, R. L., 82n2  
 Gorseline, D. E., 162  
 Gottschalk, S., 297  
 Gourieroux, C., 299n6, 448, 452  
 Granger, C. W. J., 8, 134, 370n2, 468  
 Grasseti, L., 399  
 Greenaway-McGrevy, R., 339n6  
 Griffith, D. A., 329  
 Griffiths, W. E., 175, 185  
 Griliches, Z., 9, 137, 140, 152–155, 162,  
 164, 219, 292, 296, 420, 422, 425, 429,  
 443, 456–457, 481  
 Groen, J. J. J., 385, 397  
 Gronau, R., 287  
 Grunfeld, Y., 168, 175, 219  
 Gurm, S., 444

## Author Index

509

- Hadri, K., 387  
 Hahn, J., 13, 84, 104, 117, 123–124, 128, 133, 271, 273  
 Hajivassilou, V., 448  
 Hall, B., 292, 443  
 Hall, P., 331  
 Han, A., 434  
 Han, C., 114, 339n6  
 Hansen, B., 101, 348, 381  
 Härdle, W., 289  
 Harris, R. D. F., 444  
 Hartley, H. O., 182  
 Hausman, J. A., 9, 11, 14, 48, 57–58, 61, 81, 104–105, 121, 149, 204, 235, 236n4, 292, 295–297, 314, 408, 434, 443, 456–457, 473  
 Hayashi, F., 213  
 Heckman, J. J., 13–14, 220–221, 227, 242, 243t, 245–246, 251, 254–255, 256t, 261, 263–265, 267t, 268t, 283–284, 287–288, 292, 294, 299, 311, 352n9, 354, 360n13, 409, 473  
 Henderson, C. J., Jr., 63  
 Hendricks, W., 193  
 Hildreth, C., 184  
 Hirano, K., 298, 473  
 Hoch, I., 32–33, 34t  
 Hoffman, B., 331  
 Ho-Ilman, K. F., 464  
 Holland, P. W., 262n18  
 Holly, A., 39n5  
 Hong, C., 186,  
 Hong, Y., 66n17, 463  
 Honoré, B., 13, 207n19, 256, 258–260, 269–270, 274, 276–277, 299, 304–306, 309–310, 317n9, 318, 360  
 Hood, Wm. C., 139, 397  
 Horowitz, J. L., 248–249  
 Hotellings, H., 472  
 Hotz, 360n13  
 Houck, J. P., 184  
 Hsiao, C., xx, 3, 8–9, 13–14, 30n6, 47, 50, 66, 76, 84, 92t, 93–94, 97, 99, 112, 114–115, 117–118, 119t, 120t, 122–128, 139, 170, 174, 184n10, 186, 197, 199, 201–220, 223–224, 227, 235, 284, 328, 349–350, 354, 357, 360–370, 374, 377, 398–402, 412, 415, 448, 452, 458, 460, 464, 468  
 Hu, L., 323–324  
 Hubbard, R. G., 212  
 Hurvich, C. M., 363  
 Hurwicz, L., 169  
 Hussain, A., 63–64, 198  
 Hyslop, D., 251  
 Ichimura, H., 354  
 Im, K. S., 9, 389–392, 394  
 Imbens, G. W., 298  
 Inoue, A., 410  
 Intriligator, M. D., 139, 370n2  
 Izan, H. Y., 417n6  
 Jang, S. J., 466  
 Janz, N., 3  
 Jayet, H., 329  
 Jenkins, G. M., 193, 379, 426  
 Jeong, K. J., 415  
 Johansen, S., 370, 383, 396  
 Johnson, P., 167  
 Johnston, J., 26n3  
 Jones, C., 386  
 Jorgenson, D. W., 212  
 Judge, G., 170, 174  
 Judson, R. A., 103  
 Jung, B., 453  
 Juster, T., 2  
 Kalman, R. E., 188  
 Kao, C., 66n17, 135, 381–382, 395, 460  
 Kapetanios, G., 342  
 Kapoor, M., 334–336  
 Kapteyn, A., 9, 39n5, 335, 453–454, 458  
 Karlin, S., 253  
 Kato, K., 447  
 Keane, M. P., 299n6, 448  
 Kelejian, H. H., 170, 185, 333–334, 345  
 Kiefer, N. M., 67, 81, 274  
 Kiviet, J. F., 103, 210  
 Kleibergen, F., 385, 396–397  
 Klein, L. R., 169, 205  
 Klein, R., 235, 289  
 Klette, T. J., 460  
 Koenker, R., 103, 193, 445, 447  
 Koning, R. H., 9, 457–458  
 Koopmans, T. C., 139, 397  
 Kraay, A., 331  
 Kraft, A., 179

510 **Author Index**

- Kraft, J., 179  
 Krishnakumar, J., xx, 460  
 Kruiniger, H., 114, 118  
 Kuersteiner, G., 13, 84, 104  
 Kuh, E., 10, 13, 18, 24–26, 27t, 29t,  
 167–168, 198, 213, 412–413  
 Kunitomo, N., 402  
 Kwiatkowski, D., 387  
 Kyriazidou, P. E., 13, 250, 256, 258–260,  
 269–270, 277, 299, 311–317,  
 324–326, 360, 408
- Labeaga, J., 318  
 Lahiri, K., xx  
 LaLonde, R., 354, 357  
 Lamarche, C., 447  
 Lancaster, T., 12, 177, 292n3  
 Larsson, R., 387, 390–391, 396  
 Layton, L., 251  
 Lee, J., 394  
 Lee, L. F., xx, 13, 175, 235, 333–334, 336  
 Lee, M. J., 249–250, 312  
 Lee, Y. H., 341  
 Le Gallo, J., 329  
 Levin, A., 9, 387–390  
 Lewbel, A., 8, 217, 468  
 Li, M., 220  
 Li, Q., 66n17, 201n16, 224, 461, 463  
 Liang, Z., 224  
 Liesenfeld, L., 449  
 Lillard, L., 65–66  
 Lin, C., 9, 171, 387–390  
 Lindley, D. V., 175, 209  
 Little, R. J. A., 297  
 Liu, L. M., 357, 369
- Machado, J. A. F., 103  
 MaCurdy, T. E., 7, 67, 99  
 Maddala, G. S., 41, 44, 47, 80, 230,  
 281n1, 292, 390, 393, 412, 414–416  
 Magnus, J. R., 373n3, 384, 458  
 Mairesse, J., 26n5, 70, 75n26, 473  
 Malinvaud, E., 6, 73, 418n8, 419  
 Mankiw, N. G., 8  
 Manski, C. F., 13, 235, 247–249, 256,  
 259, 276, 312  
 Mao, G., 350, 351t  
 Martins-Filho, C., 461
- Matsumoto, T., 357  
 Matyas, L., xx  
 Mazodier, P., 39n5  
 McCoskey, S., 135, 395  
 McFadden, D., 230, 234–235, 240, 448,  
 451  
 McKenzie, D. J., 410  
 Medoff, J. L., 5  
 Meghir, C., 212, 409  
 Mehta, J. S., 168n1, 186  
 Meijer, E., 4, 460  
 Melenberg, B., 314  
 Melmon, K., 2n1  
 Mennes, L. B. M., 169  
 Meyer, J. R., 26, 412–413  
 Min, C. K., 186, 205  
 Mizon, G. E., 99  
 Moffitt, R., 245, 297, 407, 409–410  
 Monfort, A., 299n6, 448, 452  
 Montes-Rojas, G. V., 447  
 Moon, H. R., 9, 13, 58, 123–124, 128,  
 131–132, 134, 206n17, 392–393,  
 472  
 Morimune, K., xx  
 Mouchart, M., 434  
 Mount, T. D., 44, 47n8  
 Mountain, D. C., 8, 464  
 Mundlak, Y., 11, 32, 50–54, 56, 70,  
 80–81, 84, 92n7, 172n3, 178, 226–227,  
 404n1  
 Munkin, M. K., 444
- Nagar, A. L., 103  
 Nantell, T., 2n1  
 Narasimham, G. V. L., 168n1  
 Nerlove, M., xix, 6, 10, 32, 40, 63, 77,  
 79, 81, 84, 86, 94, 108, 110t, 111, 198,  
 242  
 Neudecker, H., 373n3, 384, 458  
 Newey, W., 104, 224, 271, 289, 299, 331,  
 363, 389, 462  
 Neyman, J., 55, 65, 112, 233, 236, 238,  
 241, 250, 429n15, 471  
 Ng, S., 171, 337–339, 392, 398n8  
 Nickell, S., 84  
 Nielson, A. C., 266  
 Nigro, V., 277, 280  
 Nijman, T. H. E., 297, 299, 404

## Author Index

511

- Okui, R., 103  
 Ord, J. K., 329, 332  
 Owen, A. L., 103
- Pagan, A. R., 176–177, 185, 187–188, 192, 193n14, 204, 345  
 Pakes, A., 418, 420, 422, 425, 429, 448  
 Pedroni, P., 395  
 Peracchi, F., 3  
 Perktold, J., 250, 270  
 Perron, P., 392–393  
 Pesaran, M. H., xx, 8–9, 13, 93, 97, 112, 114–115, 118t–120t, 122t, 126, 128, 135, 170, 174, 178, 206n17, 208–210, 211t, 217, 220, 223, 262n18, 328nn1,2, 339, 342–343, 345–346, 349–350, 370, 372, 374, 377–378, 386, 389, 392–395  
 Petersen, B., C., 212  
 Phelps, E., 261–262  
 Phillips, G. D. A., 192  
 Phillips, P. C. B., 9, 13, 114, 131–133, 171, 206n17, 210, 328, 370, 377, 381, 386, 388, 395, 469, 472  
 Picks, A., 349  
 Poirier, D. J., 193  
 Pollard, D., 448  
 Powell, J. L., xx, 235, 284–285, 287, 290–291, 302n7, 312  
 Prescott, E. C., 187  
 Priestley, M. B., 331  
 Prucha, I. R., 142n6, 333–334, 345
- Quah, D., 167  
 Quandt, R. E., 296n4
- Racine, J. S., 461  
 Raj, B., 170  
 Rao, C. R., 43, 71–72, 75n27, 173n4, 176, 182, 184  
 Richard, J. F., 299n6, 448–449  
 Ridder, G., 297–299, 473  
 Robb, R., 354, 409  
 Robertson, D., 346–348  
 Robinson, P. M., 289, 291, 299  
 Romer, D., 8  
 Ronchetti, E., xx  
 Rose, A. K., 386
- Rosenbaum, B., 227, 354–355, 357  
 Rosenberg, B., 2n1, 187  
 Rothenberg, T. J., 74  
 Rubin, D. B., 227, 297–298, 354–355, 357, 398, 402
- Saikkonen, P., 382  
 Sala-i-Martin, X., 8  
 Sarafidis, V., 346–348  
 Saranadasa, H., 472  
 Sargan, J. D., 92, 93n8, 95, 105–107, 108n17, 109t, 111n18, 120, 346, 348, 394  
 Schmidt, P., 99, 102, 125n22, 138n2, 239n10, 341  
 Schmierer, D. A., 220, 227  
 Schnell, J. F., 460  
 Schuermann, T., 378  
 Schwarz, G., 204, 363  
 Scott, E. L., 55, 65, 112, 236, 238, 241, 471  
 Searle, S. R., 18  
 Secrest, D., 245  
 Sevestre, P., xx, 86n4, 97, 111n18  
 Sheiner, L., 2n1  
 Shen, X., 462  
 Shen, Y., 8, 216t, 218–219, 350, 351t, 360, 468  
 Shi, Z., 171  
 Shin, Y., 9, 206n17, 370, 372, 378, 389–392, 394  
 Silverstein, J. W., 472  
 Sims, C., 369–370  
 Singer, B., 252, 292n3  
 Singh, B., 193  
 Small, K., 235  
 Smith, A. F. M., 174–175, 209  
 Smith, L. V., 393  
 Smith, R., 206n17, 217, 344, 370, 372, 378  
 Smith, R. J., 97  
 Solon, G., 2, 456  
 Song, S., 453, 473  
 Spady, R., 235, 289  
 Spilerman, S., 252  
 Stegun, J., 245  
 Stengos, T., 461  
 Stephan, S. W., 64, 185

512 **Author Index**

- Stock, J. H., 69, 235, 370  
 Stoker, T. M., 217, 235  
 Stone, R., 412  
 Stroud, A. H., 245  
 Su, L., 171, 461, 463  
 Sul, D., 328, 339n6  
 Summers, L. H., 213  
 Sun, B. H., 20–26, 50, 204, 436t  
 Swamy, P. A. V. B., 168, 172–175,  
 177–178, 180, 186, 193, 198, 210n20,  
 420  
 Tahmiscioglu, A. K., 30n6, 93, 97, 112,  
 114–115, 118, 119t–120t, 123–124,  
 126–128, 174, 208–213, 214t–216t,  
 223, 328, 377  
 Tamer, E., 274, 276  
 Tarling, R., 262  
 Taylor, G., 458  
 Taylor, H., 253  
 Taylor, W. E., 44, 61, 149  
 Temple, J., 8  
 Theil, H., 37n3, 43–44, 52, 59n15, 74,  
 95n10, 104, 122, 141, 160n12, 169,  
 175n6, 180, 217, 405  
 Thornberry, T. P., 466  
 Tibshirani, R. J., 171  
 Tieslau, M., 394  
 Tinsley, P. A., 193  
 Tiao, G. C., 53  
 Tobias, J. L., 220  
 Tobin, J., 213, 217, 281, 412, 416  
 Todd, P., 354  
 Tosetti, E., 135, 328nn1,2  
 Trivedi, P. K., 217, 444  
 Trognon, A., xix, 39n5, 64, 86, 94, 97,  
 111n18  
 Tsai, C. L., 363  
 Tsiatis, A. A., 434  
 Tsui, K. Y., 8  
 Ullah, A., 170, 461, 463  
 Urzua, S. S., 220, 227  
 van Soest, A., 314, 315t–316t, 404  
 Vella, F., 299, 411  
 Verbeek, M., 297, 299, 404, 411  
 Vogelsang, T., 224, 331  
 Vytlacil, E. J., 220, 227, 352n9  
 Wachter, M. L., 193  
 Wahba, S., 354, 357  
 Wallace, T. D., 63–64, 198  
 Walras, Léon, 369  
 Wan, S., 361, 363–364  
 Wang, B., 360  
 Wang, K. Q., 448, 452  
 Wang, L. Q., 452  
 Wang, T., 436–437, 439t, 441t  
 Wang, Y., 461  
 Wansbeek, T., 4, 9, 39n5, 103, 201, 335,  
 344, 453–454, 457–458, 460  
 Watson, M. W., 69, 345, 370  
 Weeks, G., 360  
 Weil, D., 8  
 Weiner, S. M., 378  
 Weiss, Y., 65  
 West, K., 224, 331, 363, 389  
 Westerlund, J., 390–391  
 White, H., 72n20, 177, 313, 463  
 Willis, R., 65–66, 251, 265  
 Windmeijer, F., 444  
 Wise, D., 14, 236n4, 295–297, 473  
 Wolfowitz, J., 274  
 Wooldridge, J. M., 299  
 Wright, R., 2n1, 242n11  
 Wu, S., 390, 393  
 Xie, W., 224, 227  
 Yamagata, T., 342, 346–348, 393  
 Yao, F., 461  
 Yu, J., 334, 336  
 Zacks, S., 239n9  
 Zellner, A., 152, 169–171, 175, 180, 186,  
 197, 205, 328, 377–378, 384, 386  
 Zhang, J., 84, 93, 117, 128, 401  
 Zhang, W., 448  
 Zhang, Y. T., 224  
 Zhao, X., 354, 444  
 Zhao, Z., 206n17  
 Zhou, Q., 399–400, 402  
 Ziliak, J. P., 103, 117

## Subject Index

- AICC criterion, 363–368
- Aitken estimators, 37n3, 148, 179, 185, 196
- Almon lag, 419
- analysis of covariance (ANCOVA): *F* statistic and, 21, 23; homogeneity and, 17–26; Kuh and, 24–26; linear regression models and, 17–26, 35, 37; parameter constancy and, 193; parameter number and, 18; random-coefficient model and, 177, 179, 186; residual sum of squares (RSS) and, 19–21, 22t; time series and, 24–26; within-group estimates and, 19
- analysis of variance (ANOVA): fixed-coefficient model and, 182; linear regression models and, 17, 35; time and, 182
- arbitrary error structure, 69–75
- asymptotics: count data model and, 442–443; cross-sectionally dependent panel data and, 328, 333, 336–337, 340–345, 349; diagonal path limits and, 131; discrete data and, 233, 240, 242, 246n13, 249–250, 259, 266t, 271–273; duration model and, 434; dynamic models and, 81–86, 94, 96–99, 101, 103, 105–107, 111n18, 112–113, 115–121, 124, 126–135; dynamic systems and, 374–377, 381–382, 385–386, 388–392, 395–402; incomplete panel data and, 410, 414–415, 428–429; joint limits and, 131; multidimensional, 13, 469, 472; nonparametric panel data and, 462–463; normality and, 75–77, 82n2, 288; panel data advantages and, 9, 469; panel data issues and, 13, 472; panel quantile regression and, 447; sample truncation and, 283, 287–289, 295, 298–299, 305, 310, 313, 323, 326; sequential limits and, 130; simple regression and, 44, 47, 52, 55, 57–58, 65–68, 72–77; simulation methods and, 451–452; static simultaneous-equations models and, 136, 139, 143, 146–147, 150–152, 183n2; variable coefficient models and, 121, 174–178, 185–186, 193, 196, 201n16, 208, 223–225
- attrition: bias and, 292–296; Gary income-maintenance project and, 296–298; Hausman-Wise two-period model of, 295, 297–298; incomplete panel data and, 408; panel data issues and, 13, 469, 472–473; probability and, 292–296; sample selection and, 292–298, 300t, 312, 472–473
- augmented Dickey-Fuller (ADF) test, 389–390, 392, 395
- autocorrelation: cross-sectionally dependent panel data and, 331, 363; dynamic models and, 86, 94; heteroscedasticity and, 68–69; incomplete panel data and, 417n6; measurement errors and, 460; serially correlated errors and, 65–68; simple regression models and, 34, 64–69; variable coefficient models and, 214t, 217, 224

514 **Subject Index**

- autoregression: cross-sectionally dependent panel data and, 329–332, 334, 336, 345, 363; discrete data and, 251; dynamic models and, 82n2, 86, 104, 118; dynamic systems and, 369–378, 390; heterogeneity and, 377–378; heteroscedastic autoregression (HAC) covariance matrix and, 331, 363; homogeneity and, 370–377; incomplete panel data and, 417n6, 418, 422, 425–426; panel vector models and, 370–378; sample selection and, 324; simple regression and, 66; simulation methods and, 450; variable coefficient models and, 187, 207n18; vector autoregressive (VAR) models and, 369–378, 386, 393n7, 397
- autoregressive moving average (ARMA), 187
- average treatment effect (ATE), 352–353
- Bank of America, 438
- baseline hazard function, 433
- Bayesian methods, xix; incomplete panel data and, 412, 415n5; mode estimators and, 174; panel data issues and, 471; variable coefficient models and, 174, 198–201, 204–205, 208–212
- best linear unbiased estimators (BLUE): simple regression models and, 36, 38–39, 41, 52, 60, 63; variable coefficient models and, 183–185, 195
- bias: adjusted estimators and, 270–273; attrition and, 292–296; best linear unbiased estimators (BLUE) and, 36, 38–39, 41, 52, 60, 63, 183–185, 195; control groups and, 356; cross-sectionally dependent panel data and, 337, 340, 342, 344–346, 349, 354, 356, 360; discrete data and, 230, 242–243, 254–255, 264, 270–273, 280; dynamic models and, 81–86, 97, 99, 103–104, 108, 109t, 111–112, 117–119, 123, 128, 133, 270–273; dynamic systems and, 381, 388–389, 400–402; fixed-effects inference and, 56, 467; homogeneity and, 24; incomplete panel data and, 412, 417, 419; linear regression models and, 24, 33, 36, 38, 41, 50–52, 55–58, 61; ordinary least squares (OLS) estimators and, 85–86, 97; panel data advantages and, 7–8, 464, 467–468; panel data issues and, 11–14, 471–472; panel quantile regression and, 447; probability and, 292–296; random effects and, 56, 85–86, 467; reducing, 270, 467–468; sample truncation and, 282, 290, 292–297, 312, 314; selection, 14, 292–296, 312, 354, 360; simulation methods and, 450, 452, 455–457; state dependence and, 270–273; static simultaneous-equations models and, 136–137, 143, 152; variable coefficient models and, 173–175, 178, 180, 183, 184n10, 200, 210, 211t, 215, 220, 223
- bounding parameters, 274–276
- Box-Jenkins method, 67, 193, 363, 379
- British Household Panel Survey (BHPS), 2
- Brownian motion, 134, 394, 396
- Bureau of the Census, 403–404
- cell-mean correction, 19, 27t–28t
- Center for Research in Security Prices (CRSP), 437
- central limit theory, 135
- Chamberlain-pi approach, 69–75
- chi-square distribution, 9, 233, 262n18, 268t, 377, 391
- Cobb-Douglas production function, 32
- cointegrated panel models: common trends and, 379–380; estimation and, 381–386; heterogeneity and, 383–386; homogeneity and, 381–383; maximum-likelihood estimators (MLE) and, 382–384; minimum-distance estimators (MDE) and, 382–383; properties of, 379–380
- cointegration tests: likelihood approach and, 395–397; residual-based, 394–395
- common correlated effects heterogeneous model (CCEMG), 350, 351t
- common correlated effects model (CCEP), 350, 351t
- common trends, 379–380
- Community Innovation Surveys (CIS), 3
- conditional inference, 48–56, 372, 470



## Subject Index

515

- control groups: average difference and, 353; bias and, 356; confounding variables and, 353; cross-sectionally dependent panel data and, 353–357, 360–369; difference-in-difference method and, 360; frequency weight and, 357; mean difference and, 353; population sources and, 354; predicting counterfactuals and, 361–369; propensity score method and, 355–357, 360; sample selection and, 296; treatment groups and, 353–357, 360–361
- correlated random-coefficient models: conventional fixed-effects estimators and, 223–224; group mean estimators and, 223; identification with cross-sectionally dependent panel data and, 221–222; introduction to, 220; mean effects estimation and, 223–227; panel pooled maximum-likelihood estimators and, 224–226; semiparametric estimates and, 227
- count data model: asymptotics and, 442–443; density and, 442; dependent variables and, 444; exogenous variables and, 441; incidental parameters and, 443; individuals and, 441–443; infinity and, 442; log-likelihood function and, 441–443; maximum-likelihood estimators (MLE) and, 442–443; negative binomial distribution and, 442; Poisson process and, 439–440, 443–444; probability and, 438–439, 441t, 444; statistics and, 443
- counterfactuals: control group information and, 361–369; cross-sectionally dependent panel data and, 361–369, 469; panel data advantages and, 469; prediction of, 361–369
- covariance (CV) estimators: cross-sectionally dependent panel data and, 331; dynamic models and, 80–84, 92, 123, 132; fixed effects and, 47–56; heteroscedasticity and, 68–69; incomplete panel data and, 411; least-squares estimators and, 43; random effects and, 40–41; simple regression models and, 37–44, 47–57, 59–65, 67–69; static simultaneous-equations models and, 164
- Cowles Commission, 139
- Cramer-Rao bound, 57
- cross-sectionally dependent panel data, xxi; adjustment methods and, 354–359; AICC criterion and, 363–368; arbitrary labeling and, 327; asymptotics and, 328, 333, 336–337, 340–345, 349; autocorrelation and, 331, 363; autoregression and, 329–332, 334, 336, 345, 363; bias and, 337, 340, 342, 344–346, 349, 354, 356, 360; change inferences and, 5; common correlated effects heterogeneous model (CCEMG) model and, 350, 351t; common correlated effects model (CCEP) and, 350, 351t; control groups and, 353–357, 360–369; counterfactual prediction and, 361–369, 469; covariance (CV) estimators and, 331; degrees of freedom and, 345, 348–349; density and, 356; dependent variables and, 329, 348–350; difference-in-difference method and, 360–361; discrete-response models and, 230–235; dummy variable and, 343, 352; economic distance and, 331; efficiency and, 327; error-component model and, 334, 345; error terms and, 329, 336; example of, 350–351; exogenous variables and, 336; factor approach and, 327, 337–342; feasible generalized least-squares estimators (FGLS) and, 328, 335, 342; fixed constants (FE) and, 334–335; fixed effects and, 334, 340, 360; generalized method of moments (GMM) and, 341, 346, 348n8; group mean augmented approach and, 342–344; heterogeneity and, 350, 360; heteroscedasticity and, 331, 340–341, 363; homogeneity and, 350, 356; independence testing and, 344–351; individuals and, 327–331, 334–336, 339–340, 352–353, 357, 359–364; infinity and, 331, 333–334, 336, 363; instrumental

516 **Subject Index**

- cross-sectionally dependent panel data (*cont.*)  
 variable (IV) estimators and, 333;  
 issues of, 327–329; Lagrangians and, 344–345, 349; least-squares estimation and, 328–329, 333, 339–345, 364;  
 linear model and, 344–348; local average treatment effect (LATE) and, 352n9; log-likelihood function and, 332–336; marginal treatment effect (MTE) and, 352n9; matching observables and, 355–357; matrices and, 327–331, 334, 336–340, 344, 350, 362; maximum-likelihood estimators (MLE) and, 354, 374–375, 383, 398, 400, 402; Monte Carlo studies and, 342, 346, 348, 350; neighbors and, 329–331, 333; nonparametric panel data and, 331, 355, 357, 359–368; normalization and, 329, 332, 337–338, 340; null hypotheses and, 344; omitted variables and, 327; ordinary least squares (OLS) estimation and, 364, 368; panel data issues and, 471–472; parametric models and, 331, 354, 357, 359–360; probability and, 339, 355, 357, 361; probit models and, 349; program evaluation and, 352–368; propensity score method and, 355–357, 360; random-coefficient models and, 221–222; random effects and, 335; regression discontinuity design and, 357–359; regression models and, 328–329, 339, 341, 350, 357–358; seemingly unrelated regression method (SUR) and, 328; simple regression models and, 328; spatial approach and, 329–337, 344; standard two-way effects models and, 327; statistics and, 327–328, 344–346, 348–350, 354–355, 364, 368; stochastics and, 347–348; SYR test and, 346–348; test of cross-sectional independence and, 344–351; time series and, 331, 339–340, 344–351, 362; time-specific variables and, 327, 331, 337; time-variant coefficients and, 180–186; Tobit models and, 348–349; treatment effects and, 352–368; variable coefficient models and, 170–186, 221–222; vector autoregressive (VAR) models and, 377–378
- cross-sectionally independent panel data, 350, 377; unit root tests and, 387–391
- cumulative distribution function: discrete data and, 245, 249, 253; duration model and, 430–431
- Current Population Survey and Social Security Administration (CPS-SSA), 323–324
- degrees of freedom: cross-sectionally dependent panel data and, 345, 348–349; dynamic models and, 105–107, 118; dynamic systems and, 386, 390, 396; homogeneity and, 18, 21, 23–25, 27t, 29t; incomplete panel data and, 414, 421, 428–429; linear regression models and, 18, 21, 23–25, 27t, 29t, 54–55, 57–58, 73, 77; panel data advantages and, 4, 464; panel data issues and, 470; sample truncation and, 314, 317; variable coefficient models and, 168, 174, 177–179, 186, 193, 209, 215, 223
- density: conditional, 9–10, 54–55, 177–179, 191, 209, 239, 274, 294, 356, 448–449, 452; count data model and, 442; cross-sectionally dependent panel data and, 356; discrete data and, 231–232, 239, 245–246, 259–260, 274; dynamic models and, 107; incomplete panel data and, 404; normal density function and, 231, 246, 259, 289, 293; panel data advantages and, 9–10; panel data issues and, 10; panel quantile regression and, 445; sample truncation and, 282–284, 289–291, 296, 298, 302, 305, 312, 326; simple regression and, 39, 54–56; simulation methods and, 448–452; variable coefficient models and, 177–179, 191, 205, 209, 216
- dependent variables: count data model and, 444; cross-sectionally dependent panel data and, 329, 348–350; discrete data and, 230, 233, 236, 250, 256, 259, 262, 270; dynamic models and, 80–81, 85–86, 97, 111–112, 115; dynamic systems and, 369, 376–377; incomplete panel data and, 412–414,

## Subject Index

517

- 418; limited model and, 348–350; measurement errors and, 458; model of limited dependent variables and, 281; multilevel structures and, 453; nonparametric panel data and, 463; panel data advantages and, 467–468; panel data issues and, 14, 472; sample truncation and, 281–282, 284–285, 287, 290, 292, 295, 317, 325; simple regression and, 34, 39, 49t, 67; static simultaneous-equations models and, 136, 138, 144, 161, 163; variable coefficient models and, 175–176, 190, 215t, 216t
- difference-in-difference method, 360–361
- discrete data, *xix*; asymptotics and, 233, 240, 242, 246n13, 249–250, 259, 266t, 271–273; autoregression and, 251; bias and, 230, 242–243, 254–255, 264, 270–273, 280; bounding parameters and, 274–276; conditions for existence of consistent estimators and, 238–242; cumulative distribution function and, 245, 249, 253; density and, 231–232, 239, 245–246, 259–260, 274; dependent variables and, 230, 233, 236, 250, 256, 259, 262, 270; discrete-response models and, 230–235; distributed-lag models and, 263; dummy variable and, 239, 268; dynamic models and, 250–270; efficiency and, 233, 242, 245; equilibrium and, 252–254; error-component model and, 265; error terms and, 231, 235–236, 243–245, 251–252, 262–263; exogenous variables and, 242, 252, 254–255, 258, 265, 267, 270, 277, 471n1; fixed constants (FE) and, 251, 254, 270; fixed effects and, 236–243, 254–255, 256t, 270–272; Gaussian quadrature and, 245, 248; generalized method of moments (GMM) and, 246, 261n17; Hermite integration formula and, 245; heterogeneity and, 230, 235–246, 251–252, 261–271, 278; homogeneity and, 236, 253; incidental parameters and, 236–240, 244, 247–248, 271; independence of irrelevant alternatives and, 235; individuals and, 230–239, 242–243, 248–252, 254–255, 260–263, 265, 268–271, 277n21; infinity and, 238–240, 243, 246, 253–255, 259; initial conditions and, 252–255, 256t, 261; least-squares estimation and, 232–233, 239; linear-probability model and, 231–232, 238, 247; logit models and, 231–232, 234, 237–239, 241–242, 256, 259, 268, 271, 276–280, 471n1; log-likelihood function and, 237, 240–241, 243–244, 258, 263, 265, 266t, 272, 280; Markov process and, 251–253, 255, 256t, 265; matrices and, 232–233, 240–242, 244, 246, 250–255, 264, 266, 272; maximum-likelihood estimators (MLE) and, 233, 236–240, 245, 255, 263–264, 278; maximum score estimators and, 247–249; minimum-distance estimators and, 246; Monte Carlo studies and, 242, 254–255, 256t, 270, 273, 280; Newton-Raphson method and, 233, 280; normalization and, 235–236, 241, 246–250, 252, 270, 279; null hypotheses and, 255, 262n18; omitted variables and, 235, 243; parametric models and, 230–231, 235–250, 255; probability and, 231–232, 234–236, 238–257, 261–265, 268–275; probit models and, 231, 234, 236n4, 241–244, 254–255, 261n17, 264, 268t; random-coefficient models and, 236n4; random effects and, 242–246, 253–256, 261n17, 265, 268–270; regression models and, 232, 237, 239, 244, 252; root-*N* consistent estimators and, 249–250; semiparametric models and, 230, 235, 246–250, 255; state dependence and, 230, 252, 261–280; static models and, 230, 235–250, 255, 265–266; statistics and, 230, 233, 235–236, 239, 255, 261, 262n18, 265, 266t, 268t, 269–280; stochastics and, 251–254, 278; structural parameters and, 238–239, 242, 248, 254n16, 271, 278; Taylor series and, 273; time series and, 243, 257, 269–270; variance-components models and, 266; vectors and, 230–233, 247, 254n16

518 **Subject Index**

- discrete-response models, 230–235
- distance to default (DTD), 437
- distributed-lag models: common assumptions and, 419–420; discrete data and, 263; estimation and, 428–429; exogenous variables and, 421–425; incomplete panel data and, 16, 80n1, 418–429; lag coefficients and, 6, 418–429; panel data advantages and, 6; prior structure identification and, 421–425; short panels and, 418–429; testing and, 428–429
- dummy variable: cross-sectionally dependent panel data and, 343, 352; discrete data and, 239, 268; dynamic models and, 81, 110–111; incomplete panel data and, 410; least-squares estimation and, 34–39; nonparametric panel data and, 463; panel data advantages and, 5, 467; sample truncation and, 297; simple regression models and, 34–39, 48; static simultaneous-equations models and, 142; variable coefficient models and, 168
- duration model: asymptotics and, 434; baseline hazard function and, 433; cumulative distribution function and, 430–431; distance to default (DTD) and, 437; exit intensity and, 435–436; exogenous variables and, 433; failure time and, 433; hazard function and, 431–435; heterogeneity and, 433–434; individuals and, 430–435, 437; least-squares estimation and, 432–433; matrices and, 432–434; measurement errors and, 430; normalization and, 434; parametric models and, 434; probability and, 430–431, 433, 435, 438; regression models and, 432; statistics and, 430; survival function and, 431
- dynamic models: arbitrary serial correlations and, 121–122; asymptotics and, 81–86, 94, 96–99, 101, 103, 105–107, 111n18, 112–113, 115–121, 124, 126–135; autocorrelation and, 86, 94; autoregression and, 82n2, 86, 104, 118; bias and, 81–86, 97, 99, 103–104, 108, 109t, 111–112, 117–119, 123, 128, 133, 270–273; bounding parameters and, 274–276; censored, 317–324; conditional approach and, 255–261; covariance (CV) estimators and, 80–84, 92, 123, 132; density and, 107; dependent variables and, 80–81, 85–86, 97, 111–112, 115; diagonal path limits and, 131; discrete data and, 250–270; dummy variable and, 81, 110–111; efficiency and, 80, 103–104, 121, 128; endogenous variables and, 111; error-component model and, 85, 94, 96, 106, 108, 109t; error terms and, 81, 93, 107, 111, 118; examples of, 108–111, 264–270; exogenous variables and, 81–89, 93–94, 105, 107–108, 112, 121–122, 123n21; fixed constants (FE) and, 80, 88, 95, 123–124; fixed effects and, 80–83, 111–121, 132; generalized method of moments (GMM) and, 81, 89, 99–106, 112, 116–122, 125–128; general model and, 250–252; heterogeneity and, 111, 134, 261–264; homogeneity and, 92, 120–121; incidental parameters and, 81, 92, 97n12, 112, 120; independent variables and, 135; individuals and, 80–93, 97–98, 105, 108, 110–112, 117–129; infinity and, 81–83, 86, 91, 93–94, 97, 99, 111, 121, 124, 128, 130–132; initial conditions and, 81, 82n2, 85, 89–91, 98–99, 106–107, 117n20; instrumental variable (IV) estimators and, 81, 89, 98–99, 117, 125, 128; joint limits and, 131; least-squares estimation and, 81, 82n2, 85, 95–96, 104, 111, 115, 122–123, 133–134; log-likelihood function and, 106–107, 127–128; Markov process and, 251–253, 255, 256t, 265; matrices and, 94–97, 100–102, 104, 106–107, 109t, 112–113, 115–116, 126–130, 134; maximum-likelihood estimators (MLE) and, 81, 89–96, 99, 106–107, 117n20; mean square error and, 93, 103, 118, 120t; measurement errors and, 87; minimum-distance estimators (MDE) and, 95–96, 114–121,

## Subject Index

519

- 129–130; Monte Carlo studies and, 84, 86, 94, 107, 117–118, 128; multicollinearity and, 91, 111; normalization and, 117; null hypotheses and, 106; omitted variables and, 97; ordinary least squares (OLS) estimation and, 85–86, 97, 99, 110–111; orthogonality and, 100, 105, 112, 125; probability and, 82n2, 85, 123, 131–132; random-coefficient models and, 206–212; random effects and, 80–81, 84–108, 109t, 120–121; regression models and, 84, 97, 111, 130, 133–135; sample selection and, 324–326; sequential limits and, 130; spatial approach and, 336–337; state dependence and, 261–264; static models and, 80–82, 100, 112; statistics and, 82n2, 84, 86n5, 105–108, 117, 121, 124, 130; stochastics and, 82n2, 87–88, 92, 94–95, 104, 108; Taylor series and, 129; time series and, 81, 83, 91, 108, 110, 119, 124, 130, 133–135; time-specific variables and, 80–81, 122–129; Tobit models and, 324–326; transformed likelihood approach and, 112–115; variance-components models and, 107; vectors and, 80, 87, 93, 94n9, 97, 100, 112, 121, 124, 131
- dynamic systems: asymptotics and, 374–377, 381–382, 385–386, 388–392, 395–402; autoregression and, 369–378, 390; bias and, 381, 388–389, 400–402; change inferences and, 5; cointegrated panel models and, 379–386; cointegrating system and, 383–386; cointegration tests and, 394–397; common trends and, 379–380; degrees of freedom and, 386, 390, 396; dependent variables and, 369, 376–377; endogenous variables and, 369; equilibrium and, 380, 393n7; error terms and, 397–399; exogenous variables and, 369; fixed constants (FE) and, 372, 400–401; fixed effects and, 372, 382; generalized method of moments (GMM) and, 373–374, 377, 382, 401–402; heterogeneity and, 370, 377–378, 383–386, 390–392, 395–396; heteroscedasticity and, 382n5, 387–388; homogeneity and, 370–377, 386, 389–390, 395–396, 399; incidental parameters and, 372, 375; individuals and, 369–373, 377, 380–383, 386–390, 393–399, 402; infinity and, 392, 400–402; instrumental variable (IV) estimators and, 373, 401–402; joint dependent variables and, 369; Lagrangians and, 391; least-squares estimation and, 377–378, 381, 387–389, 394–395; likelihood approach and, 386, 395–396, 398–401; log-likelihood function and, 384, 399–400; matrices and, 370–385, 396–402; maximum-likelihood estimators (MLE) and, 386, 395–396, 398–401; minimum distance estimators (MDE) and, 375–377, 382; Monte Carlo studies and, 377, 382, 389–390, 394–395, 402; nonparametric panel data and, 390; normalization and, 380, 382, 385; null hypotheses and, 385–387, 390, 392; orthogonality and, 373, 401; parametric models and, 390; pooling and, 383, 389; probability and, 372, 394; random-coefficient models and, 392; random effects and, 372, 399; regression models and, 377–378, 382, 384, 386–387, 389–392, 395; simultaneous equations models and, 397–402; statistics and, 369, 377, 385–397; time series and, 16, 369–372, 377–379, 383, 386–387, 390, 392–395; time-specific variables and, 393; unit root tests and, 386–394; vector autoregressive (VAR) models and, 369–378, 380, 386, 393n7, 397; vectors and, 369–386, 393, 396–399
- efficiency: cross-sectionally dependent panel data and, 327; discrete data and, 233, 242, 245; dynamic models and, 80, 103–104, 121, 128; generalized least-squares estimators and, 147; panel data advantages and, 4, 8; panel data issues and, 470, 473; simple

520 **Subject Index**

- efficiency (*cont.*)  
 regression and, 32–33, 44, 50, 52, 54–55, 75n25; simulation methods and, 452; static simultaneous-equations models and, 136, 140, 143, 153; variable coefficient models and, 197, 224
- eigenvectors, 148, 151, 334n4, 338–340
- endogenous variables: dynamic models and, 111; dynamic systems and, 369; sample truncation and, 296; simple regression and, 73; static simultaneous-equations models and, 137, 151, 155, 159
- English Longitudinal Study of Aging (ELSA), 4
- equations: analysis of covariance (ANCOVA), 18–21, 23; Cobb-Douglas production function, 32; count data model, 439–444; cross-sectionally dependent panel data, 328–350, 352–363; discrete data, 230–235, 237–255, 257–263, 267, 269, 271–279; distribution-lag model, 6; duration model, 430–438; dynamic models, 80, 82–110, 112–116, 118, 121–134; dynamic simultaneous, 397–402; dynamic systems, 370–402; homogeneity, 17–21, 23, 25t; incomplete panel data, 404–411, 413–416, 418–429; least-square estimation, 14; least-squares dummy variable, 34–39; linear regression models, 11, 17–21, 23, 25t, 32, 34–47, 50–55, 58–79; measurement errors, 455–460; multilevel structures, 453–455; nonparametric panel data, 461–463; panel quantile regression, 445–447; sample truncation, 281–283, 285–295, 298–299, 301–302, 304–307, 309–312, 317, 321–326; simple regression model, 6–7, 17–21, 23, 25t, 32, 34–37, 50–55, 58–79; simulation methods, 448–452; slope coefficients, 15; static simultaneous-equations models, 136–166; Tobit model, 9; variable coefficient models, 168–202, 205–209, 212–213, 217–218, 222–229
- equilibrium: discrete data and, 252–254; dynamic systems and, 380, 393n7; incomplete panel data and, 413
- error-component model: cross-sectionally dependent panel data and, 334, 345; discrete data and, 265; dynamic models and, 85, 94, 96, 106, 108, 109t; incomplete panel data and, 404; multilevel structures and, 430, 453, 455; nonparametric panel data and, 461; sample truncation and, 292; simple regression models and, 39n5, 40, 64, 75; static simultaneous-equations models and, 139, 143–144, 147, 151–153; variable coefficient models and, 168n1, 174, 198, 200, 201n16
- error-component two-stage least-squares estimators (EC2SLS), 147–148, 152, 154
- error sum of squares (ESS), 219t
- error terms: cross-sectionally dependent panel data and, 329, 336; discrete data and, 231, 235–236, 243–245, 251–252, 262–263; dynamic models and, 81, 93, 107, 111, 118; dynamic systems and, 397–399; homogeneity and, 18; incomplete panel data and, 404, 411, 414, 416, 420; linear regression models and, 18, 35, 50, 59, 63, 65–67, 69; mean square error and, 47; panel data advantages and, 6, 467; panel data issues and, 11, 14; sample truncation and, 281–282, 284–285, 287, 290, 292, 298, 302, 313–314, 317, 325; static simultaneous-equations models and, 139, 144, 152; variable coefficient models and, 183–185, 206. *See also* bias
- Euclidean norm, 132, 247
- Euclidean space, 330
- European Community Household Panel (ECHP), 3
- Eurostat, 2–3
- exit intensity, 435–436
- exogenous variables: count data model and, 441; cross-sectionally dependent panel data and, 336; discrete data and, 242, 252, 254–255, 258, 265, 267, 270,

## Subject Index

521

- 277; distributed lag models and, 421–425; duration model and, 433; dynamic models and, 81–89, 93–94, 105, 107–108, 112, 121–122, 123n21; dynamic systems and, 369; homogeneity and, 17–18; incomplete panel data and, 418, 421–425; linear regression models and, 17–18, 34–35, 53; nonparametric panel data and, 461; panel data advantages and, 6, 467; panel data issues and, 11, 14, 471n1; prior structure identification and, 421–425; sample truncation and, 281, 287, 325; static simultaneous-equations models and, 137, 144, 153, 155, 161; variable coefficient models and, 169, 177, 187, 193–196, 198, 206
- factor approach, 327, 337–342
- failure time, 433
- feasible general least-squares estimators (FGLS), 44, 65, 127–128, 225–226, 328, 335, 342
- fixed-coefficient models: BLUEs and, 183; complete heterogeneity and, 170–171; heterogeneity and, 170–172; mixed fixed- and random-coefficient model and, 196–206; random-coefficient models and, 223–224; variable coefficient models and, 170–172, 177–178, 182–183, 196–206, 216–217
- fixed constants (FE): cross-sectionally dependent panel data and, 334–335; discrete data and, 251, 254, 270; dynamic models and, 80, 88, 95, 123–124; dynamic systems and, 372, 400–401; incomplete panel data and, 407; linear regression models and, 24, 33, 38–39, 41, 50, 59, 62, 66; nonparametric panel data and, 461; panel data issues and, 13; simple regression models and, 33, 38–39, 41, 50, 59, 62, 66; variable coefficient models and, 170, 193, 210, 212, 223
- fixed-effects inference, 56, 467
- fixed-effects models: censored regression and, 306–311; conditional inference and, 48–56; conditions for existence of consistent estimators and, 238–242; cross-sectionally dependent panel data and, 334, 340, 360; discrete data and, 236–243, 254–255, 256t, 270–272; dynamic models and, 80–83, 111–121, 132; dynamic systems and, 372, 382; generalized method of moments (GMM) and, 116–119; incomplete panel data and, 408; individual correlations and, 52–56; linear regression models and, 34–39, 43–44, 47–59, 67; maximum-likelihood estimators (MLE) and, 236–238; minimum distance estimators (MDE) and, 114–121, 129–130; misspecification tests and, 56–58; Mundlak's formulation and, 50–54, 56; pairwise trimmed least-squares estimators and, 299–311; panel data advantages and, 467; panel data issues and, 10–11, 13, 470; panel quantile regression and, 447; random effects and, 47–56; sample truncation and, 299–314, 315t; simple regression models and, 47–56; specification issues and, 119–121; static simultaneous-equations models and, 138n2, 142; transformed likelihood approach and, 112–115; truncated regression and, 301–306; unconditional (marginal) inference and, 48–56; variable coefficient models and, 182, 223–224, 227
- Frisch-Waugh FGLS approach, 342
- Frobenius norm, 171
- $F$  statistic, 21, 23, 214t, 215t
- fuzzy regression discontinuity (FRD), 357–358
- Gary income-maintenance project, 296–298
- Gaussian quadrature, 245, 248
- generalized least-squares (GLS) estimators: cross-sectionally dependent panel data and, 328, 332, 335–336, 342; dynamic models and, 89, 96–97, 104, 106, 110t, 111, 120, 124, 126–128; incomplete panel data



522 **Subject Index**

- generalized least-squares (GLS) (*cont.*)  
 and, 405–408; multilevel structures  
 and, 454; sample truncation and,  
 295, 297; simple regression and,  
 41–44, 47n8, 52–68, 75; static  
 simultaneous-equations models and,  
 142–144, 151–152, 162; variable  
 coefficient models and, 171–175, 178,  
 184–185, 190, 195–196, 200–201,  
 225–226
- generalized method of moments (GMM):  
 cross-sectionally dependent panel data  
 and, 341, 346, 348n8; discrete data  
 and, 246, 261n17; dynamic models  
 and, 81, 89, 99–106, 112, 116–122,  
 125–128; dynamic systems and,  
 373–374, 377, 382, 401–402;  
 fixed-effects models and, 116–119;  
 incomplete panel data and, 407;  
 maximum-likelihood estimators  
 (MLE) and, 116–119; measurement  
 errors and, 460; sample truncation and,  
 323–326; simple regression models  
 and, 70, 75n26; simulation methods  
 and, 451–452; vector autoregressive  
 (VAR) models and, 373–374
- German Social Economics Panel  
 (GSOEP), 2
- Gibbs sampler, 209–210
- global vector autoregressive (GVAR)  
 models, 378, 386
- group mean augmented approach,  
 342–344
- Grunfeld investment function, 168,  
 175
- Hausman type test statistic, 57–58, 105,  
 121, 408
- Hausman-Wise (HW) model, 295,  
 297–298
- hazard function, 431–435
- Health and Retirement Study (HRS), 3
- Heckman two-step estimators, 238–244,  
 288, 299
- Hermite integration formula, 245
- heterogeneity, 16; autoregression and,  
 377–378; cointegrating system and,  
 383–386; common correlated effects  
 heterogeneous model (CCEMG) and,  
 350, 351t; complete, 170–171;  
 cross-sectionally dependent panel data  
 and, 350, 360; discrete data and, 230,  
 235–246, 251–252, 261–271, 278;  
 duration model and, 433–434; dynamic  
 models and, 111, 134; dynamic  
 systems and, 370, 377–378, 383–386,  
 390–392, 395–396; fixed-coefficient  
 models and, 170–171; fixed-effects  
 models and, 236–242; group, 171–172;  
 homogeneity and, 20–24, 26n4;  
 intercepts and, 11, 20–23; linear  
 regression models and, 31, 50, 53–54,  
 56; panel data advantages and, 5–6, 8,  
 464–465, 468; panel data issues and,  
 10–13, 469–470; parametric approach  
 and, 235–246; random-effects models  
 and, 242–246; sample truncation and,  
 298; simulation methods and, 448;  
 state dependence and, 261–264; static  
 models and, 235–246; static  
 simultaneous-equations models and,  
 136; time and, 10–13; unobserved,  
 10–15, 31, 111, 136, 167–169, 202,  
 252, 270–271, 278, 298, 360, 434, 448,  
 465, 469–470; unobserved across  
 individuals and over time and, 10–13;  
 variable coefficient models and,  
 167–171, 178–180, 186, 196–197,  
 202, 204, 212, 214t, 215, 217–219;  
 variable-intercept models and, 15,  
 31–32; vector autoregressive (VAR)  
 models and, 377–378
- heteroscedastic autoregression (HAC)  
 covariance matrix, 331, 363
- heteroscedasticity: autocorrelation and,  
 68–69; covariance (CV) estimators  
 and, 68–69; cross-sectionally  
 dependent panel data and, 331,  
 340–341, 363; dynamic systems and,  
 382n5, 387–388; homogeneity and, 24;  
 linear regression models and, 24, 34,  
 39n5, 64–70, 73n22; sample truncation  
 and, 284, 313; serially correlated errors  
 and, 65–68; simple regression models  
 and, 34, 39n5, 64–70, 73n22; static  
 simultaneous-equations models and,  
 145, 147, 149; variable coefficient  
 models and, 170, 176, 179, 184–185,  
 224
- Hildreth-Houck estimators, 184n10



## Subject Index

523

- homogeneity: autoregression and, 370–377; bias and, 24; cointegrated panel models and, 381–383; common correlated effects model (CCEP) and, 350, 351t; cross-sectionally dependent panel data and, 350, 356; degrees of freedom and, 18, 21, 23–25, 27t, 29t; discrete data and, 236, 253; dynamic models and, 92, 120–121; dynamic systems and, 370–377, 386, 389–390, 395–396, 399; error terms and, 18; exogenous variables and, 17–18; fixed constants (FE) and, 24; *F* statistic and, 21, 23; heterogeneity and, 20–24, 26n4; heteroscedasticity and, 24; incomplete panel data and, 409; individuals and, 17–19, 22t, 25–26; least-squares estimation and, 17, 19–20, 24; linear regression model tests and, 17–30; nonparametric panel data and, 461; null hypotheses and, 24; panel data advantages and, 4, 8, 465, 468; panel data issues and, 11; probability and, 17; residual sum of squares (RSS) and, 19–21, 22t; simple regression and, 31–32; slope and, 11, 20–24, 26; statistics and, 21, 23–24, 26; time series and, 24–26; variable coefficient models and, 177–179, 202, 213, 215t, 217; vector autoregressive (VAR) models and, 370–377; within-group estimators and, 19
- idempotent (covariance) transformation matrix, 37, 40, 77, 141
- identity matrix, 36, 141–143, 148, 380, 385
- importance sampling, 450
- incidental parameters: count data model and, 443; discrete data and, 236–240, 244, 247–248, 271; dynamic models and, 81, 92, 97n12, 112, 120; dynamic systems and, 372, 375; linear regression models and, 55–56, 65; multidimensional statistics and, 13; panel data issues and, 11, 13, 470–471; sample truncation and, 302, 312
- income-schooling model, 136–137, 154, 466
- incomplete panel data: asymptotics and, 410, 414–415, 428–429; attrition and, 408; autocorrelation and, 417n6; autoregression and, 417n6, 418, 422, 425–426; Bayesian methods and, 412, 415n5; bias and, 412, 417, 419; covariance (CV) estimators and, 411; degrees of freedom and, 414, 421, 428–429; density and, 404; dependent variables and, 412–414, 418; distributed-lag models and, 16, 80n1, 418–429; dummy variable and, 410; equilibrium and, 413; error-component model and, 404; error terms and, 404, 411, 414, 416, 420; exogenous variables and, 418, 421–425; fixed constants (FE) and, 407; fixed effects and, 408; generalized method of moments (GMM) and, 407; homogeneity and, 409; independent variables and, 413–414; individuals and, 403–414, 417–420; infinity and, 409, 420; initial conditions and, 407, 426; instrumental variable (IV) estimators and, 425; lag coefficients and, 418–429; least-squares estimation and, 405, 415; matrices and, 405, 408, 410, 413–415, 421–422, 426–428; maximum-likelihood estimators (MLE) and, 406–407, 412–417; mean square error and, 410, 420; minimum-distance estimators and, 428; null hypotheses and, 414, 428; omitted variables and, 412–413, 417, 419; pooling of single cross-sectional data and, 411–418; probability and, 403; pseudopanel and, 16, 408–411; randomly missing data and, 403–408; regression models and, 412–413, 416, 423, 426–427; repeated cross-sectional data and, 408–411; rotating data and, 403–408; single time series data and, 411–418; statistics and, 404, 408–410, 415–416, 429; stochastics and, 421–422; time series and, 402–403, 405, 407, 411–419; vectors and, 404–405, 407, 409, 413–414, 420–422, 427–428
- independence of irrelevant alternatives, 235

524 **Subject Index**

- independence tests: example of, 350–351; limited dependent-variable model and, 348–350; linear model and, 344–348
- independent variables: dynamic models and, 135; incomplete panel data and, 413–414
- individuals, 1–3, 15; count data model and, 441–443; cross-sectionally dependent panel data and, 327–331, 334–336, 339–340, 352–353, 357, 359–364; discrete data and, 230–239, 242–243, 248–252, 254–255, 260–263, 265, 268–271, 277n21; duration model and, 430–435, 437; dynamic models and, 80–93, 97–98, 105, 108, 110–112, 117–129; dynamic systems and, 369–374, 377, 380–383, 386–390, 393–399, 402; homogeneity and, 17–19, 22t, 25–26; incomplete panel data and, 403–414, 417–420; linear regression models and, 17–19, 22t, 25–26, 31–40, 44, 48–70, 73; measurement errors and, 455–459; multilevel structures and, 453; nonparametric panel data and, 462; panel data advantages and, 4–10, 464–469; panel data issues and, 10–14, 469–473; panel quantile regression and, 447; sample truncation and, 290, 292, 295–301, 311–312, 317–318, 325; static simultaneous-equations models and, 136–138, 144–145, 149–153; unobserved heterogeneity and, 10–13; variable coefficient models and, 167–180, 184–186, 193, 197–201, 204, 207–208, 214t, 215, 218, 220, 223, 227
- infinity: count data model and, 442; cross-sectionally dependent panel data and, 331, 333–334, 336, 363; discrete data and, 238–240, 243, 246, 253–255, 259; dynamic models and, 81–83, 86, 91, 93–94, 97, 99, 111, 121, 124, 128, 130–132; dynamic systems and, 392, 400–402; incomplete panel data and, 409, 420; measurement errors and, 456; sample truncation and, 299, 323; simple regression and, 38, 41, 47, 52, 58, 60–61, 63, 65, 67, 69–71; static simultaneous-equations models and, 138n2, 142, 145, 149; variable coefficient models and, 174, 176–178, 185, 196, 209
- initial conditions: discrete data and, 252–255, 256t, 261; dynamic models and, 81, 82n2, 85, 89–91, 98–99, 106–107, 117n20, 252–255, 256t, 261; incomplete panel data and, 407, 426; maximum-likelihood estimators (MLE) and, 106
- instrumental variable (IV) estimators: cross-sectionally dependent panel data and, 333; dynamic models and, 81, 89, 98–99, 117, 125, 128; dynamic systems and, 373, 401–402; incomplete panel data and, 425; measurement errors and, 456; panel data advantages and, 468; sample truncation and, 290–291, 314; static simultaneous-equations models and, 149, 155–159; variable coefficient models and, 172n3, 208, 221–223
- Investing in Children and their Societies (ICS), 3
- investment function, 24, 168, 175
- investment ratio, 8
- jackknife estimators, 271
- Jacobian matrices, 54, 154–155, 422, 427
- joint dependent variables: dynamic systems and, 369; panel data advantages and, 468; sample selection and, 295; static simultaneous-equations models and, 138, 144, 161, 163. *See also* endogenous variables
- joint generalized least-squares estimators, 140–144
- joint probability, 239, 252–253, 288, 295, 307
- Kalman filter, 188–191
- kernel estimates: cross-sectionally dependent panel data and, 358; discrete data and, 259, 277; dynamic systems and, 389; nonparametric panel data and, 461; sample truncation and, 288–290, 312–313, 325–326; simple

## Subject Index

525

- regression and, 69; variable coefficient models and, 227
- kernel weighted generalized method of moments (KGMM), 325–326
- Koyck lag, 419, 426
- Kronecker product, 59n15, 61, 124, 141n5, 385, 454
- labor, 1, 3; dynamic models and, 230, 235–236, 250, 264–266; homogeneity and, 32, 33t, 34t; incomplete panel data and, 404; panel data and, 4–5, 7; sample truncation and, 287, 296–297; variable coefficient models and, 179–180
- lag coefficients: incomplete panel data and, 418–429; panel data advantages and, 6
- Lagrangians: cross-sectionally dependent panel data and, 344–345, 349; dynamic systems and, 390–391; multiplier tests and, 162n14, 176–177, 185, 192, 345, 349, 390–391; variable coefficient models and, 162n14, 176–177, 185, 192
- Lasso (Least Absolute Shrinkage and Selection Operator), 171
- least absolute deviation (LAD)  
estimation: censored data and, 306–311; Honoré and, 299; panel quantile regression and, 446; regression models and, 301–311; sample truncation and, 287, 299–311; truncated regression and, 301–306
- least-squares dummy variable (LSDV), 34–39, 43, 48, 82, 97, 100, 110t, 137, 239n10
- least-squares estimators: covariance (CV) estimators and, 43; cross-sectionally dependent panel data and, 328–329, 333, 339–345, 364; discrete data and, 232–233, 239; dummy variable approach and, 34–39; duration model and, 432–433; dynamic models and, 81, 82n2, 85, 95–96, 104, 111, 115, 122–123, 133–134; dynamic systems and, 377–378, 381, 387–389, 394–395; efficiency and, 147; error-component two-stage (EC2SLS), 147–148, 152, 154; generalized, 37n3, 41–44, 66, 81, 96–97, 140–144, 147, 162, 171, 295, 300t, 378, 438, 454, 463; generalized (GLS), 41–44, 47n8, 52–68 (*see also* generalized least-squares (GLS) estimators); homogeneity and, 17, 19–20, 24; incomplete panel data and, 405, 415; joint general, 140–144; linear regression models and, 17, 19–20, 24, 32, 36–38, 41, 44, 50, 61–67, 71, 74–75; measurement errors and, 455–456; multilevel structures and, 454; OLS, 14 (*see also* ordinary least squares (OLS) estimators); pairwise trimmed, 299–311; panel data advantages and, 7, 9, 461, 463, 469; panel data issues and, 11, 14; penalized, 171; pooled, 11, 17, 210, 224–227, 328, 389; random effects and, 96–106; residual sum of squares (RSS) and, 19–21, 22t, 172; sample truncation and, 282–287, 290, 295, 299, 300t, 311, 313–314; simulation methods and, 451; static simultaneous-equations models and, 136–137, 139–151, 153, 162, 164; three-stage (3SLS), 74–75, 95–96, 122, 149–152; two-stage (2SLS), 104, 145, 147–148, 152, 154, 333; variable coefficient models and, 168, 171, 173–176, 184–185, 192, 195, 208, 210, 225–227; vector autoregressive (VAR) models and, 374–375
- Lehman Brothers, 438
- limited dependent-variable model, 348–350
- limited information principle, 145, 147, 149, 151, 398, 400, 402
- linear-probability model, 231–232, 238, 247
- linear regression models: analysis of covariance (ANCOVA) and, 17–26, 35, 37; analysis of variance (ANOVA) and, 17, 35; arbitrary error structure and, 69–75; asymptotics and, 44, 47, 52, 55, 57–58, 65–68, 72–77; autocorrelation and, 34, 64–69; basic assumptions of, 31; best linear unbiased estimators (BLUE) and, 36, 38–39, 41, 52, 60, 63;

526 **Subject Index**

- linear regression models (*cont.*)  
 bias and, 24, 33, 36, 38, 41, 50–52, 55–58, 61; Chamberlain approach and, 69–75; Cobb-Douglas production function and, 32; conditional inference and, 48–56; consistency and, 75–77; covariance (CV) estimators and, 37–38, 41, 43–44, 47, 52, 54, 57, 59–65, 68–69; degrees of freedom and, 18, 21, 23–25, 27t, 29t, 54–55, 57–58, 73, 77; density and, 39, 54–56; dependent variables and, 34, 39, 49t, 67; dummy variable and, 34–39, 48; efficiency and, 32–33, 44, 50, 52, 54–55, 75n25; endogenous variables and, 73; error-component model and, 39n5, 40, 64, 75; error terms and, 18, 35, 50, 59, 63, 65–67, 69; exogenous variables and, 17–18, 34–35, 53; fixed constants (FE) and, 24, 33, 38–39, 41, 50, 59, 62, 66; fixed-effects models and, 34–39, 43–44, 47–59, 67; generalized method of moments (GMM) and, 70, 75n26; heterogeneity and, 31, 50, 53–54, 56; heteroscedasticity and, 24, 34, 39n5, 64–70, 73n22; homogeneity tests and, 17–30; incidental parameters and, 55–56, 65; individuals and, 17–19, 22t, 25–26, 31–40, 44, 48–70, 73; individual-specific variables and, 58–61; individual/time effects and, 61–64; least-squares estimation and, 17, 19–20, 24, 32, 36–38, 41, 44, 50, 61–67, 71, 74–75; matrices and, 36–44, 47, 52, 54, 57, 59, 62–63, 65–70, 72–77; maximum-likelihood estimators (MLE) and, 45–47; mean square error and, 47n8, 71; minimum-distance estimators and, 72–77; misspecification tests and, 56–58; Monte Carlo studies and, 47n8; multicollinearity and, 59; Mundlak's formulation and, 50–54, 56; normalization and, 74; null hypotheses and, 57–58; omitted variables and, 31–35, 39, 48, 65; ordinary least squares (OLS) estimation and, 36–37, 43, 59–61, 63; parametric models and, 55, 74; probability and, 47, 58, 75–77; random effects and, 33, 39–58; regression discontinuity design and, 357–359; static models and, 52, 55; statistics and, 21, 23–24, 26, 55, 58; stochastics and, 33, 35; structural parameters and, 55; Taylor series and, 77; three-component model and, 39, 77–79; time series and, 24–26, 36, 67, 70, 73; time-specific variables and, 32–34, 58–64; unconditional (marginal) inference and, 48–56; variance-components models and, 39–47, 52, 66; vectors and, 34–36, 39–40, 58, 61, 70–71, 73, 75–79; within-group estimators and, 37, 43–44, 54
- liquidity: homogeneity and, 26; variable coefficient models and, 169, 212–217
- local average treatment effect (LATE), 352n9
- logit models: discrete data and, 231–232, 234, 237–239, 241–242, 256, 259, 268, 271, 276–280, 471n1; panel data issues and, 471n1; pooled, 268–269
- log-likelihood function: count data model and, 441–443; cross-sectionally dependent panel data and, 332–336; discrete data and, 237, 240–241, 243–244, 258, 263, 265, 266t, 272, 280; dynamic models and, 106–107, 127–128; dynamic systems and, 384, 399–400; sample truncation and, 295; simulation methods and, 451; static simultaneous-equations models and, 159–161; variable coefficient models and, 176n7, 191, 205
- managerial-differences variable, 152
- Manheim Innovation Panel (MIP), 3
- Manheim Innovation Panel-Service Sector (MIP-S), 3
- marginal treatment effect (MTE), 352n9
- Markov Chain Monte Carlo method, 209–210, 251–253, 255, 256t, 265
- matrices: asymptotic covariance, 74–75, 101, 115–116, 126, 128–130, 224, 240, 250, 272, 283, 305, 310, 313, 323, 336, 375–376, 434, 451; cross-sectionally

## Subject Index

527

- dependent panel data and, 327–331, 334, 336–340, 344, 350, 362; definite, 100, 106; discrete data and, 232–233, 240–242, 244, 246, 250–255, 264, 266, 272; duration model and, 432–434; dynamic models and, 94–97, 100–102, 104, 106–107, 109t, 112–113, 115–116, 126–130, 134; dynamic systems and, 370–385, 396–402; heteroscedastic autoregression (HAC) covariance, 331, 363; idempotent (covariance) transformation, 37, 40, 77, 141; identity, 36, 141–143, 148, 380, 385; incomplete panel data and, 405, 408, 410, 413–415, 421–422, 426–428; information, 177, 240–241, 242n11, 255, 266, 283, 471; Jacobian, 54, 154–155, 422, 427; measurement errors and, 457–459; multilevel structures and, 453–455; nonpositive semidefinite, 116; orthogonal, 165; panel data issues and, 471; partitioned, 52, 142; positive definite, 289, 323, 328, 362, 451; positive semidefinite, 43, 116, 246n13, 377; sample truncation and, 283, 288–289, 305, 310, 313, 323, 325; simple regression and, 36–44, 47, 52, 54, 57, 59, 62–63, 65–70, 72–77; simulation methods and, 450–451; sparse, 330, 333; static simultaneous-equations models and, 138–155, 158–160, 165; stochastic, 325; transformation, 37, 40, 44, 59, 62, 67, 334n4, 459; variable coefficient models and, 170–175, 177, 182–184, 187–195, 197, 201–203, 206–209, 219t, 223–227; variance-covariance, 38, 40, 47, 54n11, 57, 62–77, 95–96, 107, 139–140, 146–147, 150–151, 154–155, 173, 183–184, 194–195, 201, 219t, 242n11, 244, 246n13, 251, 283, 376–377, 405, 410, 414–415, 428, 453
- maximum-likelihood estimators (MLE): cointegrated panel models and, 382–384; count data model and, 442–443; cross-sectionally dependent panel data and, 354, 374–375, 383, 398, 400, 402; discrete data and, 233, 236–240, 245, 255, 263–264, 278; dynamic models and, 81, 89–96, 99, 106–107, 117n20; dynamic systems and, 386, 395–396, 398–401; fixed-effects models and, 116–119, 236–238; generalized method of moments (GMM) and, 116–119; hazard function and, 431–435; incomplete panel data and, 406–407, 412–417; initial conditions and, 106; limited information, 117n20, 400, 402; linear regression models and, 45–47; log-likelihood function and, 106–107, 127–128, 159–161, 176n7, 191, 205, 237, 240–241, 243–244, 258, 263, 265, 266t, 272, 280, 295, 332–336, 384, 399–400, 441–443, 451; Monte Carlo studies and, 94; multilevel structures and, 455; panel data advantages and, 9, 469; panel limited information (PLIML), 400–402; pooling and, 413–415; quasi, 124, 335–337, 401; random-coefficient models and, 224–226; sample truncation and, 283, 294, 297, 300t, 312; simulated (SMLE), 451–452; spatial dynamic models and, 336–337; spatial error model and, 334–335; spatial lag model and, 333; static simultaneous-equations models and, 152, 155, 159–162; time series and, 413–415; transformed, 112–115, 374–375; triangular system and, 159–162; variable coefficient models and, 176–177, 184, 188, 191–192
- maximum score estimators, 247–249, 256, 259–260, 312
- mean square error: dynamic models and, 93, 103, 118, 120t; incomplete panel data and, 410, 420; root (RMSE), 118–119, 120t, 128, 203t, 204t; simple regression models and, 47n8, 71; variable coefficient models and, 190, 201n16, 203, 204t
- measurement errors, 16; arbitrary error structure and, 69–75; autocorrelation and, 460; Chamberlain approach and, 69–75; correlation and, 456–460; dependent variables and, 458; duration

528 **Subject Index**

- measurement errors (*cont.*)  
 model and, 430; dynamic models and, 87; generalized method of moments (GMM) and, 460; individuals and, 455–459; infinity and, 456; instrumental variable (IV) estimators and, 456; least squares and, 455–456; matrices and, 457–459; mean square error and, 47 (*see also* mean square error); misspecification tests and, 56–58; ordinary least squares (OLS) estimation and, 455; orthogonality and, 459; panel data advantages and, 9, 467–468; probability and, 456; regression models and, 456, 460; static simultaneous-equations models and, 153; vectors and, 379–386, 396, 458–460
- Merrill Lynch, 438
- minimum-distance estimators (MDE):  
 cointegrated panel models and, 382–383; discrete data and, 246; dynamic models and, 95–96, 114–121, 129–130; dynamic systems and, 375–377; fixed-effects models and, 114–121, 129–130; incomplete panel data and, 428; limited-information, 147; simple regression models and, 72–77; static simultaneous-equations models and, 145, 147, 149–151; vector autoregressive (VAR) models and, 375–377
- missing at random (MAR) model, 297–298
- misspecification tests, 56–58
- mixed fixed- and random-coefficient model: Bayes solution and, 198–201; formulation of, 196–198; individual parameter estimates and, 201–202; model selection and, 204–206; pooled parameter estimates and, 201–202; prediction comparison and, 202–204
- model of limited dependent variables, 281
- Modigliani-Miller theory, 212
- Monte Carlo studies: cross-sectionally dependent panel data and, 342, 346, 348, 350; discrete data and, 242, 254–255, 256t, 270, 273, 280; dynamic models and, 84, 86, 94, 107, 117–118, 128; dynamic systems and, 377, 382, 389–390, 394–395, 402; Gibbs sampler and, 209–210; importance sampling and, 450; Markov Chain, 209–210, 251–253, 255, 256t, 265; maximum-likelihood estimators (MLE) and, 94; panel quantile regression and, 447; simple regression models and, 47n8; simulation methods and, 450; variable coefficient models and, 206, 209–210, 212, 227
- multicollinearity: dynamic models and, 91, 111; panel data advantages and, 6, 464; simple regression and, 59; variable coefficient models and, 201, 213–215, 223, 226
- multilevel structures: dependent variables and, 453; error-component model and, 430, 453, 455; individuals and, 453; least-squares estimation and, 454; matrices and, 453–455; maximum-likelihood estimators (MLE) and, 455; multiway error components model and, 453; vectors and, 453
- Mundlak-Chamberlain approach, 172n3
- Mundlak's formulation, 50–54, 56
- National Data Collection Units (NDU), 2
- National Longitudinal Surveys (NLS), 1–2, 13
- negative binomial distribution, 442
- neighbors, 329–331, 333
- New Cronos, 3
- Newey-West heteroscedasticity-autocorrelation consistent formula, 224
- Newton-Raphson iterative procedure, 46, 94, 114, 233, 280, 283
- non-government organizations (NGOs), 3
- nonparametric panel data: asymptotics and, 462–463; counterfactuals prediction and, 361–363; cross-sectionally dependent panel data and, 331, 355, 357, 359–368; dependent variables and, 463; difference-in-difference method and, 360–361; dummy variable and, 463;

## Subject Index

529

- dynamic systems and, 390;  
 error-component model and, 461;  
 exogenous variables and, 461; fixed constants (FE) and, 461; homogeneity and, 461; individuals and, 462; normalization and, 461; parametric models and, 461; sample truncation and, 288, 298, 326; time series and, 462; vectors and, 463
- Nordica, 267
- normalization: cross-sectionally dependent panel data and, 329, 332, 337–338, 340; discrete data and, 235–236, 241, 246–250, 252, 270, 279; duration model and, 434; dynamic models and, 117; dynamic systems and, 380, 382, 385; nonparametric panel data and, 461; sample truncation and, 287, 293; simple regression and, 74; static simultaneous-equations models and, 154–155, 161, 162n14, 164; variable coefficient models and, 199
- null hypotheses: cross-sectionally dependent panel data and, 344; discrete data and, 255, 262n18; dynamic models and, 106; dynamic systems and, 385–387, 390, 392; homogeneity and, 24; incomplete panel data and, 414, 428; simple regression and, 57–58; variable coefficient models and, 176–177, 186, 192–193, 212, 214
- omitted variables: average vs. individual behavior and, 235; covariations of, 412–413; cross-sectionally dependent panel data and, 327; discrete data and, 235, 243; dynamic models and, 97; incomplete panel data and, 412–413, 417, 419; linear regression models and, 31–35, 39, 48, 65; panel data advantages and, 6, 8, 466–467; static simultaneous-equations models and, 136, 152–153; time series and, 412–413; variable coefficient models and, 167, 198
- ordinary least squares (OLS) estimators: asymptotics and, 97; bias and, 85–86, 97; cross-sectionally dependent panel data and, 364, 368; dynamic models and, 85–86, 97, 99, 110–111; linear regression models and, 36–37, 43, 59–61, 63; measurement errors and, 455; random effects and, 85–86; sample truncation and, 316t; two-step GLS estimator and, 111n18; variable coefficient models and, 211t
- Organisation for Economic Co-operation and Development (OECD), 3, 364
- orthogonality: cross-sectionally dependent panel data and, 355; dynamic models and, 100, 105, 112, 125; dynamic systems and, 373, 401; measurement errors and, 459; panel data issues and, 471; sample selection and, 322–323
- panel analysis of nonstationarity in idiosyncratic and common components (PANIC), 398n8
- panel data: accuracy and, 4; capacity and, 4; cross-sectionally dependent panel data and, 327–368 (*see also* cross-sectionally dependent panel data); incidental parameters and, 470–471; increasing availability of, xvii; issues with, 10–14, 469–473; omitted variables and, 6, 8, 31–35 (*see also* omitted variables); statistics and, 3 (*see also* statistics); treatment effects and, 359–368
- panel data advantages: aggregation levels and, 468–469; asymptotics and, 9, 469; bias and, 7–8, 464, 467–468; computation simplification and, 469; degrees of freedom and, 4, 464; density and, 9–10; dependent variables and, 467–468; dummy variable and, 5; efficiency and, 4, 8; error terms and, 6, 467; exogenous variables and, 6, 467; fixed effects and, 467; homogeneity and, 4, 8, 465, 468; identification/discrimination of competing hypotheses and, 465–467; impact of observables selection and, 469; individuals and, 4–10, 464–469; instrumental variable (IV) estimators



530 **Subject Index**

- panel data advantages (*cont.*)  
 and, 468; joint dependent variables and, 468; least-squares estimation and, 7, 9, 461, 463, 469; maximum-likelihood estimators (MLE) and, 9, 469; measurement errors and, 9, 467, 467–468; multicollinearity and, 6, 464; parametric models and, 467; prediction accuracy and, 468–469; random effects and, 467; regression models and, 6–8, 467–468; specification problem and, 467; statistics and, 467, 469; time series and, 4, 6–9, 464–469; time-specific variables and, 467–468; vectors and, 6
- panel data issues: asymptotics and, 13, 472; attrition and, 13, 469, 472–473; Bayesian methods and, 471; bias and, 11–14, 471–472; cross-sectionally dependent panel data and, 471–472; degrees of freedom and, 470; density and, 10; dependent variables and, 14, 472; efficiency and, 470, 473; error terms and, 11, 14; exogenous variables and, 11, 14; fixed constants (FE) and, 13; fixed effects and, 10–11, 13, 470; homogeneity and, 11; incidental parameters and, 11, 13; individuals and, 10–14, 469–473; least-squares estimation and, 11, 14; logit models and, 471n1; matrices and, 471; multidimensional asymptotics and, 472; orthogonality and, 471; parametric models and, 10; probability and, 470; random effects and, 10, 470–471; regression models and, 11, 14; sample attrition and, 13–14, 469, 472–473; state dependence and, 13; statistics and, 471–473; structural parameters and, 10, 471; time series and, 13, 469–473; unobserved heterogeneity and, 469–471; vectors and, 10
- panel least variance ratio estimators (PLVAR), 402
- panel limited information maximum-likelihood estimators (PLIML), 400–402
- panel quantile regression, xviii;  
 asymptotics and, 447; bias and, 447; density and, 445; fixed effects and, 447; individuals and, 447; probability and, 445; vectors and, 446
- Panel Study of Income Dynamics (PSID), 1–2
- panel vector autoregressive (PVAR)  
 models: dynamic systems and, 370–378, 380, 382, 395–396; heterogenous, 377–378; homogenous, 370–377; likelihood approach and, 395–396
- parametric models: cross-sectionally dependent panel data and, 331, 354, 357, 359–360; discrete data and, 230–231, 235–250, 255; duration model and, 434; dynamic systems and, 390; nonparametric panel data and, 461–462; panel data advantages and, 467; panel data issues and, 10; sample truncation and, 288–291, 298–299, 311–313, 326; simple regression and, 55, 74; variable coefficient models and, 227
- Penn-World tables, 130
- Poisson process, 439–440, 443–444
- pooled regression models, 11, 19–20, 390
- pooling: dynamic systems and, 383, 389; homogeneity and, 18n1, 24; incomplete panel data and, 16, 411–418; panel data advantages and, 8, 464; panel data issues and, 11; panel quantile regression and, 447; time series and, 411–418; variable coefficient models and, 169, 197, 203, 215, 217
- predicted error sum of squares (PES), 219t
- Primary School Deworming Project (PDSP), 3
- probability: attrition and, 292–296; conditional, 239–241, 252, 256, 262–263, 295, 431, 433; count data model and, 438–439, 441t, 444; cross-sectionally dependent panel data and, 339, 355, 357, 361; discrete data and, 231–232, 234–236, 238–257, 261–265, 268–275; duration model



## Subject Index

531

- and, 430–431, 433, 435, 438; dynamic models and, 82n2, 85, 123, 131–132; dynamic systems and, 372, 394; homogeneity and, 17; incomplete panel data and, 403; joint, 239, 252–253, 288, 295, 307; measurement errors and, 456; panel data advantages and, 5; panel data issues and, 10, 470; panel quantile regression and, 445; sample truncation and, 284, 288–297, 302, 307, 321, 325; selection bias and, 292–296; simple regression and, 47, 58, 75–77; simulation methods and, 448; static simultaneous-equations models and, 137, 148; variable coefficient models and, 169, 198–199, 205, 209
- probit models: cross-sectionally dependent panel data and, 349; discrete data and, 231, 234, 236n4, 241–244, 254–255, 261n17, 264, 268t; sample truncation and, 281; simulation methods and, 449
- propensity score method, 227, 355–357, 360
- pseudopanel, xix, 16, 408–411
- quasi maximum-likelihood estimators (MLE), 124, 335–337, 401
- random-coefficient models: analysis of covariance (ANCOVA) and, 177, 179, 186; Bayes solution and, 198–201; correlated, 220–227; cross-sectionally dependent panel data and, 221–222; description of, 172–173; discrete data and, 236n4; dynamic, 206–212, 392; estimation and, 173–175; example for, 179–180; fixed coefficients and, 178–179, 201–206, 223–224; Grunfeld investment function and, 175; maximum-likelihood estimators (MLE) and, 224–226; mixed fixed- and random-coefficient model and, 196–206; parameter reduction and, 169; predicting individual coefficients and, 175; sample truncation and, 298n5; simple regression and, 70; simulation methods and, 448; Swamy formulation and, 178, 180; testing for coefficient variation and, 175–178; variable coefficient models and, 169–170, 172–180, 183–186, 196–212, 215–227
- random-effects inference, 56, 467
- random effects models: covariance (CV) estimators and, 40–41; cross-sectionally dependent panel data and, 335; discrete data and, 242–246, 253–256, 261n17, 265, 268–270; dynamic models and, 80–81, 84–108, 109t, 120–121; dynamic systems and, 372, 399; estimation of, 89–106; estimation of variance-components models and, 39–47; fixed effects and, 47–56; generalized least-squares estimation and, 37n3, 41–44, 66; individual correlations and, 52–56; initial conditions testing and, 106–107; instrumental-variable estimators and, 98–99; least-squares estimators and, 96–106; linear regression models and, 33, 39–58; maximum-likelihood estimators (MLE) and, 45–47, 89–96; misspecification tests and, 56–58; model formulation and, 86–89; Mundlak's formulation and, 50–54, 56; OLS estimators bias and, 85–86; panel data advantages and, 467; panel data issues and, 10, 470–471; sample truncation and, 299, 314–317; simple regression models and, 47–56; simulation methods and, 107–108, 448; specification issues and, 119–121; unconditional (marginal) inference and, 48–56; variable coefficient models and, 215; variance-components models and, 39–47
- randomly missing data, 403–408
- regression discontinuity (RD) design, 357–359
- regression models: augmented Dickey-Fuller (ADF), 389–390, 392; cell-mean corrected, 19, 27t–28t; censored, 306–311; cross-sectionally dependent panel data and, 328–329, 339, 341, 350, 357–358; discrete data and, 232, 237, 239, 244, 252; duration

532 **Subject Index**

- regression models (*cont.*)  
 model and, 432; dynamic models and, 84, 97, 111, 130, 133–135; dynamic systems and, 377–378, 382, 384, 386–387, 389–392, 395; incomplete panel data and, 412–413, 416, 423, 426–427; least-squares estimators and, 7 (*see also* least-squares estimators); linear, 15 (*see also* linear regression models); measurement errors and, 456, 460; OLS, 85–86 (*see also* ordinary least squares (OLS) estimators); panel data advantages and, 6–8, 467–468; panel data issues and, 11, 14; panel quantile, 16, 445–447; pooled, 11, 19–20, 390; residual sum of squares (RSS) and, 19–21, 22t, 172; sample truncation and, 281, 285, 289–290, 296, 299, 306, 309, 311, 313, 324n10, 326; seemingly unrelated regression method (SUR) and, 140n4, 143, 170–171, 197, 328, 377–378, 384, 386; static, 84; static simultaneous-equations models and, 140n4, 143, 146; truncated, 301–306; *T*-variate, 70; variable coefficient models and, 167–176, 185, 187, 189, 192–193, 196–197, 202t, 208, 213, 214t–216t, 220, 225–226
- repeated cross-sectional data, 408–411
- research and development (R&D), 3
- Research Center for Rural Development, 2
- residual sum of squares (RSS), 19–21, 22t, 172
- return-to-normality model, 187
- root mean square error (RMSE), 118–119, 120t, 128, 203t, 204t
- rotating data, 403–408
- sample selection, xix; attrition and, 13–14, 292–298, 300t, 312, 469, 472–473; autoregression and, 324; control groups and, 296; dynamic models and, 324–326; endogenous issues and, 287–288; Hausman-Wise two-period model and, 295, 297–298; Heckman two-step estimators and, 238–244, 288, 299; housing expenditure example and, 313–317; joint dependent variables and, 295; latent response function and, 281; missing at random (MAR) model and, 297–298; nonrandomly missing data and, 292–298; orthogonality and, 322–323; Robinson approach and, 289, 291; self selection and, 292; semiparametric two-step estimators and, 311–313; single index, 290; Tobit models and, 298–299, 324–326
- sample truncation: asymptotics and, 283, 287–289, 295, 298–299, 305, 310, 313, 323, 326; bias and, 282, 290, 292–297, 312, 314; censored data and, 281–287, 298–301, 306–311, 317–318, 323–324; censored regression and, 306–311; conditional expectation and, 282; data points and, 281–284; degrees of freedom and, 314, 317; density and, 282–284, 289–291, 296, 298, 302, 305, 312, 326; dependent variables and, 281–282, 284–285, 287, 290, 292, 295, 317, 325; dummy variable and, 297; endogenous issues and, 287–288; endogenous variables and, 296; error-component model and, 292; error terms and, 281–282, 284–285, 287, 290, 292, 298, 302, 313–314, 317, 325; exogenous variables and, 281, 287, 325; fixed effects and, 299–314, 315t; generalized method of moments (GMM) and, 323–326; Heckman two-step estimators and, 238–244, 288, 299; heterogeneity and, 298; heteroscedasticity and, 284, 313; housing expenditure example and, 313–317; incidental parameters and, 302, 312; individuals and, 290, 292, 295–301, 311–312, 317–318, 325; infinity and, 299, 323; instrumental variable (IV) estimators and, 290–291, 314; latent response function and, 281; least absolute deviation (LAD) estimators and, 287, 299–311; least-squares estimation and, 282–287, 290, 295, 299, 300t, 311, 313–314; log-likelihood function and, 295; matrices and, 283, 288–289, 305, 310,

- 313, 323, 325; maximum-likelihood estimators (MLE) and, 283, 294, 297, 300t, 312; model of limited dependent variables and, 281; nonparametric panel data and, 288, 298, 326; nonrandomly missing data and, 292–298; normalization and, 287, 293; ordinary least squares (OLS) estimation and, 316t; parametric models and, 288–291, 298–299, 311–313, 326; probability and, 284, 288–297, 302, 307, 321, 325; probit models and, 281; random-coefficient models and, 298n5; random effects and, 299, 314–317; regression models and, 281, 285, 289–290, 296, 299, 306, 309, 311, 313, 324n10, 326; Robinson approach and, 289, 291; semiparametric models and, 288–291, 311–313; static models and, 317; statistics and, 281, 292, 297, 314, 317, 323; stochastics and, 287, 325; structural models and, 292, 297, 300t; structural parameters and, 293, 295, 297; Tobit models and, 281, 288, 298–299, 317–326; truncated regression and, 301–306; unimodality and, 286–287; variable-intercept models and, 311; variance-components models and, 295; vectors and, 281, 287, 289–290, 293, 306, 310, 313–314, 324–325
- seemingly unrelated regression method (SUR), 140n4, 143, 170–171, 197, 328, 377–378, 384, 386
- semiparametric models: discrete data and, 230, 235, 246–250, 255; duration model and, 434; maximum score estimators and, 247–249; nonparametric panel data and, 461; panel data issues and, 471; root- $N$  consistent estimators and, 249–250; sample truncation and, 288–291, 311–313; static models and, 246–250; variable coefficient models and, 227
- sequential limit theory, 130–131
- sharp regression discontinuity (SRD), 357–358
- simple regression models: Aitken estimators and, 37n3; arbitrary error structure and, 69–75; asymptotics and, 44, 47, 52, 55, 57–58, 65–68, 72–77; autocorrelation and, 34, 64–69; autoregression and, 66; basic assumptions of, 31; best linear unbiased estimators (BLUE) and, 36, 38–39, 41, 52, 60, 63; Chamberlain approach and, 69–75; Cobb-Douglas production function and, 32; conditional inference and, 48–56; consistency and, 75–77; covariance (CV) estimators and, 37, 40–41, 67–68; cross-sectionally dependent panel data and, 328; density and, 39, 54–56; dependent variables and, 34, 39, 49t, 67; dummy variable and, 34–39, 48; dynamic models and, 80–135 (*see also* dynamic models); efficiency and, 32–33, 44, 50, 52, 54–55, 75n25; endogenous variables and, 73; error-component model and, 39n5, 40, 64, 75; fixed constants (FE) and, 33, 38–39, 41, 50, 59, 62, 66; fixed-effects models and, 34–39, 43–44, 47–59, 67; generalized least-squares estimation and, 37n3, 41–44, 66; generalized method of moments (GMM) and, 70, 75n26; heteroscedasticity and, 34, 39n5, 64–70, 73n22; homogeneity and, 31–32; individual correlations and, 52–56; individual-specific variables and, 58–64; individual/time effects and, 61–64; infinity and, 38, 41, 47, 52, 58, 60–61, 63, 65, 67, 69–71; matrices and, 36–44, 47, 52, 54, 57, 59, 62–63, 65–70, 72–77; maximum likelihood estimation and, 45–47; mean square error and, 47n8, 71; minimum-distance estimators and, 72–77; misspecification tests and, 56–58; Monte Carlo studies and, 47n8; Mundlak's formulation and, 50–54, 56; multicollinearity and, 59; normalization and, 74; null hypotheses and, 57–58; panel data advantages and, 6; parametric models and, 55, 74;

534 **Subject Index**

- simple regression models (*cont.*)
  - probability and, 47, 58, 75–77;
  - random-coefficient models and, 70;
  - random effects models and, 33, 33, 39–58; serially correlated errors and, 65–68; static models and, 52, 55; stochastics and, 33, 35;
  - three-component model and, 39, 77–79; time effects and, 61–64;
  - time-specific variables and, 32–34, 58–64; unconditional (marginal) inference and, 48–56; variable coefficient models and, 173;
  - variance-components models and, 39–47, 52, 66; vectors and, 34–36, 39–40, 58, 61, 70–71, 73, 75–79;
  - within-group estimators and, 37, 43–44, 54
- simulated generalized method of moments (SGMM) estimators, 451–452
- simulated maximum-likelihood estimators (SMLE), 451–452
- simulated method of moments (SMM) estimators and, 451–452; Tobit models and, 448–449, 451; vectors and, 451
- simulation methods: asymptotics and, 451–452; autoregression and, 450; bias and, 450, 452, 455–457; density and, 448–452; efficiency and, 452; generalized method of moments (GMM) and, 451–452; heterogeneity and, 448; importance sampling and, 450; least-squares estimation and, 451; log-likelihood function and, 451; matrices and, 450–451; maximum-likelihood estimators (MLE) and, 451; Monte Carlo studies and, 450; probability and, 448; probit models and, 449; random-coefficient models and, 448; random effects and, 107–108, 448
- Social Economic Panel (PSELL) (Luxembourg), 2
- Social Science Citation Index*, xix
- Socio-Economic Panel (SEP), 2
- sparse elements, 330, 333
- spatial approach: cross-sectionally dependent panel data and, 329–335, 337, 344; dynamic models and, 336–337; economic distance and, 331; error model and, 332–335; independence testing and, 344–351; individual-specific effects and, 334–336; lag model and, 333, 335–336; neighbors and, 329–331, 330, 333; sparse elements and, 330; SYR test and, 346–348
- spatial autoregressive form, 329–330
- spatial lag operator, 329
- spatial moving average, 329
- specification problem, 467
- state dependence: approximate method and, 276–280; bias-adjusted estimators and, 270–273; bounding parameters and, 274–276; discrete data and, 230, 252, 261–280; heterogeneity and, 261–264; panel data issues and, 13
- static models, 15; discrete data and, 230, 235–250, 255, 265–266; dynamic models and, 80–82, 100, 112; heterogeneity and, 235–246; linear, 52, 55, 80–81, 100, 138n2, 239n10; maximum score estimators and, 247–249; parametric, 235–246; root- $N$  consistent estimators and, 249–250; sample truncation and, 317; semiparametric, 230, 246–250; simple regression and, 52, 55
- static simultaneous-equations models: Aitken estimators and, 148; asymptotics and, 136, 139, 143, 146–147, 150–152, 183n2; bias and, 136–137, 143, 152; covariance (CV) estimators and, 164; dependent variables and, 136, 138, 144, 161, 163; dummy variable and, 142; efficiency and, 136, 140, 143, 153; endogenous variables and, 137, 151, 155, 159; error-component model and, 139, 143–144, 147, 151–153; error terms and, 139, 144, 152; estimation of structural equations and, 144–152; exogenous variables and, 137, 144, 153, 155, 161; fixed effects and, 138n2, 142; heterogeneity and, 136; heteroscedasticity and, 145, 147, 149; identification and, 153–155; income-schooling model and, 136–137, 154, 466; individuals and,

## Subject Index

535

- 136–138, 144–145, 149–153; infinity and, 138n2, 142, 145, 149; instrumental variable (IV) estimators and, 149, 155–159; joint dependent variables and, 138, 144, 161, 163; least-squares estimation and, 136–137, 139–151, 153, 162, 164; log-likelihood function and, 159–161; matrices and, 138–155, 158–160, 165; maximum-likelihood estimators (MLE) and, 152, 155, 159–162; measurement errors and, 153; minimum-distance estimators and, 145, 147, 149–151; normalization and, 154–155, 161, 162n14, 164; omitted variables and, 136, 152–153; probability and, 137, 148; regression models and, 140n4, 143, 146; structural models and, 139, 144–152; structural parameters and, 152; time series and, 138; time-specific variables and, 138; variance-components models and, 144, 149, 152–153; vectors and, 138–141, 143–144, 148, 151, 154, 160–161, 162n14, 165, 327–329, 334n4, 336–340, 343, 356–357, 362
- Statistical Office of the European Communities, 2
- statistics: Bureau of Labor Statistics and, 1; chi-square distribution and, 9, 233, 262n18, 268t, 377, 391; count data model and, 443; cross-sectionally dependent panel data and, 327–328, 344–346, 348–350, 354–355, 364, 368; discrete data and, 230, 233, 235–236, 239, 255, 261, 262n18, 265, 266t, 268t, 269, 270–280; duration model and, 430; dynamic models and, 82n2, 84, 86n5, 105–108, 117, 121, 124, 130; dynamic systems and, 369, 377, 385–397; European Community Household Panel (ECHP) and, 3; formal level of, 24; foundational theorems of, 10;  $F$  statistic and, 21, 23, 214t, 215t; Hausman type test, 57–58, 105, 121, 408; homogeneity and, 21, 23–24, 26; incidental parameters and, 11 (*see also* incidental parameters); incomplete panel data and, 404, 408–410, 415–416, 429; inference and, 9, 117, 173, 236, 327, 369, 397, 430, 469, 473; Lagrangian multiplier tests and, 162n14, 176–177, 185, 192, 345, 349, 391; least-squares estimators and, 82n2 (*see also* least-squares estimators); linear regression models and, 21, 23–24, 26, 55, 58; MLE and, 9 (*see also* maximum-likelihood estimators (MLE)); multidimensional, 13; panel data advantages and, 467, 469; panel data issues and, 471–473; random effects and, 10 (*see also* random effects models); regression models and, 24 (*see also* regression models); sample truncation and, 281, 292, 297, 314, 317, 323; specification problem and, 467; structural parameters and, 10 (*see also* structural parameters); test interpretation and, 24;  $t$ -statistic and, 84, 124, 202t, 368, 388–390, 394, 410; unobserved heterogeneity and, 10; variable coefficient models and, 173, 176–179, 184, 193, 202t, 204, 214, 215t, 217–218; Wald type tests and, 9, 377, 385–386
- stochastics: cross-sectionally dependent panel data and, 347–348; discrete data and, 251–254, 278; dynamic models and, 82n2, 87–88, 92, 94–95, 104, 108; incomplete panel data and, 421–422; sample truncation and, 287, 325; simple regression and, 33, 35; variable coefficient models and, 169, 193, 195, 197
- structural models: estimation of complete system and, 149–152; estimation of single equation in, 144–149; sample truncation and, 292, 297, 300t; static simultaneous-equations models and, 139, 144–152; triangular system and, 152–164
- structural parameters: discrete data and, 238–239, 242, 248, 254n16, 271, 278; linear regression models and, 55; panel data issues and, 10, 471; sample truncation and, 293, 295, 297; static simultaneous-equations models and, 152

536 **Subject Index**

- Survey of Health, Aging and Retirement in Europe (SHARE), 4
- Survey of Income and Program Participation, 404
- survival function, 431
- symmetry: cross-sectionally dependent panel data and, 328–329, 332; discrete data and, 232, 249; dynamic systems and, 390; sample truncation and, 284–291, 302, 304, 307, 318, 321–323; simple regression and, 77; static simultaneous-equations models and, 141, 155, 164; variable coefficient models and, 212, 224
- Taylor series, 77, 129, 273
- three-stage least-squares (3SLS) estimators, 74–75, 95–96, 122, 149–152
- time-evolving coefficients: Kalman filter predictions and, 188–191; maximum-likelihood estimators (MLE) and, 191–192; model of, 186–188; parameter constancy tests and, 192–193; variable coefficient models and, 186–193
- time series: analysis of covariance (ANCOVA) and, 24–26; cross-sectionally dependent panel data and, 331, 339–340, 344–351, 362; discrete data and, 243, 257, 269–270; duration model and, 430–438; Durbin-Watson/Box-Pierce tests and, 345; dynamic models and, 81, 83, 91, 108, 110, 119, 124, 130, 133–135; dynamic systems and, 16, 369–372, 377–379, 383, 386–387, 390, 392–395; homogeneity and, 24–26; incomplete panel data and, 402–403, 405, 407, 411–419; independence test and, 344–351; linear regression models and, 24–26, 36, 67, 70, 73; maximum-likelihood estimators (MLE) and, 413–415; nonparametric panel data and, 462; panel data advantages and, 4, 6–9, 464–469; panel data issues and, 13, 469–473; pooling and, 411–418; static simultaneous-equations models and, 138; variable coefficient models and, 170–171, 184, 193–194, 201, 205, 207, 218–219, 223, 227
- time-specific variables: cross-sectionally dependent panel data and, 327, 331, 337; dynamic models and, 80–81, 122–129; dynamic systems and, 393; panel data advantages and, 467–468; simple regression models and, 32–34, 58–64; static simultaneous-equations models and, 138; variable coefficient models and, 167
- time-variant coefficients, 180–186
- Tobin's  $q$ , 213, 217
- Tobit models: cross-sectionally dependent panel data and, 348–349; dynamic, 317–326; panel data advantages and, 9; random individual effects and, 298–299; sample selection and, 298–299, 324–326; sample truncation and, 281, 288, 298–299, 317–324; simulation methods and, 448–449, 451; type II, 287, 298–299
- transformed likelihood approach, 112–115
- treatment effects: adjustment methods and, 354–359; counterfactuals prediction and, 361–363; cross-sectionally dependent panel data and, 352–368; definition of, 352–354; difference-in-difference method and, 360–361; example of, 363–368; panel data approach and, 359–368; regression discontinuity design and, 357–359
- treatment groups, 353–357, 360–361
- treatment on the treated (TT) effect, 352–353
- triangular system: estimation and, 155–162; example of, 162–164; identification and, 153–155; maximum-likelihood estimators (MLE) and, 159–162; static simultaneous-equations models and, 152–164
- $t$ -statistic, 84, 124, 202t, 368, 388–390, 394, 410
- two-stage least-squares estimators (2SLS), 104, 145, 147–148, 152, 154, 333

## Subject Index

537

- unconditional inference, 48–56, 178
- unit root tests: augmented Dickey-Fuller (ADF) and, 389–390, 392; cross-sectionally correlated data and, 392–394; cross-sectionally independent data and, 387–392; dynamic systems and, 386–394; Lagrangian multiplier (LM) and, 391; Sargan-Bharvaga (SB) test statistic and, 394
- U.S. Department of Labor, 1
- variable coefficient models: aggregate vs. disaggregate analysis and, 217–220; Aitken estimators and, 179, 185, 196; asymptotics and, 121, 174–178, 185–186, 193, 196, 201n16, 208, 223–225; autocorrelation and, 214t, 217, 224; autoregression and, 187, 207n18; Bayesian methods and, 174, 198–201, 204–205, 208–212; best linear unbiased estimators (BLUE) and, 183–185, 195; bias and, 173–175, 178, 180, 183, 184n10, 200, 210, 211t, 215, 220, 223; combination of two normal distributions and, 228–229; cross-sectionally dependent panel data and, 170–186, 221–222; degrees of freedom and, 168, 174, 177–179, 186, 193, 209, 215, 223; density and, 177–179, 191, 205, 209, 216; dependent variables and, 175–176, 190, 215t, 216t; dummy variable and, 168; dynamic, 206–212; efficiency and, 197, 224; error-component model and, 168n1, 174, 198, 200, 201n16; error terms and, 183–185, 206; exogenous variables and, 169, 177, 187, 193–196, 198, 206; firm investment expenditure and, 212–217; fixed-coefficient models and, 170–172, 177–178, 182–183, 196–206, 216–217; fixed constants (FE) and, 170, 193, 210, 212, 223; fixed effects and, 182, 223–224, 227; Frobenius norm and, 171; Gibbs sampler and, 209–210; Grunfeld investment function and, 175; heterogeneity and, 167–171, 178–180, 186, 196–197, 202, 204, 212, 214t, 215, 217–219; heteroscedasticity and, 170, 176, 179, 184–185, 224; Hildreth-Houck estimators and, 184n10; homogeneity and, 177–179, 202, 213, 215t, 217; individuals and, 167–180, 184–186, 193, 197–201, 204, 207–208, 214t, 215, 218, 220, 223, 227; infinity and, 174, 176–178, 185, 196, 209; instrumental variable (IV) estimators and, 172n3, 208, 221–223; Kalman filter and, 188–191; Lagrangians and, 162n14, 176–177, 185, 192; least-squares estimation and, 168, 171, 173–176, 184–185, 192, 195, 208, 210, 225–227; liquidity and, 169, 212–217; log-likelihood function and, 176n7, 191, 205; matrices and, 170–175, 177, 182–184, 187–195, 197, 201–203, 206–209, 219t, 223–227; maximum-likelihood estimators (MLE) and, 176–177, 184, 188, 191–192; mean square error and, 190, 201n16, 203, 204t; mixed fixed- and random- coefficient model and, 196–206; Monte Carlo studies and, 206, 209–210, 212, 227; multicollinearity and, 201, 213–215, 223, 226; normalization and, 199; null hypotheses and, 176–177, 186, 192–193, 212, 214; omitted variables and, 167, 198; ordinary least squares (OLS) estimation and, 211t; parameter variation assumptions and, 169; parametric models and, 227; parsimonious regression and, 167; pooling and, 169, 197, 203, 215, 217; probability and, 169, 198–199, 205, 209; random-coefficient models and, 169–170, 172–180, 183–186, 196–212, 215–227, 220–227; random effects and, 215; regression models and, 167–176, 185, 187, 189, 192–193, 196–197, 202t, 208, 213, 214t–216t, 220, 225–226; simple regression models and, 173 (*see also* simple regression models); statistics and, 173, 176–179, 184, 193, 202t, 204, 214, 215t, 217–218; stochastics and, 169, 193, 195, 197; time-evolving



538 **Subject Index**

- variable coefficient models (*cont.*)  
 coefficients and, 186–193; time series and, 170–171, 184, 193–194, 201, 205, 207, 218–219, 223, 227; time-specific variables and, 167; time-variant coefficients and, 180–186; Tobin's  $q$  and, 213, 217; variable-intercept models and, 167–169, 178, 180, 198, 214, 215t, 217; variance-components models and, 184, 208; vectors and, 168–171, 177–179, 184, 186–187, 191–194, 196–198, 203, 206, 209, 222, 225–226
- variable-intercept models: assumption of, 31–32; heterogeneity and, 15, 31–32; sample truncation and, 311; variable coefficient models and, 167–169, 178, 180, 198, 214, 215t, 217
- variance-components models: discrete data and, 266; dynamic models and, 107; random effects and, 39–47; sample truncation and, 295; simple regression models and, 39–47, 52, 66; static simultaneous-equations models and, 144, 149, 152–153; variable coefficient models and, 184, 208
- vector autoregressive (VAR) models: cross-sectionally dependent panel data and, 377–378; cross-sectionally independent data and, 377; dynamic systems and, 369–378, 380, 386, 393n7, 397–402; general method of moments (GMM) estimation and, 373–374; global, 378, 386; heterogeneity and, 377–378; homogeneity and, 370–377; maximum-likelihood estimators (MLE) and, 374–375; minimum-distance estimators (MDE) and, 375–377; model formulation and, 370–372; MonteCarlo studies and, 377; simultaneous equations and, 397–402
- vectors, 15; autoregressive models and, 379–388; cointegrated models and, 379–386; cross-sectionally dependent panel data and, 327–329, 334n4, 336–340, 343, 356–357, 362; discrete data and, 230–233, 247, 254n16; dynamic models and, 80, 87, 93, 94n9, 97, 100, 112, 121, 124, 131; dynamic systems and, 369–386, 393, 396–399; eigenvectors, 148, 151, 334n4, 338–340; error correction and, 379–386, 396; homogeneity and, 17–18; incomplete panel data and, 404–405, 407, 409, 413–414, 420–422, 427–428; measurement errors and, 458–460; multilevel structures and, 453; nonparametric panel data and, 463; panel data advantages and, 6; panel data issues and, 10; panel quantile regression and, 446; sample truncation and, 281, 287, 289–290, 293, 306, 310, 313–314, 324–325; simple regression and, 34–36, 39–40, 58, 61, 70–71, 73, 75–79; simulation methods and, 451; static simultaneous-equations models and, 138–141, 143–144, 148, 151, 154, 160–161, 162n14, 165; variable coefficient models and, 168–171, 177–179, 184, 186–187, 191–194, 196–198, 203, 206, 209, 222, 225–226
- Wald type tests, 9, 377, 385–386
- within-group estimators: homogeneity and, 19; linear regression models and, 37, 43–44, 54
- World Bank, 3
- Yoplait, 267