

Index

($\vee$ Elimination), 36	(CBF), 265
($\vee$ Introduction), 36	(CN), 140
($\rightarrow$ Elimination), 9	(Contradiction), 77, 205
($\rightarrow$ Introduction), 9	(Cut), 163
($\rightarrow$ Left), 10	(Cut ∞), 233
($\rightarrow$ Right), 10	(Def $=_x$), 224
($\leftrightarrow$ Elimination), 36	(Def $N\vee$), 119
($\leftrightarrow$ Introduction), 36	(Def $NB\vee$), 119
($\forall$ Elimination), 213	(Def $NP\vee$), 119
($\forall$ Introduction), 213	(Def $Nq\vee$), 119
($\forall$ / Elimination), 212	(Def v^x/x), 224
($\forall$ / Introduction), 212	(Def $\leftrightarrow$), 78
($\forall\infty$), 215	(Def $\exists$), 229
($\forall$ Left), 224	(Def $\sim$), 79
($\forall$ Right), 224, 235	(DefF), 136, 149
($\exists$ Elimination), 229	(DefT), 136, 149
($\exists$ Introduction), 229	(DefU), 136, 149
($\exists$ / Elimination), 229	(Double Negation), 106
($\exists$ / Introduction), 229	(F), 117
($\exists\infty$), 234	(EqT), 150
($\sim$ Elimination), 9	(GSub), 224
($\sim$ Introduction), 9	(Hypothesis), 35
($\sim$ Left), 10	(K), 255
($\sim$ Right), 10	(K $\&$), 58
($\sim$ Right)r, 168	(K $\vee$), 58
($\leq=$), 115	(K $\rightarrow$), 58
($\leq\subseteq$), 62	(K $\leftrightarrow$), 58
($\subseteq$), 58	(K $\forall$), 220
($\perp$ Elimination), 51	(K $\neg$), 58
(4), 261	(K $\perp$), 58
(5), 262	(K $\Box$), 258
(B), 262	(Kp), 58
(BF), 265	(Kq $\vee$), 122, 222

(KR), 123	$\ G\forall\ $, 224
(M), 261	$\ GPL\forall\ $, 224
(N), 88	$\ Gsub\ $, 224
(No Past Branching), 157	$\ I\forall\forall\ $, 219
(N _x), 231	$\ I\forall\ $, 84
(P $\forall$), 87, 222	$\ IQ\ $, 230, 231
(P $\exists$), 231	$\ IT\ $, 151
(PR). <i>See</i> Peirce’s Rule	$\ K\Diamond\ $, 263
(Refinability), 121	$\ KI\ $, 60
(Restricted Cut), 36	$\ KI\ $ Theorem, 67
(Right Weakening), 163	$\ LF\ $, 117
(RN), 259	$\ LL'\ $, 76
(Sub), 213, 221	$\ LL\ $, 108
(t=T), 149	$\ N\forall\ $, 118
(vu), 62	$\ NP\forall\ $, 119
(Weakening), 35	$\ Nq\forall\ $, 119
(X), 221	$\ p\leq\ $, 85
[PL]. <i>See</i> model, canonical for PL	$\ PL\forall\ $, 219
[S] Adequacy Theorem, 53	$\ PL\ $, 109
[S]p Adequacy Theorem, 92	$\ pLF\ $, 120
$\leftrightarrow$ Definition Theorem, 78	$\ PR\ $, 75
$\exists$ Path Isomorphism Theorem, 231	$\ q\forall\ $, 118
$\ \&\ $, 14	$\ q\Diamond\ $, 263
$\ \vee\ $, 83	$\ QL\ $, 230
$\ \rightarrow\ $, 60	$\ QLd\ $, 249
$\ \leftrightarrow\ $, 60	$\ qPL\ $, 118
$\ \forall=\ $, 224	$\ R\forall\ $, 256
$\ \forall\ $, 217	$\ s\forall\ $, 214
$\ \neg\ $, 60	$\ S\exists\ $, 229, 234
$\ \sim F\ $, 149	$\ S\ $ Adequacy Theorem, 178
$\ \infty\exists\ $, 233	$\ S\ $ Completeness Theorem, 178
$\ \infty QK\ $, 234	$\ S\ $ Soundness Theorem, 177
$\ \leq\ $, 60	$\ S\sim\ $, 108
$\ \leq_x\ $, 217	$\ SI\ $, 79
$\ \perp\ $, 27	$\ W\forall\ $, 85
$\ \Box\ $, 256	$\ W\exists\ $, 229
$\ 5\ $, 262	$\sim$ Definition Theorem, 79
$\ B\ $, 262	$\leq$ Lemma, 63
$\ C\forall\ $, 32, 60	for $\ PL\ $, 120
$\ C\rightarrow\ $, 31	
$\ C\leftrightarrow\ $, 32	Abelson, R., 2, 278
$\ C\sim\ $, 31	adequacy
$\ Contradiction\ $, 206	proofs of, 179–181
$\ d\forall\ $, 214	argument, 10
$\ Def\Diamond\ $, 262	assertion, 10

- assignment function, 58
- Azzouni, J., 17, 275
- Baldwin, T., 216, 275
- bar, 82
- Barcan formula, 265
- Beall, J., 22, 128, 173, 275
- Beaver, D., 138, 275
- Belnap, N., 6, 7, 12, 28, 31, 82, 113, 147, 152, 157, 188, 189, 195, 196, 215, 275
- BHK interpretation, 209
- bilateralist, 22
- Blackburn, P., 18, 275
- Boolos, G., 41, 214, 275
- Brandom, R., 3, 5, 275
- Brown, J., 17, 20, 275
- canonical model. *See* model, canonical
- Carnap, R., 14, 16, 28, 276
- circularity objection, 61
- classical model. *See* model, classical
- compactness, 215
- completeness, 177
 - for quantified modal logic, 265
 - modular, 181, 266
- compositionality
 - failure for disjunction, 89
- conservation, 6, 7, 113, 114, 128, 187–193
 - strong, 190
- correspondence
 - for frames, 260
- Cresswell, M., 265, 276
- Cummins, R., 2, 276
- Cut Lemma, 53
- Davis, R., 2, 276
- de Campos Sanz, W., 210, 276
- Dennett, D., 172, 276
- determined, 109, 117
- Dosen, K., 213, 224, 276
- Dummett, M., 6, 113, 116, 128, 197, 198, 276, 277
- Excluded Middle, 125, 151–156, 246, 252, 253
- expression
 - deductive, 19
 - global, 19
 - local, 19
- extension
 - conservative, 188
 - of a model, 66
- extension relation, 59
- fatalism, 153–156, 252
- Finitary Lemma, 53
- Fitting, M., 69, 276, 278
- Fodor, J., 2, 276
- forcing, 59, 68–70
- frame
 - for modal logic, 256
 - intuitionistic, 60
- functionality, 67
 - failure for classical negation, 115
 - failure for disjunction, 89
- $G\forall$, 224
- $G\sim$, 170
- Garson, J., 40, 83, 147, 212, 215, 236, 262, 267, 268, 270, 271, 275, 276
- ge-harmony. *See* harmony, general
 - elimination
- Gentzen, G., 22, 172, 173, 276
- GL Expression Theorem, 166
- GPL, 164
- $GPL\forall$, 224
- $GPLr$, 168
- $GS\forall$, 224
- Haack, S., 217, 276
- Hacking, I., 5, 9, 16, 24, 37, 164, 167, 171–174, 235–236, 276, 278
- Hand, M., 31, 113, 114, 128, 191, 192, 276
- harmony, 128, 197–199, 200, 204, 205, 207, 208, 273
 - general-elimination, 199, 205–207
- Hart, W., 188, 276
- holism
 - for meaning, 17–18
 - semantic, 31

Holism Theorem, 32	LF Lemma, 120
Humberstone, L., 12, 35, 112, 120, 121, 151, 258, 263, 270, 277	Lindenbaum Lemma, 110
I Theorem, 107	Local Expression Theorem, 37
IV Expression Theorem, 84	Lowenheim–Skolem Theorem, 55, 93, 111, 236
IV Theorem, 108	Ludwig, K., 17, 277
IV $\forall$, 219	Lyons, J., 148, 277
incompleteness	MacFarlane, J., 224, 277
and inferentialism, 42	Mares, E., 252, 277
of modal logics, 40–41	Massey, G., 12, 28, 31, 32, 275, 277
of $S\rightarrow$, 40	McCawley, J., 12, 28, 135, 138, 277
of $S\neg$, 40	model, 13
independence	$\exists$ neighborhood, 231
natural, 193	atomic, 66
semantical, 190, 193–195	canonical, 52
inevitability, 151	canonical for PL, 136
inferentialism, 3–7, 14, 17, 23, 31, 128, 141, 187, 188, 207, 226	classical, 111
model-theoretic, 3–7, 14, 47, 172, 228, 271–274	deductive, 13, 39
proof-theoretic, 3–7, 273	global, 16
inferentialist. <i>See</i> inferentialism	intuitionistic, 59–61
interpretation	KR, 121
objectual, 214	local, 19, 39
sentential, 217–220	modal quantified KR, 260
substitution, 216	modal quantified neighborhood, 258
inversion principle, 6, 7, 198, 199	neighborhood, 87
IQ, 230	objectual, 214
IQ Expression Theorem, 230	past, 157
Isomorphism Theorem, 64	path, 87
	quantified KR, 222
Jacinto, B., 249	quantified neighborhood, 220
Jeffrey, R., 214, 275	quantified path, 221
	referential, 228
KR Lemma, 123	subatomic, 227
KR Theorem, 123	modularity, 264
Kripke frame, 58	MT inferentialism. <i>See</i> inferentialism,
Kripke model, 58	model-theoretic
Kripke, S., 16, 256, 277	Mueller, T., 147, 276
	multiple conclusions, 9, 14, 21, 22, 37, 169, 173
language	
for propositional logic, 26	natural semantics. <i>See</i> semantics, natural
Leblanc, H., 214, 215, 226, 275, 277	ND system. <i>See</i> system, natural
Lenat, D., 2, 276	deduction
Lepore, E., 17, 277	neighborhood model. <i>See</i> model,
	neighborhood

284	Index
	neighborhood relation, 87
	non-locality objection, 62
	normalization, 6, 197, 198, 199, 201
	NX, 231
	omega rule, 174, 215, 217, 219, 232–236, 249, 267–268
	open future, 147–148
	parameter, 165
	Past Model Theorem, 159
	path, 82
	path bundle, 83
	Path Isomorphism Theorem, 88
	path model. <i>See</i> model, path
	path-valid, 88
	Peirce’s Law, 21, 37, 40, 41, 42, 72, 73, 74, 77, 113, 115, 125, 191, 194, 210
	Peirce’s Rule, 74
	PL, 13, 109. <i>See</i> propositional logic
	PL Expression Theorem, 109
	PL Isomorphism Theorem, 123
	PL $\forall$, 219
	pluralism
	logical, 6, 128, 173
	Prawitz, D., 6, 113, 197, 277
	precisification, 247, 248
	preservation
	of validity, 15
	prime, 91
	Prime Filter Theorem, 91
	Prior, A., 6, 7, 50, 127, 187, 277
	propositional logic, 12
	q $\forall$ Lemma, 119
	QL, 230
	QL Expression Theorem, 230
	QML. <i>See</i> quantified modal logic
	qPL Expression Theorem, 120
	qT Lemma, 118
	quantified modal logic, 265
	Quantified Path Isomorphism Theorem, 221, 223
	quasi-true, 118
	quietism, 5, 7, 128, 208
	Quine, W., 17, 231, 277
	Read, S., 199, 205–207, 209, 277
	refinability, 112
	relation
	accessibility, 256
	Restall, G., 22, 115, 128, 173, 270, 275, 277
	S $\&$, 36
	S $\&$ Expression Theorem, 49
	S $\&$ Theorem, 51
	S $\forall$, 36, 81
	S $\forall$ Expression Theorem, 84
	S $\rightarrow$, 36
	S $\rightarrow$ Expression Theorem, 72
	S $\rightarrow$ Theorem, 74
	S $\leftrightarrow$, 36
	S $\leftrightarrow$ Theorem, 79
	S $\forall$, 213
	S $\forall$ Expression Theorem, 219
	S $\forall$ /, 212
	S $\forall\infty$, 232
	S $\exists$, 229
	S $\exists$ /, 229
	S $\neg$, 106
	S $\neg$ Expression Theorem, 107
	S $\sim$, 36
	S $\sim$ Expression Theorem, 108
	S $\vdash$, 35
	S $\perp$, 51
	S $\perp$ Theorem, 51
	S4, 41, 69, 182, 265–268
	Sahlqvist, H., 42, 260, 277
	Sandqvist, T., 210, 277
	satisfaction
	of a rule, 18
	of a sequent, 12
	of a system, 52
	of an argument, 12, 26
	preservation of, 18
	Schroeder-Heister, 5, 199, 276, 278
	Searle, J., 2, 278
	semantic ascent, 250
	semantics, 50, 66
	extensional, 174
	intuitionistic, 57
	model-theoretic, 4, 7
	natural, 50

- path, 86
- possibilities, 121
- proof-theoretic, 5, 6, 7
- standard, 65
- supervaluation, 134–142, 244–254
- well-formed, 194
- sequent, 9
- Shank, R., 2, 278
- Shapiro, S., 248, 278
- Shoesmith, D., 16, 23, 28, 37, 173, 278
- SI, 79
- SI Expression Theorem, 80
- SI Theorem, 79
- signature, 226
- SK, 255
- SK Expression Theorem, 256
- Smiley, T., 16, 23, 28, 37, 173, 278
- Smullyan, R., 69, 214, 218, 278
- sorites, 247
- soundness, 177
 - in natural semantics, 225
 - of a system, 48
- Steinberger, F., 22, 278
- Strawson, P., 134, 278
- Sundholm, G., 4, 5, 172, 278
- supervaluation, 135. *See* semantics, supervaluation
- Supervaluation Theorem, 136
- symmetry, 262
- system
 - axiomatic, 8
 - natural deduction, 8–9
 - sequent, 9–10, 24, 37
- Taylor, R., 153, 155, 278
- Tennant, N., 4, 5, 6, 22, 197, 204, 205, 209, 278
- theory of truth, 7
 - disquotational, 251
- Thomason, R., 268, 278
- tonk, 6, 127, 187, 188, 189, 191, 195, 197, 201, 202, 207, 209, 273
- Troelstra, A., 209, 278
- truth conditions
 - Beth’s for disjunction, 82
 - extensional, 170
 - intuitionistic, 59
- truth relation, 87
- truth tables
 - partial, 138
- U Lemma, 246
- underdetermination
 - of meaning, 2, 3, 15–17, 30, 47, 111, 141, 273–274
- undetermination, 109, 136
- uniqueness, 6, 7
- unity, 200–207
 - proof-theoretic, 208
- Universal Generalization, 43, 174
- vagueness, 247–254
 - second-order, 250
- validity
 - definition modified, 270, 271
 - for the substitution interpretation, 215
 - KR, 122
 - supervaluation, 136
- valuation, 12
 - atomic, 66
 - provability, 29
- van Bentham, J., 260, 275, 278
- van Dalen, D., 57, 63, 82, 91, 209, 278
- van Fraassen, B., 134, 139, 278
- V-valid, 13
- Wagner, S., 188, 279
- Weir, A., 6, 197, 199, 273, 279
- Williams, C., 216, 279
- Williamson, T., 153, 244–254, 279
- Wittgenstein, L., 4, 279
- Woods, J., 89, 90, 121, 127, 279