
Index

- $1/f$ noise, 227
 $S\alpha S$ Lévy motion, 59, 60
 convergence to, 166
- Abelian theorem, 109
 aggregated variance method, 88
 aggregation of SRD series, 113
 beta-like mixture distribution, 116
 disaggregation problem, 117
 long-range dependence, 115
 mixture distribution, 117
 anomalous diffusion, 227, 396
 antipersistent series, 31, 38, 40, 72, 109
 Appell's hypergeometric function, 390
 applications of LRD, 572, 610
 autocorrelation function (ACF), 4
 autocovariance function (ACVF), 4
 AR series, 6
 FARIMA(0, d , 0) series, 37
 FARIMA(p , d , q) series, 43, 569, 570
 FGN, 23, 67
 function of Gaussian series, 285
 MA series, 5
 spatial setting, 471
 vector FARIMA(0, D , 0) series, 500
 vector setting, 469
 white noise, 5
 autoregressive (AR) series, 5, 8, 9, 339
 aggregation, 114
 autoregressive moving average (ARMA) series, 6,
 31, 570
 characteristic polynomial, 32
 short-range dependence, 31
- backshift operator, 31, 357, 531
 forward-shift operator, 499
 Barnes G -function, 212
 Bessel function of the first kind, 458
 beta function, 24
 bifractional Brownian motion (biFBM), 53, 110,
 216
 Boltzmann (Gibbs) distribution, *see* Ising model
 bridge process, 86
- Brownian bridge, 87
 Brownian motion
 convergence to, 146
 Brownian motion (BM), 2, 49, 54, 59, 62, 166
 convergence to, 118, 158, 221, 298, 316
 integral representations, 13
 integrated, 166
 Karhunen–Loève decomposition, 438
 Lamperti transformation, 66
 Paley–Wiener expansion, 456, 462
 two-parameter, 215
 wavelet-based expansion (midpoint
 displacement), 452
 Wiener integral, 371
- Campbell's theorem, 125
 Caputo, *see* fractional derivative
 Cauchy determinant, 213
 Cauchy's integral formula, 206
 central limit theorem, 298
 fourth moment condition, 305
 functional of Markov chains, 161
 Lindeberg–Feller, 92
 martingale, 177
 multilinear processes, 327
 multivariate extension, 316
 multivariate extension (mixed case), 322
 characteristic polynomial
 ARMA series, 32
 matrix, 468
 Cholesky, *see* generation of Gaussian series
 circulant matrix, 100, 201
 eigenvectors and eigenvalues, 100
 codifference, 83
 completely monotone function, 530, 535
 contraction, 305, 323, 600
 convergence
 conditional, 25
 Cramér–Wold device, 584
 in $L^2(\Omega)$ -sense, 5
 in distribution, of random variables, vectors and
 processes, 584

- vague (locally weak), of locally finite measures, 584
- weak, of locally finite measures, 584
- weak, of probability measures, 583
- convergence to types theorem, 68
- convolution
 - Fourier transform, 576, 577
 - functions, 577
 - sequences, 7, 576
- correlated random walk (CRW), 117, 162, 173
- covariance function, 2
 - biFBM, 53
 - covariance function, 216
 - FBM, 47
 - OU process, 13
 - VFBM, 490
- cumulant, 244
 - joint, 244
- diagram
 - association with multigraphs, 247
 - connected, 244
 - definition, 241
 - formula for cumulants of Hermite polynomials of Gaussian variables, 253
 - formula for cumulants of multiple integrals, 245
 - formula for moments of Hermite polynomials of Gaussian variables, 251
 - formula for moments of multiple integrals (spectral domain), 244
 - formula for moments of multiple integrals (time domain), 242
 - Gaussian, 242
 - non-flat, 242
- difference (differencing) operator, 3, 36
- digamma function, 98
- discrete-chaos process, *see* multilinear process
- Durbin–Levinson algorithm, 107, 541
- elastic collision of particles, 162, 168
- entire function, 306
- ergodic theorem, 398, 405
- estimation in LRD series
 - aggregated variance method, 88
 - Bayesian, 573
 - bootstrap, 574
 - impulse response coefficients, 573
 - KPSS method, 111
 - maximum likelihood, *see* maximum likelihood estimation (MLE)
 - R/S method, 84
 - regression in spectral domain (GPH estimation), 88
 - regression with LRD errors, 573
 - resampling (bootstrap), 574
 - seasonal models, 573
 - self-normalization, 574
 - state space modeling, 573
 - subsampling, 574
 - V/S method, 111
 - wavelet-based, 93
- estimation of ACVF and ACF, 574
- estimation of mean, 540
 - best linear unbiased estimator (BLUE), 540, 569
- Euler’s constant, 214
- exponent rank, 306
- FARIMA models, 35
 - data applications, 555
 - disaggregation, 117
 - equivalence of LRD conditions, 43
 - FARIMA(0, d , 0) series, 35, 542, 550
 - FARIMA(p , d , q) series, 42, 539
 - generation, 105
 - heavy-tailed, 82, 573
 - invertibility, 38
 - principal range, 41
 - spatial FARIMA, 530–532
 - time plots, 40, 82
 - vector FARIMA series, 499
 - wavelet-based expansion of FBM, 449
- fast Fourier transform (FFT), 9, 61, 101, 524, 544
- fast wavelet transform (FWT), 97, 442, 454
 - complexity, 443
 - fast biorthogonal wavelet transform, 450
- Fernique’s inequality, 409, 422
- filter
 - high-pass, 441
 - linear, 8, 33, 39
 - low-pass, 441
- finite-dimensional distributions, 1
- Fourier frequencies, 9, 558
- Fourier series
 - ACVF and spectral density, 576
 - convolution, 577
 - definition, 575
 - Fourier coefficients, 575
 - Fourier transform, 576
 - Parseval’s identity, 576
 - regularly varying sequences, 579, 583
- Fourier transform (functions)
 - convolution, 578
 - definition, 577
 - extensions, 578
 - inversion formula, 577
 - Parseval’s identity, 577
 - Plancherel’s identity, 577
- fourth moment condition, 305
- fractional Brownian motion (FBM)
 - p th variation, 398
 - arbitrage, 435
 - complex-valued, 455
 - convergence to, 64, 71, 72, 119, 132, 152, 164, 166, 172, 177, 220
 - deconvolution formula, 383
 - definition, 47

- Fernique's inequality, 409, 422
- Gaussian space, 369
- geometric, 412, 425
- Girsanov's formula, 387
- Hölder continuity, 398
- intersection local time, 436
- Karhunen–Loève decomposition, 439
- kernel function on interval, 359, 361, 363
- large deviations, 611
- linear filtering, 392
- linear span and its closure, 369
- local time, 430, 433
- not semimartingale, 398
- operator field, *see* operator fractional Brownian field (OFBF)
- Paley–Wiener expansion, 462
- parametrization, 359
- prediction formula, 389
- quadratic variation, 427
- realizations, 53
- representation on interval, 364
- RKHS, 385
- spectral domain representation, 51, 368
- standard, 47
- tempered, 395
- time domain representation, 48, 49, 63, 368
- types I and II, 110
- vector operator, *see* vector operator fractional Brownian motion (vector OFBM)
- wavelet-based expansion, 452
- wavelet-based simulation, 454
- fractional Brownian sheet (FBS), 465, 525
- fractional cointegration
 - cointegrating rank, 505
 - cointegrating spaces, 507
 - cointegrating vector, 504
 - definition, 504
 - fractional cointegration model, 506
 - fractionally cointegrated, 504
 - vector OFBM, 507
- fractional derivative
 - Caputo, 352
 - composition with fractional integral, 350, 356
 - exponential function, 353
 - Fourier transform, 358
 - function of two variables, 400
 - Grünwald–Letnikov, 359
 - in representation of FBM, 364, 368
 - indicator functions, 353, 356, 358
 - Liouville (on real line), 352, 356
 - Marchaud (on real line), 355, 356
 - partie finie (finite part), 356
 - power functions, 350
 - renormalization, 355, 357
 - Riemann–Liouville (on interval), 349
 - weighted, 375
- fractional diffusion equation, 396
- fractional Gaussian noise (FGN), 23, 68, 108
 - ergodic, 398
 - vector, 503, 508
- fractional integral
 - composition with fractional derivative, 350
 - exponential function, 353
 - Fourier transform, 358
 - fractional integration by parts, 347, 354
 - function of two variables, 400
 - in representation of FBM, 364, 368
 - indicator functions, 353, 358
 - Liouville (on real line), 352
 - power functions, 347
 - reflection property, 347, 354
 - Riemann–Liouville (on interval), 346
 - semigroup property, 347, 354
- fractional Ornstein–Uhlenbeck (OU) process, 384, 394
- fractional Wiener integral
 - class of integrands, 370
 - classes of integrands for $\kappa \in (-1/2, 0)$, 375, 376, 379
 - classes of integrands for $\kappa \in (0, 1/2)$, 372, 377, 378
 - classes of integrands on real line, 383
 - completeness, 370–372, 375, 377, 378
 - connection to RKHS, 384
 - covariance, 374, 377
 - deconvolution formula, 383
 - definition, 370
 - definition for $\kappa \in (-1/2, 0)$, 375
 - definition for $\kappa \in (0, 1/2)$, 374
 - elementary (step) function, 370
 - fractional OU process, 384, 394
 - fundamental martingale, 381, 386, 456
 - Gaussian space, 369
 - Girsanov's formula, 387
 - linear filtering, 392
 - prediction formula, 389
- Fubini-based argument, 478
- functions of Gaussian variables, 282
 - covariance, 284, 331
 - exponent rank, 306
 - Hermite rank, 285
 - long-range dependence, 286
 - matching marginal distribution, 329
 - power rank, 313
- gamma function, 24
- Gauss hypergeometric function, 266, 363
- Gaussian subordination, *see* functions of Gaussian variables
- Gegenbauer ARMA (GARMA) models, 109
- G frequency (Gegenbauer frequency), 110
- generalized dominated convergence theorem, 80
- generalized Hermite process, 276
 - kernel, 274
- generalized inverse, 129, 329
- regularly varying function, 132, 586

- generalized Riemann zeta function, 98
 generation of Gaussian series
 Cholesky method, 100
 circulant matrix embedding method, 100
 extensions, 112
 generation of non-Gaussian series, 328
 circulant matrix embedding, 337
 matching autocovariance, 336
 matching marginal distribution, 329
 Price theorem, 333
 geometric FBM, 412, 425
 Girsanov's formula, 387
 GPH estimation
 estimator, 89, 560, 573
- Hölder continuity, 379
 Hölder norm, 424
 heavy-tailed random variable
 definition, 586
 infinite source Poisson model, 121
 heavy-tailed time series
 definition, 586
 FARIMA series, 82
 linear, 77
 long-range dependence, 76, 82
 short-range dependence, 77, 82
- Hermite expansion, 284
 coefficients, 284, 341
 exponential function, 331
 Hermite rank, 285
 indicator function, 332
- Hermite polynomial
 connection to multiple integrals, 230
 definition, 229
 recursion property, 231, 279
- Hermite process
 convergence to, 288, 307, 313
 cumulants, 258
 generalized, 276
 moments, 254
 representation on interval, 234, 240
 representation on positive half-axis, 237, 239, 240
 spectral domain representation, 234, 239, 240
 time domain representation, 232, 239, 240
- Hermite rank, 285
 Hermitian, *see* matrix analysis
 Hermitian function, 599
 hierarchical model, 154
 Hilbert space, 370
 Hilbert–Schmidt theorem, 438
 homogeneous function, 509
 Hurst index (parameter), 44
- inequality
 generalized Minkowski's, 353
 geometric and arithmetic means, 303
 Young's, 430
- infinite source Poisson model, 120
 convergence to BM, 146
 convergence to FBM, 132
 convergence to intermediate Telecom process, 144
 convergence to stable Lévy motion, 140, 147
 convergence to Telecom process, 133
 input rate regimes (fast, slow and intermediate), 129
 long-range dependence, 128
 related models, 224
 workload process, 123
- infrared correction, 49, 217
 inner product space, 370
 complete, 370
- innovations algorithm, 107, 541
 integral representation, 11
 integrated series, 6
 Ising model, 180
 critical temperature, 182
 Boltzmann (Gibbs) distribution, 182
 boundary conditions, 183
 configurations, 182
 counting lattice, 187
 Curie temperature, 183
 dimer, 189
 energy (Hamiltonian), 182
 external magnetic field, 182
 ferromagnetism, 183
 inverse temperature, 182
 Ising lattice, 181
 long-range dependence, 183
 one-dimensional, 223
 Pfaffian, 189, 192
 phase transition, 182
 spins, 183
 strong Szegő limit theorem, 209
 temperature, 182
 thermodynamic limit, 181
- Itô's formulas, 407, 433
 Itô–Nisio theorem, 463
- Karamata's theorem, 20
 Karhunen–Loève decomposition, 438
 BM, 438
 FBM, 439
- Kolmogorov's continuity criterion, 398
 Kolmogorov's formula, 544
- Lévy, *see* random measure
 Lamperti transformation, 66
 BM, 66
 Lamperti's limit theorem, 69
 vector setting, 487
- Langevin stochastic differential equation, 3, 384
 large deviations of FBM, 611
 Leibniz's rule for differentiation under integral
 sign, 349

- linear filter, 8, 33, 39
- linear fractional Lévy motion, 63
- linear fractional stable motion (LFSM)
 - convergence to, 65, 78
 - definition, 60
 - integral representation, 59
- linear fractional stable noise (LFSN), 77, 83
- linear time series, 6
 - heavy-tailed, 77
- Liouville, *see* fractional derivative, *see* fractional integral
- local time, 178, 430
- local Whittle estimation
 - bandwidth selection, 562
 - bias reduction, 565
 - bias-variance tradeoff, 563
 - estimator, 559
 - GPH estimator, 560
 - large sample asymptotics, 560
 - local polynomial estimator, 566
 - mean squared error (MSE), 564
 - non-smooth models, 564
 - optimal bandwidth, 565
 - optimal rate, 566
 - rate optimality, 565
 - smooth models, 564
 - tapering, 565
 - Whittle plot, 562
- log-fractional stable motion (log-FSM), 62, 108
- long memory, *see* long-range dependence
- long-range dependence (LRD)
 - conditions I-V, 17
 - connections to self-similar processes, 68
 - definition, 18
 - infinite variance, 76
 - long-run variance, 28
 - mixing, 612
 - non-linear time series, 610
 - nonstationarity, 573
 - origins, 108
 - parameter, 18
 - point processes, 610
 - spatial, *see* spatial long-range dependence (LRD)
 - vector, *see* vector long-range dependence (LRD)
- long-run variance
 - LRD series, 23, 28
 - SRD series, 31
- Malliavin calculus
 - chain rule, 415, 604
 - chaos expansion, 431, 605
 - derivative operator, 400, 603, 606
 - divergence (Skorokhod) integral, 399, 607
 - generator of OU semigroup, 426, 608
 - integration by parts formula, 604
 - isonormal Gaussian process, 399, 602
 - smooth random variables, 603
 - space $\mathbb{D}^{1,p}$, 604
 - space $\mathbb{D}_{loc}^{1,p}$, 604
 - space $\mathbb{D}^{k,p}$, 605
 - Stroock formula, 431, 606
 - white noise case, 602, 603, 605, 606
- Marchaud, *see* fractional derivative
- Markov chain, 33
 - β -regular, 228
 - central limit theorem, 161
 - short-range dependence, 33
- Markov switching model, 156
 - convergence to BM, 158
- matrix analysis
 - centralizer, 494
 - characteristic polynomial, 468
 - diagonal matrix, 468
 - eigenvalue, 468
 - eigenvector, 468
 - Hermitian symmetric matrix, 468
 - Hermitian transpose, 467
 - Jordan block, 468
 - Jordan decomposition, 468, 477, 533
 - matrix exponential, 472, 533
 - matrix norm, 469
 - positive (semi)definite matrix, 468
 - primary matrix function, 480
 - singular, 468
 - square root of positive semidefinite matrix, 468, 478
- maximum likelihood estimation (MLE)
 - applications, 572
 - autoregressive approximation, 550
 - best linear predictor, 541
 - broadband Whittle, 567
 - Durbin–Levinson algorithm, 541
 - exact Gaussian MLE, 539
 - FARIMA(0, d , 0) series, 550
 - finite (small) samples, 550, 571
 - forecasting, 554
 - goodness of fit, 552
 - ill conditioning, 542
 - implementation, 570
 - information criteria (AIC, BIC, HIC), 552
 - innovations algorithm, 541
 - large sample asymptotics, 545, 551, 570
 - likelihood function, 540
 - local Whittle, *see* local Whittle estimation
 - maximum likelihood estimator, 540
 - model selection, 551
 - portmanteau tests, 552
 - quadratic form, 547
 - R packages, 555, 571
 - spectral window, 553
 - temperature data, 555, 557
 - Whittle’s approximation and estimation, 542, 569
- Mehler’s formula, 342
- method of moments, 300, 317

- mixing, 612
- mixture of correlated random walks, 117
 - convergence to FBM, 119
- moving average (MA) series, 5
- multifractal processes, 611
- multifractional motions, 611
- multigraph
 - k -regular, 246
 - (non-)standard, 302
 - association with diagrams, 247
 - connected, 248
 - cumulants of Hermite process, 258
 - cumulants of multiple integral of order two, 259
 - definition, 246
 - degree, 246
 - formula for cumulants of Hermite polynomials of Gaussian variables, 253
 - formula for cumulants of multiple integrals, 250
 - formula for moments of Hermite polynomials of Gaussian variables, 253
 - formula for moments of multiple integrals, 250
 - moments of Hermite process, 254
 - multiplicity number, 246
 - pair sequence (set of lines), 246
- multilinear process, 324
 - limit theorem, 327
- multinomial occupancy scheme, 228
- multiple integral of order two, 259
 - characteristic function, 262
 - cumulants, 259
 - series representation, 261
- multiple integrals with respect to Gaussian measures
 - change of variables formula, 599
 - connection between time and spectral domains, 600
 - connection to Itô stochastic integrals, 601
 - contraction, 600
 - covariance, 598
 - definition, 598
 - Hermitian case, 599
 - Hermitian function, 599
 - product, 600, 601
 - simple function, 597
 - stochastic Fubini theorem, 601
 - symmetrization, 598
 - tensor product, 600
- multiresolution analysis (MRA), *see* wavelet analysis
- Nile river time series, 87, 93, 99, 108, 570
- non-central limit theorem, 288
 - linear time series (entire functions), 307
 - linear time series (martingale differences), 313
 - multilinear processes, 327
 - multivariate extension, 320
 - multivariate extension (mixed case), 322
- ON/OFF model, 224
- operator fractional Brownian field (OFBF)
 - admissible functions, 521
 - anisotropic fractional Brownian field (anisotropic FBF), 525
 - definition, 508
 - domain symmetry group, 509
 - fractional Brownian sheet (FBS), 525
 - homogeneous function, 509, 511
 - identifiability, 509
 - isotropic fractional Brownian field (isotropic FBF), 524
 - operator scaling, 508
 - polar coordinate representation, 510
 - sample path properties, 537
 - spectral domain representation, 513
 - symmetry group, 510
 - tangent space of symmetry group, 509
 - time domain representation, 516, 521
- operator scaling Gaussian random field, *see* operator fractional Brownian field (OFBF)
- operator self-similarity, 472
 - operator stable distribution, 535
- operator stable distribution, 535
- order statistics, *see* simple symmetric exclusion
- Ornstein–Uhlenbeck (OU) process, 2, 3
 - integral representations, 13
 - Lamperti transformation, 66
- orthant probability for normal vector, 332
- Pólya’s urn, 172
 - ancestral line, 173
 - convergence to FBM, 177
 - correlated random walk, 173
- Paley–Wiener expansion of FBM, 462
 - Bessel function of the first kind, 458
 - BM, 456, 462
 - fundamental martingale, 456
 - isometric Hilbert spaces, 457
 - uniform convergence, 463
 - zeros of Bessel functions, 461
- Parseval’s identity, 576, 578
- partial autocorrelation function, 107
- periodogram, 9
- Pfaffian, *see* Ising model
- Plancherel’s identity, 578
- Pochhammer symbol, 363
- Poisson, *see* random measure
- polar coordinate representation, *see* operator fractional Brownian field (OFBF)
- Potter’s bound, 19
- Potters bound, 21
- power rank, 313
- Price theorem, 333
- quadratic variation, 382, 398
- quasi-monotonicity, 25, 497, 579

- R/S method, 84
 - R/S plot (poxplot), 87
 - R/S statistic, 85
- random field, 466
 - conditions for ACVF, 530
 - stationary, 471
- random measure
 - σ -additive, 588
 - compensated Poisson, 594
 - control measure, 588
 - Gaussian, 590
 - Hermitian Gaussian, 590
 - independently scattered, 588
 - Lévy, 596
 - Poisson, 593
 - stable, 592
 - with orthogonal increments, 589
- random walk, 6
 - in random environment, 178
 - in random scenery, 177
- reduction theorem, 292
- regime switching, 156
- regression in spectral domain, *see* GPH estimation
- regularly varying function, 16
 - uniform convergence theorem, 19
- renewal process, 224
- renewal-reward process, 224
- reproducing kernel Hilbert space (RKHS), 384
 - FBM, 385
- reversion operation, 340
- Riemann zeta function, 267
 - generalized, 267
- Riemann–Liouville, *see* fractional integral, *see* fractional derivative
- Riemann–Stieltjes integral, 408
- Rosenblatt distribution
 - CDF, 270, 272
 - CDF plots, 272
 - CDF table, 273
 - characteristic function, 265
 - cumulants, 265
 - definition, 264
 - Lévy–Khinchine representation, 268
 - PDF, 270
 - PDF plots, 272
 - series representation, 266
- Rosenblatt process
 - characteristic function, 263
 - convergence to, 74
 - cumulants, 263
 - definition, 58, 263
 - integral representations, 57
- Schramm–Loewner evolution (SLE), 227
- self-similar Markov processes, 612
- self-similar process
 - asymptotically at infinity, 64, 145
 - basic properties, 45
 - definition, 43
 - locally asymptotically, 65, 145
 - operator, *see* operator self-similarity
 - second-order, 144
 - self-similarity parameter, 44
- semimartingale, 398
- short-range dependence (SRD)
 - ARMA series, 31
 - definition, 30
 - infinite variance, 76
 - Markov chain, 33
 - vector, 497
- shot noise model, 149
 - convergence to FBM, 152
 - long-range dependence, 151
 - shots, 150
- simple symmetric exclusion, 167
 - convergence to FBM, 172
 - extensions, 225
 - order statistics, 168
 - stirring motion, 168
 - tagged particle, 167
- single integral with respect to random measure
 - compensated Poisson measure, 595
 - connection for Lévy and Poisson measures, 597
 - connection for stable and Poisson measures, 596
 - Gaussian measure, 590
 - Lévy measure, 597
 - Poisson measure, 594
 - random measure with orthogonal increments, 590
 - simple (elementary) function, 589
 - spectral domain, 592
 - stable measure, 593
 - time domain, 592
- slowly varying function, 16
 - Karamata’s theorem, 20
 - Potter’s bound, 19
 - quasi-monotone, 25
 - Zygmund class, 25
- spatial long-range dependence (LRD)
 - anisotropic, 528
 - Cauchy family, 530
 - condition IV-s-anisot, 528
 - conditions II-s-isot and IV-s-isot, 526
 - isotropic, 526
 - scaling transition, 529
 - spherical harmonics, 526
- spatial process, *see* random field
- spectral density, 7
 - AR series, 8, 9
 - FARIMA(0, d , 0) series, 37
 - FARIMA(p , d , q) series, 43
 - FGN, 67
 - spatial setting, 471
 - vector setting, 469
 - white noise, 7
- spectral domain, 7

- spectral measure, 10
- spectral representation, 9
- stable Lévy motion, 123
 - transition probability, 396
- stable random measure, 592
- stable random variable
 - definition, 585
 - domain of attraction, 585
 - symmetric α -stable ($S\alpha S$), 585
- stable self-similar processes with stationary increments, 611
- stationarity
 - fields, 471
 - strict, 3
 - vector, 469
 - weak or second order, 4
- stationarity of increments, 3, 44
- Stein's method, 426
 - quadratic variation of FBM, 427
 - total variation distance, 426
- Stirling's formula, 36
- stirring motion, *see* simple symmetric exclusion
- stochastic differential equation (SDE) for FBM, 413
 - geometric FBM, 425
 - derivative of solution, 414
 - Doss–Sussmann transformation, 413
 - ergodicity, 436
 - Euler scheme, 419
 - existence and uniqueness of solution, 413
 - modified Euler scheme, 419
 - numerical solutions, 418
 - rate of convergence of numerical solutions, 419
 - regularity of law of solution, 418
 - statistical inference, 436
- stochastic Fubini theorem, *see* multiple integrals
 - with respect to Gaussian measures
- stochastic heat equation, 215
 - biFBM, 216
- stochastic integration for FBM, 397
 - chaos expansion of local time, 431
 - derivative of solution of SDE, 414
 - divergence integral, 399
 - domain of divergence integral, 400
 - Doss–Sussmann transformation, 413
 - extended domain of divergence integral, 406
 - fractional white noise, 435
 - isonormal Gaussian process, 399
 - Itô's formula, 408, 409, 412, 434
 - Itô's formula for convex functions, 433
 - Itô's formula for geometric FBM, 412
 - moments of local time, 434
 - nonlinear filtering, 436
 - numerical solutions of SDE, 418
 - optimal control, 436
 - quadratic variation, 427
 - regularity of law of solution of SDE, 418
 - regularity of laws, 414
 - Riemann–Stieltjes integral, 408
 - rough paths, 435
 - self-integration, 402, 406
 - Stein's method, 426
 - stochastic differential equation (SDE), 413
 - Stratonovich integral, 408
 - supremum of FBM, 434
 - Tanaka's formula, 433
 - tensor product Hilbert space, 400, 401
 - Wick product, 435
- stochastic partial differential equation, 215, 227
 - parabolic Anderson model, 227
- stochastic process, 1
 - Gaussian, 2
 - linear, 7
 - stationary (strictly), 3
 - stationary (weakly or second order), 4
 - stationary increment (strictly), 3, 44
- strong Szegő limit theorem
 - classical, 210
 - with singularity, 211
- summation by parts formula, 579
- supremum norm, 424
- Szegő's limit theorem, 543
- tagged particle, *see* simple symmetric exclusion
- Tanaka's formula, 433
- tangent space, *see* vector operator fractional
 - Brownian motion (vector OFBM)
- Tauberian theorem, 109
- Telecom process
 - convergence to, 133
 - definition, 62, 122
 - intermediate, 123
- tensor product, 600
- time domain, 4
- time lag, 4
- time reversibility, *see* vector operator fractional
 - Brownian motion (vector OFBM)
- time series, 2
 - linear, 6
 - nonlinear, 610
- Toeplitz matrix, 210
- total variation distance, 426
- uniform convergence theorem, 19
- vague convergence, 292, 584
- vector long-range dependence (LRD)
 - amplitude parameters, 496
 - conditions II-v and IV-v, 495
 - definition, 496
 - fractal connectivity, 537
 - fractional cointegration, 504
 - linear representations, 502, 534
 - phase parameters, 496
 - trigonometric power-law coefficients, 502, 536

- vector operator fractional Brownian motion (vector OFBM)
 - continuity in distribution, 476
 - convergence to, 536
 - definition, 475
 - fractional cointegration, 507
 - identifiability, 492
 - Lamperti's theorem, 487
 - primary matrix function, 480
 - proper, 476
 - real spectrum, 495
 - sample path properties, 536
 - spectral domain representation, 476
 - symmetry group, 493
 - tangent space of symmetry group, 493
 - time domain representation, 481
 - time reversibility, 485
 - vector fractional Brownian motion (VFBM), 486
- vector process, 466
- vector-valued stationary series, 469
 - amplitude spectrum, 470
 - coherence, 470, 497
 - definitions, 470
 - phase spectrum, 470
 - time reversibility, 469
- wavelet analysis
 - approximation coefficients, 441
 - biorthogonal wavelet basis, 449
 - conjugate mirror filters (CMFs), 441
 - Daubechies MRA, 444
 - downsampling by 2 operation, 442
 - expansion of BM, 452
 - expansion of FBM, 452
 - fast wavelet transform (FWT), 97, 442
 - fractional CMFs, 450
 - fractional scaling function, 448
 - fractional wavelet, 447
 - Haar MRA, 443
 - Meyer MRA, 445
 - multiresolution analysis (MRA), 443
 - orthonormal wavelet basis, 440
 - scaling function, 441
 - simulation of FBM, 454
 - upsampling by 2 operation, 443
 - wavelet, 94, 441
 - wavelet (detail) coefficients, 94, 441
 - wavelet crime, 443
 - zero moments, 94, 442, 450
- wavelet Whittle estimation, 574
- wavelet-based estimation, 93
 - decorrelation property, 96
 - log-scale diagram, 99
- Weierstrass function, 216
 - convergence to FBM, 220
 - Weierstrass–Mandelbrot process, 217
- white noise (WN), 4, 7
- Wiener integral, 371
- Wiener process, *see* Brownian motion
- Wiener–Hopf factorization, 211
- Young's inequality, 430
- Zygmund class, 25, 527