

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dortha Berntsen

Index

[More information](#)

## Index

---

- aboutness, in PTSD. *See* intentionality, in PTSD
- abstract thinking style, 144
- Acceptance and Commitment Therapy (ACT), 70–1
- active memory storage, 181
- acute stress disorder, 123
- adrenergic agonists, arousal and, 21
- affect without recollection, 111–12
- agency, in narratives, 272–3
- agoraphobia, 154
  - narratives with, 281–2
- alien abduction, false autobiographical
  - memories of, 254–6
- Alzheimer's Disease
  - anosognosia with, 309
  - selfhood with, 296
- AMI. *See* Autobiographical Memory Interview
- amnesia
  - AMI for, 298
  - selfhood with, 297–300
- AMQ. *See* Autobiographical Memory Questionnaire
- AMT. *See* Autobiographical Memory Test
- anchor events, 74
- anosognosia, 309
- anxiety
  - event centrality and, 69
  - rumination and, 200
- anxiety disorders. *See also specific disorders*
  - narratives with, 281–3
- arousal
  - adrenergic agonists and, 21
  - glucocorticoid systems and, 22
  - intrusive memories and, 21
  - stress hormones and, 22
  - trauma and, 21–3
- ASD. *See* autism spectrum disorder
- associative learning processes, 115–16
- attachment theory
  - autobiographical memory and, 93–4
  - childhood abuse and, 93–4, 98
  - defensive exclusion in, 93–4
  - emotional regulation and, 98
- attention. *See* narrowed attention
- autism spectrum disorder (ASD)
  - memory impairment with, 303–5
  - OGM with, 247
  - selfhood with, 303–6
  - self-images with, 306
  - SRE with, 304
- autobiographical memory. *See also* false autobiographical memories; heightened autobiographical memory; impaired autobiographical memory; overgeneral memory; posttraumatic stress disorder
  - acute stress disorder and, 123
  - alterations of, 1
  - attachment theory and, 93–4
  - autoneotic awareness and, 111–12
  - Bartlett on, 2
  - basic system model for, 45–7
  - behavioral results of, 48–50
  - bottom-up disorders and, 8–9
  - CaRFAX model of, 18, 205–6, 235
  - CBM with, 143
  - change in, 45–6
  - childhood abuse and, 95–8
  - clinical disorders and, 1
  - in clinical psychology, 1–2
  - cognition and, 67–8
  - cognitive psychology and, 1
  - construction of, 41, 43–7
  - core structures, 88
  - emotional, 87–8
  - emotional regulation in, 95
  - Freud on, 2
  - as function of psychopathology, 1, 6–7
  - functions of, 1

## 378 Index

- autobiographical memory. (cont.)  
 hierarchical organization of, 318–19  
 identity and, 10–11, 30–2  
 intrusive memories and, 160  
 involuntary, 184–7  
 across lifespan, 293–4  
 loss of narrative reason in, 48  
 multiple dimensions of, 54–5  
 narratives and, 267–8  
 negative cues and, 6  
 neurobiological perspectives on, 87–9  
 neuroimaging literature on, 48  
 neuropsychological effects of, 47–8  
 organization of knowledge for, 368–71  
 positive cues and, 6  
 psychological well-being and, 10–11  
 reconstructive nature of, 32  
 retrieval of specific memories, 6  
 the self within, 338–40  
 self-discrepancy and, 340–1  
 selfhood and, 481.90  
 SMS and, 338–40  
 special mechanisms of, 55–8  
 stability of, 45–6  
 top-down cognitive models of, 8–9  
 trauma and, 7–8  
 for twins, 43–4  
 uniqueness of, 185–6  
 voluntary, 184  
 working self in, 319
- Autobiographical Memory Interview  
 (AMI), 298, 363
- Autobiographical Memory Questionnaire  
 (AMQ), 49–50
- Autobiographical Memory Test (AMT),  
 204, 221  
 for BPD, 224–5, 231–4  
 for CG, 256–7  
 CSA and, 249  
 for PTSD, 244–5  
 for war veterans, 244–5
- autobiographical narrators, 273
- autoneoctic awareness, 111–12
- avoidant coping, 95
- Baddeley's model, of working memory,  
 138
- Bartlett, Frederic C., 2
- basic system model, for autobiographical  
 memory, 45–7  
 component system in, 46  
 event memory system in, 46–7  
 search-and-retrieval system in, 46–ENF
- basolateral nucleus of the amygdala (BLA),  
 21
- bipolar disorder  
 intrusive memories, 154  
 mental imagery with, 141–2
- BLA. *See* basolateral nucleus of the  
 amygdala
- borderline personality disorder (BPD)  
 AMT characteristics in, 224–5, 231–4  
 comorbidity with, 223  
 diagnostic status and, 224–31  
 emotional regulation with, 235–6  
 etiology of, 222–3  
 memory specificity with, 229–30, 232  
 narratives with, 284–5  
 OGM and, 224–33  
 rumination and, 235  
 severity of, 224–31  
 socio-demographics of, 231–3  
 stress reduction with, 236  
 symptoms of, 224–31
- bottom-up disorders, autobiographical  
 memory and, 8–9
- BPD. *See* borderline personality disorder
- brooding, 277–8. *See also* rumination
- bundle theory, of self, 336
- Capture and Rumination, Functional  
 Avoidance, and Executive Function  
 (CaRFAX) model  
 of autobiographical memory, 18, 205–6,  
 235  
 mnemonic interlock process and, 206  
 OGM and, 18, 205–6, 235, 362–4
- category fluency tasks, 203–4
- CBM. *See* cognitive bias modification
- CBT. *See* Cognitive Behavioural Therapy
- Centrality of Events Scale (CES), 68, 370  
 for childhood abuse, 246  
 for recall of trauma memories, 177–9  
 for self-identity, in PTSD, 322  
 for sexual abuse, 246  
 for women, 246
- CG. *See* complicated grief
- childhood abuse. *See also* heightened  
 autobiographical memory; impaired  
 autobiographical memory  
 attachment theory and, 93–4, 98  
 autobiographical memory and, 95–8  
 avoidant coping with, 95  
 CES for, 246  
 Christianson's model and, 90  
 defensive responses in, 92  
 depression and, 87  
 dissociative disorders and, 86–7, 91–2  
 emotional regulation and, 89, 95–8  
 OGM and, 92–3, 95

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorthe Berntsen

Index

[More information](#)

## Index

379

- orienting responses in, 92
- physical examinations for, 95–6
- PTSD and, 86
- repression in, 91–2
- survival processing in, 90
- threat cues and, 91
- trauma-related psychopathology and, 95–8
- childhood sexual abuse (CSA)
  - AMT and, 249
  - depression and, 249–50
  - DID and, 251–3
  - memory recall after, 248–9, 251–2
  - OGM and, 248–53
  - PTSD and, 249–52
  - repression after, 248–9
  - SCEPT and, 250
- Christianson's model, 90
- cognition
  - autobiographical memory and, 67–8
  - PTSD and, 67–8
- Cognitive Behavioural Therapy (CBT)
  - for PTSD, 140
  - RFCBT, 210–11
- cognitive bias modification (CBM)
  - autobiographical memory and, 143
  - in clinical studies, 145
  - mental imagery with, 143–4
  - positive imagery-based, 145
  - thinking styles and, 144
- cognitive models
  - of autobiographical memory, 67–8
  - of PTSD, 67–8
  - top-down models, 8–9
- cognitive psychology, autobiographical memory and, 1
- cognitive reactivity, 343–4
- cognitive therapy
  - CT-PTSD, 6–7, 120, 125
  - imagery re-scripting and, 6–7
  - imagery rescripting in, 135
- Competitive Memory Training (COMET), 212
- complicated grief (CG), 256–7
  - AMT for, 256–7
  - imagination of future events with, 257
  - MDD and, 258–9
  - OGM and, 364–5
  - WMC with, 257
- concrete thinking style, 144
- coping styles
  - avoidant, 95, 221–2
  - PTG and, 72
  - self-efficacy and, 328
- CSA. *See* childhood sexual abuse
- cued-recall test, 27
- cues
  - negative, autobiographical memory and, 6
  - positive, autobiographical memory and, 6
  - for self-discrepancy, 343
  - threat, 91
- culture
  - Eastern, collective model of self in, 349–50
  - self-identity influenced by, 329, 349–51
  - Western, individual model of self in, 349
- defensive exclusion, in attachment theory, 93–4
- defensive responses, 92
- depression
  - bottom-up approach to, 165
  - cognitive conditions for, 157
  - CSA and, 249–50
  - dissociation and, 87
  - emotional conditions for, 157
  - event centrality and, 69
  - intrusive memories and, 154–9
  - involuntary memories and, 164–5
  - narratives with, 276–8
  - OGM and, 364–5
  - PTSD and, 87
  - rumination and, 201, 210–13, 277–8
  - self-appraisals with, 160–1
  - self-relevance and, 344–6
  - shame and, 326
  - top-down approach to, 165–6
  - trauma film paradigm and, 143
- Diagnostic and Statistical Manual of Mental Disorders* (Third Edition) (DSM-III), 4
- DID. *See* dissociative identity disorder
- dissociation
  - in DID, 251–3
  - as emotional regulation, 86–7, 96
  - emotional regulation and, 96
  - event centrality and, 69
  - impaired autobiographical memory and, 91–2
  - panic attacks and, 29
  - peritraumatic, 66
  - for PTSD, 42, 56–7
  - for trauma memories, 29, 42, 56–7
- dissociation disorders
  - childhood abuse and, 86–7, 91–2
  - depression and, 87
- dissociative flashbacks, 111
  - autoneotic awareness and, 111–12
- dissociative identity disorder (DID), 251–3

## 380 Index

- distorted memory. *See* false autobiographical memories
- distraction hypothesis, for flashbacks, 139
- dual representation theory
- PTSD and, 21
  - SAM and, 20
  - stress response theory and, 177
  - trauma and, 19–20, 32
- EMDR treatment. *See* eye-movement desensitization and reprocessing treatment
- emotional autobiographical memory, 87–8.
- See also* narratives
- emotional regulation
- attachment theory and, 98
  - in autobiographical memory, 95
  - with BPD, 235–6
  - childhood abuse and, 89, 95–8
  - dissociation as, 86–7, 96
  - functions of, 86
  - in involuntary memories, 51–2
  - OGM as strategy for, 223–4, 230–1
  - by the self, psychopathology of, 352
  - in voluntary memories, 51–2
- emotions
- as evaluation, 269
  - homologous structures of, 268–70
- event centrality
- ACT principles and, 70–1
  - anxiety and, 69
  - CES scale for, 68
  - construction of, 69–70
  - depression and, 69
  - dissociation and, 69
  - narratives and, 77–8
  - posttraumatic cognitions and, 69–70
  - PTG and, 72–7
  - PTSD and, 68–71, 74–7
  - redundancy with other predictors, 70
- event memory system, 46–7
- everyday involuntary memories, 183–90
- characteristics of, 183–4
  - development of, 184–7
- explicit memory system, 46–7
- extinction learning processes, 116
- eye-movement desensitization and reprocessing (EMDR) treatment, 140
- FA. *See* functional avoidance
- false autobiographical memories, 253–6
- of alien abduction, 254–6
  - formation of, 254–6
  - among war veterans, 253–4
  - in war veterans, 253–4
- fear network theory, 90–1
- females. *See* women
- flashbacks
- Baddeley's model of working memory and, 138
  - dissociative, 111–12
  - distraction hypothesis for, 139
  - formation of, 137–8
  - intrusive memories and, 19, 23, 365–8
  - in laboratory, 136–7
  - memory activation through, 242
  - memory consolidation and, 137–8
  - memory-encoding and, 137
  - mental imagery and, 134–5
  - PTSD and, 19, 23, 86, 134–5
  - reduction of, mechanisms of, 138–40
  - in trauma film paradigm, 136
- fMRI. *See* functional magnetic resonance imaging
- focus retrograde amnesia (FRA), 297–8
- functional avoidance (FA), 221–2
- functional magnetic resonance imaging (fMRI), trauma film paradigm with, 141
- future events, construction of, 44
- with CG, 257
  - with MTT, 321
- gender. *See also* males; women
- PTSD and, 24, 66
  - rumination by, 200
  - trauma memories and, 24–5
- glucocorticoid systems, arousal and, 22
- heightened autobiographical memory
- Christianson's model and, 90
  - fear network theory and, 90–1
  - for negative experiences, 89–91
  - survival processing in, 90
- hippocampal activity, PTSD and, 88
- hormones. *See* sex hormones; stress hormones
- I Am Memory (IAM) Task, 295–6, 482.60
- identity
- autobiographical memory and, 10–11, 30–2
  - PG and, 31–2
  - trauma and, 30–2
- IES. *See* Impact of Event Scale
- imagery rescripting, 6–7, 135
- Impact of Event Scale (IES), 155
- impaired autobiographical memory
- defensive responses in, 92
  - dissociation and, 91–2

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorte Berntsen

Index

[More information](#)

## Index

381

- for negative experiences, 91–3
- OGM and, 92–3
- orienting responses in, 92
- repression in, 91–2
- impaired memory. *See* memory impairment
- impaired problem solving, 6
- insight-oriented psychotherapy, 285–6
- intentional recall, of trauma memories, 177–80
- intentionality, in PTSD, 242–3
- intrusive memories, 8–9
  - arousal and, 21
  - autobiographical memory and, 160
  - in clinical conditions, 154
  - clinical disorders and, 365–8
  - comparison of, with depression, 156–9
  - comparison of, with PTSD, 156–9
  - defined, 164
  - in depression, 154–9
  - emotional arousal levels and, 366–7
  - everyday involuntary compared to, 183–90
  - explanations for, 19
  - features of, 187–90
  - flashbacks and, 19, 23, 365–8
  - IES for, 155
  - as involuntary, 86, 162–4
  - management of, 159–62
  - memory content in, 118–20
  - methodological considerations of, 156–9
  - MTT and, 366
  - peritraumatic processes and states, 156–7
  - prevalence of, 155
  - PTG and, 75
  - PTSD and, 18–19, 154–9
  - recurrent nature of, 189–90
  - reexperiencing in PTSD and, 110
  - self-appraisals of, 160–1
  - sensory features of, 159–60
  - sex hormones as influence on, 25
  - stress hormones and, 22
  - stress response theory and, 5
  - trauma as influence on, 5, 18–19
  - visual imagery and, 366
  - visual vantage perspective for, 160
  - in women, 25
- involuntary autobiographical memory, 184
  - development of, 184–7
  - uniqueness of, 185–6
- involuntary forgetting, 174
- involuntary memory, 8–9
  - activation of, 166
  - behavioral differences in, 54
  - centrality of, 50
  - characteristics of, 183–4
  - construction of, 50–3
  - defined, 163–4
  - depression and, 164–5
  - development of, 172–3
  - emotional intensity of, 50
  - emotional regulation in, 51–2
  - emotionally positive events and, 183
  - everyday, 183–90
  - evidence of, 174–7
  - general model of, 166
  - as intrusive, 86, 162–4
  - negative stimuli for, 181–2
  - origins of, 174–7
  - PTSD and, 42, 58
  - reliving events with, 183
  - retention time for, 183–4
  - retrieval of, 3, 50
  - as stress response, 174–7
  - trauma and, 42, 58
- involuntary recall, of trauma memories, 21, 167
  - enhanced, 180–2
- knowledge, autobiographical memory and, 368–71
  - CES and, 370
  - splitting and, 371
- learning processes. *See* associative learning
  - processes; extinction learning processes
- life scripts, 307
- life stories, 317–18
- long-term memory, memory reconsolidation and, 25
- major depressive disorder (MDD). *See also*
  - depression
  - CG and, 258–9
  - OCD and, 244
  - OGM and, 229
  - PTSD and, 258–9
- males
  - intrusive memories in, 25
  - PTSD in, 24
  - rumination for, 200
  - trauma memories in, 24–5
- maltreatment. *See* childhood abuse
- MDD. *See* major depressive disorder
- memory content, with or without PTSD, 118–20
- memory disorganization, 121–2
  - therapy implications for, 123–4
- memory fragmentation
  - PTSD and, 21, 42, 57–8

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorthe Berntsen

Index

[More information](#)

## 382 Index

- memory fragmentation (cont.)
  - recall of trauma memories and, 121
  - trauma and, 42, 57–8
- memory impairment. *See also* amnesia
  - with Alzheimer's Disease, 309
  - anosognosia as, 309
  - with ASD, 303–5
  - with schizophrenia, 301–2
  - selfhood and, 291, 296–7
  - with TEA, 300–1
- Memory Modulation hypothesis, 32–3
- memory reconsolidation. *See also*
  - rumination
  - long-term memory and, 25
  - propranolol and, 26
  - trauma and, 25–6
- Memory Specificity Training (MEST), 212–13
- mental death, 325–6
- mental imagery. *See also* trauma film
  - paradigm
  - in autobiographical memory, 133
  - with bipolar disorder, 141–2
  - CBM with, 143–4
  - clinical implications of, 140–1
  - defined, 133
  - emotion and, 133
  - flashbacks and, 134–5
  - functions of, 133
  - manipulation of, 146
  - memory consolidation through, 137–8
  - memory-encoding and, 137
  - neural systems for, 134
  - in psychopathology, 135–6
  - rescripting of, 6–7, 135
  - visual, 134, 366
- mental time travel (MTT), 321
  - intrusive memories and, 366
- MEST. *See* Memory Specificity Training
- MTT. *See* mental time travel
- narcissistic personality disorder, 285
- narrative theory, in psychoanalytic
  - tradition, 10
- narratives, 75
  - agency in, 272–3
  - with agoraphobia, 281–2
  - with anxiety disorders, 281–3
  - autobiographical, 273
  - autobiographical memories and, 267–8
  - with BPD, 284–5
  - with depression, 276–8
  - development of, 267–8
  - direct evaluations in, 273–4
  - event centrality and, 77–8
  - fragmentation of, 280–1
  - functions of, 268–9
  - homologous structures of, 268–70
  - insight-oriented psychotherapy and, 285–6
  - levels of, 270–5
  - listener orientation in, 274–5
  - organization of, 267
  - overwhelming, 280–1
  - panic, 282–3
  - with personality disorders, 283–5
  - perspectivity within, 271
  - in posttrauma outcomes, 77–9
  - in psychological disorders, 277
  - psychopathological processes in, 276
  - with PTSD, 279–81
  - reflective evaluations in, 274
  - sad, 283
  - sequencing in, 271–2
  - splitting within, 284
  - trauma, 121–2
- narrowed attention, 29–30
- negative cues, autobiographical memory
  - and, 6
- negative experiences
  - heightened autobiographical memory for, 89–91
  - impaired autobiographical memory for, 91–3
- neuroticism, PTSD and, 78
- obsessive-compulsive disorder (OCD)
  - MDD and, 244
  - OGM and, 244
  - PTSD and, 244
- overgeneral memory (OGM), 6, 221–2, 243–8. *See also* borderline personality disorder; rumination; self-identity, in PTSD
  - AMI for, 363
  - AMT for, 204, 221, 224–5
  - ASD and, 247
  - BPD and, 224–33
  - CaRFAX model and, 18, 205–6, 235, 362–4
  - CG and, 364–5
  - childhood abuse and, 92–3, 95
  - childhood sexual abuse and, 248–53
  - clinical disorders and, 361–5
  - defined, 199
  - depression and, 364–5
  - development mechanisms for, 199
  - discrepancy constructs with, 213–15
  - as emotion regulation strategy, 223–4, 230–1

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorthe Berntsen

Index

[More information](#)

## Index

383

- FA and, 221–2
- hierarchy constructs with, 213–15
- impaired autobiographical memory and, 92–3
- MDD and, 229
- mechanisms of, 9–10
- OCD and, 244
- perceived permanent change and, 122–3
- problem solving with, 221
- PTSD and, 17–18, 67
- retrieval style in, 247–8
- rumination as causal influence, 202–7
- self-identity in PTSD and, 319–22
- SMS for, 221–2
- social problem solving and, 17–18
- as trans-diagnostic phenomenon, 362–3
- trauma as influence on, 17–18
- for war events, 244–5
- WS and, 222
- overwhelming narratives, 280–1
- panic attacks, 29
- panic narratives, 282–3
- perceived permanent change, PTSD and, 122–3
- perceptual priming, 116–17
- posttrauma, 117
- perceptual processing, during PTSD, 117
- peritraumatic dissociation, 66
- personality disorders. *See also specific disorders*
  - narratives with, 283–5
- personality traits, PTSD and, 66
- perspectivity, within narratives, 271
- PG. *See* prolonged grief
- phobias. *See specific phobias*
- positive cues, autobiographical memory and, 6
- possible selves, 328
- Posttraumatic Cognitions Inventory (PTCI), 69
- posttraumatic growth (PTG)
  - anchor event and, 74
  - coping styles and, 72
  - event centrality and, 72–7
  - intrusive thoughts and, 75
  - personal growth in, 71
  - from PTSD, 71–2
  - rumination and, 77
  - self-defining memory and, 74
  - social support and, 72
  - trauma and, 71–2
- posttraumatic stress disorder (PTSD). *See also* involuntary memory; overgeneral memory; reexperiencing; self-identity, in PTSD; voluntary memories
  - accuracy of memory with, 56
  - AMT for, 244–5
  - arousal symptoms of, 41
  - autonomous orientation with, 351
  - avoidance symptoms of, 41, 86
  - behavioral differences in, 53–4
  - bottom-up approach to, 165
  - CBT for, 140
  - cognition and, 67–8
  - cognitive models of, 67–8
  - cognitive therapy for, 6–7, 120
  - CSA and, 249–52
  - current threats in, 109
  - depression and, 87
  - diagnosis of, 175
  - dissociation models for, 42, 56–7
  - dual representation theory of, 21, 67
  - elaboration of trauma memory with, 119–20
  - EMDR treatments for, 140
  - etiology of, 66–7
  - event centrality and, 68–71, 74–7
  - experimental cognitive psychology methods for, 243
  - flashbacks as part of, 19, 23, 86, 134–5
  - gender influences on, 24, 66
  - hippocampal activity and, 88
  - intentionality in, 242–3
  - intrusive memories and, 18–19, 154–9
  - involuntary memory and, 42, 58
  - involuntary recall and, 21
  - in males, 24
  - MDD and, 258–9
  - memory content with, 118–20
  - memory fragmentation and, 21, 42, 57–8
  - mental death and, 325–6
  - multiple dimensions of, 54–5
  - narratives with, 279–81
  - neuroticism and, 78
  - OCD and, 244
  - OGM retrieval after, 17–18, 67
  - pathogenesis of, 10
  - perceived permanent change and, 122–3
  - peritraumatic dissociation and, 66
  - peritraumatic processes and states, 156–7
  - personality traits and, 66
  - posttrauma correlates for, 66, 69–70
  - predictors of symptoms for, 76
  - pre-trauma correlates for, 66
  - psychological symptoms of, 65–6
  - PTG and, 71–2
  - reexperiencing in, 18–19
  - rumination and, 77

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorthe Berntsen

Index

[More information](#)

## 384 Index

- posttraumatic stress disorder (PTSD).  
(*cont.*)
- self-appraisals with, 160–1
  - self-representations in, 244–5
  - sensory dominance of, 21
  - severity scores for, 45
  - shame and, 326
  - from specific event, 66
  - stress response theory and, 5, 175–7
  - Stroop interference effect and, 91
  - top-down approach to, 165–6
  - vantage point and, 28
  - verbally-based memories with, 67
  - from war experiences, 244–5
  - in women, 24
- processing modes
- abstract, 207–13
  - perceptual, during trauma, 117
  - for rumination, 203–5, 207–13
  - survival, 90
  - theory for, 208
  - for trauma, 19–21
  - visually-based, 20
- prolonged grief (PG), 31–2
- propranolol, 26
- psychoanalytic tradition, narrative theory  
in, 10
- psychopathology. *See also* emotional  
regulation; mental imagery
- autobiographical memory as function of,  
1, 6–7
  - mental imagery in, 135–6
  - self-discrepancy and, 341–4, 346–9
  - self-identity and, 349–53
  - self-relevance and, 344–9
  - trauma and, theoretical development of, 4
- PTCI. *See* Posttraumatic Cognitions  
Inventory
- PTG. *See* posttraumatic growth
- PTSD. *See* posttraumatic stress disorder
- recall, of trauma memories, 120–2
- CES for, 177–9
  - after CSA, 248–9
  - encoding in, 182
  - enhanced involuntary, 180–2
  - intentional, 177–80
  - involuntary, 21, 167, 180–2
  - memory disorganization in, 121–2
  - memory fragmentation and, 121
  - specificity of, 121
  - trauma narratives in, 121–2
- reexperiencing, with PTSD
- affect without recollection in, 110–12
  - associative learning in, 115–16
  - clinical implications of, 118
  - defined, 110–12
  - dissociative flashback in, 111–12
  - extinction learning with, 116
  - frequency of, 109
  - intrusive memories and, 110
  - memory content in, 118–20
  - negative appraisals of, 124–5
  - perceptual priming and, 116–17
  - perceptual processing during, 117
  - persistence of, 124–5
  - without PTSD, comparisons to, 114–15
  - recurrent intrusions in, 112
  - rumination and, 124–5
  - stimuli triggers for, 115
  - stimulus discrimination training and, 118
  - symptoms of, 109–12
  - therapy implications for, 114, 125
  - thought suppression and, 124–5
  - after trauma, 112–13
  - warning signals for, 113
- repetitive thinking, trauma as influence on, 4
- repression
- after CSA, 248–9
  - in impaired autobiographical memory,  
91–2
- retrieval induced forgetting (RIF), 26–7
- RFCBT. *See* Rumination-focused  
Cognitive Behavioral Therapy
- RIF. *See* retrieval induced forgetting
- rumination, 18
- abstract processing and, 207–13
  - anxiety predictions and, 200
  - BPD and, 235
  - category fluency tasks and, 203–4
  - control theory and, 214–15
  - cued-recall test and, 27
  - defined, 199–201
  - depression and, 201, 210–13, 277–8
  - discrepancy constructs with, 213–15
  - by gender, 200
  - hierarchy constructs with, 213–15
  - induction, 200–1
  - manipulation of, negative effects from,  
200–1
  - MEST for, 212–13
  - mnemonic interlock process, 206
  - OGM influenced by, 202–7
  - processing modes for, 203–5, 207–13
  - PTG and, 77
  - PTSD and, 77
  - reexperiencing with PTSD and, 124–5
  - RFCBT for, 210–11
  - RIF and, 26–7
  - SCEPT for, 204



Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorthe Berntsen

Index

[More information](#)

## Index

385

- self-discrepancy and, 344
- trauma and, 18, 26–8
- Rumination-focused Cognitive Behavioral Therapy (RFCBT), 210–11
- sad narratives, 283
- SAM. *See* situationally accessible memory
- SCEPT. *See* Sentence Completion for Past Events task
- schizophrenia
  - memory impairment with, 301–2
  - selfhood with, 301–3
  - self-images with, 302
- the self. *See also* self-discrepancy; ; selfhood; self-relevance
  - within autobiographical memory, 338–40
  - bundle theory of, 336
  - defined, 336
  - in Eastern culture, 349–50
  - emotional regulation and,
    - psychopathology of, 352
  - neural studies of, 337–8, 346–8
  - within philosophical realm, 336
  - positive information for, 339–40
  - role in self-identity, 336
  - role of memory in, 337
  - schemas for, 337
  - self-discrepancy, 340
  - SMS and, 338–9
  - SRE and, 337
  - in Western culture, 349
- Self Memory System (SMS). *See also* self-discrepancy
  - autobiographical memory and, 338–40
  - framework for, 221–2, 480.160
  - hierarchical organization of memory in, 318–19
  - the self and, 338–40
  - self-identity and, 318–19
  - WS and, 319
- self-appraisals
  - with depression, 160–1
  - of intrusive memories, 160–1
  - negative, reexperiencing and, 124–5
  - with PTSD, 160–1
  - self-identity and, in PTSD, 324–5
- self-defining memory, 74
- self-discrepancy
  - autobiographical memory and, 340–1
  - cognitive reactivity and, 343–4
  - cues for, 343
  - memory retrieval and, 346–9
  - psychopathology and, 341–4
  - rumination and, 344
  - the self and, 340
- self-efficacy
  - coping and, 328
  - defined, 327
  - in self-identity, with PTSD, 326–8
  - WS and, 327–8
- selfhood
  - with Alzheimer's Disease, 296
  - with amnesia, 297–300
  - with ASD, 303–6
  - autobiographical memory and, 481.90
  - future conceptualizations of, 309–10
  - IAM Task and, 295–6, 482.60
  - life scripts and, 307
  - memory impairment and, 291, 296–7
  - personal continuity as part of, 306–8
  - with schizophrenia, 301–3
  - through self-images, 293
  - with TEA, 300–1
  - TST for, 305
- self-identity, in PTSD
  - attributional style for, 317
  - CES for, 322
  - culture as influence on, 329, 349–51
  - life stories as, 317–18
  - mental death and, 325–6
  - models of, 317–18
  - MTT and, 321
  - OGM and, 319–22
  - of possible selves, 328
  - psychopathology and, 349–53
  - the self and, 336
  - self-appraisals and, 324–5
  - self-defining memories as part of, 323–4
  - self-efficacy and, 326–8
  - SMS and, 318–19
  - trauma centrality and, 322–3
  - among war veterans, 320–1, 325–6
  - WS and, 327–8
- self-images
  - with ASD, 306
  - with schizophrenia, 302
  - selfhood through, 293
- self-reference effect (SRE), 337
  - with ASD, 304
- self-relevance
  - memory retrieval and, 346–9
  - psychopathology and, 344–6
- Sentence Completion for Past Events task (SCEPT)
  - CSA and, 250
  - for rumination, 204
- sex hormones
  - intrusive memories influenced by, 25
  - trauma memories influenced by, 24–5

Cambridge University Press

978-1-107-03987-2 - Clinical Perspectives on Autobiographical Memory

Edited by Lynn A. Watson and Dorte Berntsen

Index

[More information](#)

## 386 Index

- sexual abuse. *See also* childhood sexual abuse  
 women and, 246  
 shame, 326  
 situationally accessible memory (SAM)  
 dual representation theory and, 20  
 neural networks and, 23  
 trauma and, 19–20  
 SMS. *See* Self Memory System  
 social media networks, 1  
 social phobia, 154  
 social problem solving, OGM retrieval and, 17–18  
 social support, PTG and, 72  
 specific memories  
 retrieval of, in autobiographical memory, 6  
 trauma and, 17–18  
 splitting  
 in knowledge organization, within autobiographical memory, 371  
 within narratives, 284  
 SRE. *See* self-reference effect  
 stimulus discrimination training, 118  
 stress hormones, 22  
 stress response theory  
 active memory storage and, 181  
 BPD and, 236  
 dual representation theory and, 177  
 intrusive memories and, 5  
 involuntary memories and, 174–7  
 for involuntary recall, 180–2  
 model for, 174–5  
 PTSD and, 5, 175–7  
 Stroop interference effect, 91  
 survival processing, 90  
 TEA. *See* transient epileptic amnesia  
 thinking styles. *See* abstract thinking style; concrete thinking style  
 thought suppression, 124–5  
 threat cues, 91  
 transient epileptic amnesia (TEA), 300–1  
 trauma, memories and. *See also* involuntary memory; posttraumatic stress disorder; recall, of trauma memories; reexperiencing; stress response theory; voluntary memories  
 accuracy in, 56  
 arousal and, 21–3  
 autobiographical memory and, 7–8  
 behavioral differences in, 53  
 dual representation theory and, 19–20, 32  
 elaboration of memory, 119–20  
 gender as influence on, 24–5  
 historical examples of, 65  
 identity and, 30–2  
 incoherence of, 42  
 integration model for, 32–3  
 intrusive memories after, 5, 18–19  
 involuntary memory and, 42, 58  
 lifetime exposure rates for, 65  
 memory fragmentation and, 42, 57–8  
 memory influenced by, 4  
 Memory Modulation hypothesis for, 32–3  
 memory reconsolidation and, 25–6  
 mode of processing for, 19–21  
 narratives and, 77–9  
 narrowed attention and, 29–30  
 neural mechanisms for, 23–4, 87–9  
 OGM and, 17–18  
 panic attacks and, 29  
 perceptual processing during, 117  
 PG and, 31–2  
 positive outcomes from, 42, 56–7, 71–2  
 psychopathology and, theoretical development of, 4  
 PTG and, 71–2  
 reexperiencing after, 112–13  
 repetitive thinking influenced by, 4  
 rumination and, 26–8  
 SAM and, 19–20  
 sex hormones as influence on, 24–5  
 specificity of, 17–18  
 VAM and, 19  
 vantage point and, 28  
 visually-based processing in, 20  
 trauma film paradigm  
 adaptations to, 141–2  
 depression and, 143  
 flashbacks in, 136  
 fMRI with, 141  
 laboratory studies with, 141  
 memory consolidation after, 137–8  
 memory-encoding and, 137  
 trauma narratives, 121–2  
 Twenty Statements Test (TST), 305  
 twins, autobiographical memory for, 43–4  
 uniqueness, of autobiographical memory, 185–6  
 VAM. *See* verbally accessible memory  
 vantage point, PTSD and, 28  
 verbally accessible memory (VAM)  
 neural networks and, 23  
 trauma and, 19  
 verbally-based memories, 67

veterans. <i>See</i> war veterans	PTSD and, 244–5
visual mental imagery, 134	self-identity for, with PTSD, 320–1
intrusive memories and, 366	well-being, psychological, 10–11
voluntary autobiographical memories, 184	WMC. <i>See</i> working memory capacity
voluntary memories	women
centrality of, 50	CES for, 246
construction of, 50–3	intrusive memories in, 25
emotional intensity of, 50	PTSD in, 24, 66
emotional regulation in, 51–2	rumination for, 200
emotionally positive events and, 183	sexual abuse against, 246
reliving events with, 183	trauma memories in, 24–5
retention time for, 183–4	working memory, Baddeley's model of, 138
retrieval of, 3, 50	working memory capacity (WMC), 257
war veterans	working self (WS)
AMT for, 244–5	in autobiographical memory, 319
false autobiographical memories in, 253–4	OGM and, 222
mental death for, 325–6	self-efficacy and, 327–8
MTT for, 321	self-identity in PTSD, 327–8
OGM and, 244–5	in SMS, 319