

INDEX

- #, 39, 48
 \$, 20
 %in%, 104, 124t. 5
 ;, 14, 34t. 1
 ?, 23, 29, 34t. 1, 52
 ??, 30, 34t. 1
 [[]], 21
 ~, 70
 <-, 14
- abbreviate(), 345t. 17
 abline(), 123, 156, 157t. 7, 164
 Acheulean, 22, 23, 304
 addmargins(), 70, 84t. 4
 addNA(), 70, 84t. 4
 aggregate(), 247, 264t. 12, 325
 all(), 87, 124t. 5
 alr(), 142, 143t. 6
 anacor(), 294, 295t. 14
 any(), 87, 124t. 5
 aov(), 179, 189t. 9
 Box 9, 188
 apply(), 127, 143t. 6
 archaeological data, 36
 archdata, 22, 33
 aregImpute(), 154, 157t. 7
 array(), 16, 34t. 1
 arrows(), 123, 124t. 5
 arrows.circular(), 353, 377t. 18
 as.character(), 27, 34t. 1, 67
 as.complex(), 147
 as.dendrogram(), 345, 345t. 17
 as.dist(), 312, 317t. 16
 as.expression(), 402, 411t. 20
 as.integer(), 67, 84t. 4
 as.listof(), 371, 377t. 18
 as.matrix(), 264t. 12
 asin(), 139, 143t. 6
 assemblage, 397
 association, 191
 Chi square test, 190, 279
 expected values, 191
 observed values, 191
 residuals, 280
 Contingency coefficient, 196
 Cramer's V, 196
 Fisher's Exact Test, 194
 independence, 190
 independent observations, 192
 Kendall rank correlation, 199
 Kendall's tau, *see association:Kendall rank correlation*
 Kendall's tau-b (), 199
 Kendall's tau-c, *see association:Stuart's tau-c*
 Lambda coefficients, 197
 Pearson product-moment correlation, 198
 Phi coefficient, 196
 Phi square, 282
 Spearman's rho correlation, 200
 Stuart's tau-c, 197, 200
 Assocs(), 195, 214t. 10
 attach(), 54, 63t. 2

- attr(), 88, 124t. 5
- attributes(), 23, 24, 34t. 1
- axis(), 123, 124t. 5

- BarmoseI.grid, 358
- BarmoseI.pp, 367
- barplot(), 90, 124t. 5
- battleship.plot(), 292, 295t. 14, 380, 381
- Bayesian inference, 4
- bcPower(), 134, 143t. 6
- beanplot(), 101, 124t. 5
- bertinplot(), 387, 396t. 19
- bestnmds(), 304, 317t. 16
- bin.var(), 77, 78, 84t. 4
- binning, 77
- biplot(), 271, 278t. 13
- boot(), 167, 189t. 9
- boot.ci(), 168, 189t. 9
- boxcox(), 227, 243t. 11
- boxM(), 262
- boxplot(), 100, 124t. 5
- Boxplot(), 100, 124t. 5
- bquote(), 402, 411t. 20
- brewer.pal(), 363, 377t. 18
- bw.SJ(), 98, 124t. 5
- by(), 129, 143t. 6, 202

- c(), 15, 26, 34t. 1
- ca(), 293, 295t. 14
 - Box 15, 294
- CA(), 293, 295t. 14
- candisc(), 250, 264t. 12
- categorical data, 65
- cbind(), 156, 157t. 7
- cca(), 293
- cca() (ade4), 295t. 14
- cca() (vegan), 295t. 14
- Central Limit Theorem, 48
- charts and graphs, 85
 - 3d plot, 110
 - bar chart, 90
 - bean plot, 101
 - box-and-whisker plots, 99
 - conditioning plot, 114
 - dot plot, 93
 - graphics compression, 117
 - histogram, 96
 - kernel density, 98
 - overplotting, 107
 - pairs plot, 109
 - pie chart, 89
 - QQ plot, 99
 - raster graphics, 116
 - scatter plot, 103
 - side-by-side bar chart, 93
 - stacked bar chart, 91
 - stem-and-leaf plot, 95
 - strip chart, 101
 - sunflower plot, 107
 - ternary, triangle, or triax plot, 115
 - vector graphics, 117
 - violin plot, 101
- chisq.test(), 193, 214t. 10
 - Box 10, 212
- chull(), 376, 377t. 18
- circular statistics, 349
 - direction**, 349
 - mean, 351
 - orientation**, 349
 - Rao's Test for Homogeneity, 355
 - Rayleigh test, 354
 - rho**, 352
 - standard deviation**, 353
 - variance**, 353
 - wind rose plot, 356
- circular(), 351, 377t. 18
- clarkevans(), 372, 377t. 18
- clarkevans.test(), 372, 377t. 18
- classification
 - supervised, 245, 263
 - unsupervised, 245, 318
- cld(), 189t. 9
- clr(), 142, 143t. 6
- clusplot(), 332, 345t. 17
- cluster analysis, 318
 - cluster separation, 330
 - cophenetic correlation, 338
 - distance measures, 334
 - hierarchical methods, 334
 - average linkage**, UPGMA, 335
 - centroid**, 335
 - complete linkage**, 335

- McQuitty, WPGMA, 335
- single linkage**, 334
- Wards's**, 334
- k-means**, 319, 321, 323
- monothetic divisive**, 319, 322
- number of groups, 327
- polythetic agglomerative**, 319
- polythetic divisive**, 319
- reasons for, 320
- scree plot, 327
- silhouette plots, 330
- type specimen**, 319
- weighting variables, 321, 334
- cluster.overplot(), 109, 124t. 5
- cmdscale(), 304, 306, 317t. 16
- Box 16, 315
- cmeans(), 342, 345t. 17
- coca(), 294, 295t. 14
- coef(), 214, 214t. 10, 243
- colMeans(), 25, 34t. 1, 127
- colnames(), 18, 20, 34t. 1
- colSums(), 25, 34t. 1, 127
- complete(), 156, 157t. 7
- complete.cases(), 148, 157t. 7
- compositional analysis**, 144
- additive log-ratio**, 141
- centered log-ratio**, 141
- missing data, 151
- confint(), 214t. 10, 243, 243t. 11
- contour(), 241, 243t. 11
- cophenetic(), 338, 345t. 17
- coplot(), 114, 124t. 5
- cor(), 150, 157t. 7, 199
- cor.test(), 199, 214t. 10
- corresp(), 293, 295t. 14
- correspondence analysis, 279, 388
- detrended, 388
- inertias**, 282
- masses**, 281, 282
- principal inertias**, 283
- singular value decomposition, 280
- standardized residuals, 280
- total inertia**, 282, 283
- count.overplot(), 109, 124t. 5
- criterion(), 383, 396t. 19
- cut(), 77, 84t. 4, 362
- cutree(), 337, 345, 345t. 17
- D2.dist(), 303, 317t. 16
- daisy(), 303, 317t. 16, 334, 345t. 17
- DartPoints, 52, 99, 106, 109, 148, 183, 198, 205
- data(), 22, 35t. 1, 52
- data.frame(), 19, 26, 35t. 1
- stringsAsFactors, 66
- dbinom(), 43, 63t. 2
- decorana(), 293, 295t. 14, 388
- density(), 164, 189t. 9
- densityPlot(), 98, 124t. 5
- Desc(), 56, 58, 63t. 2
- Box 3, 62
- descriptive statistics, 4, 49
- central tendency**, 49
- mean**, 49
- median**, 49
- mode**, 49
- dispersion**, 50
- coefficient of variation**, 50, 128
- interquartile range**, 50
- median absolute deviation**, 50
- range**, 50
- standard deviation**, 50
- variance**, 50
- quantiles**, 51
- shape**, 51
- kurtosis**, 51
- skewness**, 51
- Tukey's 5 number summary, 99
- what to look for, 59
- detach(), 54, 63t. 2
- dev.copy(), 94, 124t. 5
- dev.new(), 94, 124t. 5, 354
- dev.off(), 94, 118, 124t. 5
- deviance(), 214, 214t. 10, 243
- diag(), 260, 264t. 12
- diana(), 343, 345t. 17
- diff(), 51, 63t. 2
- dim(), 246, 264t. 12
- dimnames(), 18, 35t. 1
- dir.create(), 13, 35t. 1
- discriminant analysis, 244
- biplot, 253

- detach() (*cont.*)
 canonical, *see discriminant analysis:descriptive*
 confidence ellipse, 254
 confusion table, 259
 descriptive, 244, 250
 leave-one-out cross validation, 260
 linear, 245, 256
 overfitting, 260
 posterior probabilities, 259
 predictive, 244, 255
 prior probabilities, 257
 quadratic, 245, 256
 typicality probability, 262
- dist(), 150, 303, 305, 317t. 16, 334
- distance, 297
 angular, 297
 Brainerd-Robinson Similarity, 298
 Bray-Curtis Dissimilarity, 298
 Chi square, 297
 Euclidean, 297
 Gower's coefficient, 297, 303
 great circle, 297, 303
 indicator variables, 303
 Jaccard coefficient (asymmetric binary), 297, 302
 Mahalanobis, 273, 297, 303
 Manhattan, 297, 298
 Manhattan and assemblages, 298
 Minkowski, 298
requirements, 297
 simple matching coefficient (symmetric binary), 297, 302
 size effects, 300
- distance(), 303, 317t. 16
- dism(), 303, 312, 317t. 16
- distribution
 binomial, 42
 log-normal, 48
 normal, 47
 Poisson, 45
- distVincentyEllipsoid(), 317t. 16
- diversity**
effective number of species, 401
evenness, 402
 E, 402
 Pielou's J, 402
 H_{\max} , 401
Inverse Simpson Index, 401
rarefaction, 409
richness, 399
Shannon Diversity, 400
Simpson Index, 401
ubiquity, 400
- diversity(), 411t. 20
- dlnorm(), 49, 63t. 2
- dnorm(), 47, 63t. 2
- do.call(), 396t. 19
- dotchart(), 93, 124t. 5
- dotsInPolys(), 364, 377t. 18
- dpois(), 46, 63t. 2
- droplevels(), 68, 84t. 4
- dt(), 189t. 9
- DunnTest(), 182, 189t. 9
- EndScrapers, 72, 91
- envelope(), 377t. 18
- ESASites, 409
- EWBurials, 350
- example(), 30, 35t. 1
- exp(), 39, 63t. 2
- fa(), 277, 278t. 13
- factanal(), 277, 278t. 13
- factor analysis, 265, 277
 latent variables or factors, 266
- factor(), 60, 63t. 2, 67
- fanny(), 342, 345t. 17
- Fibulae, 88, 95, 103, 107, 127, 132, 162
- file.choose(), 27, 35t. 1
- filled.contour(), 367, 377t. 18
- fisher.test(), 194, 214t. 10
- fitted(), 214, 214t. 10, 243
- fivenum(), 99, 124t. 5
- fix(), 27, 35t. 1, 60
- ftable(), 75, 84t. 4
 Box 5, 82
- function(), 160, 189t. 9
- generalized linear model, 219, 235
 Akaike Information Criterion (AIC), 238
 deviance, 237

- logistic regression, 235
 - confusion table, 239
 - overfitting, 239
- logit, 237
- geometric.mean(), 136, 143t. 6
- geometricmean(), 136, 143t. 6
- Gest(), 377t. 18
- get_order(), 396t. 19
- getwd(), 13, 35t. 1
- glht(), 184, 189t. 9
 - Box 9, 188
- glm(), 236, 242, 243t. 11
- Gmean(), 136, 143t. 6
- gower.dist(), 303, 317t. 16
- gpar(), 396t. 19
- gray(), 89, 124t. 5, 362
- grid(), 103, 123, 124t. 5
- grid.text(), 396t. 19
- gsub(), 396t. 19

- Handaxes, 221, 321
- hclust(), 345t. 17
 - Box 19, 344
- head(), 67, 84t. 4
- help(), 25, 29, 35t. 1
- help.search(), 35t. 1
- help.start(), 31, 35t. 1
- hist(), 96, 124t. 5
- Hist(), 97, 124t. 5
- hotdeck(), 153, 157t. 7
- HotellingsT2Test(), 246, 264t. 12

- identify(), 345, 411t. 20
- ifelse(), 88, 124t. 5
- impute(), 151, 157t. 7
- inferential statistics, 4, 159
 - confidence intervals**, 159, 162
 - bootstrapping, 166
 - sample distribution**, 162, 164
 - sampling distribution**, 163, 164
 - standard error, 165
 - t-distribution, 165
 - degrees of freedom**, 174
 - hypothesis testing**, 159, 169
 - null hypothesis, 169
 - power of a statistical test, 170
 - significance level, 169
 - statistical significance, 169
 - type I (α) error, 173
 - Type I (α) error, 170
 - Type II (β) error, 170
- nonparametric statistics, 160
- normal distribution, 159
- parametric statistics, 159
- population, 159
- population parameter**, 159
- sample, 159
- sample statistic**, 159
- install.packages(), 22, 35t. 1, 43
- IQR(), 51, 63t. 2
- is.na(), 146, 148, 157t. 7
- isoMDS(), 304, 308, 317t. 16
 - Box 16, 315

- jitter(), 107, 124t. 5

- KendallTauB(), 199, 214t. 10
- kmeans(), 323, 345t. 17
 - Box 18, 343
- kNN(), 153, 157t. 7
- kruskal.test(), 182, 189t. 9
- kuiper.test(), 355, 377t. 18
- kurtosis(), 51, 63t. 2

- lapply(), 59, 63t. 2, 129
- lda(), 256, 264t. 12
 - Box 13, 263
- legend(), 90, 105, 123, 124t. 5, 164
- length(), 166, 189t. 9
- letters, 15
- levels of analysis, 36, 65
- levels(), 60, 67, 84t. 4
- library(), 22, 35t. 1, 43, 52
- line(), 211, 214t. 10
- linear regression, 204
 - assumptions, 219
 - autocorrelation, 220
 - causal relationship, 190
 - confidence and prediction bands**, 208
 - diagnostic plots, 208, 223
 - dummy variables, 232

- linear regression (*cont.*)
 - explanatory (independent) variable, 190, 204
 - homoscedasticity**, 220, 225
 - least squares, 205, 211
 - logarithmic function, 404
 - multicollinearity**, 221, 226
 - multiple regression, 219
 - power function, 406
 - response (dependent) variable, 190, 204
- lines(), 123, 124t. 5, 164, 393
- list, 20, 35t. 1, 38
- list(), 21
- lm(), 207, 214t. 10, 222, 247
 - Box 11, 213
- load(), 27, 35t. 1
- locator(), 360, 378t. 18, 392
- LOESS, 105, 110
- log(), 39, 63t. 2
- log10(), 39, 63t. 2
- loglin(), 235, 243t. 11
- mad(), 51, 63t. 2
- mahalanobis.dist(), 303, 317t. 16
- manova(), 248, 264t. 12
- mantel(), 314, 317t. 16
 - Box 17, 316
- mantel.partial(), 314, 317t. 16
- mapply(), 129, 359, 378t. 18
- maps, 358
 - 2d kernel density, 370
 - 3d perspective, 366
 - choropleth, 361
 - contour, 365
 - convex hulls, 375
 - dot density, 364
 - excavation unit, 358
 - filled contour, 366, 371
 - point plot, 367
- margin.table(), 77, 84t. 4
- matlines(), 123, 124t. 5, 211
- matrix(), 16, 35t. 1
- max(), 214t. 10
- mca(), 293, 295t. 14
- MCA(), 293, 295t. 14
- mclust(), 345t. 17
- mean(), 29, 50, 63t. 2
- MeanCI(), 165, 189t. 9
- measurement scales, 3
 - categorical, 3, 65
 - continuous, 3, 47, 48
 - dichotomy, 3, 42
 - discrete, 3, 45
 - interval, 3
 - rank, 3
 - ratio, 3
- median(), 50, 63t. 2
- metaMDS(), 304, 309, 317t. 16
- mice(), 155, 157t. 7
- min(), 214t. 10
- missing data, 38, 144
 - hot deck imputation, 152
 - k-nearest neighbor imputation, 153
 - listwise deletion, 147
 - missing at random, 144
 - missing completely at random, 144
 - multiple imputation, 154
 - NA, 54
 - pairwise deletion, 149
 - predictive mean matching, 155
 - single value imputation, 150
- mjca(), 293, 295t. 14
- mkgrid(), 359
- mona(), 343, 345t. 17
- monoMDS(), 304, 317t. 16
- multidimensional scaling, 303
 - metric, 303
 - non-metric, 304, 308
 - principal coordinates analysis, 304
 - Shepard plot, 310
- multiple sample test, 178
 - analysis of variance, 178
 - compact letter display, 184
 - comparisonwise error rate, 185
 - Dunn's test, 182
 - familywise error rate, 185
 - Kruskal-Wallis, 178, 182
 - multiple comparisons, 180
 - multivariate analysis of variance, 244, 247
 - Tukey's honest significant differences, 181
- Munsingen, 386
- NA, 38, 54

- na.omit(), 149, 157t. 7
 names(), 17, 20, 59, 63t. 2, 359
 NbClust(), 329, 339, 345t. 17
 Nelson, 381
 nls(), 407, 411t. 20
 nmds(), 304, 317t. 16
 nonlinear least squares, 407
 asymptotic, 407
 nrow(), 148, 158t. 7
 numSummary(), 55, 63t. 2
 Box 2, 61

 Olorgesailie.maj, 115, 138
 Olorgesailie.sub, 280
 open3d(), 111, 124t. 5
 options(), 41, 55, 63t. 2
 digits, 41
 scipen, 41, 58
 order(), 282, 295t. 14
 ordered(), 68, 84t. 4
 outer(), 241
 outliers, 60
 owin(), 378t. 18

 p.adjust(), 189t. 9
 pairs(), 109, 124t. 5
 pam(), 342, 345t. 17
 par(), 94, 124t. 5
 Box 6, 119
 paste0(), 156, 158t. 7
 pchisq(), 243t. 11
 pdf(), 118, 124t. 5
 permute(), 382, 396t. 19
 persp(), 242, 243t. 11, 366
 Phi(), 196
 pie(), 89, 124t. 5
 PitHouses, 192
 plot(), 103, 125t. 5
 Box 7, 122
 plot3d(), 110, 125t. 5
 plotDistr(), 43, 44, 63t. 2
 PlotViolin(), 101, 125t. 5
 pnorm(), 47, 63t. 2
 pointLabel(), 402, 411t. 20
 points(), 104, 123, 125t. 5
 polygon(), 123, 125t. 5, 359
 Polygon(), 378t. 18

 Polygons(), 378t. 18
 postscript(), 125t. 5
 ppp(), 367, 378t. 18
 prcomp(), 268, 278t. 13
 Box 14, 277
 precision, 41, 56
 predict(), 158t. 7, 209, 214, 239, 243
 principal components analysis, 265
 biplot, 268, 271
 communality, 276
 covariance vs correlation matrix, 267
 eigenvalues and eigenvectors, 266
 loadings, 266, 269
 number of components, 267
 rotation, 268
 scores, 266, 276
 scree plot, 266, 267
 singular value decomposition, 268
 structure matrix, 276
 variances, 270
 principal(), 268, 278t. 13
 principal.curve(), 396t. 19
 princomp(), 268, 278t. 13
 print(), 21, 23, 35t. 1
 prop.table(), 69, 84t. 4
 prop.test(), 173, 189t. 9

 q() or quit(), 28, 35t. 1
 qda(), 256, 262, 264t. 12
 qqPlot(), 99, 125t. 5, 131
 qt(), 166, 189t. 9
 quantile(), 51, 63t. 2

 R Project for Statistical Computing, 5, 11
 apply family, 127, 160
 arithmetic operations, 38
 array, 16, 76
 atomic, 18
 control-flow, 161
 for, 161
 if, 161
 while, 161
 data frame, 20, 23, 25
 documentation, 29, 30
 factor, 15, 20, 27, 65
 correcting levels, 60
 formula method, 70, 100

- R Project for Statistical Computing (*cont.*)
 functions, 28
 arguments, 29
 generic function, 29, 62, 122
 graphics systems, 85
 Inf, 146
 list, 113
 logical expressions, 86
 matrix, 15, 37
 NA, 145
 NaN, 146
 NULL, 147
 object, 28
 precedence of operations, 39
R Commander, 32
Rattle, 33
recycling, 41
RStudio, 32
 significant digits, 41, 56
 table, 37
 vector, 14, 15
vectorization, 40
vignettes, 30
 workspace, 28
 rainbow(), 363, 378t. 18
 range(), 51, 63t. 2
 range.circular(), 355, 378t. 18
 rank(), 178, 189t. 9
 rao.spacing.test(), 355, 378t. 18
 rao.test(), 355, 378t. 18
 rarefy(), 409, 411t. 20
 rayleigh.test(), 354, 378t. 18
 RBGlass1, 245, 256
 rbind(), 158t. 7
 RBPottery, 247, 335
 rcorr.adjust(), 202, 214t. 10
 read.csv(), 27, 35t. 1
 Box 1, 33
 read.ftable(), 83
 read.table(), 35t. 1
 readLines(), 35t. 1
 rect(), 123, 125t. 5
 rect.hclust(), 337, 345, 345t. 17
 rep(), 345t. 17
 replicate(), 129, 163, 167, 189t. 9
 residuals(), 214, 215t. 10, 243
 return(), 160, 189t. 9
 rev(), 384, 396t. 19
 rho.circular(), 352, 378t. 18
 rlm(), 211, 215t. 10, 230
 rnorm(), 162, 189t. 9
 robust statistics, 60
 rose.diag(), 356, 378t. 18
 round(), 42, 44, 63t. 2
 row.names(), 20, 35t. 1
 rowMeans(), 25, 35t. 1, 94, 127
 rownames(), 18, 20, 35t. 1
 rowSums(), 25, 35t. 1, 127
 rpoint(), 378t. 18
 runif(), 161, 189t. 9

 sample(), 66, 84t. 4, 328
 sample.int(), 396t. 19
 sapply(), 129, 156, 158t. 7, 327
 save(), 27, 35t. 1, 60
 scale(), 135, 143t. 6, 277
 scatter3d(), 110, 125t. 5
 scatterplot(), 105, 125t. 5
 scatterplot3d(), 112, 125t. 5
 scatterplotMatrix(), 109, 125t. 5
 sd(), 51, 63t. 2
 segments(), 123, 125t. 5, 393
 seq(), 47, 64t. 2, 96
 seq_along(), 378t. 18
 seriate(), 383, 396t. 19
 seriation, 379, 380
 “two-way one-mode”, 380
 “two-way, two-mode”, 380
 concentration Principle, 395
 distance matrix ordering, 381
 Ford’s method, 379
 loss measures, 383
 merit measures, 383
 principal curves, 390
 rectangular matrix ordering, 384
 Robinson’s method, 379, 381
 set.seed(), 66, 84t. 4
 setdiff(), 135, 143t. 6
 setwd(), 13, 35t. 1
 shapiro.test(), 175, 189t. 9
 Shepard(), 317t. 16
 Box 16, 316
 signif(), 42
 silhouette(), 331, 345t. 17
 sink(), 59, 64t. 2, 78
 sizeplot(), 108, 125t. 5

- skewness(), 51, 64t. 2
- snapshot3d(), 111, 125t. 5
- Snodgrass, 171, 232, 235
- sort(), 95, 125t. 5
- spatial analysis, 372
 - complete spatial randomness (CSR), 372
 - envelope(), 373
 - nearest neighbor (Clark-Evans), 372
 - SpatialPolygons object, 361
- SpatialPolygons, 361
- SpatialPolygons(), 378t. 18
- SpearmanRho(), 200, 215t. 10
- specnumber(), 411t. 20
- split(), 59, 64t. 2
- sprintf(), 359, 378t. 18
- sqrt(), 39, 64t. 2
- SSasyp(), 407, 411t. 20
- SSasypOrig(), 407, 411t. 20
- SSgompertz(), 408, 411t. 20
- SSlogis(), 408, 411t. 20
- statistical learning, 4
- stem(), 95, 125t. 5
- stem.leaf(), 96, 125t. 5
- stem.leaf.backback(), 96, 125t. 5
- str(), 17, 35t. 1, 52
- stripchart(), 101, 125t. 5
- StuartTauC(), 200, 215t. 10
- subset(), 103, 116, 125t. 5
- sum(), 64t. 2, 148
- summary(), 25, 35t. 1, 55, 243
- sunflowerplot(), 108, 125t. 5
- svg(), 125t. 5
- sweep(), 276, 278t. 13
- symbols(), 378t. 18
- symbox(), 131, 143t. 6

- t(), 93, 125t. 5
- t.test(), 174, 189t. 9
 - Box 8, 187
- table, 65, 80
 - cross-tabulation, 37
- table(), 69, 72, 84t. 4
- tail(), 125t. 5
- tapply(), 125t. 5, 129, 175
- terrain.colors(), 363, 378t. 18
- text(), 104, 123, 125t. 5, 358
 - pos=, 307

- tiff(), 118, 125t. 5
- title(), 264t. 12
- transcan(), 151, 158t. 7
- transforming data, 126
 - columns, 129
 - Box–Cox transformations, 132
 - rows, 136
 - closure, 139
 - geometric mean, 136
- triax.plot(), 115, 125t. 5
- TukeyHSD(), 181, 189t. 9
 - Box 9, 188
- two sample test, 171
 - difference of means test, 174
 - equal variances test, 176
 - Hotelling's T test, 244, 245
 - Mann-Whitney U, *see two sample test: Wilcoxon rank sum*
 - proportions, 171
 - Shapiro-Wilk normality test, 175
 - Welch's *t*-test, 174
 - Wilcoxon rank sum, 177
- typprob(), 263

- unionSpatialPolygons(), 361, 378t. 18
- update.packages(), 28, 35t. 1

- var(), 51, 64t. 2
- var.test(), 176, 189t. 9
- vegclust(), 342, 345t. 17
- View(), 19, 35t. 1, 52
- vignette(), 35t. 1

- watson.test(), 355, 378t. 18
- weighted.mean(), 384, 396t. 19
- which(), 135, 143t. 6
- wilcox.test(), 189t. 9
- with(), 100, 125t. 5
- write.csv(), 27, 35t. 1
- write.fable(), 83

- xor(), 87, 125t. 5
- xtable(), 79, 84t. 4
- xtabs(), 69, 72, 84t. 4, 91
 - Box 4, 81
- xyz.convert(), 112, 125t. 5