

Index

- acquisition design, 171, 285, 289, 319; *see also*
 - design of experiments
- agriculture, 292
- Aki–Richards approximations, 276
- alternatives, 66
 - optimal alternative, 74; *see also* decision analysis
- amplitude-versus-offset (AVO) seismic data, 19, 265;
see also seismic data
- anisotropy, 287
- approximate Bayesian computation (ABC), 58, 200, 362
- approximate dynamic programming, 214, 218
- Archie’s law, 277, 324
- assessed form, 96
- axioms of decision theory, 75

- basin modeling, 21, 59, 247, 260, 321, 322
- basin modeling example, 244
 - project, 321
 - value of information (VOI), 244–258
- basin street blues, *see* basin modeling example
- Bayes’ rule, 40, 96
- Bayesian modeling, 39
 - fully Bayesian, 41
 - marginal likelihood and posterior, 40, 96
 - prior and likelihood, 40, 96
- Bayesian network example, 233
 - Bayes’ rule, 42–44
 - North Sea model, 233–244
 - project, 319–321
 - sequential decisions, 214–216
- Bayesian network toolbox (BNT), 313, 319, 328
- Bayesian networks, 36, 44, 236–239, 356–359
 - child node, 36, 356
 - cliques, 358
 - conditional probability table, 36
 - directed acyclic graph (DAG), 80, 356
 - edges, 36
 - full conditional distribution, 356
 - Markov property, 356
 - nodes, 36
 - parent node, 36, 356; *see also* influence diagram
- belief networks, 36
- belief propagation, 358
- big data, 2
- binary variables, 24, 38, 42
 - project, 307–308
- binomial distribution, 135, 340
- black gold in a white plight, *see* reservoir
 - characterization example
- Boolean models, 118
- borehole data, 280
 - cores, 282, 289
 - joint counts data, 287
 - XRF or XMET, 280; *see also* mining oxide grade
 - example; rock hazard example
- Brier score, 316

- catchment, 205, 318
- categorical process, 139
- certain equivalent, 71, 77, 95; *see also* decision
 - analysis
- charge variable, 235
- child node, 36, 356
- choice rule, 75
- Cholesky matrix, 58, 333, 336
- circulant matrix, 336
- clairvoyance, 93
- classification, 31, 147, 225
- clique tree, 358
- cliques, 350
 - Bayesian networks, 358
 - Markov random fields, 141, 350
 - potentials, 142
- closed skew-normal model, 134, 305
- clustering, 249
- CO₂ sequestration, 309
- cogency, 159
- commitment to action, 67
- conditional independence, 34–39

- conditional probability density function (pdf), 32;
 see also Bayesian modeling; probability density function
- conditional probability table, 36, 248
- conservation biology example, 180
 - prediction error, 226–227
 - project, 315–316
 - VOI, constraints, 210–211
 - VOI, high flexibility, 180–184
- constraints, 162, 209–211
- continuous pdf, 25
- controlled source electromagnetic data, 264, 272
- copula, 59
- correlation, 28
 - spatial correlation, 111
- correlogram, 111
- coupled value, 159
 - high decision flexibility, 198–208
 - low decision flexibility, 186–198
- covariance, 28, 34, 46, 102, 111
 - spatial covariance, 111
 - spatial covariance function, 112, 122, 314; *see also* spatial models; spatial simulation
- crops, 293
- cross-covariance, 112
- cross-validation, 48
- cumulative distribution function, 25
- cut-off in grade, 283
- dams, hydropower scheduling, 202, 318
- decision analysis, 65–70
 - certain equivalent, 71, 77, 95
 - clairvoyance, 93
 - delta property, 72, 95
 - lottery, 70
 - maximum expected utility, 74
 - optimal alternative, 74
 - risk preferences, 70
 - strategy, 84
 - utility function, 70
 - value function, 69
 - VOI, definition, 95
 - wealth, 72, 74, 94
- decision quality, 66
- decision regions, 279, 284, 290
- decision situations, 68
 - sequential decision situations, 161, 211–216
 - spatial decision situations, 158
 - static decision situations, 161
- decision theory, 65–70
- decision tree, 78–79
 - CO₂ example, 309
- decoupled value, 165
 - high decision flexibility, 173–186
 - low decision flexibility, 166–172
- delta property, 72, 95
- deposit, mining, 282
- descriptive, decision making, 65
- design of experiments, 21, 54
 - acquisition design, 171, 285, 289, 319
 - space-filling design, 220
 - spatial design, 121, 125, 220
- detector experiment, 99
- development, petroleum reservoir, 193
- digging decision, 76
- dimension reduction, 193
- direct sampling (DS), 148
- direct simulation, 116
- directed acyclic graph (DAG), 80, 356
- discrete probability function, 25
- dissimilarity, 201
- distinction of interest, 15, 68, 156
- double Monte Carlo, 190, 200
- drilling decisions, 263
- d-separation, 357
- dynamic programming, 78, 213, 218
 - approximate dynamic programs, 214, 218
- economic, 3, 97, 221
- edges, 36
- electromagnetic data, 264, 272; *see also* resistivity data; geophysical data
- elicitation schemes, 73
- entropy, 25, 29, 34
 - spatial design, 221–222
- equivalence rule, 75
- evidence propagation, 358
- exploration well, 232, 235, 246, 259
- exploratory data analysis, 15
- exponential utility function, 71
- external field, Markov random field, 143, 269
- facies, 148, 194, 268, 317, 322
- factorization formula, 33, 34
- failure or success, 44, 178, 214, 223, 250
- fault, 259
- five ‘Vs’ of big data, 2
- five rules of actional thought, 75
- flow simulation, 196, 294, 317
- for whom the bell tolls, *see* Gaussian projects example
- forestry example, 169
 - prediction variance, 223–225
 - project, 313–315
 - spatial modeling, 125–128
 - VOI, high flexibility, 184–186
 - VOI, low flexibility, 172
- forward-backward algorithm, 346
 - hidden Markov model (HMM) example, 52
 - Markov models, 346
 - Markov random field, 143, 352
 - project, 311, 316
- frame, 66
- free selection of sites, 173

- frozen, *see* hydropower example
- full conditional distribution, 33
 - Bayesian networks, 356
 - Markov random fields, 141
- gamma ray, 16, 17
- Gassmann’s fluid substitution, 276, 324
- Gaussian, 25, 28, 305, 331
- Gaussian approximation, 55, 137
- Gaussian mixture distribution, 30
- Gaussian projects example, 102
 - certain equivalents, 76–77
 - decision trees, 85
 - modeling, 45–47
 - project, 306, 307
 - VOI, 102–104
- generalized linear model (GLM), 339–343
 - spatial GLM, 135
- geologic scenarios, 191, 294
 - channel orientation, 294
 - delta system, 193
 - meandering system, 149, 193
- geophysical data, 263, 266–270, 272–277; *see also* seismic data; electromagnetic data
- geostatistical simulation, 116–120; *see also* spatial simulation
- geostatistics, 110
- Gibbs formulation, 350
- go with the flow, *see* petroleum simulation example
- gotta get myself connected, *see* Bayesian network example
- graphical models, 35, 42, 78, 236–239, 332, 356–359; *see also* Bayesian networks; influence diagram
- groundwater management example
 - project, 326–329
 - VOI, 292–299
- Hammersley–Clifford theorem, 351
- harvesting decisions, 169, 184
- heat flow, 247
- Herodotus, 66
- Hessian, 136, 341
 - likelihood, 335
- hidden Markov random field, 143
- hierarchical model, 121, 124, 340; *see also* Bayesian networks; influence diagram
- high decision flexibility, 159
 - coupled value, 198–208
 - decoupled value, 173–186
- HMM, 52, 179, 346–348
- hydropower example, 202
 - project, 318–319
 - VOI, 202–208
- I love rock and ore, *see* mining oxide example
- importance sampling, 57
- independence, 28
- indifference, 71, 74, 94
- inferred form, 96
- influence diagram, 79–85, 309, 313
 - algorithms, 85
 - arcs, 80
 - nodes, 80
 - oil and gold example, 86–88
 - time-lapse seismic example, 88–93; *see also* Bayesian networks
- information gathering, 104
 - decision quality, 67
 - sequential information gathering, 161, 216–220, 257
 - spatial decision situations, 159
 - static information gathering, 161
- information theory, 25, 29, 220–221
- information measures, 220–221
- interaction parameter, Ising model, 142
- interpretation, 192, 298
- intrinsic values, 239
- inversion, Bayesian inversion, 40
- inversion, sampling method, 58, 359
- investment decision, 76
 - Gaussian projects example, 306
- Ising model, 141, 350
- isotropy, 112
- iterative simulation, 117
- join tree algorithm, 358
- joint counts, 136
 - project, 326
- joint pdf, 27; *see also* probability density function
- junction tree algorithm, 39, 251, 358
- kernel density, 27, 322
- k*-nearest neighbors, 261
- Kriging, 108, 115, 120
- Kronecker product, 124
- Laplace approximation, 55, 57, 136, 137, 289, 311
- latent variable, 121, 135
- least squares, 51, 108, 334
- likelihood, 40
 - Bayesian modeling, 40, 96
 - Hessian, 335
 - marginal likelihood, 40
 - parameter estimation, 48
 - pre-posterior, 96
 - pseudo-likelihood, 354
 - score, 335
- linear utility function, 70
- logic, 67
- lottery, 70, 308, 309
- low decision flexibility, 165
 - coupled value, 186–198
 - decoupled value, 166–172

MacKenna’s gold, *see* oil and gold example
marginal likelihood, 40
marginal pdf, 28
Markov chain, 38, 344
 absorbing state, 310
 backward chain, 346
 forward–backward algorithm, 346
Markov chain example, 178
 modeling, 44–45
 parameter estimation, 52–53
 project, 310–311
 VOI, 178–180
Markov chain Monte Carlo (MCMC), 59, 145, 323, 362
 Gibbs sampler, 363
 Metropolis–Hastings, 363
 Slice sampling, 364
Markov mesh models, 144
Markov property, 38
 Bayesian networks, 356
 Markov chains, 38, 344
 Markov random fields, 140, 349
Markov random field, 140–147, 268, 315
 cliques, 141
 external field, 269
 forward–backward algorithm, 143, 352
 Ising interaction parameter, 142
 Ising model, 141, 350
 neighborhood, 140, 350
 seismic data project, 323
material, 3, 97, 221
Matlab Bayesian network toolbox, 313, 319, 328
Matlab files, 303
Matlab reservoir simulation toolbox (MRST), 317
maximum expected utility, 74, 209
maximum likelihood estimation, 48
 Bayesian networks, 357
 Fisher scoring, 130, 335
 Gaussian, 341
 Markov models, 346
 Markov random fields, 354
 Newton–Raphson method, 49
 spatial regression model, 125, 335
mean, 25, 28, 34, 46, 111
mean square prediction error, 127; *see also* spatial prediction
message passing, 358
migration, 235, 247, 260
mineralization classes, 50, 128, 282
mining decisions, 280, 281
mining oxide grade example, 280
 project, 325–326
 regression, 50–52
 spatial modeling, 128–131
 VOI, 280–285
mismatch, 201
Monte Carlo simulation, 32, 53–61, 359–364
multiattribute criteria, 73

multidimensional scaling, 54, 317
multiple-point geostatistics, 118, 147–151, 294
 DS algorithm, 148
 patch-based algorithms, 148
 pattern simulation, 148
 pixel-based algorithms, 148
 SNESIM algorithm, 147
 template, 148
neighborhood, Markov random fields, 140, 350
Netica, 297, 313, 327
never break the chain, *see* Markov chain example
nodes, 36
non-parametric models, 26, 32, 260
normative, decision making, 65
Norwegian wood, *see* forestry example
nugget effect, 112, 288
object-based simulation, 118
oil and gold example, 86
 influence diagram, 86–88
 project, 309–310
oil wildcatter, 81
 project, 309
order rule, 75
oxide grade, 18, 50, 128, 280, 325
parent node, 36, 356
Pareto pdf, 26
partial imperfect information, 165
partial perfect information, 164
perfect versus imperfect information, 39, 96, 163
 binary variables project, 308
 conservation biology example, 182
 Gaussian projects example, 46
 mining oxide grade example, 128, 282
permeability, 194, 294, 317
petroleum development decisions, 231
petroleum prospect play, 233
petroleum prospect risking example, 258
 project, 322
 sampling, 59–61
 VOI, 258–263
petroleum prospects, 233
 anticlinal, 245
 faults, 245
 geological, 36, 232, 234, 259
petroleum simulation example, 193
 project, 316–318
 spatial modeling, 149–151
 VOI, 193–198
pirate example, 98
 Bayes’ rule, 42–43
 digging decision, 75–76
 VOI, 98–102
pluri-Gaussian models, 140
Poisson distribution, 135, 287, 326, 340

- porosity, 194, 247, 273, 294, 317
- posterior value, 95
 - spatial decision situations, 163–165
- posterior value computation, 97
 - approximate Bayesian computation, 201
 - interpretation, reliability measure, 192
 - Monte Carlo, 177, 190
- Potts model, 350
- power law distribution, 26, 304
- precision matrix, 332
- prediction error, 227
- prediction variance, 123
 - information measure, 222–225
 - Kriging, 123
- preference, 67
- preference probabilities, 73
- pre-posterior distribution, 96
- prescriptive, decision making, 65
- prior and posterior, 39–41; *see also* Bayesian modeling; probability density function
- prior value, 95
 - definition spatial decision situations, 162
 - high decision flexibility and coupled value, 199
 - high decision flexibility and decoupled value, 174
 - low decision flexibility and coupled value, 188
 - low decision flexibility and decoupled value, 167
- probability density function, 24
 - conditional pdf, 32
 - continuous pdfs, 25
 - discrete pdfs, 25
 - independence, 28
 - joint pdf, 27
 - marginal pdf, 28; *see also* statistical models
- probability rule, 75
- probability tree, 79
- process-based and process-mimicking, 119
- production, petroleum reservoir, 193
- prospect, decision making, 69
- prospects, geological, 36, 232, 234, 259
- P-wave velocity, 16, 323
- pyramid of conditions, 2, 97, 221
- QQ plot, 48, 129, 283
- random field, 110; *see also* spatial models; spatial simulation
- random variable, 22
- range, 112
- recharge decisions, 293, 326
- regression, 46, 50, 334
 - generalized linear model, 341
 - spatial regression model, 120
- rejection sampling, 58, 361
- relevance diagrams, 36
- relevant, 3, 97, 221
- reliability measure, 192, 194, 298, 327
- reservoir attribute, 233, 247, 321
- reservoir characterization example, 265
 - project, 322–324
 - spatial modeling, 144–147
 - VOI, 265–271
- reservoir dogs, *see* seismic and electromagnetic data example
- reservoir simulation, 317
- resistivity data, 264, 272
 - Archie’s law, 277, 324
- resource block, mining, 283
- risk averse, 71
- risk neutral, 70, 162
- risk preferences, 70
- risk seeking, 71
- risking, 22, 59, 259
- risky business, *see* petroleum prospect risking example
- rock hazard example, 286
 - project, 326
 - spatial modeling, 136–139
 - VOI, 286–292
- rock physics, 264
 - Gassmann’s fluid substitution, 276, 324
 - seismic and electromagnetic data, 324
 - seismic modeling, 267, 317
 - soft sand model, 273, 324
- rock support, mining, 286
- rules of actional thought, 75
- salinity, 292
- salt water wells in my eyes, *see* groundwater management example
- sample space, 22, 27
- saturation, 267, 273, 322
- scenario, 69
- scenario, geologic, 191, 294
- segment, geologic, 234
- seismic and electromagnetic data example, 271
 - project, 324–325
 - VOI, 271–280
- seismic data, 18, 30, 144, 263–280, 322–325
 - Aki–Richards approximations, 276
 - AVO data project, 322
 - AVO gradient, 267
 - post-stack versus pre-stack data, 266, 272
 - time lapse, 88, 313
 - zero-offset attributes, 267
- sensitivity, 182
- sensitivity analysis, 54
- separable covariance, 124
- sequential decision situations, 161, 211–216
- sequential Gaussian simulation, 118
- sequential indicator simulation, 139
- sequential information gathering, 161, 216–220, 257
- sequential simulation, 117
- sequential testing, 161, 216–220, 257
- sill, 111, 288

- simulation, 53–61; *see also* Monte Carlo simulation;
spatial simulation
- skew-normal distribution, 132, 305
- SNESIM algorithm, 149
- snow measurements, 202, 318
- soft sand model, 273, 324
- source attribute, 233, 247, 321
- space-filling design, 220
- sparse matrix, 332
- spatial alternatives, 156
- spatial correlation, 111
- spatial correlation range, 112
- spatial covariance, 111
- spatial covariance function, 112, 122, 314
- spatial decision situations, 158
- spatial design, 121, 125, 220; *see also* design of experiments
- spatial generalized linear model, 135
- spatial models, 107–110
 - Gaussian random field, 120
 - Markov random field, 140–147
 - multiple-point geostatistics, 147–151
 - pluri-Gaussian models, 140
 - process-based and process mimicking, 119
 - skew-normal distribution, 132
 - spatial generalized linear model, 135
 - truncated Gaussian models, 140
- spatial prediction, 114–115
 - best linear unbiased predictor, 115
 - Kriging, 115, 123, 127
 - mean square prediction error, 115
 - optimal spatial predictor, 115
- spatial regression model, 120
- spatial simulation, 116–120
 - Boolean, 118
 - direct simulation, 116
 - iterative simulation, 117
 - object-based, 118
 - process-based and process-mimicking, 119
 - sequential Gaussian simulation, 118
 - sequential indicator simulation, 139
 - sequential simulation, 117
 - SNESIM, 149
 - unconditional and conditional simulation, 116, 117
- SPE 10 dataset, 132
- specificity, 182
- St. Petersburg’s paradox, 308
- standard deviation, 25
- static decision situations, 161
- static information gathering, 161
- stationary, 38, 121
 - Markov chain, 345
 - random field, 110
- statistical models, 22
 - Bayesian networks, 36, 44, 236–239, 356–359
 - binary variables, 24, 38, 42
 - binomial, 135, 340
 - Gaussian, 25, 28, 305, 331
 - Gaussian mixtures, 30
 - generalized linear models, 339–343
 - HMMs, 52, 179, 346–348
 - Markov chain, 38, 344
 - Poisson, 135, 287, 326, 340
 - power law, 26, 304
 - skew normal, 305; *see also* probability density function
- stochastic simulation, 53–61; *see also* Monte Carlo simulation; spatial simulation
- strategy, 84
- subset selection, 210, 222, 284
- substitution rule, 75
- success or failure, 44, 178, 214, 223, 250
- survey, 167
 - conservation biology example, 181
 - forestry example, 170
 - groundwater management example, 293
 - seismic and electromagnetic data example, 272
- S-wave velocity, 323
- test sequence, 217
- the tree amigos, *see* conservation biology example
- time after time, *see* time-lapse seismic example
- time-lapse seismic example, 88
 - influence diagram, 88–93
 - project, 313
- time-domain electromagnetic method, 292
 - airborne, 293
 - land-based, 327, 329
- total imperfect information, 165
- total organic carbon (TOC) content, 247
- total perfect information, 163
- total versus partial information, 39, 163
 - forestry example, 170, 184
 - Gaussian projects example, 46
 - reservoir characterization example, 266
- training image, 118, 147, 149
- transformation formula, 333
- transformation of variables, 32, 58, 360
- transient electromagnetic data, 292
 - airborne, 293
 - land-based, 327, 329
- trap attribute, 233, 247, 321
- treasure island, *see* pirate example
- truncated Gaussian models, 140
- tunnel, rock hazard, 286
- uncertainties, 22, 68
- unconditional and conditional simulation, 116, 117
- uniform random numbers, 359
- utility function, 70, 209
 - exponential utility, 71
 - linear utility, 70

logarithmic utility function, 308; <i>see also</i> decision analysis	variance, 25, 28, 34, 111
value function, 69	variogram, 107, 111, 129, 325
coupled, 188, 199	versimultitude, 159
decoupled, 166, 174; <i>see also</i> decision analysis	waste rock, 283
value of clairvoyance, 93	we will rock you, <i>see</i> rock hazard example
value of imperfect information, 97	wealth, 72, 74, 94, 209, 308
partial, 165	workflow, 3, 230–231
total, 165	framing the decision situation, 230
value of information, 95	information-gathering schemes, 230
spatial decision situations, 163–165	spatial model, 230
value of perfect information, 95	VOI analysis, 231
partial, 165	XMET data, 50, 128, 281
total, 164	project, 325
value table, 69, 80, 294, 309, 310	XRF data, 50, 128, 281
variable elimination, 39, 358	project, 325