

## Index

- acoustic frequencies, 54
- autonomous technologies, recent, 312–313
  - Argo programme, 312
  - Autonomous Surface Vehicle (ASV), 313
  - Autonomous Underwater Vehicle (AUV), 313
- buoyancy glider, 313
- wave glider, 313
  
- bathymetric survey planning, 50–51
  - health and safety, 50–51
  - meteorological and local environmental conditions, 51
- bathymetry, 46–50
  - bathymetric survey platforms, 49–50
    - Patch Test, 49
    - sensor locations, 49
    - survey vessels, monohull, catamaran, 49
    - towed sensor locations, 49
    - vessel reference points, 49
  - bathymetric technologies, 46–48
    - calibration, transducer draft, bar check, 47
    - multibeam echo sounders, 48–49
    - single-beam echo sounder, 48, 50
    - speed of sound, velocimeter, 47–48
  - bathymetry, methodology, 50
    - sidescan sonar, 50, 52
    - survey lines, 50
- bedload sediment transport, 264–267
  - bedform movements, 266–267
    - bedform migration, 265–266
    - bedload transport rates, 266
    - dune field, wavelength, height, 265–266
  - mechanical traps, 265–266
    - Fyke net, 266
    - Helley Smith sampler, 265
  - propagating bed forms, 264
- bores, 8–10
  
- coastal erosion, 115
- cohesive sediments, definition, 211
  
- data-buoy biofouling, preventative methods, 307–311
  - antifouling systems, 308
  - biofouling of turbidity sensor, 309
    - mechanical cleaning, 310
  - chemical antifouling systems, 309
  - coppercoat, 308
  - mechanical cleaning, 310
- data-buoy communications, 300–302
  - GSM – mobile network, 301
    - data connectivity, 301
  - radio, 300–301
    - radio modems, VHF, UHF, 300
  - satellite, 301–302
    - Iridium network, 301
  - wireless Ethernet communications, 302
    - control system, computer network, 302
- data-buoy data handling, control, 299–300
  - data, transmitting to shore, 300
  - device handlers, 300
- data-buoy design, legal obligations, 294–295
  - Automatic Identification Systems (AIS), 295
  - superstructure design, 295
- data-buoy in-water measurements, 305–307
  - Acoustic Doppler Current Profiler (ADCP), 307
    - deployment method, 97, 307
  - temperature, salinity, density, 305–306
    - CTD probe, 305
    - thermistor/CT chain, 306
  - turbidity, optical measurements, 306–307
    - Nephelometer, 190, 306
    - water-leaving radiance, 306, 318
- data-buoy meteorological measurements, 302–304
  - meteorological measurements, 303
- data-buoy mooring design, 311–312
  - multi-point mooring, 312
  - single-point mooring, 311
- data-buoy power generation, 296–299
  - battery considerations, 296
    - battery configuration, 296
  - data-buoy motion power, 298

- data-buoy power generation (cont.)
  - power system protection, 298–299
    - circuit, battery protection, 298
    - level of redundancy, 298
  - solar charging, 296–297
  - wind turbines, 297–298
    - vertically mounted blades, 297
    - windmill style blades, 297
- data-buoy sea state measurements, 304–305
  - wave measurement, 304
  - wave monitoring network (WaveNet), UK, 132, 305
  - wind measurement, 304
- erosion–deposition, bed sediments, 276–282
  - benthic flumes, 276–281
    - annular flume, 277
    - biostabilisation, biodestabilisation, 281
    - cohesive sediments, 279
    - critical erosion stress, 279
    - erosion rate, 279
    - excess bed shear stress, 279
    - PML benthic flume, mini-flume, 278, 281
  - fine-scale deposition, erosion, 281–282
    - seabed bathymetric elevations, 281
    - sediment resuspension, deposition, 281
- estuarine circulation, 2, 8, 15, 18, 21
- estuarine exchange flow, 2, 11, 15, 21
- estuarine turbidity maximum (ETM), 2, 18, 20–22
- fieldwork – some recent studies, 8–27
  - autonomous vehicles, use of, 26–27
  - bed sediment, 23–25
    - bed-sediment characterisation, habitats, 24–25
    - bed-sediment erosion, 24
  - estuarine suspended sediments, 18–23
  - resuspension, sedimentation, 18–20
  - sediment processes, wave influences on, 22–23
  - suspended sediment flocculation, 23
  - suspended sediment fluxes, ETM, 20–22
- morphology, 25–26
  - tidal flat, saltmarsh, beach, shoreline, 26
  - waves, 25–26
- salinity, salt intrusion, fronts, plumes, 15–18
  - estuarine plumes, 17–18
  - salinity stratification, fronts, 16–17
  - salt intrusion, 15–16
- water current – tide, density, wind, turbulence, 8–15
  - current, wave effect on, 13–14
  - current, wind effect on, 12–13
  - estuarine turbulence, 14–15
  - tide, overtide, bore, 9–10
  - transverse current structure, 11–12
  - vertical current structure, 11
- floc measurement, analysis, processing, 229–242
  - Andreason Pipette, 230–231
  - floc simulation, production, 233–236
    - annular flume, 234–236
    - annular flume flocculation, 235–236
    - annular flume resuspension tests, 236
    - jar testing, 234
    - turbulence tanks, 236
  - floc video data, 236–242
    - raw floc images, 236–242
    - floc data parameterization, 240–242
    - floc effective density, 238
    - floc porosity, dry mass, mass settling flux, 238–240
    - floc size, settling velocity, 237–238
    - fractal dimensions, 240
  - Owen Tube data, 229–230
  - settling test, 232–233
- floc measurement, data collection, 223–229
  - floc data, gravimetric-based, 224
  - floc size, direct measurements, 225–226
    - InSiPid, 226
    - Lasentec, 225–226
    - LISST, LISST-Holo, 226
  - indirect measurements, floc size, settling velocity, 229
  - simultaneous floc size, settling velocity, 227–229
    - INSSEV, 225, 227–228
    - INSSEV-LF, 228
    - LabSFLOC, 225, 228
    - PICS, 228–229
    - VIS, 227
- floc modelling approaches, 243–248
  - accurate parameterizations, requirement for, 243
  - complex population approaches, 248
  - constant settling velocity, 245
  - fractal approach, 246
  - Lick et al. parameterization, 245–246
  - Manning and Dyer parameterization, 246–248
  - power law settling velocity, 245
  - turbulence parameterization, 243–244
  - Van Leussen parameterization, 245
- flocculation – measurement, analysis. *See* sediment composition; flocculation, mud; flocculation, mixed sediment; floc measurement, data collection; floc measurement, analysis, processing; floc modelling approaches; fieldwork – some recent studies
- flocculation, mixed sediment, 221–223
  - biological effects, 221–222
  - flocculation behaviour, 222–223
- flocculation, mud, 214–221
  - floc microstructure, 220–221
  - floc particle bonding, 218–220
    - flocculation, organic effects, 219–220
    - salt flocculation, 218–219

- floc properties, 214–216  
 flocculation, SPM, turbulence, 216–218  
 fronts, 9, 12, 15–19, 22
- geoid, 35, 42, 44  
 Global Positioning System. *See* reference frames, positions
- habitat assessment, acoustic techniques, 80–86  
 data collection considerations, 82  
 habitat mapping, acoustic systems for, 82–86  
 alternative first and second echo technique, 85–86  
 comparison of systems, 86  
 RoxAnn, 84–85  
 acoustic bottom reflections, first and second returns, 84  
 Single-Beam Echo Sounder (SBES) systems, 82–84  
 calibration, 84  
 reference depth, 83  
 return signal averaging, 83  
 slope effects on acoustic systems, 84  
 habitat mapping, swathe sonar, 86  
 habitats, acoustic proxies, surrogates, 81–82  
 hydrodynamics – currents, water properties. *See* temperature, salinity, density measurements; velocity measurements; turbulence estimates; vehicles, quasi-synoptic measurements; hydrodynamics, remote sensing of; fieldwork – some recent studies
- hydrodynamics, remote sensing of, 104–109  
 land-based radar, 108–109  
 HF radar, 108  
 Bragg peaks, surface current, 108  
 surface current, Rhine ROFI, 108  
 X-band radar, 109  
 wave characteristics, bathymetry, 109
- satellite and aircraft, 104–108  
 surface currents, 104–106  
 circulation, deduced from SAR images, 105–106  
 currents, deduced from gradient in SST, 104–105  
 currents, deduced from surface roughness across fronts, 104–105  
 geostrophic currents, deduced from satellite radar altimetry, 106  
 temperature and salinity, 106–108  
 CDOM, salinity, optical properties, 107–108  
 circulation features, North Sea tidal front, 106  
 circulation features, Norwegian coastal current, 106  
 NASA Aquarius satellite, 107  
 salinity, passive microwave radiometry, 106
- Soil Moisture and Ocean Salinity (SMOS) satellite, 107  
 SST, thermal infrared imagery of, 105–106
- hydrography – acoustic seabed surveying. *See* sidescan sonar; swathe bathymetric systems; lidar; sub-bottom profilers; bathymetric survey planning; habitat assessment, acoustic techniques
- hydrography – bathymetry, tides, positioning. *See* tidal water levels; tidal analysis; reference frames, positions; satellite positioning; bathymetry; bathymetric survey planning
- lidar, 68–72  
 applications, 71–72  
 recording sensitivity, 69  
 bathymetric lidar, 69  
 resolution, 69  
 survey accuracy, 70–71
- Mean Sea Level (MSL), 35, 37, 40–41  
 mud, definition, 211
- North Atlantic Oscillation, 116  
 null-point, residual circulation, 2
- observations, recent. *See* fieldwork – some recent studies
- particle tracking, sediment transport, 267–276  
 background tracer survey, 269–270  
 deposition zones, 270  
 sediment source areas, 270  
 transport pathways, 270  
 fluorescence, 268  
 fluorescent microspheres, 268–269  
 labelled (coated) natural particles, 268  
 labelled synthetic tracer, 268  
 magnetism, applied, 268  
 tracer analysis, 274–276  
 tracer front, advance of, 275  
 tracer design, selection, 270  
 sediment, hydraulic attributes, 270  
 sediment, native, 270  
 tracer enumeration, 274  
 tracers, fluorescent, magnetic, 274  
 tracer introduction, 271–272  
 ballasted ice, 272  
 Continuous Introduction Method (CIM), 271  
 diver emplacement, 272  
 Foregoing Introduction Method (FIM), 271  
 tracer matching, native sediment, 270–271  
 flocculation, 269, 271  
 median grain size, 270  
 tracer sampling, 272–274  
 field-deployable fluorometers, 273  
 grab sampler, 273

- particle tracking, sediment transport (cont.)  
 magnetic sampling in situ, 273  
 sediment core, 273  
 sediment trap, 273  
 Spatial Integration Method (SIM), 273  
 Temporal Integration Method (TIM), 273
- platforms - autonomous sampling. *See* data-buoy  
 design, legal obligations; data-buoy power  
 generation; data-buoy data handling,  
 control; data-buoy communications; data-  
 buoy meteorological measurements; data-  
 buoy sea state measurements; data-buoy  
 in-water measurements; data-buoy  
 biofouling, preventative methods; data-  
 buoy mooring design; autonomous  
 technologies, recent; fieldwork – some  
 recent studies
- plume, 15, 17
- reference frames, positions, 41–43  
 Airy spheroid, UK, 43, 45  
 Geodetic Reference System 1980, 42  
 GPS, US satellite system, 35, 43–46, 50  
 Ordnance Datum (Newlyn), 35, 37, 40, 44  
 Ordnance Survey Geoid Model (OSGM15), 44  
 Ordnance Survey Transformation Network  
 (OSTN15), 44  
 WGS84, 35, 43
- region of freshwater influence (ROFI), 15, 108
- remote sensing – satellite, aircraft. *See* remote  
 sensing, electromagnetic spectrum; remote  
 sensing, optical; remote sensing, thermal  
 imagery; remote sensing, biogeochemical  
 constituents, temperature mapping; remote  
 sensing, microwave; hydrodynamics,  
 remote sensing of; waves, shallow-water  
 observations; SPM concentration,  
 measurement methods; fieldwork – some  
 recent studies
- remote sensing, biogeochemical constituents,  
 temperature mapping, 329–333  
 airborne, 329–330  
 geometric correction, 330  
 satellite, 331–333  
 CDOM, 332  
 SPM concentration algorithms, 332
- remote sensing, electromagnetic spectrum, 316–318  
 atmospheric absorption, 316  
 electromagnetic spectrum, 316  
 microwave region, 316  
 thermal remote sensing, 316
- remote sensing, microwave, 333–337  
 atmospheric water vapour correction, 333  
 polarisation, 333–334  
 SAR Interferometry (InSAR), 334  
 water-level measurement, 335–337  
 satellite radar altimetry, 335–336
- remote sensing, optical, 318–327  
 atmospheric correction, 319–323  
 aerosols, 319, 321  
 Case I, II waters, 319  
 Dark Pixel (DP) assumption, 321  
 SPM, 323  
 sun-glitter radiance, 319  
 whitecap removal algorithm, 322
- bathymetry, penetration depth, 326–327  
 altimetry, 326  
 bathymetry mapping, 326
- optical theory, application, 323–325  
 CDM, 324–325  
 CDOM, 325  
 chlorophyll-a, 324  
 salinity, mapping of, 325  
 SPM, 324  
 water constituents, algorithms for, 325–326  
 water-leaving radiance, 318, 320
- remote sensing, thermal imagery, 327–329  
 Sea Surface Temperature (SST), 327  
 Thermal Infra-Red (TIR) remote sensing, 327
- remotely operated vehicle (ROV), 54
- salinity stratification, 2, 15–17, 19
- salt intrusion, 2, 15, 19
- satellite data, availability of, 337
- satellite positioning, 44–46  
 Global Navigation Satellite Systems, 39, 45  
 OSNet (Ordnance Survey, UK), 46  
 Position Dilution of Precision (PDOP), 45  
 Real Time Kinematic (RTK) link, 46, 50
- sediment composition, 211–214  
 biological material, 213–214  
 clay mineralogy, 213  
 colloids, clay, silt, mud, sand, 211–213  
 sediment mineralogy, 212–213
- sediment grain-size analysis, 162–169  
 dry sieving, 163–164  
 sieve, 164  
 sieve stack, 164
- electro-resistance size analysis, 168–169  
 Coulter Counter, 169
- hydrometer method, 166–167  
 specific gravity of suspension, 166
- laser diffraction, 167–168  
 Fraunhofer, Mie theories, 167  
 gas bubbles, consequences of, 168
- pipette method, 165–166  
 Brownian motion, influence of, 165  
 gravimetric settling, 165–166  
 sampling times, selection of, 165  
 Stokes' Law, 165–166
- SediGraph, Atterberg Cylinder, image analysis,  
 169
- sizing technique, choice of, 162–163
- wet sieving, 164

- finer, amount of, 164
    - finer, separation of, 164
  - sediment grain-size distribution, 169–171
    - size-class boundaries, 163, 170
    - size-distribution parameters, 171
    - ternary (trigon, triplot) diagrams, 170
  - sediment sample storage, preparation, pre-treatment, 160–162
    - biogenic calcite, organic matter, removal of, 161
      - organic matter removal, 161
      - sample acidification, 161
    - dispersion, 161–162
      - chemical dispersion, 161
      - ultrasonic bath, 162
    - drying, 162
      - drying oven, 162
      - freeze drying, 162
    - washing, 160–161
      - floc disaggregation, 161
      - salts removal, 160
  - sediment sampling design, 159–160
    - random, stratified sampling approaches, 160
    - sampling strategy, choice of, 159
  - sediment sampling methods, 154–159
    - core samples, 156–158
      - corer types, 156
      - sediment structure, loss of, 158
    - sampling criteria, 154
    - sediment-water interface sampling, 159
      - unconsolidated sediment, sampling, 159
    - surface sediment samples, 155
      - grab samplers, 155–156
      - trowel, scoop samplers, 155
  - sediment shape, 171
    - form, sphericity, roundness, irregularity, 171
  - sediment structure, porosity, density, 172–173
    - dry bulk density, 172
    - porosity, 172
    - X-rays, use of, 173
  - sediment transport – instruments, methods. *See*
    - suspended sediment (SPM) transport;
      - bedload sediment transport; particle tracking, sediment transport;
      - erosion–deposition, bed sediments; tracer developments; tracer material and enumeration techniques; fieldwork – some recent studies
  - sediment, anthropogenic inputs, 153
  - sediment, carbon sequestration, 153
  - sediment, coastal, 153
  - sediment, definition, 153
  - sediment, denitrification, 153
  - sediment, deposited – sampling, analysis. *See*
    - sediment sampling methods; sediment sampling design; sediment sample storage, preparation, pre-treatment; sediment grain-size analysis; sediment grain-size
      - distribution; sediment structure, porosity, density; fieldwork – some recent studies
  - sediment, dredging, disposal, 153
  - sediment, fluvial, 153
  - sediment, suspended (SPM) – sampling, analysis. *See*
    - SPM, environmental relevance; SPM sampling; SPM survey types; SPM concentration, measurement methods; turbidity sensors, calibration of; SPM properties; fieldwork – some recent studies
  - sediment-bound contaminants, nutrients, 153
  - sidescan sonar, 55–63. *See also* bathymetry,
    - methodology
      - applications, 62–63
      - directivity, beamwidth, 57
      - operating principles, 55–57
        - seabed reflection, 55–56
        - waterfall display, 55–56
      - resolution, 58
      - signal to noise, 60
        - towed sidescan sonar, noise sources, 55, 60
    - sonar record, interpretation of, 58–59
      - seabed portrayal, range-corrected, 56, 58
    - survey accuracy, 60–62
      - echo distortion near nadir, 55, 61
  - sonar survey planning, 79–80. *See also* bathymetric
    - survey planning; bathymetry, methodology
  - sidescan sonar, 80
  - swathe bathymetry, 80
- SPM concentration, measurement methods, 186–194
  - acoustic measurements, 190–194
    - acoustic backscatter (ABS) sensor, 191–192
      - multi-frequency ABS, 192
    - Acoustic Doppler Current Profiler (ADCP), 191, 193–194
    - Acoustic Doppler Velocimeter (ADV), 191–193
  - gravimetric analysis, 186–187
  - optical measurements, 187–190
    - optical backscatter (OBS) sensors, 189–190
      - formazin turbidity units FTU, 190
      - nephelometric turbidity units, NTU, 190
    - remote sensing, 190, 316
      - Compact Airborne Spectrographic Imager (CASI), 190, 329
      - data buoys, unmanned platforms, 190, 293
      - satellites, aircraft, 190, 316
  - secchi disc, 188
  - transmissometers, 188–189
    - LISST instrument, 188
    - twin-gap, single-gap instruments, 188
- SPM properties, 196–202
  - chlorophyll-a content, 200–201
  - fluorescence measurements, 200
  - spectrophotometric methods, 200

- SPM properties (cont.)
  - extracellular polymeric substances (EPS) content, 201
    - colorimetric phenol-sulphuric assay, 201
  - in-situ settling velocity, 198–199
    - LISST instrument, 198
    - Owen Tube, 181, 199
  - loss-on-ignition (LOI), 199–200
    - muffle-furnace temperature, treatment time, 200
  - mineralogy, 201–202
    - X-ray diffraction (XRD), 202
  - particle-size distribution, 197–198
    - laser granulometry, 197
    - specific surface area (SSA), 197–198
      - Brunauer-Emmett-Teller (BET) analysis, 198
    - SPM aggregation, effect of organic material, 197
      - microfloc aggregation, 197–198
  - particulate organic carbon (POC) content, 200
    - combustion analysis, 200
- SPM sampling, 180–181
  - pumped sampling, 181–182
  - sampling platforms, 180–182
- SPM survey types, 181–186
  - boat-based surveys, 181, 184–185
  - land-based surveys, 181, 183–184
  - moored instruments, 181, 185–186
  - moored platform-based surveys, 181, 184
  - tidal cycle stations, 185
- SPM, environmental relevance, 179
- sub-bottom profilers, 72–79
  - applications, 79
  - operating principles, 72–73
  - receiving, recording, 76–78
    - multichannel, 77–78
    - single channel, 77
  - VHR multichannel systems, 78
- sound sources, 73–76
  - air gun, 75–76
  - boomer, 75
  - chirp, 74–75
  - parametric echo sounder, 74
  - pinger, 74
  - sparker, 75
  - water gun, 76
- subsurface geological formations, acoustic reflection from, 72–73
- suspended sediment (SPM) transport, 262–263
  - SPM fluxes, direct measurement, 262–263
    - residual SPM fluxes, 262
    - SPM fluxes through cross-sections, 263–264
    - water-column profiling, 262
- swathe bathymetric systems, 63–68
  - beam-forming echo sounders, 66–68
    - Multiple Beamforming Echo Sounder (MBES)
      - calibration, 68
      - operating principles, 67
      - resolution, 67–68
  - interferometric systems, 64–66
    - operating principles, 66
      - sonar signal, angle of return, 65–66
      - transmit and receiver staves, 64
  - multiple transducer system, 63–64
- temperature, salinity, density measurements, 93–94
  - Argo floats, 93
  - Automated Underwater Vehicle (AUV), 94
  - biofouling, sediment fouling, 94–95
  - conductivity-temperature-depth instrument (CTD), 93
  - expendable bathythermograph (XBT), 93
  - glider, 94
  - salinity, 93
  - thermistor, 93
- tidal analysis, 39–41
  - ecliptic, 40
  - lunar month, 40
  - meteorological effects, 37, 41
  - Metonic cycle, 40
  - Millbay Docks, Plymouth, UK, 41–43
  - Moon's declination, 40
  - neap-spring cycles, 40
  - precession of the Earth's axis, 41
  - principal tide-raising forces, 39
  - seiches, 41
- tidal water levels, 36–39
  - Chart Datum, 37, 41, 47
  - eustatic change, 36
  - Global Sea Level Observing System (GLOSS), 36
  - isostatic change, 36
  - Lowest Astronomical Tide (LAT), 37, 41
  - meteorological influences, 37, 41
  - Permanent Service for Mean Sea Level (PSMSL), 36
  - tidal observations, 36
- tide gauges, 38–39
  - acoustic above-water gauge, 39
  - bubbler gauge, 39
  - float and stilling well, 38, 41
  - microwave above-water gauge, 39
  - pressure gauge, 39, 41
- tide pole, 37–38, 41, 47
- tracer developments, 290
- tracer material and enumeration techniques, 291–292
- turbidity sensors, calibration of, 194–196
  - calibration, dependence on SPM grain size, composition, shape, 194
  - data scatter, 195–196
- turbulence estimates, 99–103
  - turbulence estimates, ADCP-ADV comparison, 102–103
    - TKE production-dissipation, comparison of, 102–103

- turbulence production-dissipation, ADCP
    - estimates of, 99–101
    - shear profilers, 99
  - turbulence dissipation, estimates of, 100–101
    - structure function method, 100
    - Taylor cascade theory, 100
  - variance method, 100
    - eddy viscosity, 100
    - Reynolds stress, 100
    - TKE, rate of production of, 100
  - turbulence, ADV estimates of, 101–102
    - electro-magnetic current meter (ECM), 101
    - inertial dissipation method, 102
    - inertial subrange, 102
    - Taylor's frozen turbulence concept, 102
    - TKE per unit mass, 101
  - vehicles, quasi-synoptic measurements, 103–104
    - Autonomous Underwater Vehicle (AUV), 104
    - gliders, 104–105
    - undulators, 104
  - velocity measurements, 94–99
    - Acoustic Doppler Current Profiler (ADCP), 95–99
      - broadband and coherent techniques, 96–98
        - autocorrelation method, 97
        - broadband instrument, 98
        - narrowband instrument, 97–98
        - propagation delay, 96
      - sound pitch, 96
    - velocity, three dimensional, 98–99
      - Janus configuration, 97–98
  - residual circulation, 94
  - tidal currents, 94
- wave analysis methods, 135–140
  - 50-year return period wave, 136
  - S4DW wave data, analysis of, 137–140
    - Holderness Experiment (1994–1996), 137
    - wave data, quality control, 139–140
      - mooring interference, 139
    - wave tail-fitting, high-frequency, 138–139
      - high frequency cut-off, 138
  - waves, effects of currents, 139
    - observed frequency, Doppler shift of, 139
  - waves, nonlinear analysis, 139
- wave spectra, 136–137
  - Fourier analysis, 136
- wave time series, 136
  - sea state, 136
- wave atlas, 116
- wave climate, 116
- wave modelling, nearshore zone, 140–143
  - SWAN model, 141–144
- wave overtopping, 115
- wave power, electricity generation, 116
- waves – measurement, analysis. *See* waves, linear
  - wave theory; waves, shallow water
  - nonlinear effects; waves, shallow-water
  - observations; wave analysis methods;
  - wave modelling, nearshore zone;
  - fieldwork – some recent studies
- waves, linear wave theory, 117–121
  - wave properties, 118
  - waves, wind-sea, swell, 117
- waves, shallow water nonlinear effects, 121–124
  - harbours, coastal structures, 124
    - seiche, resonant frequency, 124
  - surf zone, 123–124
    - wave-induced phenomena, 124
  - waves shoaling, breaking, 118, 121
- waves, shallow-water observations, 125–135
  - wave measurement, other methods, 133–135
    - camera-based, 133
    - laser altimeter, 135
    - shipborne wave recorder, 133
    - ultrasound wave-gauge, harbour installation, 133–135
      - Port of Hamburg, 133, 135
  - wave multisensor arrays, 132–133
    - Irish Sea Observatory (ISO), 133–134
- waves, in situ measurements, 125–130
  - Acoustic Doppler Current Profiler (ADCP), 129–130
    - vertical profile configuration, 129
  - seabed pressure sensors, 128
    - InterOcean S4DW, 128–129
    - PUV method, 128–129
- wave buoys, 126–128
  - accelerometer, 126
    - wave buoy mooring lay-out, 127
- wave staffs, fixed sensors, 126
  - wave gauges, resistance-wire, capacitance-wire, 126
- waves, visual observations, 125
- waves, remote sensing of, 130–132
  - ground-based radar systems, 131–132
    - HF radar, 132
      - structure-mounted radar ranging, 131
      - MIROS FMCW radar sensor, 131
    - X-band radar, 131–132
      - WaMoS® II, 132
  - satellite, airborne sensors, 130
    - SAR images, 130
      - surface elevation, orbital velocity, surface roughness, 130
- Western Channel Observatory, (WCO), UK, 7, 293, 299–300, 310