

Index

abdominopelvic biopsy 215–29 - complications 228 - bile leakage/peritonitis 228 - hemorrhage 228 - tract seeding 228 - contraindications 215 - controversies and issues 228 - equipment 215–16 - automated systems 216 - biopsy needles 216 - image guidance 216–17, 220 - CT 217–18 - molecular imaging 217, 219 - MR 217 - ultrasound 216–17 - indications 215 - patient preparation 217–20 - pathology 218–20 - preprocedure care 218 - postprocedure and follow-up care 227 - technical variations 226–7 - coaxial and tandem needle techniques 226–7 - molecular image guidance 227 - technique 220–4 - liver biopsy 220–3 - neuroblastoma 224, 226 - pancreatic biopsy 224–5 - splenic biopsy 223–4 - tract embolization 222–3	vascular malformations 439–40, 445	abscess - anterior abdominal wall 175 - cecostomy site 189–90 - drainage 191–214, 361 - high-risk populations 210 - interloop 203–4 - intrathoracic 112–18 - liver, amebic 204 - pelvic 199–201 - periappendiceal 201 - retropharyngeal 119 - solid organ 203–6 - splenic 204, 207 - subphrenic 203, 205	angiocatheters 406–7	technique 464–5 <i>see also</i> stents; stent insertion
abdominopelvic interventions 151–249 - biopsy <i>see</i> abdominopelvic biopsy - foreign body retrieval 239–49 - gastrostomy 153–83 - hollow visceral dilation 229–39 - percutaneous aspiration and fluid drainage 191–214 - percutaneous cecostomy 183–91	absolute alcohol 203, 208, 325–6, 328, 376 complications of injection 450	angiography 405–13 - complications 411–13 - femoral artery thrombosis 411 - fluid overload and anemia 413 - hypothermia 413 - pressure sores 411 - thromboembolism 411 - contraindications 405 - equipment 406–7 - hepatic 413–15 - indications 405–6 - injection rates/volumes 409 - patient preparation 406–8 - postprocedure and follow-up care 411 - technical problems and pitfalls 411 - technical variations 409–13 - transvenous approach 411 - technique 407–9 - arterial access 407 - double-wall puncture 408 - single-wall puncture 408	angiography suite 9–10 - equipment 10 - ultrasound 10	angiosarcoma 291, 438
ablation therapy - bone tumors 397–9 - pseudoaneurysm ablation 449–56 - renal 208, 325, 417, 433 - salivary ranula 373	“accordioning” of catheter body 38	AngioJet™ thrombectomy system 469	AngioJet™ thrombectomy system 469	angled glide wire 25, 36, 237, 312, 314, 319, 327, 334, 338, 344
	AccuStick™ system 312	Angiomed® Auto-Vac device 216	Angiomed® stent 287	antegrade colonic enema 183
	acetaminophen 20, 137, 185, 187, 346, 354	Angiomed® stent 287	angioplasty and stenting 456–65	antegrade (pull) gastrostomy 157, 160–5
	acetic acid 208, 325	angioplasty and stenting 456–65	complications 465	antegrade pyelography 320–1
	Ackerman needle 388	complications 465	equipment 464	anterior abdominal wall abscess 175
	acromycin 111	indications 456–64	indications 456–64	anti-reflux procedures 157
	airway dilation 146–9	aortorenal syndromes 458, 461–2	aortorenal syndromes 458, 461–2	anti-reflux valve failure 177
	airway strictures 141–5 <i>see also</i> tracheobronchial stents	renal artery stenosis 458, 461	renal artery stenosis 458, 461	antibiotics - impregnated catheters 66 - prophylactic 12
	Alagille syndrome 262	transplant vascular stenosis 456–8	transplant vascular stenosis 456–8	anxiolytics 17–18
	all purpose drainage (APD) catheter 315	venous compression syndromes 460–4	venous compression syndromes 460–4	aortorenal syndromes 458, 461–2
	allopurinol 292	patient preparation 464	patient preparation 464	apheresis catheters 43, 47
	alteplase 70, 469	technical problems and pitfalls 465	technical problems and pitfalls 465	Aristospan® <i>see</i> triamcinolone
	amebic liver abscess 204	technical variations 465	technical variations 465	arm port insertion 79–82
	amoxicillin 12			arterial embolization <i>see</i> embolization therapy
	amphotericin 110, 310			arterial spasm 437
	ampicillin 12, 185, 187, 254			arterial trauma 433–5
	Amplatz® dilators 172, 329			arterioportal fistula 282
	Amplatz® thrombectomy system 469			arteriovenous fistula 309
	Amplatz® wire 60, 74, 116, 285, 288, 314, 338			embolization therapy 415, 427–30
	analgesia <i>see</i> pain management			arteriovenous malformations 413
	anesthesia <i>see specific techniques</i>			embolization therapy 415, 417, 423–7
	aneurysmal bone cysts 380, 385 <i>see also</i> bone cyst therapy			pulmonary 429
				arthritis - postradiotherapy 458 - Takayasu 458
				arthrography 375–80
				complications 379
				equipment 376, 379
				image guidance 378–9
				indications 376, 379
				patient preparation 377
				postprocedure and follow-up care 379
				technique 378–84
				ASAP device 216
				aspergillosis 110
				aspiration and drainage 191–214

Index

- aspiration and drainage (cont.)
 complications 214
 contraindications 192, 194
 equipment 193–4
 image guidance 193–8
 CT 195–8
 fluoroscopy 195
 ultrasound 195
 indications 191–3
 mediastinal fluid *see* mediastinal fluid drainage
 patient preparation 198
 postprocedure and follow-up care 210–13
 catheter fixation and drainage 212
 catheter removal 212–14
 specimen handling 212
 regional considerations 199–209
 deep pelvic collections 199–201
 pancreatic pseudocyst drainage 205, 208
 paracentesis 199
 periappendiceal abscess 201
 renal cysts 205–9
 solid organ abscess 203–6
 subphrenic and lesser sac collections 203
 soft tissue 360–2
 technical problems and pitfalls 213
 technical variations 210
 high-risk populations 210
 non-linear and curvilinear pathways 210–11
 sclerotherapy and lymphocele drainage 210
 technique 193–9
 thoracic *see* thoracic aspiration and drainage
- aspirin 20
 autologous blood patch 111
 avascular necrosis 392
 azygos arch 27–8
 azygos vein 27
- Bacillus* spp. 67
 backward reasoning 4
 bacteremia 67
 bacterial endocarditis 112
 balloon dilation
 esophageal strictures 230–1
 balloon rupture 238
 “kissing balloons” 239
 stiffening of balloon delivery platform 239
 ureteral strictures 336–41
 balloon pericardiectomy, percutaneous 121
 Bard Biopty[®] device 216
 barium 160
 bent guide wire technique 35, 54, 61–2, 343, 346
- Bentson guide wire 159
 benzodiazepines 17–18
 benzoin 160
 betadine 208
 Bierman needle 388
 bile leak 228, 270, 272, 282
 biliary tract
 obstruction 259
 sepsis 272
 stents 275
 biliary-arterial fistula 270
 biliary-pleural fistula 270
 biliary-venous fistula 270
 biliothorax 282
 BioPince[®] device 216
 biopsy
 abdominopelvic 215–29
 bone 385–92
 liver 220–2
 transjugular *see* transjugular liver biopsy
 lymph node 362–5
 pulmonary/mediastinal 123–37
 automated biopsy devices 127
 core 125–8
 FNAB 125–7
 renal 304–9
 soft tissue masses 362–5
 biplane imaging 14
 bleomycin 111, 439, 445, 447
 “body flossing” 61, 338, 340, 351
 bone biopsy 385–92
 complications 392
 “don’t touch” lesions 386, 389
 equipment 388–9
 imaging 389–90
 indications 386–8
 patient preparation 389
 postprocedure and follow-up care 391
 technique 389–92
 bone cyst therapy 380–5
 complications 383
 equipment 381, 385
 indications 380–1
 issues and controversies 384
 patient preparation 383
 postprocedure and follow-up care 383
 technique 383, 385
 bone tumors 389
 excision 392–7
 complications 397
 equipment 392–5
 imaging 392–4
 indications 392
 patient preparation 395
 postprocedure and follow-up care 396
 technical variations 395
 technique 395–6
 locoregional thermal ablation 397–9
- complications 399
 equipment 397
 indications 397–8
 patient preparation 397
 postprocedure and follow-up care 398
 technique 397, 399
 Botox *see* botulinum toxin
 botulinum toxin 368
 dosage 369
 see also chemodenervation of salivary glands
 bougienage 229, 231
 radial and shearing forces 229
 bougies 229
 bowel
 control 183
 decompression 168–9
 loops 214
 perforation 175, 181
 brachial plexus neuropathy 411
 brachiocephalic vein 31
 branchial cleft cysts 371
 Brodie’s abscess 387
 bronchial artery embolization 432–3
 bronchopleural fistula 105
 brushite stones 335
 Budd–Chiari syndrome 276–7, 284, 286, 461
 bullseye appearance in arthrography 378
 bupivacaine 401
 button batteries, removal of 246–7
 see also esophageal foreign body removal
 button gastrojejunostomy 154
 complications 177
 accidental dislodgment 177
 anti-reflux valve failure 177
 loss 177
 button gastrostomy 172–3
 complications 177
 accidental dislodgment 177
 anti-reflux valve failure 177
 loss 177
 button jejunostomy 154, 172–4
 n-butyl-2-cyanacrylate 381
- calcium oxalate stones 335
 calcium phosphate catheter occlusion 39–90
 caliceal diverticula 334
 stones in 330
Candida spp. 67
 esophagitis 234
 capnography 406
 carbon dioxide, as contrast agent 257
 cardiac tamponade 65, 108
 catheters 10
 “accordioning” 38
 angiography 406–7
 antibiotic-impregnated 66
 apheresis 43, 47
- central venous *see* central venous catheters (CVCs)
 dialysis 43, 47
 dislodgment 68
 femoral vein 39, 52–3
 fractures/tears 39
 fragmented 74, 76
 hemodialysis 31
 internal jugular vein 39, 42–51
 malposition 68–9
 catheter tip 68–71
 consequences 68
 prevention 68
 repositioning 69, 71
 unrecognized 68
 nephrostomy 345
 occlusion 39–91
 CVCs 39–91
 clot lysis 90–1
 mechanical 90
 medication precipitation 90
 mechanical 90
 peripherally inserted central *see* PICCs
 repair 89
 repositioning 69, 71
 subclavian vein 28, 39, 41, 51–2
 tip occlusion 69–73
 declotting 72
 fibrin sheath 69, 72
 follow-up 72
 heparinization 72
 thrombolysis 70–3
 thrombus 39–41
 see also aspiration and drainage; and *specific catheter types*
 catheter-related bloodstream infection (CRBSI) 65–8
 diagnosis 66
 dressings 67, 93
 incidence 67
 postoperative 67
 sterile technique 66–7
 treatment 67
 catheter-related thrombophlebitis 38
 caustic ingestion 234
 cautery wire cutting balloon 350
 cavernous hemangioma 414
 cavoatrial junction 25–6
 cecostomy, percutaneous 183–91
 complications 187–90
 dislodgment 190
 granulation tissue 190
 occlusion and leakage 190
 peritonitis 189–90
 skin infection and abscess formation 189–90
 tube malposition 188–9
 controversies and issues 190
 equipment 184

Index

- future advances 190
 indications 184–5
 latex sensitivity 185
 patient support 187
 postprocedure and follow-up
 care 187
 catheter exchange and
 reinsertion 187
 catheter fixation 187
 preprocedure imaging 185–6
 technical problems and pitfalls
 187
 technical variations 186
 technique 185–6
- central vein thrombosis 73
 central venous access 22–87
 alternative pathways 27–8, 30
 blood drawing 25–88
 catheter insertion 23
 history 23
 indications 25
 indwelling venous ports 76–85
 PICCs *see* PICCs
 route of access 25–7
 team approach 23–5
- central venous catheters (CVCs)
 2, 39–76
 blood drawing 25–88
 complications 65–76
 infection 65–8
 intravascular foreign body
 75–6
 malposition 68–9
 mechanical malfunction 74
 thrombosis 73–4
 tip occlusion 69–73
 contraindications 41
 conversion from indwelling
 venous ports 84
 difficult access 53–61
 equipment and patient
 preparation 54
 postprocedure and follow-
 up care 61
 stabilization of guide wire
 60–1
 technical variations 60
 transbrachiocephalic route
 54–5, 58
 transhepatic route 58–9
 translumbar route 59–61
 equipment 32
 femoral vein 52–3
 indications 41–2
 internal jugular vein 42–51
 occlusion 39–91
 clot lysis 90–1
 mechanical 90
 medication precipitation 90
 tip thrombus 39–41
 removal 92
 heparin locking 92
 repair 89
 subclavian vein 51–2
 temporary 42
- venous recanalization 61–2
 cephalic vein 25, 33
 cephalosporins 254
 cervicofacial lymphatic
 malformations 371
 chemical cholecystitis 293
 chemical pleuritis 281
 chemical pleurodesis 109, 111
 pneumothorax 109
 chemodenervation of salivary
 glands 368–70
 botulinum toxin dosage 369
 complications 370
 equipment 368
 future advances 370
 indications 368
 patient preparation 368
 postprocedure and follow-up
 care 370
 technical variations 370
 technique 369–70
- chemoembolization
 hepatic tumors 429, 432
 transarterial intrahepatic
 291–3
 see also embolization therapy
- chemotherapy 41
 intracavitary 109
- chest drains 105, 108
 intrathoracic abscess 112–18
 suction devices 118
- Chiba needle 116, 311, 314, 327
 chloral hydrate (Notec[®]) 18
 chlorhexidine
 baths 295
 dressings 67
- cholangiogram 272
 cholangitis 259, 271–2
 sclerosing 271
- cholecystitis 259
 chemical 293
- cholecystostomy, percutaneous
 259–62
 complications 261
 equipment 259, 261
 indications 259, 261
 patient preparation 260
 postprocedure and follow-up
 care 261
 technical variations 261
 technique 261–3
- choledocholithiasis 253
 cholestatic jaundice 272
- chronic granulomatous disease
 234
- chronic lung disease 130
 chylothorax 108
- clinical practice development
 7–11
 angiography suite 9–10
 approach 7–8
 facilities, equipment and
 supplies 9
 interventional radiology team
 8–9
- Clostridium* spp.
 C. botulinum 368
 C. perfringens 295
- clot lysis 72, 90–1
- coagulation abnormalities 12
 coagulation screen 254
 coaxial biopsy guidance 134–6
- coccidioidomycosis 388
 codeine 346
 coils, embolic 418
- Colapinto needle 285, 288
 Colapinto sheath 286
- cold knife 350
- collimation 14
- colonic dilation 237–8
 positioning for 239
- compartment syndrome 408
- computed tomography *see* CT
- congenital esophageal stenosis
 see esophageal stenosis,
 congenital
- congenital heart disease 30
- congenital infantile hemangioma
 419
- Conrad Crosby needle 388
- contrast reactions 12–13
 subcapsular extravasation 286
- contrast-enhanced dynamic
 fluoroscopy 38
- Cope introducer 311
- Cope loop catheter 189
- core biopsy 125
 needles 126–8, 216
- Corpak[®] tube 167
- corticosteroids 376, 442
- costoclavicular space 74
- Council catheter 335, 345
- Craig needle 391
- CRBSI *see* catheter-related
 bloodstream infection
- cross-fused renal ectopia 298
- cross-sectional imaging 60
- CT 1
 abdominopelvic biopsy
 217–18
 and arthrography 378
 aspiration and fluid drainage
 195–8
 bone tumors 393
 hydronephrosis 301
 intrathoracic abscess 115
 musculoskeletal interventions
 358
 pericardiocentesis 121
 pulmonary/mediastinal biopsy
 131–2, 135
 renal biopsy 307
 renal cyst aspiration 208
- CT angiography 406
- CT venography 406
- cutting balloon
 angioplasty 465
 endopyelotomy 350
- CVCs *see* central venous
 catheters
- cysts
 bone 380, 385
 branchial cleft 371
 dermoid 371
 renal 205–9, 324–8
 thyroglossal duct 371
- cystic bone lesions 389
- cystic fibrosis 33, 145
- cystine stones 330, 335
- Dawson–Mueller pigtail catheter
 315
- declotting *see* clot lysis;
 thrombolysis
- deep venous thrombosis 26, 472
 catheter-related 73–4
- Demerol[®] *see* meperidine
- dermatofibrosarcoma
 protuberans 363
- dermoid cysts 371
- desmopressin 12
- dexamethasone 292–3, 406
- dialysis catheters 43, 47
- difficult access 53–61
 equipment and patient
 preparation 54
 postprocedure and follow-up
 care 61
 stabilization of guide wire 60–1
 technical variations 60
 transbrachiocephalic route
 54–5, 58
 transhepatic route 58–9
 translumbar route 59–61
- Dilaudid[®] *see* hydromorphone
- diphenhydramine 13, 293
- dislodgment of catheter 68
 see also catheters, malposition
- Dolophine[®] *see* methadone
- “don’t touch” bone lesions 386, 389
- dose-dependent radiation injury
 13
- doxycycline 111, 325, 381, 443
- dressings
 changing 93
 chlorhexidine-impregnated 67
 occlusive 67, 105
 tape bridge 106
 thoracic aspiration and
 drainage 105–6
 see also individual types
- drills 360
- drooling 368
- Dumon stent 140
- duodenal ulcers 293
- duodenitis 293
- DuoDERM[®] dressing 180
- dural sinus thrombosis 470
- dysphagia 240
- Echinococcus granulosa* 203
- ELA-Max[®] cream 17, 184, 199
- electrocardiography 406
- electrocautery 350
- Elson needle 388

Index

- embolic agents 381, 418–19
- embolization therapy 415–38
 - complications 438
 - equipment 417–18
 - indications 415–17
 - neonatal 435–7
 - patient preparation 418
 - percutaneous thrombin
 - embolization 451, 454
 - postembolization syndrome 293, 296, 417
 - postprocedure and follow-up care 437
 - technical problems and pitfalls 437–8
 - technical variations 435–7
 - technique 418–19
 - arterial trauma 433–5
 - arteriovenous fistula 415, 427–30
 - arteriovenous
 - malformations 415, 417, 423–7
 - bronchial artery
 - embolization 432–3
 - hemangioendothelioma 415, 423
 - hemangioma 419, 423–5
 - high-flow vascular
 - malformations 415, 419, 422
 - partial splenic embolization 294–6, 417, 433, 436
 - preoperative embolization of tumors 419–23
 - pulmonary arteriovenous malformations 429
 - renal ablation 433
 - systemic pulmonary arterial supply 429, 431
 - tract embolization 222–3
 - see also* chemoembolization
- Embospheres® 295
- drug-eluting 293
- embryonal sarcoma, undifferentiated 291
- emergence delirium 19
- emergency premedication 13
- EMLA® cream 17, 184, 199
- empyema 99–100, 259
 - management 101–5
- end-cutting needles 216
- endopyelotomy 2, 301, 303, 348–55
 - complications 354–5
 - contraindications 350
 - equipment 350–1
 - indications 350
 - patient preparation 350
 - postprocedure and follow-up care 354
 - technical variations 352–4
 - pediatric modifications 352
 - “stent first, hot knife” 354
 - technique 350–3
 - endoscopic retrograde
 - cholangiopancreatography (ERCP) 253
 - EndoWave™ thrombectomy system 469
 - enoxaparin 12
 - Enterobacter* spp. 270
 - E. aerogenes* 253
 - Enterococcus* spp. 254, 270
 - E. faecalis* 254
 - enterostomy care 154
 - epidermolysis bullosa
 - dystrophica 234
 - epidural anesthesia 296
 - epithelioid
 - hemangioendothelioma 438
 - equipment and supplies 9–11
 - catheters and wires 10
 - pulse Doppler monitor 10
 - safety devices 10
 - warming devices 10
 - see also specific items and procedures*
 - Escherichia coli* 253, 270
 - esophageal atresia 231–4
 - esophageal diameter 175
 - esophageal dilation 2, 229–39
 - balloon dilation 230–1
 - bougienage 229, 231
 - complications 239
 - equipment 235–6
 - indications 231–5
 - acquired strictures 232–5
 - caustic ingestion 234
 - chronic granulomatous disease 234
 - congenital esophageal stenosis 231–2
 - epidermolysis bullosa dystrophica 234
 - esophageal atresia 231–4
 - esophageal varices 235
 - fibromuscular stenosis 231
 - gastroesophageal reflux 234
 - Stevens–Johnson syndrome 234
 - patient preparation 235–6
 - postprocedure and follow-up care 237–8
 - technical problems and pitfalls 238–9
 - balloon rupture 238
 - “kissing balloons” 239
 - positioning for colonic dilation 239
 - stiffening balloon delivery platform 239
 - technical variations 237
 - colonic dilation 237–8
 - eccentric stricture and pseudodiverticulum 237
 - technique 236–7
- esophageal foreign body removal
 - 239–49
 - complications 247, 249
 - contraindications 241–2
 - equipment 242
 - Foley catheter technique 240, 249
 - indications 240–2
 - patient preparation 243
 - postprocedure and follow-up care 247
 - rigid endoscopy 240
 - technical variations 245–7
 - magnetic foreign body removal 245–8
 - variable balloon inflation 245
 - technique 243–5
- esophageal laceration 175
- esophageal stenosis, congenital 229, 231–2
- esophageal strictures 229
 - acquired 232–5
- esophageal varices 235
- esophageal webs 231
- esophagitis 234
- Ethibloc® 208, 325
- Ewing’s sarcoma 386
- extracorporeal shock wave lithotripsy 330, 336
- facilities 9
- fecal soiling 183
- femoral artery
 - puncture 411
 - thrombosis 411
- femoral lines 20
- femoral vein catheters 39, 52–3
 - equipment and patient preparation 52
 - postprocedure and follow-up care 53
 - technical variations 53
 - technique 52–5
 - temporary 53
- fentanyl citrate (Sublimaze®) 18–19, 21, 137
 - complications 19
- fibrin glue 111
- fibrin sheath 69
 - mechanical stripping 73
 - removal 72
- fibrin split products 72
- fibrinolysis, intracavitary 109–11
- fibrosarcoma 363
- filters 14
- fine needle aspiration biopsy (FNAB) 125
 - needles 126–7
- fistula
 - arteriportal 282
 - arteriovenous 309, 415, 427–30
 - biliary-arterial 270
 - biliary-pleural 270
 - biliary-venous 270
- bronchopleural 105
 - gastrocolic 175, 177
 - tracheoesophageal 232–3
- FlexiFlo® tube 167–8
- fluconazole 310
- fluid overload 413
- flumazenil (Romazicon®) 20
- fluoroscopy
 - and arthrography 378
 - aspiration and fluid drainage 195
 - bone lesions 389
 - gastrostomy 153–4
 - musculoskeletal interventions 358
 - nephrolithotomy 333
 - PTC 255–7
 - TIPS 288
 - ureteral stent insertion 343–5
- FNAB *see* fine needle aspiration biopsy
- focal spot rating 14
- foreign body
 - esophageal 239–49
 - in fluid collections 210
 - intravascular 75–6
 - localization of catheter fragment 76
 - sheath size 75
 - soft tissue 365–8
- fracture reduction with internal fixation 399–403
 - closed reduction 400
 - complications 403
 - equipment 400
 - indications 400
 - open reduction 399
 - patient preparation 400–1
 - postprocedure and follow-up care 403
 - technical variations 401
 - technique 401–2
- fractured catheters 39
- fragmented catheters 74
 - removal of fragments *see* foreign body
- Franssen needle 388
- fungal infections 67
- furosemide 335
- gallbladder
 - hydrops 259
 - perforation 259
 - radiology 251–2
- gallstones 271
- gastric
 - herniation 175
 - perforation 175
 - plication, iatrogenic 180
 - scintigraphy 158
 - ulcers 293
- gastritis 293
- gastrocolic fistula 175, 177
- gastroesophageal reflux 154, 157, 182

Index

- esophageal dilation 234
- gastroesophageal varices 281
- gastrojejunostomy 2, 153, 157
 - button 154, 177
 - percutaneous 2, 153, 157
 - technique 167
- gastrostomy 153–83
 - button 154, 172–4, 177
 - care of 154
 - complications 175–83
 - bowel perforation 175, 181
 - intussusception 176, 179, 182
 - malposition 176, 179–80
 - occlusion and leakage 181–2
 - peritonitis 175, 181
 - skin irritation 177–81
 - stoma ulceration 175, 179
 - tract granuloma 176, 179, 181
 - tube dislodgment 181
 - see also specific complications*
 - controversies and issues 183
 - equipment 157–8
 - nasojejunal tube insertion 159
 - indications 154–7
 - laparoscopic 154
 - leakage 170
 - outcome measures 156
 - patient preparation 157–9
 - percutaneous 2, 153–4
 - complications 176
 - endoscopic 153
 - fluoroscopic 153–4
 - postprocedure and follow-up
 - care 168–74
 - catheter exchange and reinsertion 170–2
 - gastrostomy/jejunostomy button 172–4
 - postoperative orders and initial tube care 168–70
 - replacement or exchange 173
 - surgical 153, 155
 - technical problems and pitfalls 174–5
 - damage to deep structures 174
 - difficult delivery of retention device or J-tube 175
 - inability to access gastric lumen 174
 - inadvertent dislodgment 175–6
 - transcolonic puncture 174
 - technical variations 168
 - bowel decompression 168–9
 - percutaneous jejunostomy 168
 - push–pull gastrostomy 168
 - technique 159–67
 - antegrade (pull) gastrostomy 157, 160–5
 - nasojejunal tube insertion 159
 - percutaneous gastrojejunostomy 167
 - retrograde gastrostomy 165–7
 - gastrostomy tube 165–6
 - balloon internal retention bumper 166
 - replacement 182
 - gelatin sponge 381
 - Gelfoam[®] pledgets/slurry 281–3, 293, 419
 - general anesthesia
 - bone tumor excision 395
 - PICC insertion 31
 - ureteral dilation 327
 - ureteral stent insertion 343
 - genitourinary interventions 297–355
 - anatomic considerations 298–9
 - endopyelotomy 2, 301, 303, 348–55
 - history 298
 - nephrolithotomy 330–6
 - nephrostomy 309–20
 - tract dilation 328–30
 - radiology 300–4
 - renal biopsy 304–9
 - renal cysts 205–9, 324–8
 - ureteral balloon dilation 336–41
 - ureteral stent insertion 341–8
 - Whitaker (pressure–flow) perfusion test 320–4
 - gentamicin 185, 187, 254
 - Gerota’s fascia 299, 305
 - Gianturco Z-stent 144
 - Glide[®] wire 60, 116, 261, 277, 282, 292, 319, 327, 335, 338, 373
 - angled 25, 36, 237, 312, 314, 319, 327, 334, 338, 344
 - glucagon 406
 - glucose transport protein (GLUT) 1 421
 - glue, as sclerosant 208, 325
 - goose-neck snare 61
 - GORE VIATORR[®] covered endoprosthesis 287
 - granulation tissue
 - cecostomy site 190
 - gastrostomy site 176, 179, 181
 - grids 14
 - guide wires 60
 - intrathoracic abscess drainage 116
 - nephrolithotomy 334
 - percutaneous nephrostomy 312
 - stabilization 60–1
 - see also individual types*
- Haemophilus influenzae* 112
- halitosis 368
- hemangioendothelioma 414
 - embolization therapy 415, 423
- epithelioid 438
- Kaposi’s 416, 438
- hemangioma 422
 - cavernous *see* cavernous hemangioma
 - congenital
 - NICH 422, 438
 - RICH 422, 438
 - embolization therapy 415, 419
 - endangering 417
 - hepatic *see* hemangioendothelioma
 - infantile 419, 438
 - spindle cell 438
 - variants 422
- hematochezia 270
- hematoma 210
- hematuria 319, 324, 335, 346
- hemizygous vein 27
- hemobilia 270
- hemodialysis catheter 31
- hemoglobinuria 449
- hemophiliac patients 41
- hemoptysis 432–3
- hemorrhage
 - abdominopelvic biopsy 228
 - PTD 270–1
 - renal biopsy 307, 309
 - retroperitoneal 309, 320, 408
 - splenoportography 280
 - PTD 270
 - splenoportography 281
- Hemovac[®] suction drain 118
- heparin 12, 406
 - clot lysis 72
- heparin locking 92
- hepatic arteriography 413–15
 - contraindications 414
 - indications 413–14
 - postprocedure and follow-up care 415
 - technical problems and pitfalls 414–15
 - technique 414
- hepatic artery
 - aneurysm 282
 - stenosis (HAS) 456
 - thrombosis (HAT) 456, 466
- hepatic hemangioma *see* hemangioendothelioma
- hepatic necrosis 293
- hepatic venography 276–9
 - complications 279
 - contraindications 276
 - equipment 276
 - indications 276
 - patient preparation 276
 - technical variations 277
 - technique 277
- hepatic venous outflow obstruction 456–7, 459
- hepatic venous wedge pressure 277
- hepatobiliary injury 272
- hepatobiliary interventions 250–96
 - hepatic venography 276–9
 - outcome measures 252
 - partial splenic embolization 294–6, 417, 433, 436
 - percutaneous cholecystostomy 259–62
 - percutaneous transhepatic biliary dilation 271–5
 - percutaneous transhepatic biliary drainage 262–71
 - percutaneous transhepatic cholangiography 252–8
 - radiology of liver and gallbladder 251–2
 - splenoportography 279–81
 - transarterial intrahepatic chemoembolization 291–3
 - transcholecystic cholangiography 258–9
 - transhepatic portal venography (TPV) 281–2
 - transjugular intrahepatic portosystemic shunt 286–91
 - transjugular liver biopsy 276, 282–6
- hepatoblastoma 291
- hepatocellular carcinoma 228, 291
- hepatofugal flow 280
- hiatal hernia 162
- Hickman catheter 23
- high-flow vascular malformations 415, 419, 422, 438–9
- history 1–2
- hollow viscera, dilation 229–39
- Horner’s syndrome 286
- horseshoe kidneys 298, 330
- hot knife 350, 354
- hydrocephalus shunts 76
- hydrocodone plus acetaminophen (Lortab[®], Vicodin[®]) 21
- hydrocortisone 13
- hydromorphone (Dilaudid[®]) 21
- hydronephrosis 298, 301–2, 310–12, 320, 341–2
 - percutaneous nephrostomy 309–20
- see also* ureteropelvic junction obstruction
- hydropneumothorax 335
- hydrothorax 335
- hypercalciuria 330
- hyperoxaluria 330
- hyperparathyroidism 330
- hypersplenism 279
 - embolization therapy *see* splenic embolization

Index

- hypertonic saline 208, 325
- hypnotic sedatives 18–19
- hypocitraturia 330
- hypothermia 335, 413
- ibuprofen 20, 137, 346
- imaging studies
 - biplane imaging 14
 - bone biopsy 389–90
 - cross-sectional imaging 60
 - preprocedure imaging *see* preprocedure imaging
 - preprocedure imaging;
see also individual modalities
- indwelling venous ports 76–85
 - complications 84–5
 - controversies and issues 86–7
 - conversion to CVC 84
 - future advances 85–6
 - indications 76–7
 - insertion 94, 96
 - arm port insertion 79–82
 - documentation 95
 - equipment 77–9, 94
 - patient preparation 77
 - procedure 95
 - site closure 81
 - subcutaneous tunnel 77–80
 - technical problems and pitfalls 81
 - postprocedure and follow-up care 81
 - potential infection 96
 - removal 81–4, 95
- infantile hemangioma 438
- infections
 - CRBSI 65–8
 - CVC-related 65–8
 - fungal 67
 - indwelling venous ports 96
 - skin 177–81, 189–90
 - stent-related 343
 - see also* abscess
- inflammatory bowel disease 200–1
- informed consent 10–11
- infundibular stenosis 330
- infusaports *see* indwelling venous ports
- interloop abscess 203–4
- internal jugular vein catheters 39, 42–51
 - catheter length 45–7
 - catheter migration 46, 48
 - equipment 42–3
 - patient preparation 43
 - postprocedure and follow-up care 50
 - right internal jugular vein 41
 - subcutaneous tunnel 49–50
 - technical problems and pitfalls 50–1
 - technique 43–9
 - ultrasound-guided access 45, 48
- interventional radiology team 8–9
- interventional technologist 9
- mid-level providers 9
- pediatric interventional nurse 9
- team leader 8–9
- intestinal failure 27
- intraperitoneal leakage 175
- intrathoracic abscess drainage 112–18
 - complications 112, 118
 - contraindications 115
 - CT guidance 115
 - equipment 115, 118
 - indications 112–15
 - patient preparation 115
 - postprocedure and follow-up care 116–18
 - technique 115–16
- intravascular foreign body 75–6
 - localization of catheter fragment 76
 - sheath size 75
- intravenous hyperalimentation 153
- intravenous urography 301
- intussusception 176, 179, 182
- IR *see* interventional radiology team
- irrigation fluid, extravasation 335
- J-tube
 - buckling 175
 - difficult delivery 175
- Jamshidi needle 388
- jejunostomy
 - button 154, 172–4
 - percutaneous 168
- jejunostomy tube 167
- jugular lines 25
- jugular vein 27–8
- jugular venous access 276–7, 288
- juvenile idiopathic arthritis 375, 377, 382
- triamcinolone in 383
- K-wire 390, 401
- Kaposi’s hemangioendothelioma 416, 438
- Kasabach–Merritt syndrome 414–15, 417, 438
- Katzen wire 470
- Keller–Timmermans introducer 329
- ketorolac (Toradol®) 20, 137, 210, 346, 354, 437
- kidneys 298
 - agenesis 298
 - capsule 299
 - cross-fused renal ectopia 298
 - horseshoe 298, 330
 - mobility 299
 - normal relationships 299
 - perirenal fat 299
 - stones *see* nephrolithotomy; *and individual stone types*
 - see also entries under* renal
- Kirschner wire *see* K-wire
- “kissing balloons” 239
- Klebsiella* spp. 253, 270
- K. pneumoniae* 295
- Klippel–Trenaunay syndrome 443
- kyphoscoliosis 179
- laboratory studies 12
- preprocedure *see* preprocedure
- lab studies;
see also individual procedures
- Langerhans cell histiocytosis 385–6
- laparoscopic ablation of renal cysts 208, 325
- laparoscopic gastrostomy 154
- laser techniques 350
- latex sensitivity 185
- leaks 39
- leiomyoma 363
- Lesch–Nyhan syndrome 330
- lesser sac fluid collections 203
- leukocytosis 296
- lidocaine 277, 280, 305, 319, 327–8, 366, 401
 - buffered 17
 - ELA-Max® cream 17, 184, 199
 - EMLA® cream 17, 184, 199
- Lipiodol® 293
- lipoma 363
- liposarcoma 363
- liver
 - amebic abscess 204
 - capsule perforation 286
 - radiology 251–2
 - see also entries under* hepatic *and* hepato-
- liver biopsy 220–3
 - left lobe 222
 - outpatient 228
 - right lobe 221, 224
 - transjugular *see* transjugular liver biopsy
- liver transplantation
 - hepatic arteriography 413
 - malignant disease 291
 - percutaneous drainage 203
 - splenoportography 279
- local anesthesia 17
 - ELA-Max® cream 17, 184, 199
 - EMLA® cream 17, 184, 199
 - fracture reduction with internal fixation 401
 - percutaneous nephrostomy 317
 - soft tissue foreign body removal 366
- loop snare 41
- Lortab® *see* hydrocodone plus acetaminophen
- lymph node biopsy 362–5
 - complications 364
 - contraindications 363
 - equipment 363
 - indications 363
 - patient preparation 363
 - postprocedure and follow-up care 364
 - specimen handling 364
 - technique 363–5
- lymphatic malformations 442
- lymphocele drainage 210
- magnetic foreign body removal 245–8
- magnetic resonance *see* MR
- magnetic resonance imaging *see* MRI
- malignant fibrous histiocytoma 363
- Malone antegrade colonic enema (MACE) 183
- Maloney dilator 229
- malposition of catheters *see* catheters, malposition
- Manan Pro-Mag™ device 216
- mandril wire 60, 116, 261, 277, 312, 335
- mannitol 292
- Mastisol® 160
- May–Thurner syndrome 62, 461–2
- mechanical malfunction 74
 - fragmentation 74
 - “pinch off” 74–5
 - radiographic grading 75
- mechanical occlusion 90
- mechanical thrombolysis 71
- mediastinal fluid drainage 118–23
 - complications 123
 - equipment 119
 - indications 119
 - patient preparation 120
 - postprocedure and follow-up care 123
 - technical variations 121–3
 - mediastinal window creation 121, 124
 - percutaneous balloon pericardiectomy 121
 - technique 120–1
 - see also* aspiration and drainage
- medication precipitation 90
- melena 270
- meperidine (Demerol®) 19, 137, 354
- mesenchymoma, malignant 291
- metallic stents 140–1
- methadone (Dolophine®) 21
- methylprednisolone 13
- metochlopromide 293
- metronidazole 185, 187
- micropuncture introducer sets 42, 406–7
- midaortic syndrome 458, 461
- midazolam (Versed®) 18
- minocycline 66, 208, 325
- modular approach 4–7
 - completion module 5
 - core module 4

Index

- transitional module 5
- molecular imaging
 - abdominopelvic biopsy 217, 219, 227
 - musculoskeletal interventions 360
 - pulmonary/mediastinal biopsy 133
- Monopt[®] device 216
- morphine 21, 210, 293, 354
- MR angiography 26, 406, 413
 - embolization therapy 422–3 *see also* angiography
- MR cholangiopancreatography (MRCP) 252–3
- MRI 1
 - abdominopelvic biopsy 217
 - arthrography *see* arthrography
 - bone tumors 394
 - embolization therapy 422–3
 - hydronephrosis 301
 - musculoskeletal interventions 360
 - pulmonary/mediastinal biopsy 133
 - sclerotherapy of vascular malformations 442
 - vascular interventions 406
- MRSA 99
- mucormycosis 110
- multicystic dysplastic kidneys 28
- musculoskeletal interventions 356–403
 - history 358
 - imaging guidance 358–60
 - CT 358
 - fluoroscopy 358
 - molecular imaging 360
 - MRI 360
 - ultrasound 358
 - instruments and devices 360
 - interventional radiology 358
 - outcome measures 359
- myelodysplasia 344
- myositis ossificans 363
- naloxone (Narcan[®]) 19–20
- Narcan[®] *see* naloxone
- nasogastric tube feeding 153
- nasojejunal tube insertion 2, 153, 159–60
 - equipment 159
- necrotic tumor 210
- necrotizing enterocolitis 235
- needles
 - abdominopelvic biopsy 216
 - bone biopsy 388
 - end-cutting 216
 - gauge 216
 - pulmonary/mediastinal biopsy 126–8
 - side-cutting 216
 - thoracic aspiration/drainage 102 *see also specific types*
- Neff introducer 312
- necholeodochojejunostomy 275
- neonates
 - analgesia 21
 - atrial clots 73
 - catheter-related thrombosis 73
 - embolization therapy 435–7
 - esophageal stenosis 231–2
 - imaging studies 14
 - local anesthesia 17
 - naloxone 19–20
 - renal mobility 299
 - renal outflow obstruction 314
 - sedation 18
 - ureteropelvic junction obstruction 301
- nephroblastoma 228
- nephrolithotomy 330–6
 - complications 335
 - contraindications 331
 - equipment 331–2
 - future advances 335
 - indications 330–2
 - patient preparation 333
 - postprocedure and follow-up care 335
 - technical variations 334–5
 - caliceal diverticula 334
 - pelvic access with large stone burden 334–5
 - technique 333–4
- nephrostomy catheter 345
- nephrostomy drains 314–15
 - insertion 2
- nephrostomy, percutaneous 309–20
 - complications 319–20
 - contraindications 310
 - equipment 311–16
 - indications 310–14
 - outcome measures 318
 - patient preparation 315–16
 - postprocedure and follow-up care 318–19
 - catheter exchange and accidental dislodgment 319
 - catheter security 318
 - technique 316–18
 - access to renal pelvis 316–17
 - anesthesia 317
 - catheter insertion 318
 - infants 317
 - route planning 317–18
 - transrenal access 317
- nephrostomy tract dilation 328–30
 - complications 329
 - equipment 329
 - indications 328
 - patient preparation 329
 - technique 329
- nephrotic syndrome 44
- nesidioblastosis 281
- neuroblastoma 224, 226, 302
- neurofibromatosis 363, 458, 461
- neuropathy 449
- Newton wire 116, 314
- NICH *see* non-involuting congenital hemangioma
- Nissen fundoplication 230
- nitinol snare 160–1
- nitinol stent 144
- nitinol wire 60, 116
- nitrogen washout 108
- nitroglycerine 406, 409, 437
- nodular fasciitis 363
- non-involuting congenital hemangioma (NICH) 422, 438
- non-steroidal anti-inflammatory drugs *see* NSAIDs
- Notec[®] *see* chloral hydrate
- NSAIDs 12
- nutcracker syndrome of renal vein 464
- occlusion of catheters *see* catheters, occlusion; catheters, tip occlusion
- occlusive dressings 67, 105
- occult transfixation of small bowel/colon 174–5
- OK-432 111
- olive oil 111
- Onyx[®] 419
- “open book” pelvic fractures 400
- open surgical pleurodesis 111
- opioid analgesics 19
 - morphine 21, 210, 293, 354
- Opsite[®] dressing 105, 167, 319, 437
- orthopedic interventions 380–403
 - bone biopsy 385–92
 - bone tumors
 - excision 392–7
 - locoregional thermal ablation 397–9
 - cystic lesions 380–5
 - percutaneous reduction with internal fixation 399–403
- oscillating thrombectomy systems 469
- osteoblastoma 391
- osteoid osteoma 4
 - excision 392–7
- osteomyelitis 388
- osteosarcoma 68, 386
 - parosteal 386
 - periosteal 386
- OstyCore[®] needle 388
- OstyCut[®] needle 388
- outpatient liver biopsy 228
- oximeter 408–9
- oxycodone (Percocet[®]) 21
- padding 15
- pain management 20–1
 - patient-controlled analgesia (PCA) 296 *see also individual drugs*
- Palmaz[®] stent 144, 287
- pancreatic biopsy 224–5
- pancreatic pseudocyst 205, 208
- pancreatitis 203, 293
- papaverine 406, 414
- paracentesis 199
- parapneumonic effusion 101–5
- paravertebral vein 27
- parotid gland 369
- partial splenic embolization 294–6, 417, 433, 436
- partial thromboplastin time 254
- particulate embolic agents 381, 418–19
- patent ductus arteriosus 281
- patient positioning 15
- patient preparation 10–12
 - general principles 10
 - informed consent 10–11
 - laboratory studies 12
 - NPO status 11
 - pregnancy testing 12
 - preprocedure medications 12
 - prophylactic antibiotics 12 *see also individual procedures*
- patient safety 12–15
 - contrast reactions 12–13
 - general principles 10
 - premedication 12–13
 - emergency 13
 - radiation dose management *see* radiation safety
- patient-controlled analgesia (PCA) 296
- Pedialyte[®] 169
- pediatric interventional nurse 9
- pelvic abscess 199–201
 - inflammatory bowel disease 200–1
 - transgluteal drainage 199–201
 - transrectal drainage 199–200, 202
- pelvic pressure 320
- pelvic ring fractures 400
- “open book” 400
 - see also* fracture reduction with internal fixation
- pentobarbital sodium (Nembutal[®]) 18–19
- Percocet[®] *see* oxycodone
- percutaneous thrombin embolization 451, 454
- percutaneous transluminal angioplasty 456–64
 - see also* angioplasty and stenting
- percutaneous transluminal dilation 336
- periappendiceal abscess 201
- pericardiocentesis 118–23
 - complications 123
 - CT guidance 121
 - equipment 119
 - indications 119
 - patient preparation 120

Index

- pericardiocentesis (cont.)
 - postprocedure and follow-up care 123
 - technical variations 121–3
 - mediastinal window creation 121, 124
 - percutaneous balloon pericardiotomy 121
 - technique 120–1
- perineal injuries 433
- peripheral nerve sheath tumors 363
- peripheral pulses 407
- peripherally accessed system ports 77
- peripherally inserted central catheters *see* PICCs
- perirenal fat 299
- peritonitis
 - abdominopelvic biopsy 228
 - gastrostomy 175, 181
 - percutaneous cecostomy 189–90
- PET 1
- PET-CT 198
 - soft tissue biopsy 363
- PICCs 27–39
 - blood drawing 25–88
 - catheter measurement 36
 - complications 38–9
 - accidental dislodgment 86
 - catheter dysfunction 38–9
 - catheter-related thrombophlebitis 38
 - equipment 32
 - indications 27–9, 32
 - patient preparation 30–3
 - postprocedure and follow-up care 36–7
 - removal 36–7
 - technical problems and pitfalls 37–8
 - technical variations 36
 - technique 33–6
 - angled glide wire 36
 - modified bent guide wire technique 35
 - ultrasound-guided access 34–5
- pigmented villonodular synovitis 363
- pigtail catheter 315–16, 318
- “pinch off” 74–5
- plasmapheresis 42
- platelet count 254
- platelet dysfunction 12
- platelet-rich plasma 376
- Pleur-evac® drain 105
- pleural effusion 98–9
- pleural fluid collections *see* thoracic aspiration and drainage
- pleurodesis
 - chemical 109, 111
 - open surgical 111
- pneumatocele 114
- pneumonia 99, 110
 - parapneumonic effusion 101–5
- pneumonostomy 112
- pneumopericardium 108
- pneumoperitoneum 176
- pneumothorax 105, 108, 282, 335
 - biopsy-related 137
 - chemical pleurodesis 109
 - PTD 270
 - splenoportography 281
- polidocanol 376
- polyvalent pneumococcal vaccine (Pneumovax®) 295
- polyvinyl alcohol particles 381, 418
- portal hypertension 280, 286, 290, 414
- portal overperfusion 288
- portosystemic gradient 277
- ports 2, 25
- positron emission tomography *see* PET
- postembolization syndrome 293, 296, 417
- postprocedure lab studies 107
- postradiotherapy arteritis 458
- post-transplant lymphoproliferative disease 306
- Potts–Cournand type needles 406–7
- povidone–iodine (Betadine®) 295
- power tools 360
- prednisone 13, 442
- pregnancy testing 12
- premedication 12–13
 - emergency 13
- preprocedure imaging
 - percutaneous cecostomy 185–6
 - thoracic aspiration/drainage 101, 104
- preprocedure lab studies
 - pericardial/mediastinal fluid drainage 120
 - thoracic aspiration/drainage 101
- preprocedure medications 12
- pressure sores 411
- prilocaine 17
- priscoline 414
- prothrombin time 254
- pseudoaneurysm ablation 449–56
 - complications 454
 - indications 451
 - postprocedure and follow-up care 454
 - technique 451–3
 - endovascular embolization 453, 455
 - percutaneous thrombin embolization 451, 454
- protection of parent artery 451–3
- pseudodiverticulum 237
- Pseudomonas* spp. 67, 253, 270
 - P. aeruginosa* 114
- psoas hemorrhage 308
- PTC *see* transhepatic cholangiography, percutaneous
- PTD *see* transhepatic biliary drainage, percutaneous
- pulmonary arteriovenous malformations 429
- pulmonary artery stenosis 63
- pulmonary embolism 472
- pulmonary nodules 130
 - marking for resection 137–40
 - complications 140
 - equipment 138
 - indications 138
 - patient preparation 138
 - postprocedure and follow-up care 139
 - technical variations 139
 - technique 138–9
- pulmonary sequestration 417
- pulmonary/mediastinal biopsy 123–37
 - complications 137
 - contraindications 126
 - equipment 126–8
 - core biopsy needles 126–8
 - FNAB needles 126–7
 - imaging modalities 130–3
 - CT 131–2, 135
 - molecular imaging 133
 - MR 133
 - ultrasound 133
 - indications 125–6
 - patient preparation 128–9
 - postprocedure and follow-up care 136–7
 - specimen handling 134
 - technical variations 134–6
 - technique 130, 133
 - chronic lung disease 130
 - pulmonary nodules 130
- pulse Doppler monitor 10, 408–9
- pulse oximetry 406
- push–pull gastrostomy 168
- pyeloplasty 301
- pyloric stenosis 235–6
- pyonephrosis 319
- Quick-Core® semi-automated needle 216
- radiation fibrosis 271
- radiation safety 13–15
 - alternative modalities 13
 - appropriate focal spot rating 14
 - biplane imaging 14
 - collimation 14
 - dose-dependent radiation injury 13
- effective use 13
- filters 14
- grids 14
- limiting image number 14
- limiting redundant imaging 14
- optimization of hardware and imaging configuration 14
- prompt “stand down” 14
- shielding 14–15
- ranula treatment 370–5
 - complications 375
 - contraindications 371
 - equipment 371, 373
 - future advances 375
 - indications 371–2
 - patient preparation 371
 - postprocedure and follow-up care 373–5
 - technique 373–4
 - partial gland ablation 373
 - sclerotherapy 373
- rapidly involuting congenital hemangioma (RICH) 422, 438
- reflux 39
- regional anesthesia 17
 - soft tissue foreign body removal 366
- renal arteries 299
 - ablation 417, 433
 - stenosis 458, 461
- renal biopsy 304–9
 - complications 306–10
 - equipment 304
 - indications 304
 - patient preparation 304
 - postprocedure and follow-up care 306, 308
 - technique 304, 305–7
- renal cysts 205–9, 324–8
 - complications 328
 - diagnosis 206
 - imaging features 325
 - indications for therapy 325–6
 - percutaneous treatment 325–6
 - disadvantages 326
 - equipment 326
 - image-guided aspiration 208
 - laparoscopic ablation 208, 325
 - patient preparation 327
 - postprocedure and follow-up care 327–8
 - retrograde marsupialization 208, 325
 - sclerotherapy 208, 325
 - standard protocol 327
 - surgical 207
- renal failure 31
- renal pelvis 299
 - perforation 335
 - transrenal access 317
- renal transplantation, percutaneous nephrostomy 318

Index

- renal vein
 nutcracker syndrome 464
 renin sampling 465
 Replicare[®] dressing 180
 repositioning of catheters 69, 71
 restraints 406
 reteplase 469
 retrograde gastrostomy 165–7
 retrograde marsupialization of
 renal cysts 208, 325
 retroperitoneal hemorrhage 309,
 320, 408
 retropharyngeal abscess 119
 rhabdomyosarcoma 291, 363
 rheolytic thrombectomy systems
 469
 RICH *see* rapidly involuting
 congenital
 hemangioma
 rifampin 66
 Roadrunner[®] wire 116, 314, 327
 Romazicon[®] *see* flumazenil
 Rosen wire 116, 314, 327, 338
 Ross needle 285
 rotating hemostatic valve 60, 352
 rotational thrombectomy
 systems 469
 rubella syndrome 458
 Rutner adapter 329
 Rutner valve 352
- safety devices 10
 salivary glands
 chemodenervation 368–70
 parotid gland 369
 partial ablation 370–5
 ranula 370–5
 submandibular gland 369–70
 Savory–Gilliard bougie 229
 schwannoma 363
 scimitar syndrome 417, 429
 scintigraphy, gastric 158
 sclerosing agents 325, 328, 381, 438
 see also individual agents
 sclerosing cholangitis 271
 sclerotherapy of renal cysts 208,
 210, 325
 disadvantages 209
 equipment 209
 treatment approach 209
 sclerotherapy of salivary ranula
 370–5
 contraindications 371
 equipment 371, 373
 patient preparation 371
 technique 373
 sclerotherapy of vascular
 malformations 438–49
 complications 449–50
 equipment 442, 445
 future advances 449
 indications 438–41, 443
 patient preparation 442
 postprocedure and follow-up
 care 448–9
- technical problems and pitfalls
 449
 technical variations 444–8
 bleomycin 445, 447
 sodium tetradecyl sulfate
 444
 varicocele sclerotherapy
 447–9
 technique 442–3, 445–6
 scoliosis 392
 sedation 15–21
 complications 19
 emergence delirium 19
 risk index classification 16
 see also individual drugs
 sedation formulary 16–19
 anxiolytics 17–18
 hypnotic sedatives 18–19
 opioid analgesics 19
 postprocedure pain
 management 20–1
 reversal agents 19–21
 topical, local, tumescent and
 regional anesthesia 17
- sepsis 67
 percutaneous nephrostomy
 319
 septic arthritis 37
 septic thrombophlebitis 67
 septicemia 67
 shielding 14–15
 side-cutting needles 216
 silastic catheters 47
 silastic stents 345
 silicone catheters 47
 silicone stents 140
 silver nitrate 111, 203
 single wire method 36
 skin irritation/infection
 cecostomy site 189–90
 gastrostomy site 177–81
 skin necrosis 449
 slow-flow vascular
 malformations 438–9
- snares
 embolization therapy 437
 gooseneck 61
 loop 41
 nitinol 160–1
 transfemoral 39
 sodium morhullate 208, 325
 sodium tetradecyl sulfate 208,
 325, 328, 381, 438, 444
 sodium thiosulphate 293
 soft tissue aspiration and
 drainage 360–2
 complications 362
 equipment 360
 indications 360
 patient preparation 360
 postprocedure and follow-up
 care 362
 technique 361–2
 soft tissue biopsy 362–5
- complications 364
 contraindications 363
 equipment 363
 indications 363
 patient preparation 363
 postprocedure and follow-up
 care 364
 specimen handling 364
 technique 363–5
 soft tissue foreign body removal
 365–8
 complications 367
 equipment 365–6
 indications 365–6
 patient preparation 366
 postprocedure and follow-up
 care 367
 technical variations 366
 technique 366–7
 soft tissue tumors 389
 solid organ abscess 203–6
 SorbaView[®] dressing 105, 319
 specimen handling
 abdominopelvic biopsy 227
 pulmonary/mediastinal biopsy
 134
 soft tissue biopsy 364
 spina bifida 183
 spindle cell hemangioma 438
 splenectomy 294
 splenic abscess 204, 207
 splenic biopsy 223–4
 splenic embolization 417
 partial 294–6, 417, 433, 436
 complications 296
 contraindications 294
 equipment 294
 indications 294
 patient preparation 295
 postprocedure and follow-
 up care 295–6
 technique 295
 total 294, 417
 splenic rupture 280
 splenic vein occlusion 414
 splenomegaly 280
 splenoportography 279–81
 complications 280–1
 contraindications 279
 equipment 279
 indications 279
 patient preparation 279
 postprocedure and follow-up
 care 280
 technical problems and pitfalls
 280
 technique 280
 spring-loaded biopsy device 216
 staghorn calculus 330, 333
 Staphylococcus spp. 112
 S. aureus 67, 99, 387
 methicillin-resistant *see*
 MRSA
 S. epidermidis 67, 295
 StatSeal[®] powder 409
- Steinman pin 390, 395
 stents
 infection 343
 metallic 140–1
 migration 347–8
 occlusion 347
 silastic 343
 silicone 140
 tracheobronchial 140
 see also angioplasty and
 stenting; *and specific*
 types
 stent insertion
 biliary stents 275
 tracheobronchial stents 140
 ureteral stents 2, 341–8
 Steri-Strips[®] 408
 sterile technique 66–7
 Stevens–Johnson syndrome 234
 stoma ulceration 175, 179
 stomach *see entries under* gastric
 Strecker stent 287
 Streptococcus spp.
 S. pneumoniae 99
 S. pyogenes 99
 streptodornase 109
 streptokinase 72, 109, 465–72
 subclavian vein catheters 28, 39,
 41, 51–2
 equipment and patient
 preparation 51
 postprocedure and follow-up
 care 52
 technical variations 52
 technique 51–2
 subcutaneous tunnel 49–50
 indwelling venous ports 77–80
 Sublimaze[®] *see* fentanyl citrate
 submandibular gland 369–70
 subphrenic abscess 203, 205
 suction drains 118
 superior mesenteric vein
 occlusion 414
 superior vena cava 26
 supplies *see* equipment and
 supplies
 supraventricular tachycardia 286
 surgical anti-reflux procedures
 157
 surgical gastrostomy 153, 155
 complications 176
 Surgicel[®] pads 409
 synovial cell sarcoma 104
 systemic pulmonary arterial
 supply 429, 431
- T-lok[®] needle 388
 Takayasu arteritis 458
 talc 111, 208, 325
 tamponade 318
 tandem needle biopsy 134–6, 363
 tape bridge 106
 tears 39
 Tegaderm[®] dressing 105, 167,
 319, 408, 437

Index

- tenecteplase 469
- tension pneumothorax 108
- tetanus toxoid prophylaxis 367
- tetracycline 111, 208, 325
- Thal-Quick catheter 105–6
- thermal ablation of bone tumors 397–9
 - complications 399
 - equipment 397
 - indications 397–8
 - patient preparation 397
 - postprocedure and follow-up care 398
 - technique 397, 399
- thoracic aspiration and drainage 98–108
 - complications 107–8
 - chylothorax 108
 - hemothorax 108
 - pneumothorax 108
 - empyema 99–100
 - equipment 100–1
 - access needles 102
 - drainage catheters 103
 - indications 100
 - outcome measures 107
 - patient preparation 101
 - preprocedure imaging 101, 104
 - preprocedure lab studies 101
 - pleural effusion 98–9
 - postprocedure and follow-up care 105–7
 - catheters 105
 - laboratory studies 107
 - technique 101–5
- thoracic interventions 97
 - history 98
 - interventional radiology 98
 - marking lesions for resection 137–40
 - see also specific interventions*
- thoracic transcatheter therapies
 - chemical pleurodesis 109, 111
 - chemotherapy 109
 - complications 112
 - equipment and patient preparation 110
 - fibrinolysis 109–11
 - indications 109–10
 - postprocedure and follow-up care 111
 - technique 110–11
 - thrombolysis 109
- thrombolysis 70–3, 465–72
 - catheter design 72
 - complications 471
 - equipment 466–9
 - indications 466–7
 - intracavitary 109
 - mechanical 71
 - patient preparation 469–70
 - postprocedure and follow-up care 471
- technical problems and pitfalls 471
- technique 470–1
- thrombophlebitis
 - catheter-related 38
 - septic 67
- thrombosis
 - catheter-related 73–4
 - catheter position 74
 - catheter stay duration 73
 - mechanisms 73
 - deep venous 26, 73–4, 472
- thrombotic thrombocytopenic purpura 42
- thrombus, tip occlusion 39–41
- thyroglossal duct cysts 371
- TIPS *see* transjugular intrahepatic portosystemic shunt
- tissue adhesive 419
- tissue plasminogen activator (tPA) 40, 99, 411, 465, 469
 - catheter declotting 70, 72
- topical anesthesia 17
- Toradol[®] *see* ketorolac
- total splenic embolization 294, 417
- Towbin nephrostomy drain 315
- tracheobronchial remnant 231–2
- tracheobronchial stents 140
 - complications 149–50
 - equipment 144, 146
 - indications 141–4
 - issues and controversies 150
 - metallic 140–1
 - patient preparation 146
 - postprocedure and follow-up care 149
 - removal 141, 149
 - silicone 140
 - technique 146–9
 - airway dilatation 146–9
 - stent insertion 149
- tracheobronchomalacia 141
- tracheoesophageal fistula 232–3
- tract seeding 228
- transarterial intrahepatic chemoembolization (TACE) 291–3
 - complications 293
 - equipment 292
 - indications 292
 - patient preparation 292
 - postprocedure and follow-up care 293
 - technical variations 293
 - technique 292–3
- transbrachiocephalic access 54–5, 58
- transcholecystic cholangiography (TCC) 258–9
 - indications 258
 - postprocedure and follow-up care 259
 - technique 258–9
- transcolonic puncture 174
- transfemoral snare 39
- transgluteal pelvic drainage 199
- transhepatic access 58–9
 - complications 65
 - postprocedure and follow-up care 59
 - ultrasound guidance 58
- transhepatic biliary dilation, percutaneous (PTBD) 271–5
 - complications 275
 - equipment 272
 - indications 271
 - patient preparation 272
 - postprocedure and follow-up care 274
 - technical variations 273–5
 - impassable strictures 273
 - technique 272–3
- transhepatic biliary drainage, percutaneous (PTD) 262–71
 - complications 270–1
 - bile leak 270
 - catheter blockage 270
 - hemorrhage 270–1
 - pleural 270
 - equipment 265, 267
 - indications 263–4, 266
 - postprocedure and follow-up care 270
 - technical variations 269
 - technique 265–9
 - double-stick method 265–9
 - single-stick method 265
- transhepatic cholangiography, percutaneous (PTC) 252–8
 - complications 258
 - contraindications 253
 - equipment 253–4
 - indications 253
 - patient preparation 253–4
 - postprocedure and follow-up care 257
 - technical variations 257
 - carbon dioxide as contrast agent 257
 - left lateral (subxiphoid) approach 257
 - technique 254–7
 - fluoroscopic guidance 255–7
 - ultrasound guidance 255–6
- transhepatic portal venography (TPV) 281–2
 - complications 282
 - contraindications 281
 - equipment 281
 - indications 281
 - postprocedure and follow-up care 282
 - technique 281–3
- transjugular intrahepatic portosystemic shunt (TIPS) 286–91
 - complications 290–1
 - contraindications 287
 - equipment 287
 - indications 286–7
 - patient preparation 287
 - postprocedure and follow-up care 289
 - technical problems and pitfalls 289
 - technical variations 289
 - technique 287–90
- transjugular liver biopsy (TJLB) 276, 282–6
 - complications 286
 - equipment 284
 - indications 284
 - patient preparation 284
 - postprocedure and follow-up care 286
 - technical variations 285–6
 - needle curvature 285
 - ultrasound guidance 286
 - technique 284–5
- translumbar access 59–61
 - ultrasound guidance 60
- transplant vascular stenosis 456–8
 - hepatic artery stenosis 456
 - hepatic artery thrombosis 456, 466
 - hepatic venous outflow obstruction 456–7, 459
- transrectal drainage 199–200, 202
- trapdoor catheter 187–8
- Trellis[™] thrombectomy system 469
- trephine 389, 391
- Treratola[™] thrombectomy system 469
- triamcinolone (Aristospan[®]) 383
- trisomy-21 40
- tumescent anesthesia 17
- Tuoehy–Borst rotating hemostatic valve 60
- ultrasonic Doppler flow detector 408
- ultrasound 1, 5–7, 10
 - abdominopelvic biopsy 216–17
 - antegrade (pull) gastrostomy 160
 - arthrography 379, 382
 - aspiration and fluid drainage 195
 - central venous catheters 26
 - difficult access 58, 60
 - internal jugular vein 45, 48
 - PICCs 34–5
 - hydronephrosis 301
 - musculoskeletal interventions 358

Index

- nephrostomy 316
 - PTC 255–6
 - pulmonary/mediastinal biopsy 133
 - renal cyst aspiration 208
 - sclerotherapy of vascular malformations 442
 - soft tissue biopsy 363
 - thoracic interventions 98
 - transjugular liver biopsy 286
 - umbilical artery catheter-related aortic thrombosis 470
 - umbilical venous catheters 210
 - unicameral bone cysts 380
 - see also* bone cyst therapy
 - ureteral balloon dilation 336–41
 - complications 339
 - equipment 337
 - indications 336–7
 - patient preparation 337
 - postprocedure and follow-up care 339
 - technique 337–40
 - ureteral opening pressure 323
 - ureteral perforation 335
 - ureteral stent insertion 2, 341–8
 - complications 347–9
 - equipment 343, 345
 - indications 341–4
 - patient preparation 343
 - postprocedure and follow-up care 345–7
 - technique 343–6, 348
- ureteroenteric anastomotic strictures 330
 - ureteronephroscopy 336
 - ureteropelvic junction obstruction 299–304, 330, 350
 - lower pole crossing vessels 301
 - see also* endopyelotomy
 - urine leakage 320
 - urinoma 320
 - urokinase 72, 99, 109, 465
 - uterine sound 49
 - VACTERL association 232, 300
 - van Andel catheter 338
 - vancomycin 12
 - varicocele sclerotherapy 447–9
 - vascular interventions 404–76
 - angiography 405–13
 - angioplasty and stenting 456–65
 - arterial embolization 415–38
 - hepatic arteriography 413–15
 - pseudoaneurysm ablation 449–56
 - sclerotherapy 438–49
 - vena caval filters 472–6
 - vascular malformations
 - embolization therapy 415, 419, 422
 - high-flow 415, 419, 422, 438–9
 - sclerotherapy 438–49
 - slow-flow 438–9
 - VATS *see* video-assisted thoracoscopic surgery
 - vena caval filters 472–6
 - complications 475–6
 - contraindications 472
 - equipment 472, 474
 - indications 472–3
 - patient preparation 474
 - postprocedure and follow-up care 475–6
 - technique 474–5
 - venography 33
 - venospasm 37
 - venous compression syndromes 460–4
 - venous recanalization 61–2
 - equipment 61
 - patient preparation 61
 - postprocedure and follow-up care 62–5
 - technique 61–4
 - venous thrombosis 73
 - Versed® *see* midazolam
 - Vicodin® *see* hydrocodone plus acetaminophen
 - video-assisted thoracoscopic surgery (VATS) 99
 - vitamin K 12, 254
 - Wallstent® 144, 287
 - warfarin 12
 - warming devices 10, 406
 - Whitaker (pressure–flow) perfusion test 2, 320–4
 - complications 324
 - equipment 321
 - indications 321
 - patient preparation 321
 - postprocedure and follow-up care 323
 - technical problems and pitfalls 324
 - technical variations 323
 - technique 321–3
 - one-needle 322–3
 - perfusion measurement 323
 - two-needle 322
 - Williams syndrome 458
 - wires 10
 - wooden chest syndrome 19
 - Yueh sheathed needle 327
 - Z-stent 287