

Index

- 3-leg form
 - ABS list, 341
 - discrete potential KdV, 340
- ABS list, 86
 - 3-leg form, 341
 - A-list, 87
 - coalescence diagram, 89
 - H-list, 87
 - Q-list, 87
- action angle variables, 163
- action functional, 164, 334–348, 353–360
- addition formula
 - Jacobi elliptic function, 43
 - Weierstrass elliptic function, 44
- affine multilinear P Δ E, 69
- affine Weyl groups, 315–321
 - Cartan matrix, 319
 - Coxeter relations, 320
 - crystallographic property, 318
 - Dynkin diagram, 319
 - extended affine Weyl group, 320
 - nice generating set, 320
 - reflections, 317
 - root systems, 318
- algebraic entropy, 207–213
- analytic difference equation, 5
- analytic function, 384
- area preservation, 179
- auto-Bäcklund transformation, 37
- autonomous, 2, 7
- autonomous P Δ E, 69
- Bäcklund transformation, 36–44, 55, 57, 65
 - discrete Painlevé equations, 315
 - multidimensional consistency, 80
 - P_{IV}, 49
 - sine-Gordon equation, 59
- Bäcklund, AV, 36
- Bessel function, 37
- Bessel's equation, 38, 62
- Bianchi permutability, 75
- bilinear form
 - continuous KdV, 224
- bilinearization, 238–241
 - singularity confinement, 238
- birational map, 6
- Calogero–Moser equation, 14
 - Lagrangian 1-form, 355
- canonical transformation, 161, 163
- Casoratian, 376, 379, 410
- Casoratian solutions
 - discrete KdV, 245
 - Hirota–Miwa equation, 244
- Cauchy matrix, 250–277
 - discrete KP, 272
 - discrete potential KdV, 256
 - discrete potential mKdV, 256
 - discrete SKdV, 257
 - soliton solutions, 265
 - τ -function, 261
- Cauchy's theorem, 385
- Cauchy–Riemann equations, 385
- Chazy equation, 3
- cluster algebras, 194
- Cole–Hopf relation, 64
- Cole–Hopf transformation, 75, 296
- compatibility, 32
- connection matrix, 323, 324
- conservation law, 53
- conserved density, 53
- conserved quantity, 161, 179, 181
 - periodic reduction, 188
- consistency-around-the-cube, *see* multidimensional consistency
- constant of motion, 166
- contiguity relations, 39, 40
 - Gauss' hypergeometric function, 63
- continuous BSQ, 94
- continuous derivative NLS, 101
- continuous Heisenberg chain, 101

- continuous KdV, 13
 - bilinear form, 224
 - Lagrangian formalism, 340
 - Lax pair, 51
 - Miura transformation, 52
 - soliton solutions, 224
 - continuous KP, 13, 110
 - Hirota bilinear form, 242
 - Lax pair, 110
 - soliton solutions, 242
 - continuous mKdV, 13, 53, 65
 - continuous NLS, 13, 100
 - continuous Painlevé equations, 44–50, 404
 - coalescence limits, 310
 - Hirota bilinear form, 238
 - P_{34} , 45, 332
 - P_{III} , 221, 404
 - P_{II} , 45, 46, 283, 332, 404
 - P_{IV} , 47, 332, 404
 - P_I , 3, 198, 332, 404
 - P_{VI} , 295, 404
 - P_V , 332, 404
 - continuous potential KdV, 55
 - soliton solutions, 66
 - continuous potential mKdV, 65
 - continuous Schwarzian KdV, 64, 65
 - continuous sine-Gordon, 13
 - continuum limit, 8, 136–158
 - discrete BSQ, 152
 - double continuum limit, 151
 - full continuum limit, 147–151
 - Lax pair, 144–147
 - linearized equation, 138
 - semi-discrete equation, 140, 153
 - skew semi-continuous limit, 141–144, 152
 - straight semi-continuous limit, 139–141, 152
 - cross-ratio, 17, 20
 - cross-ratio equation, 20, 74, 106, 124

 - DAGTE, 16, 231–232
 - Darboux transformation, 35–50
 - Darboux, J G, 35
 - delay P_I , 11
 - delay-difference equation, 10
 - difference algebra, 28
 - difference calculus, 27
 - difference Galois theory, 28
 - difference operator, 3, 363–366
 - dihedral group D_4 , 70
 - dimensional reduction, 280
 - Hirota-Miwa to dKdV, 234
 - Hirota-Miwa to dmKdV, 236
 - discrete Airy equation, 333
 - discrete BSQ, 94–99
 - A-2, 95
 - B-2, 95
 - C-3, 96
 - C-4, 96
 - continuum limit, 152
 - Lax pair, 96
 - multidimensional consistency, 94
 - one-component BSQ, 98
 - one-component mBSQ, 98
 - one-component SBSQ, 99
- discrete derivative NLS, 101
 - discrete elliptic KdV, 102
 - discrete exponential function, 368
 - discrete heat equation, 24
 - discrete Heisenberg chain, 102
 - discrete integration, 369–370
 - discrete isomonodromy problem, 325
 - discrete KdV, 15, 103
 - Casoratian solutions, 245
 - Hirota bilinear form, 239
 - Hirota discretization, 231
 - Lax pair, 104
 - numerical algorithm, 128
 - singularity confinement, 202
 - singularity pattern, 239
 - discrete KP, 111
 - Cauchy matrix, 272
 - discrete Laplace equation, 30
 - discrete mKdV
 - Hirota bilinear form, 240
 - discrete mKP, 113
 - discrete NLS, 100
 - Lax pair, 100
 - discrete Painlevé equations, 47–50, 293, 304–333
 - additive type, 304
 - alternate P_{II} , 293
 - alternate dP_I , 7
 - alternate qP_I , 47, 64
 - alternative dP_{II} , 306, 309
 - alternative dP_I , 309
 - asymmetric, 306–309
 - asymmetric P_{II} , 293
 - asymmetric dP_I , 306, 332
 - Bäcklund transformation, 315
 - coalescence limits, 310–311
 - dP_{34} , 332
 - dP_{II} , 305, 309, 312, 331, 332
 - dP_{IV} , 305
 - dP_I , 9, 50, 305, 307
 - dP_V , 308
 - elliptic type, 304
 - Lax pair, 322
 - linearization, 322–328
 - Miura transformation, 313, 314
 - multiplicative type, 304
 - P_{III} , 221
 - P_{II} , 182, 195
 - P_I , 7, 180, 195
 - qP_{34} , 313
 - qP_{III} , 206, 213, 305, 307, 308, 310, 331

442

qP_{II} , 310, 313, 322
 qP_{IV} , 307, 308, 320
 qP_I , 11, 222, 311, 327
 qP_{VI} , 306, 331
 qP_V , 305, 307, 331
 Sakai's elliptic equation, 328, 330, 333
 Schlesinger transformation, 322
 singularity confinement, 199, 201
 symmetric, 306
 discrete potential KdV, 74, 138
 3-leg form, 340
 Cauchy matrix, 256
 Lagrangian formalism, 340
 Lax pair, 76, 258
 multidimensional consistency, 72
 one-soliton solution, 82
 semi-continuous limit, 141
 singularity confinement, 203
 Yang–Baxter map, 82
 discrete potential KP, 274
 discrete potential mKdV, 74
 Cauchy matrix, 256
 Lax pair, 78, 259
 discrete potential mKP, 274
 discrete power function, 367
 discrete Riccati equation, 29, 326, 332
 discrete similarity constraint, 15
 discrete sine-Gordon, 106
 discrete SKdV, 74, 106
 Cauchy matrix, 257
 Lax pair, 79, 260
 discrete SKP, 114, 274
 discrete zero-curvature, 77
 discrete-time Calogero–Moser system, 191
 discrete-time Toda equation, 107, 236
 Lax pair, 107
 discrete-time Toda lattice
 Frobenius form, 123
 Hirota bilinear form, 133
 LR algorithm, 131
 Padé table, 122
 Rutishauser's QD-algorithm, 129
 dispersion relation, 227
 elliptic curve, 388
 elliptic functions, 384–403
 definition, 387
 entire function, 386
 Euler top, 168
 Euler–Jackson q -difference operator, 11
 Euler–Lagrange equations, 164, 346
 continuous multidimensional, 338
 continuous time, 336
 discrete multidimensional, 339
 discrete time, 337
 Fibonacci sequence, 372

Index

finite-difference equation, 5, 6
 flux, 53
 Frobenius, G, 119
 functional equation, 9, 29
 functional Yang–Baxter relation, 84
 Garnier system, 296
 gauge invariance
 Hirota bilinear form, 226
 Gauss' hypergeometric function, 39
 contiguity relations, 63
 generating PDE
 lattice SKdV, 297
 generation PDE, 296
 geometric integration, 193
 growth of complexity, 210
 Hamiltonian mechanics, 160–163
 Hankel determinant, 121, 126, 128
 Hankel matrix, 410
 hexagonal discrete BSQ, 109
 hierarchy, 54
 Hirota bilinear form
 continuous KP, 242
 continuous Painlevé equations, 238
 discrete KdV, 239
 discrete mKdV, 240
 discrete-time Toda lattice, 133
 gauge invariance, 226
 Q3, 267
 soliton solutions, 226–229
 Hirota discretization, 230
 discrete KdV, 231
 Toda lattice, 231
 Hirota operator, 224
 discrete analogue, 225
 Hirota, R, 223
 Hirota-integrability, 228
 Hirota–Miwa equation, 232
 Casoratian solutions, 244
 soliton solutions, 232
 holomorphic function, 384
 Hypergeometric function, 39
 invariant, *see also* conserved quantity
 inverse scattering transform method, 51, 104
 isomonodromic deformation, 298
 isospectral, 188
 isospectrality, 51
 Jackson integral, 370
 Jacobi elliptic function, 399–403
 addition formula, 43, 402
 differential equation, 400
 Kahan–Hirota–Kimura discretization, 168
 Kowalevski top, 197

- Kowalevski, S., 197
 Kruskal, M.D., 51
- Lagrange, J-L, 334
 Lagrangian formalism, 164–166
 continuous higher dimensional, 337
 continuous KdV, 340
 continuous time, 335–336
 discrete 3-point, 342
 discrete higher dimensional, 339–340
 discrete potential KdV, 340
 discrete time, 337
 Lagrangian multiform, 334–362
 1-form, 352–359
 2-form, 343–352
 closure relation, 345–352, 354, 357–359
 lattice Gel'fand–Dikii hierarchy, 99
 lattice potential KdV
 similarity constraint, 291
 lattice SKdV
 generating PDE, 297
 similarity constraint, 291
 Laurent phenomenon, 193
 Laurent series, 386
 Lax pair, 52
 continuous KdV, 51
 continuous KP, 110
 discrete BSQ, 96
 discrete KdV, 104
 discrete NLS, 100
 discrete potential KdV, 76, 258
 discrete potential mKdV, 78, 259
 discrete SKdV, 79, 260
 discrete-time Toda equation, 107
 Miwa's equation, 233
 periodic reduction, 184–189
 Toda lattice, 132
 Yang–Baxter map, 85
 least-action principle, 164, 334
 Legendre transform, 165
 linear q -difference equations, 323
 linear analytic difference equations, 27
 linear difference equations, 370–383
 characteristic equation, 372
 factorization method, 380–381
 linear independency of solutions, 376
 reduction of order, 381
 variation of constants, 371, 377–379
 z -transform, 382
 linear partial difference equations
 classification, 23
 elliptic, 25
 hyperbolic, 23
 Laplace equation, 25
 parabolic, 24
 separation of variables, 26
 wave equation, 24
- Liouville integrability, 160
- Möbius transformation, 17, 69
 matrix identities
 Cauchy–Binet formula, 408
 Laplace expansion, 408
 row identity, 410
 Sylvester identity, 407, 409
 McMillan map, 7, 43, 63, 193
 measure preservation, 163
 QRT map, 172
 meromorphic function, 386
 Miura transformation, 46, 65, 74, 291
 continuous KdV, 52
 discrete Painlevé equations, 313, 314
 Miwa's equation, 232
 Lax pair, 233
 soliton solutions, 233
 multidimensional consistency, 71–96, 343
 bilinear equation, 238
 discrete BSQ, 94
 discrete potential KdV, 72
 weak Lax pair, 93
- nonautonomous, 2, 7
 nonautonomous PΔE, 69
 NQC equation, 263
 relation to Q3 equations, 266
 numerical algorithm
 discrete KdV, 128
 numerical algorithms
 convergence acceleration algorithm, 126
 LR algorithm, 130
 Padé approximants, 119–126
 Padé table, 122
 quotient difference (QD) algorithm, 128–133
 rhombus rule, 127
 Wynn's ϵ -algorithm, 126
- one-component BSQ
 continuum limit, 152
 Ordinary difference equation, 4
 Orthogonal polynomials
 Padé approximants, 124
- Padé approximants
 Orthogonal polynomials, 124
 Padé table
 discrete-time Toda lattice, 122
 Painlevé method, 197
 Painlevé property, 44
 Painlevé, P., 44
 partial difference equations, 15, 21–27
 hyperbolic, 21, 22
 initial value problem, 21, 22
 periodic reduction, 177–189
 conserved quantity, 188

- higher periods, 182
- Lax pair, 184–189
- period 3, 178
- period 4, 180
- permutability property, 57–62, 65
- phase factor, 227
- Plücker relations, 409
- plane-wave factor, 139, 142, 148–150, 152, 234, 237, 244, 251, 267
- Poincaré section, 4, 5
- Poisson bracket, 160
- pole reduction, 189
- q -derivative, 11
- q -difference equations, 12, 305
- q -difference operator, 12
- q -exponential function, 368
- q -hypergeometric function, 328
- q -shift operator, 11, 12
- Q4
 - Jacobi form, 87, 88
 - Weierstrass form, 88
- QRT map, 169–176
 - Hirota–Kimura–Yahagi generalization, 176
 - Lax pair, 175
 - measure preservation, 172
 - symmetric case, 174
- quadrilateral PΔE, 68, 69
- raising factorial, 39
- rational map, 6
- rational surfaces
 - dynamical systems on, 307
- recurrence relation, 6, 32, 38, 41
 - Hermite polynomial, 8
 - Weber function, 34
- recursion relation
 - Tchebysheff equation, 62
- resolution of singularities, 213–219, 307
 - base points, 213, 214
 - exceptional lines, 217
 - intersection diagram, 218
 - Picard group, 218
- reversible map, 6
- Riccati equation, 16–20, 57
 - continuous, 17
 - discrete, 18
 - interpolation formula, 18
 - linearization, 17
- Riccati, J. F., 16
- Ruijsenaars–Schneider model, 355, 358
- Sakai’s classification, 309
- scaling symmetry, 280
- Schrödinger equation, 34
- Schrödinger operator, 51
- Schwarzian derivative, 64
- seed solution, 56, 81
- semi-discrete equation, 13
- semi-discrete KdV, 13, 230
- shift operator, 4, 363–366
- sigma functions, 333
- similarity constraint, 283
 - lattice potential KdV, 291
 - lattice potential mKdV, 291
 - lattice SKdV, 291
- similarity reduction, 280–303
- similarity variable, 282
- sine-Gordon equation
 - Bäcklund transformation, 59
- singularity analysis, 197
 - continuous case, 198
 - resonance condition, 199
- singularity confinement, 199–209
 - bilinearization, 238
 - dPI, 199
 - dPIII, 201
 - deautonomization, 204–206, 305
 - discrete KdV, 202
 - discrete potential KdV, 203
 - Hietarinta–Viallet map, 206
 - in projective space, 207–209
 - singularity pattern, 200, 203–206
- singularity pattern, 312
- soliton, 50, 58, 60
- soliton solutions
 - Cauchy matrix, 265
 - continuous KdV, 224
 - continuous KP, 242
 - continuous potential KdV, 66
 - Hirota bilinear form, 226–229
 - Hirota–Miwa equation, 232
 - Miwa’s equation, 233
 - Q3, 268–271
- Somos sequences, 194
- spectral problem, 64
- staircase reduction, *see also* periodic reduction
- standard map, 166
- Sturm–Liouville form, 38
- Sylvester equation, 251
- symplectic map, 161
- symplectic structure, 160
- Tchebysheff equation
 - recursion relation, 62
- tetrahedron property, 73, 87, 89
- theta functions, 388–393
 - addition formula, 389
 - definition, 388
 - Landen transform, 391
- three-soliton condition, 229
- Toda lattice, 13, 123
 - Hirota discretization, 231
 - Lax pair, 132

- molecule type, 14
- periodic chain, 14
- Toeplitz matrix, 121, 410
- Verhulst equation, 2, 28, 168
- Weber function, 32
 - recurrence relation, 34
- Weierstrass elliptic curve, 44
- Weierstrass elliptic function, 2, 333, 393–399
- addition formula, 44, 395
- differential equation, 398
- Landen transforms, 396
- Weyl groups, *see* affine Weyl groups
- Wronskian, 241–243, 410
- Wynn's identity, 124
- Yang–Baxter map, 82–86
 - discrete potential KdV, 82
 - Lax pair, 85