

Index

- abatement
 - costs of greenhouse gases, 432–434
 - estimation of costs, 51
 - optimal, 8–11
 - use of costs as proxy for damage
 - cost, 32
- abbreviations, 651
- accidents, 202–209
 - and external costs, 208
 - monetary valuation of deaths, 378
- acid rain and forest decline, 161
- acidification, 161
- active transport, 605–618
- acute mortality, 96
 - due to O₃, 99–100
 - due to PM, 70
- adaptive measures, 10
- adiabatic lapse rate, 226
- AERMOD, atmospheric model, 257
- age-specific mortality rate, 86
- agricultural losses
 - due to NO_x, 162
 - due to O₃, 165
 - due to SO₂, 163
 - exposure–response functions, 162
 - monetary valuation, 168
- allocation of upstream impacts for nuclear,
 - PV and wind, 525
- amenity costs, 371
- amenity loss
 - buildings, 132
 - due to congestion, 203
 - relation to repair cost, 134–138
- AOT40 (Accumulated Ozone
 - concentration above Threshold of
 - 40 ppb), 165
- APEEP, assessment model, 33
- APHEA, health effects study, 70
- applications of externality studies, 639–641
- assessment of process chains,
 - comments, 513
- asthma
 - exposure–response function,
 - O₃, 105
 - exposure–response function,
 - PM, 103
 - monetary valuation, 388
- atmospheric CO₂ concentration increase,
 - data, 411
- atmospheric residence time, 260
- Beaver Committee, 632
- BenMAP, assessment model, 33
- benthic sediment, 345
- bioaccumulation factor, 346
- biodiversity, valuation of, 178
- biofuels, 591
- biomarker, 66
- biomass
 - for power, 554
 - how to account for CO₂, 514
 - in municipal solid waste, 565
- biotransfer factor, 346
- Black Triangle, 633
- boundaries of the analysis, 32, 44
- buildings. *See* materials and pollution
- CALPUFF, atmospheric model, 257
- CalTOX, comparison with UWM for
 - ingestion, 349
- cancers
 - history of therapy, 364
 - latency, 95
- capital recovery factor, 365
- carbon capture and sequestration, 539
- catastrophic damage, 48
- cessation lag, 94–96
- chemical transformation, 254
- Chernobyl, 548
- chronic bronchitis
 - exposure–response functions, 100
 - monetary valuation, 386–388

666 Index

- chronic mortality
 - exposure–response function, 92
 - life expectancy loss, 88–92
- chronic mortality studies, 86
- CML-IA, LCIA method, 43
- CO₂ from biomass, how to account for, 514
- Coase theorem, 14
- co-benefits and tradeoffs, 627
- cohort studies, 68
- command–control mechanisms, 15
- comparison with previous results of ExternE, 506
- concentration–response functions. *See* exposure–response functions
- congestion
 - charges, 620
 - costs, 202
- constant currency, 358
- consumer price index, 357
- consumption rate of food, 341
- contingent valuation
 - concept, 373
 - hypothetical bias, 374
 - lump sum, 375
 - mean versus median, 375
- Convention on Long Range Transboundary Air Pollutants (LRTAP), 635
- conversion of currencies, 400
- cosmic radiation, 546
- cost–benefit analysis
 - objections to, 3
 - problem with nonlinear valuation, 383
 - taxes and inflation, 368
- cost-effectiveness analysis, 4, 6–8
- costs, evolution with time, 364
- COSYMA, accident consequence
 - assessment, 547
- countervailing risks, 44
- covariance matrix, 451
- Cox proportional-hazards, 87
- crops. *See* agricultural losses
- crustal particles, 83
- currency
 - constant, 358
 - conversion, 400
- current assessment of fuel chains, 536
- DALY, 391
- damage cost
 - adjustment for higher mortality and greenhouse gas costs, 506
 - applications, 639–641
 - As, 351
 - assessments in the USA, 509
 - dioxins, 322
 - electric power in the EU, 536
 - electric power in the USA, 539
 - evolution with time, 364
 - greenhouse gases, by impact category, 430
 - Hg, 324–336
 - leachates, 566–569
 - nitrogen fertilizer, 170
 - Pb, 352
 - per kg of pollutant, ExternE (2008), 504
 - per tonne of waste, 572
 - tail pipe emissions, 587
 - transport in the EU, 588
 - transport in the USA, 590
- damage function, 213
- deciview, 199
- declination angle, 227
- depletion of non-renewable resources, 204–207
- depletion velocity, 263
- deposition velocity
 - data, 254
 - uncertainty, 460
- dermal contact, 319
- dilution rate
 - elevated sources, 285
 - ground-level emissions, 290
- dioxins
 - damage cost, 322
 - exposure–response function, 117
- discount rate, 358–369
 - intergenerational, 359–364
 - Ramsey formula, 359
 - used by governments, 359
- dose–response functions. *See* exposure–response functions
- DPSIR Framework, 21
- dry deposition, 253
- ecoinvent, LCA database, 35
- EcoSense, assessment model, 33
- ecosystem
 - impacts, 177–187
 - pollution, 180
 - restoration, 179
 - services, 188
- effective stack height, 233
- elasticity
 - income elasticity of mortality valuation, 364
 - of marginal utility of consumption, 359
 - price elasticity of demand for electricity, 437

Index

667

- electric power
 - accidents, 527
 - assessments in the EU, 536
 - assessments in the USA, 539
 - fossil, 550
 - from biomass, 554
 - hydro, 555
 - nuclear, 542–549
 - upstream and downstream
 - impacts, 524
 - wind, 554
- embodied pollution, 622
- EMEP, atmospheric models, 257, 499
- emission limits of Waste Incineration Directive, 564
- energy and materials recovery, 571
- ENSAD, accident database, 209, 528
- environmental compartments, 319
- environmental impact study, 24, 34
- epidemiology
 - difficulties, 67
 - methods for measuring impacts of
 - pollutants, 66
 - types of studies for air pollution, 68
- equity, 5
- equity weighting, 422–424
- errors in analysis, 53
- Eulerian transport models, 218
- EURO standards, 581
- European Pollutant Release and Transfer Register, 563
- European Tracer EXperiment, 459
- eutrophication
 - damage cost in UK, 174
 - description, 173
 - due to NO_x, SO₂ and NH₃, 187
 - in the Baltic Sea, 181
- evolution of costs with time, 364
- exposure–response functions, 27–31
 - As, 109
 - asthma due to O₃, 105
 - asthma due to PM, 103
 - benzene, 119
 - butadiene, 119
 - Cd, 110
 - chronic bronchitis, 100
 - Cr, 111
 - dioxins and PCBs, 117
 - extrapolation to low exposures, 74
 - fertilizer effect, 76
 - formaldehyde, 121
 - Hg, 114
 - hockey stick, 76
 - hospital admissions due to O₃, 104
 - hospital admissions due to PM, 101
 - linearity, 76
 - lower respiratory symptoms due to O₃, 106
 - lower respiratory symptoms due to PM, 103
 - minor restricted activity days due to O₃, 105
 - minor restricted activity days due to PM, 102
 - morbidity due to O₃, 104–106
 - morbidity due to PM, 100–104
 - mortality due to O₃, 99–100
 - mortality, acute due to PM, 70
 - mortality, chronic due to PM, 92
 - Ni, 116
 - Pb, 111
 - polycyclic aromatic hydrocarbons, 120
 - population-level, 76
 - radionuclides, 121
 - restricted activity days due to PM, 102
 - uncertainty, 464
 - used by ExternE (2008), 502
 - used in USA by NRC (2010), 510
 - work loss days due to PM, 102
- external costs, 13–14, *See* damage costs, applications, 639–641
 - definition, 13
 - internalization, 14
 - pecuniary externalities, 205
- ExternE, comparison with previous results, 506
- Fechner's law of perception, 377
- food, calculation of pollutant concentrations, 342
- forest decline, 161
- fossil fuel chains, 550
- fuel chain assessments
 - current, 536
 - during the 1990s, 533–536
 - in the EU, 536
 - in the USA, 509
- Fukushima, 548
- GAINS model of IIASA, 635
- Gaussian plume
 - dispersion model, 219–241
 - widths σ_y and σ_z , 229
- GDP per capita, growth rates, 363
- general equilibrium analysis, 369
- geometric mean, 453
- geometric standard deviation, 452
- global average temperature increase, data, 411
- global warming potential, 408

668 Index

- Gompertz formula for mortality, 88
- greenhouse gases
 - abatement costs, 432–434
 - cost-effectiveness analysis, 6
 - damage cost as function of temperature change, 428
 - damage costs, 425–432
 - damage costs, Stern Review, 427
 - effects, 407–414
 - emission reductions and implications of a CO₂ tax, 434–437
 - emissions of car, plane and train, 618
 - emissions scenarios, 415
 - radiative forcing, 408
 - stabilization scenarios, 417
 - time constants, 409
- GREET, software for transportation emissions, 590, 600
- growth rates of GDP per capita, 363
- Hartwick's rule for non-renewable resources, 207
- Harwell trajectory model, 219
- hedonic price method, 369
- Hill's criteria for causality, 72
- hormesis, 79
- Hoteling's rule for resources, 205
- hybrid electric versus conventional vehicles, 595
- hydro power, 555
- hypothetical bias, 374
- IMPACT 2002+, LCIA method, 40
- impact pathway analysis
 - definition, 11
 - description, 25–34
 - relation to LCA, 39–42
- impact pathway thinking, 628
- incidence of disease, 109
- incinerators
 - damage costs per tonne of waste, 572
 - emissions, 562
- indoor air pollution
 - candles and incense, 94
 - formaldehyde, 121
 - smoking, 95
- induced effects, 44
- infant mortality
 - impacts, 97–99
 - monetary valuation, 383
- inflation
 - in social cost–benefit analysis, 368
 - measurement, 357
- ingestion dose
 - intake fractions, 347
 - use of steady-state models, 338
 - UWM, 337
- inhalation rate, 321
- intake fraction
 - via ingestion, 347
 - via inhalation, 289
- integrated framework,
 - recommendations, 56
- intergenerational discount rate, 359–364
- internalization
 - definition, 14
 - of accidents, 208
 - of damage costs of transport, 620
 - of resource depletion, 205
 - policy instruments, 14
 - polluter pays, 18
- International Commission on Radiological Protection (ICRP), 121
- intervention studies, 443
- IQ decrement
 - due to Hg, 327
 - due to Pb, 352
 - monetary valuation, 332
- irreversible impacts, 48
- ISC, dispersion model, 499
 - comparison with data, 225
- iso-elastic utility function, 423
- key assumptions of ExternE (2008), 497
- key concepts, 653
- Lagrangian transport models, 217
- land use, 177
- landfill
 - damage costs per tonne of waste, 572
 - methane, 565
- Latin hypercube sampling, 444
- LCA, 34–42
 - data, retrospective versus prospective, 513
 - databases, 36
 - relation to impact pathway analysis, 39–42
- LCIA, 38–39
- lead
 - damage cost, 352, 505
 - intake fraction, 347
- life cycle assessment, 34–42, *See* LCA
- life cycle impact assessment. *See* LCIA
- life cycle inventory, 34
- life expectancy loss
 - calculation, 88–92
 - cancers, 390
 - due to PM, 92

Index

669

- due to smoking, 95
 - examples, 92
 - monetary valuation, 379
- life table, 88
- light extinction coefficient, 199
- LOAEL, 40
- loan payments, 365
- local exposure, 238–241
- lognormal distribution, 453
- London smog of 1952, 2
- loss of species, valuation, 185
- low emission zones, 587
- LRTAP, Convention on Long
 - Range Transboundary Air
 - Pollutants, 635
- market mechanisms, 15
- materials and pollution
 - bottom-up estimation of costs,
 - 146–147
 - brickwork, mortar and rendering, 142
 - concrete, 142
 - cost of damage due to SO₂, 147
 - critical thickness, 146
 - exposure–response functions, 144
 - historical monuments, 154
 - metals, 143
 - natural stone, 140
 - paint and polymeric materials, 143
 - repair costs, 146
 - repair frequency, 146
 - sensitivity of materials and stock at
 - risk, 140
 - soiling costs, 147
 - top-down estimation of costs, 148
- maximum technically feasible
 - reduction, 636
- mercury
 - compact fluorescent light bulbs, 336
 - damage cost, 324–336, 505
 - from coal, 552
 - in municipal solid waste, 570
 - ingestion dose of MeHg, 325
 - RfD of EPA, 329
- MET (metabolic equivalent), 611
- methane
 - appropriate GWP, 577
 - from landfill, 565
- midpoint evaluation, LCA, 40
- mixing boundary layer, 237
- monetary valuation
 - air pollution mortality, comparison
 - VPF - VOLY, 510
 - asthma, 388
 - biodiversity, 178
 - cancers, 389
 - doctor visit for lower respiratory
 - symptoms or asthma, 388
 - general principle, 31
 - hospitalization, 385
 - infant mortality, 383
 - IQ point, 332, 395
 - morbidity, 386–394
 - mortality, 379–384
 - mortality studies, meta-analysis, 506
 - respiratory medication use, 389
 - restricted activity days, 389
 - symptom day and minor restricted activity
 - day, 389
 - uncertainty of, 465
 - value of a life year, 379–383
 - value of prevented fatality (VPF), 378
 - VPF from speed limits, 372
 - work loss days, 384
- monetary values
 - used by ExternE (2008), 502
 - used in USA by NRC (2010), 510
- Monte Carlo analysis of exposure, 462
- Monte Carlo method, 443
- Monte Carlo method, a simple
 - example, 445
- moral limits to markets, 17
- morbidity
 - due to O₃, 104–106
 - due to PM, 100–104
- mortality
 - acute, 68
 - age-specific, 86
 - chronic, 68
 - chronic due to PM, 92
 - due to O₃, 99–100
 - due to PM, 88
 - Gompertz formula, 88
 - loss of life expectancy and number of
 - deaths, 84
 - valuation studies, meta-analysis, 506
 - valuation, VOLY, 379–383
 - valuation, VPF, 378
- multicriteria analysis, 49
- multimedia model
 - description, 337–346
 - summary of equations, 657
- N₂O from agriculture, 172
- National Emission Ceilings Directive, 10
- net present value, 365
- neurotoxic impacts, valuation, 392
- NHANES (National Health and Nutrition
 - Examination Survey), 66
- nitrate formation, 261

670 Index

- nitrate in water
 - colon cancer, 173
 - eutrophication, 173
 - methemoglobinemia, 173
 - nitrogen fertilizer
 - contribution to global warming, 170, 172
 - damage cost, 175
 - NMMAAPS, health effects study, 70
 - NOAEL, 40
 - noise, 201–203
 - cardiovascular health, 202
 - damage costs, 203
 - noise barrier, 370
 - non-exhaust PM₁₀ emissions, 584
 - nonlinearities and thresholds, 47
 - nonlinearity of impacts, 44
 - nuclear power
 - accidents, 547
 - assessments, 542–549
 - normal operation, 542
 - waste, 48
 - O₃ impacts, 45
 - nonlinearity, 44
 - odds ratio, 80
 - partial equilibrium analysis, 369
 - Pasquill stability categories, 226
 - PCBs. *See* dioxins
 - pecuniary externalities, 14, 205
 - permits, 16
 - pesticides, 175–177
 - photovoltaics, 554
 - physical activity, health benefits, 607
 - planetary boundary layer, 237
 - plume rise, 233
 - policy decisions, inconsistencies of, 3
 - policy instruments, 14–18
 - pollutant removal, 253–257
 - polluter pays, 18
 - pollution episodes, 215
 - pollution exposure in underground
 - trains, 594
 - pollution tax, 16
 - potential impacts, LCIA, 39
 - poverty kills, 5
 - precautionary principle, 50
 - present value, 358
 - presentation
 - of impacts with very different uncertainties, 485
 - of results, recommendations, 57–59
 - of sensitivity studies, 485
 - of uncertainty, 489
 - preservation of species, valuation of, 178
 - prevalence of disease, 109
 - probabilistic safety assessments, 547
 - problematic uncertainties, 481
 - problems of tools, 52
 - protest zeroes, 375
 - pure rate of time preference, 359
 - QALY, 391
 - radiation background, 546
 - RAINS model of IIASA, 635
 - Ramsey formula for discount rate, 359
 - Rawls, veil of ignorance ethical principle, 362
 - REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals), 562, 630
 - real rate of change, 358
 - recycling, 561
 - regional dispersion
 - simple model for primary pollutants, 258
 - simple model for secondary pollutants, 259
 - relative risk RR, 80
 - renewable electricity, 553
 - resources
 - depletion of, 204–207
 - Hartwick's rule, 207
 - Hotelling's rule, 205
 - revealed preference methods, 369–373
 - risk
 - acceptability, 6
 - aversion, 49
 - comparisons, 49
 - RiskPoll, assessment software, 655
 - ROADPOL, dispersion model, 499
 - root depth, 342
 - rule of 70 for doubling times, 367
 - sea level rise, data, 413
 - sensitivity studies, 485
 - sewage sludge, 345
 - slope factor, 107
 - smoking, 95
 - social discount rate, 359
 - software, 33
 - soil depth, 343
 - soil loss constant, 343
 - soil pollution, 19
 - solar altitude angle, 227
 - source–receptor matrices, 499
 - standard deviation of sum, 449
 - standard visual range, 198
 - stated preference methods, 373–377
 - stated preference, lack of proportionality, 375

Index

671

- sulfate formation, 261
- superior good, 364
- surface roughness, 229
- survival function, 88
- synergistic effects of pollutants, 74
- taxes in social cost–benefit analysis, 368
- Three Mile Island, 548
- threshold
 - in calculation of ecosystem impacts, 47
 - in calculation of health impacts, 79
- time and space distribution of impacts, 523
- time series, 67
- toxicology, 67
- tracer gas, 442
- tradable permits, 16
- traffic congestion. *See* congestion
- transfer factor air to soil, 345
- transfer factor for Hg, 324
- transfer factor, air to food, 341
- transfer factors, 320
- transfer of values, 396–401
- travel cost method, 178, 373
- triangular distribution, 455
- uncertainty
 - and multicriteria analysis, 489
 - and precautionary principle, 488
 - consequences for decisions, 490–492
 - integration into the decision process, 488
 - of atmospheric models, 459
 - of damage costs
 - As, Cd, Cr and Ni, 471
 - classical air pollutants, 468
 - dioxins, 472
 - greenhouse gases, 473
 - Hg, 470
 - Pb, 472
 - of exposure–response functions, 463
 - of sum of lognormal variables, 476–482
 - of sums and products, 449–453
 - placement of confidence intervals, 474
 - problematic uncertainties, 481
- uniform world model (UWM)
 - average concentration for elevated sources, 280
 - concentrations for elevated sources, 279
 - concentrations for ground-level sources
 - in cities, 284
 - damage costs of ground-level sources in cities, 289
 - damage distributions for elevated sources, 282
 - derivation of the simple UWM, 270
 - for ingestion, 337–346
 - intake fractions, inhalation, 289
 - stack height, local population and non-linear chemistry, 274
 - uniform world model validation
 - comparison of concentrations in Beijing with Integrated Environmental Strategies program, 297
 - comparison of concentrations with EMEP source-receptor matrices, 305
 - comparison of intake fractions with published results, 301
 - comparison with EcoSense for China, 295
 - comparisons with ammonia impacts of EC4MACS, 294
 - comparisons with ExterneE (2008), 291
 - comparisons with GAINS-China, 297
 - unit risk factor, 108
 - units and conversion factors, 649
 - UNSCEAR, 122
 - utility, 423
 - validation of models, 442
 - value of (mortality) risk reduction, 3
 - value of a life year, 379–383
 - value of prevented fatality (VPF), 3
 - value of prevented fatality, from speed limits, 372
 - value of prevented fatality, from wage–risk studies, 371
 - value of statistical life, 3
 - value transfer, 396
 - vehicle emissions, 581–585
 - visibility, 198–201
 - VOLY (value of a life year), 379–383
 - wage–risk studies, 371
 - washout coefficient, 264
 - waste
 - impacts of storage, 48
 - nuclear, 48
 - Waste Electrical and Electronic Equipment Directive, 561
 - waste treatment
 - damage costs per tonne of waste, 572
 - energy and materials recovery, 571
 - incinerators, 572
 - landfill, 572
 - wet deposition, 253
 - wind power, 554
 - wind profile exponent, 236
 - Windrose trajectory model, 219
 - years lived with disease, 109