

Index

Abbe, Cleveland, 6
absorptivity, 43
Adams, John, 676
aerosols, 606–609
 aerosol-cloud interactions, 130, 610
 aerosol-radiation interactions, 130, 610
 ammonium nitrate, 595, 599, 600
 ammonium sulfate, 595, 599, 600
 biomass burning, 130, 611, 614–617
 black carbon, 130, 405, 611, 615, 616
 climate effects, 14, 24, 127
 dust, 24, 127, 130, 611–614
 geoengineering, 654
 nitrate, 130, 611
 radiative forcing, 130, 600, 609–611
 sea salt, 24
 secondary organic, 24, 130, 611, 618, 619, 621
 sulfate, 24, 128, 130, 610, 611
 surface albedo, 130, 405, 611, 613
 volcanoes, 128, 568
afforestation, 542, 548
 BVOCs, 619
 carbon cycle, 415, 575, 576, 654
 geoengineering, 655, 660, 661, 667
 rainfall, 6
 runoff, 176
 semiarid climate, 528
air pressure, 74–75
air quality, 34, 603, 614, 620, 667
albedo, 201
 climate feedback, 9, 500, 503–509, 510, 526, 529, 547
 land cover, 201
 leaf nitrogen, 600
 plant canopy, 268, 284
 snow, 201, 489
 urban, 201, 633, 634, 637
 vegetation masking of snow, 268, 393, 489, 509, 548, 549
Aleutian low, 85, 114
allocation, 294, 297
 above- and belowground, 296, 334, 336, 389, 429
 life history patterns, 298
 resource limitation, 297
 seeds, 294
allometric relationships, 299
Amazon basin, 415, 536, 569, 572, 608, 613, 616
Amazon River, 186
ammonia (NH₃), 339, 594, 599, 603
 aerosols, 599
 volatilization, 340, 368, 594, 595
ammonium (NH₄⁺), 339, 340, 368, 594
amphistomatous, 236
angiosperm, 258, 299, 303, 310
Anglo-Brazilian Amazonian Climate Observation Study (ABRACOS), 537
Antarctic Circle, 63
anthroposphere, 7, 30, 676
Arctic Circle, 63
Arctic front, 514
Arctic Oscillation, 114
Aristotle, 1
Atlantic multi-decadal Oscillation, 114
atmosphere
 composition, 23
 mass, 75
atmospheric boundary layer, 218–219
 diurnal cycle, 219–221
 mesoscale circulation. *See* mesoscale circulation
 soil water, 221–227, 485
 surface (constant flux) layer, 212, 213, 218
atmospheric circulation
 high pressure system, 78, 79, 81
 jet stream, 85
 low pressure system, 78, 79, 82
 monsoon. *See* monsoon
 sea breeze, 98
 single cell, 76
 three cell, 78
 trade winds. *See* trade winds
atmospheric transmittance, 66
Aughey, Samuel, 6
available water, 149
Avogadro’s number, 44
azimuth angle, 61, 63, 68

base flow, 185
Basel, Switzerland, 641
Bermuda high, 85
bicarbonate ion (HCO₃⁻), 124, 360
biofuel crops, 611, 619, 654, 663–664, 666
biogenic volatile organic compounds, 12, 14, 332, 600
 fires, 614
 models, 470
 ozone, 597, 598
 radiative forcing, 621
 secondary organic aerosols, 608, 617–621
biogeochemical model, 439, 441–442
biogeochemistry, 10
biogeography, 28, 422–426
 Budyko, 424
 climate change, 325, 434–436, 437
 Holdridge, 424, 468
 Thornthwaite, 424
biogeophysics, 9, 500, 551, 655
biogeoscience, 7
BIOME-BGC model, 441, 442

- biosphere, 7, 28, 329
- Biosphere-Atmosphere Transfer Scheme (BATS), 455, 458, 459, 535
- blackbody, 42, 43, 44, 49
- Blackhawk Island, Wisconsin, 343
- Boltzmann constant, 42
- Boreal Ecosystem Atmosphere Study (BOREAS), 198, 272, 333, 461
- boreal forest
 - aerosols, 619, 620
 - biogeochemistry, 344–346
 - biogeography, 423
 - Bowen ratio, 393
 - carbon balance, 332, 333, 336, 394
 - carbon stocks, 426
 - climate influence, 14, 405, 510–514, 524, 526, 552, 655, 660, 661
 - climate zone, 92, 514
 - evaporative fraction, 198, 393, 512, 513
 - evapotranspiration, 158, 512
 - Fairbanks, Alaska, 93, 344–346, 385–388
 - net ecosystem production, 347, 349
 - succession, 385–388
 - surface energy balance, 196, 198, 281, 392–394, 512
- Bowen ratio, 194, 195, 223
- boreal forest, 198, 393, 512
- desert, 199
- leaf emergence, 282, 394
- tropical forest, 198
- urban, 634, 641
- Bruegel, Pieter, 2
- bucket model, 165, 454
- Budyko, M., 195, 196, 424, 673
- bundle-sheath cell, 244
- buoyancy, 46, 51, 213, 214
- calcium carbonate (CaCO_3), 123, 360
- calcium cycle, 338
- calcium silicate (CaSiO_3), 124
- Calvin cycle, 242, 243–245
- canopy, plant
 - albedo, 284
 - big-leaf model, 278, 455
 - bulk surface model, 278
 - CO_2 concentration, 281
 - conductance, 273–275, 501
 - dual source model, 279, 455
 - heat storage, 280
 - leaf nitrogen profile, 273
 - Penman-Monteith equation, 273, 274
 - photosynthesis, 269–273
 - radiative transfer, 265–269
 - turbulence, 276
 - understory evapotranspiration, 284
 - water-use efficiency, 282
 - wind profile, 276
- canopy-chemistry models, 621
- capillary rise, 157
- carbon cycle
 - biological, 124
 - carbon-climate feedback, 577, 578, 580
 - carbon-concentration feedback, 577, 580
 - CO_2 fertilization, 571, 574, 575, 577
 - compatible emissions, 582–583
 - cumulative emission, 134
 - extreme events, 572
 - fire, 404, 567
 - fossil fuel, 30, 54, 125, 582
 - geologic, 53, 123
 - global, 53–55
 - land use, 54, 125, 575–576
 - last glacial maximum, 563
 - last millenium, 564
 - nitrogen cycle, 351, 352, 570, 575, 581, 583, 599, 600
 - nitrogen deposition, 572–574
 - pre-industrial, 53
 - present-day, 54, 564–566
 - residual land sink, 55, 569–575
 - soil carbon, 370, 426, 432, 472, 583
 - vegetation carbon, 426
- carbon cycle-climate model, 576–582, 658
 - biogeochemical coupling, 578
 - radiative coupling, 578
- carbon dioxide (CO_2). *See also* carbon cycle
 - airborne fraction, 580
 - annual amplitude, 566–567
 - atmospheric concentration, 23, 33–36, 125, 256, 564
 - atmospheric growth rate, 565, 567, 568, 582
 - ice core, 117, 125, 563
 - late Cretaceous, 510
 - Mauna Loa, Hawaii, 566, 567
 - radiative forcing, 129
- carbon dioxide (CO_2) fertilization, 570–571, 575
 - climate influence, 514–515, 581
 - photosynthesis, 245, 249, 256, 259, 350, 351
- carbonic acid (H_2CO_3), 123, 360
- Carnegie-Ames-Stanford Approach (CASA) model, 441
- carrying capacity, 376
- cation exchange, 367–368
- cavitation, 300, 308, 309, 584
- CENTURY model, 363–364, 441
- Changjiang River, 186
- chemical weathering, 123
- chlorophyll, 242, 245, 249, 271
- chloroplast, 241, 242, 250
- clay
 - clay minerals, 358, 360, 370
 - hydraulic properties, 149
 - infiltration capacity, 153
 - particle size, 143
 - Soil Conservation Service runoff, 163
 - soil texture class, 144
 - thermal conductivity, 146
- climate change
 - abrupt, 118, 126
 - aerosols, 127–128
 - anthropogenic, 36, 133–135, 656, 657, 659
 - commitment, 134
 - 8.2 kyr BP, 119, 127
 - late Cretaceous, 121, 510

- late Quaternary, 118, 434–436
- model uncertainty, 134
- mountain uplift, 122–123
- natural variability, 129, 130, 132, 134–135
- past millenium, 120
- scenario uncertainty, 135
- 6 kyr BP, 436, 503–509, 511
- solar variability, 127, 130
- twentieth century, 128–132, 546, 552
- climate feedback
 - aerosols, 609–611
 - Arctic greening, 516
 - boreal forest, 510–514
 - BVOCs, 619, 620
 - carbon cycle, 576–582
 - chemistry-climate, 14, 599–602, 621
 - clouds, 37
 - fires, 404, 616, 617
 - land surface, 9, 13, 500, 674
 - nitrogen, 595
 - snow-ice albedo, 37
 - soil water, 12, 222, 483–489
 - stomatal conductance, 514–515
 - thermohaline circulation, 126
 - water vapor, 37
- climate model, 3, 131
 - anthropogenic climate change, 133–135
 - land surface model, 453–466, 467–472
 - land-atmosphere coupling
 - experiments, 467
 - response uncertainty, 135
 - twentieth century climate change, 131–132
- climate sensitivity, 49, 581
- climate zones, 28
 - Köppen, 2, 25, 89–93, 524
 - ocean influence, 85
 - precipitation geography, 85
 - temperature geography, 84
- climax community, 388
- cloud condensation nuclei, 610, 616
- Cole, Thomas, 677
- Columbia, Maryland, 630, 633
- Columbus, Christopher, 5
- communities, plant
 - competition, 319–320
 - dominant-diversity curve, 322
 - environmental gradients, 319, 323
 - individualistic school, 321, 329, 388
 - superorganism school, 321, 329, 388
- Community Land Model (CLM), 461, 464, 541
- competitor plant, 302, 390
- conductance
 - aerodynamic, 202, 203, 205, 215, 273, 279
 - canopy, 273–275
 - diffusion, 45, 46
 - electrical networks, 234
 - mesophyll, 250
 - stomatal. *See* stomatal conductance
 - surface, 203, 205, 274
 - units, 46
- conduction, 44
 - soil heat flux, 145, 194, 203
- Congo River, 186
- constant final yield, 378
- continental drift, 121
- convection, 45, 193, 210, 224
 - aerosols, 610, 613, 616, 617
 - diffusive flux, 45, 46
 - forced convection, 46, 210, 234
 - free convection, 46
 - rainfall, 528, 529, 537, 540
- Coriolis force, 77, 78
- counter-gradient flux, 276
- Coweeta, 175, 176
- cryosphere, 7, 26
- cultivation
 - no-till, 663
 - rainfall, 6
 - soil carbon, 416
- Daisyworld, 502
- damping depth, 148
- Darcy’s law, 150, 151, 152
- daylength, 66, 72, 161, 293
- declination angle, 61, 62, 65, 66
- decomposition, 361–364, *See also* heterotrophic respiration
 - CENTURY model, 363–364
 - climatic decomposition index, 363, 433
 - litter quality, 343, 345, 361–362, 363, 573
 - mineralization, 339, 341, 353, 363
 - nitrogen addition, 573
 - soil warming, 352
- deforestation, 30, *See also* land use
 - Australia, 533
 - BVOCs, 619
 - Europe, 540–541
 - evapotranspiration, 176, 536, 548, 549–551
 - global climate, 526, 552
 - New England, 411–412
 - tropical, 415, 535–540, 551
 - United States, 3–7, 411–415, 541, 676
- demography, plant, 376–379
 - succession, 389
- denitrification, 340, 368, 594
- density
 - dry air, 45, 51
 - freshwater, 97
 - gas, 45
 - moist air, 51
 - water vapor, 51
- desert
 - biogeography, 80, 423
 - climate zone, 91
 - surface energy balance, 199, 527
- diffuse radiation, 66, 68
 - gross primary production, 271, 282, 457, 569, 572, 607
 - plant canopy, 267
 - sloped surface, 70

- direct beam radiation, 66
- displacement height, 212
- diurnal temperature range, 221
- drought, 104, 317, 472, 494
 - aerosol feedback, 613, 617
 - carbon cycle, 567, 571, 572
 - dust emission, 613
 - fire feedback, 617
 - heatwave, 487
 - precipitation feedback, 487, 488, 507
 - Sahel, 507, 508, 529
 - tree mortality, 308, 583
- Duke Forest, North Carolina, 350, 351, 442, 550
- Dust Bowl, 104, 488, 613
- dynamic global vegetation model, 439, 443–444, 468, 584
- Earth energy budget, 49, 68, 195
 - net radiation, 48, 68
 - planetary model, 48
 - solar radiation, 47, 68
- Earth system, 7, 594, 673, 676, 678
- Earth system model, 3, 7, 131, 467–472, 577, 582, 584, 604, 652, 667, 678
- ecological climatology, 8
- ecosystem, 12, 328
 - biogeochemistry, 343–346
 - carbon balance, 10, 331–333, 346–349
 - climate services, 655, 667
 - function, 329
 - structure, 328
- eddy covariance, 15, 196, 211, 346, 348, 426, 442, 461, 464, 550, 571
- El Nino/Southern Oscillation (ENSO), 105–109, 131, 567, 568
- electromagnetic radiation, 42
- electron transport, 242, 247
- emissivity, 43, 44, 202
 - leaf, 233
- equinox, 63, 66, 123
- evaporation, 46, 156, 158, *See also*
 - evapotranspiration
- equilibrium rate, 237, 274
- evaporative fraction, 199, 225, 276, 550
 - boreal forest, 198, 393, 512, 513
 - tropical forest, 198, 539
- evapotranspiration, 12, 158–161, 193, 195, 202
 - biogeography, 424, 426
 - Budyko, 195, 196
 - Coweeta, 176
 - deforestation, 176, 526, 549–551
 - forest understory, 274
 - Hubbard Brook watershed, 174, 176
 - leaf emergence, 283, 394
 - mesoscale circulation, 227
 - Penman equation, 161
 - Penman-Monteith equation, 161, 204
 - Priestley-Taylor equation, 161
 - soil water, 221–222, 485–486
 - Thornthwaite equation, 161
 - Walker Branch watershed, 175
- extinction coefficient, 265, 266
- Ferrel cell, 78
- Ferrel, William, 6
- Fick’s law, 45, 202
- field capacity, 148, 149, 152
- fire, 403–405
 - carbon emission, 404, 567
 - chemical emissions, 404, 614
 - clouds, 616
 - fire cycle, 403
 - precipitation, 616, 617
 - return interval, 403
- First ISLSCP Field Experiment (FIFE), 222, 224
- first law of thermodynamics, 47
- foliage water potential, 160
- force-restore method, 455
- forest gap dynamics, 401–403
- forest gap model, 317, 325, 442, 443
- Franklin, Benjamin, 4
- free convection, 210
- free-air CO₂ enrichment (FACE), 256, 350–351, 570
- friction velocity, 212
- geoengineering, 652, *See also* afforestation
 - carbon dioxide removal, 654
 - solar radiation management, 653
 - surface albedo, 227, 529, 654, 661, 663, 664, 665
- geosphere, 7
- geostrophic wind, 77
- glaciation, 434, 510, 511, *See also* ice age
- global warming potential, 24, 599, 600
- grassland
 - biogeography, 423
 - carbon stocks, 426
 - climate influence, 525
 - climate zone, 91
 - evapotranspiration, 158
 - net ecosystem production, 347
 - surface energy balance, 196, 198
- gravitational potential, 149, 150
- Gravity Recovery and Climate Experiment (GRACE), 188, 464
- grazing, 30, 526–528
- Great Lakes, 96, 98, 127
 - deforestation, 413
- Great Plains, 6, 91, 411, 486, 488, 528, 545
- Great Slave Lake, 97
- Great Smoky Mountains, 321, 322
- green roof, 643, 653, 664, 665
- Green-Ampt equation, 152
- greenhouse effect, 48
- greenhouse gases, 24, *See also* CO₂, CH₄, N₂O
 - radiative forcing, 129
- gross primary production, 10, 269, 282, 291, 332, 429
- groundwater, 156
- gymnosperm, 299, 303
- habitat, 317
- Hadley circulation, 78, 509, 548, 617, 667

- Harvard Forest, Massachusetts, 158, 196, 348, 352, 411, 569
- heat capacity, 47
- air, 147
 - ice, 148
 - organic material, 148
 - soil. *See* soil temperature
 - water, 47, 96, 147
- heterotrophic respiration, 10, 332, 361, 362, 569, 577, 578, *See also* decomposition
- Holdridge life zone, 424
- hour angle, 61
- Hubbard Brook
- biogeochemistry, 338, 341, 343, 360, 385
 - ecosystem, 329, 331, 335, 385, 402
 - forest succession, 383–385, 402
 - water budget, 174, 176
- Hume, David, 4
- humus, 29, 361, 362, 367, 368, 369
- hydraulic conductivity, 150, 152, 153, 184
- hydraulic redistribution, 164, 540
- hydrocarbons, 597, 617, *See also* non-methane hydrocarbons
- hydrologic cycle, 50, 155–157
- global water storage, 26
 - water balance, 12, 157, 166, 173
- hydrostatic equation, 74
- hydroxyl radical (OH), 14, 597, 599, 615, 618
- hypostomatous, 236, 237
- ice age, 117–120, *See also* glaciation
- ice core
- EPICA Dome C, 117
 - Vostok, 117
- ice sheet, 118
- Icelandic low, 85, 103, 111, 112
- ideal gas equation, 45, 51, 75, 76
- immobilization, 362, 363
- impervious area, 31, 162, 634, 638, 641, 643, 645
- incidence angle, 68
- infiltration, 156, 161, 164, 181
- Green-Ampt equation, 152
- infrared radiation. *See* longwave radiation
- initial floristic composition, 389
- interception, 155, 157–158
- intertropical convergence zone, 79, 80, 85, 89, 90, 509, 540, 548
- irrigation, 227, 334, 544–546
- isoprene, 617, 618, 619
- isotopes, 166–169
- carbon, 255, 349
 - fractionation, 167, 255
 - hydrogen, 166
 - oxygen, 166
- Jefferson, Thomas, 5
- jet stream, 85
- kinetic energy, 42
- Köppen climate zone. *See* climate zones
- Köppen, W., 2
- K-selection, 301, 377
- lake
- carbon flux, 53
 - climate influence, 96
 - energy balance, 97
 - evaporation, 97
 - NDVI, 269
 - snowfall, 98
 - vertical mixing, 97
 - water storage, 26
- land surface model, 453
- crop models, 470
 - dust emissions, 470
 - dynamic global vegetation model, 468
 - Earth system, 467–472
 - first generation models, 455
 - fractional vegetation cover, 459
 - land cover classification, 459
 - methane, 470
 - model evaluation, 466, 471
 - nitrogen cycle, 470
 - plant canopy, 280
 - plant functional types, 460
 - second generation model, 456
 - stomatal conductance, 252, 254, 455, 457
 - surface heterogeneity, 458, 460
 - third generation model, 457
 - urban land cover, 470
 - wetlands, 470
 - wildfire, 470
- land use, 14, 30
- afforestation. *See* afforestation
 - Australia, 533–535
 - biogeophysical vs. biogeochemical, 552, 658, 659, 660
 - BVOCs, 619
 - Canadian Prairies, 544
 - climate change, 523–526, 546–551, 621
 - crops, 406, 542–544, 655
 - dust emissions, 612, 614
 - European deforestation, 540–541
 - green/brown planet, 524
 - Sahel, 528–532
 - tropical deforestation, 415, 535–540, 552
 - twenty-first century, 33, 37, 656, 657, 659
 - United States, 411–415, 541–544
- lapse rate, 94, 202
- Large-Scale Biosphere Atmosphere Experiment in Amazonia (LBA), 539
- last glacial maximum, 26
- biogeography, 437, 507, 511
 - carbon cycle, 563
- late Quaternary
- climate, 118, 434–436
- latent heat flux, 193, 194, 203, 211
- latent heat of fusion, 52, 148, 158, 490
- latent heat of sublimation, 52
- latent heat of vaporization, 52, 161, 194, 202

- leaf
 - boundary layer conductance, 233, 234, 237, 250
 - coordinated traits. *See* leaf economic spectrum
 - energy balance, 233
 - leaf-air coupling, 235, 237, 279
 - lifespan, 305, 306, 307, 308, 618
 - nitrogen, 249, 271, 272, 273, 305, 307, 308, 600
 - orientation, 265, 266
 - Penman-Monteith equation, 237
 - shape, 239
 - size, 234, 238
 - temperature, 233, 236–237
- leaf area index
 - albedo, 268
 - canopy conductance, 274
 - canopy profile, 264, 276
 - climate feedback, 493, 501
 - defined, 264
 - evapotranspiration, 283
 - heatwave, 494
 - net primary production, 335
 - radiative transfer, 265, 266, 267
 - roughness length, 284
 - satellite datasets, 459, 492
- leaf economic spectrum, 305–306, 307–308
- leaf shape, 238
- Lena River, 186
- life history patterns. *See also* plant functional type
 - Grime, 301, 390
 - succession, 388, 389, 390, 391–392
- lifting condensation level, 225
- light-use efficiency, 270, 271, 441
- lignin, 346, 361, 363, 573
- lithosphere, 7, 28
- litterfall, 337, 339, 341, 342, 433
 - coarse woody debris, 338
- Little Ice Age, 120, 127
- loam
 - hydraulic properties, 152
 - infiltration capacity, 153
 - Soil Conservation Service runoff, 163
 - soil texture class, 144
- Łódź, Poland, 640
- logistic growth equation, 376
- longwave radiation, 9, 43, 44, 48, 194
 - annual amount, 68
 - Stefan-Boltzmann law, 43
 - surface energy balance, 202
- Lund-Potsdam-Jena (LPJ) model, 444, 469
- macronutrient, 365
- macropore, 162
- Mather, Cotton, 4
- matric potential, 149, 150
- Medieval Warm Period, 120
- Mediterranean vegetation
 - biogeography, 423
 - climate, 91, 196
- mesoscale circulation, 228
- methane (CH₄)
 - anthropogenic sources, 55, 125
 - atmospheric concentration, 23, 33–36, 125, 564
 - BVOCs, 618
 - fires, 615
 - global warming potential, 24
 - ice core, 117, 125
 - NO_x, 599
 - ozone, 598
 - radiative forcing, 129
 - reactive nitrogen, 599
- microbial growth efficiency, 362
- microclimate
 - forest clearings, 98–100
 - greenhouses, 193
 - tropical forest, 537
- micronutrient, 366
- Milankovitch cycle, 123, 503
- Mississippi River, 104, 127, 186, 487
- mitigation, 652
- molar density, 45, 46
- mole fraction, 45
- momentum flux, 211, 212
- Monin-Obukhov similarity theory, 213–215, 218, 276
- monoterpenes, 617, 618, 620
- monsoon, 85, 123, 617
 - African, 436, 503, 504, 505, 508, 532
 - Asian, 491
 - Australian, 535
 - effect of snow, 491
 - North American, 491
 - soil moisture–precipitation feedback, 484
- Mount Pinatubo, 568
- Mount Tambora, 128
- mountains
 - air temperature, 93, 94
 - cold air drainage, 95
 - mid-slope thermal belt, 96
 - orographic precipitation, 96
 - solar radiation, 93
- mulch, 205
- Murray-Darling basin, 533
- near-infrared waveband, 43, 266
- net biome production, 332
- net ecosystem exchange, 282, 332
- net ecosystem production, 10, 332, 333, 346–349
- net primary production, 10, 332, 343, 426–428, 571
- net radiation, 44, 194
 - land surface, 9, 202
- NH₄⁺, 572, 594, 595
- niche, 315–317
- nitrate (NO₃[−]), 339, 594
- nitrification, 340, 368, 594
- nitrite (NO₂[−]), 340, 341, 594
- nitrogen cycle, 12, 14, 339–341, 594
 - anthropogenic sources, 31, 594, 602
 - biodiversity, 320, 595
 - carbon cycle, 570, 572–574, 575, 581, 583

- deposition, 341, 572–574, 595, 599, 603
- gaseous losses, 368
- nitrogen cascade, 595
- progressive nitrogen limitation, 351
- radiative forcing, 599–602
- surface albedo, 600
- nitrogen fixation, 31, 340, 594
- nitrous oxide (N₂O), 23, 117, 594, 600
 - atmospheric concentration, 33–36, 125, 564
 - global warming potential, 24
 - ice core, 125
 - ozone, 596
 - radiative forcing, 34
 - sources, 56, 126, 368
- non-methane hydrocarbons, 24, 404, 614, 617
- normalized difference vegetation index (NDVI), 269, 294, 428
- North Atlantic Oscillation, 109–114, 131
- Northern Annular Mode, 114
- northern hardwood forest. *See* temperate forest
- NO_x, 594, 595, 600, 601, 602, 603, 614
 - aerosols, 599
 - fire, 404, 615
 - methane, 599
 - ozone, 597, 599, 618
- NO_y, 572, 594, 595
- Ob River, 186
- Obukhov length, 214
- ocean circulation
 - Antarctic circumpolar current, 82, 122
 - gyre, 82
 - surface currents, 82
 - thermohaline circulation, 83, 126
- O-CN model, 575, 581
- optical air mass, 66
- ORCHIDEE model, 574
- Orinoco River, 186
- overland flow, 156, 177, *See also* runoff
- ozone, 12, 14, 621
 - fires, 405, 615
 - formation, 597–599, 618, 620
 - gross primary production, 574
 - N₂O, 596
 - photosynthesis, 470, 571, 600
 - radiative forcing, 129
 - reactive nitrogen, 600
- Pacific Decadal Oscillation, 114
- Palmer Drought Severity Index, 104
- Pangaea, 121
- parent material, 370
- partial pressure, 23, 45
- pedosphere, 7, 29
- Penman equation, 161
- Penman-Monteith equation, 161, 204
 - leaf, 237
 - plant canopy, 273
- PEP, 244, 245
- percolation, 156
- permafrost, 27
 - Fairbanks, Alaska, 93, 344, 345, 385
 - rooting depth, 430
 - soil carbon, 28, 433, 470, 516, 583
 - soil order, 29, 373
 - soil warming, 129, 470, 516
- phase change, 52
- phenology, 292, 294, 441, 493, 542, 571, 632, 663
 - carbon balance, 348, 571
 - surface energy balance, 282
 - windbreak, 100
- photon, 42, 44, 242, 248
- photoperiod, 293
- photophosphorylation, 242
- photorespiration, 244, 245, 246, 438
- photosynthesis. *See also* CO₂ fertilization
 - acclimation, 256, 349, 583
 - C3, 243, 246, 247, 256, 422, 437
 - C4, 244, 246, 256, 422, 437
 - CAM, 245, 246
 - canopy, 269–273
 - chemical reaction, 241
 - dark reactions, 243–245
 - Farquhar model, 247–250, 457
 - light reactions, 242
 - maximum rates, 245, 252
 - net, 245
- photosynthetically active radiation, 44, 242, 248
- photosystem, 242, 247
- pine beetle
 - BVOCs, 620
 - climate, 513
- Planck’s constant, 42
- Planck’s law, 42
- plant functional type, 302, 444
 - annual plant, 298
 - broadleaf deciduous tree, 300, 302, 305, 307, 336, 344, 362
 - broadleaf evergreen tree, 305, 307
 - early successional, 302, 307, 309, 310, 389, 391, 618
 - late successional, 302, 309, 389
 - needleleaf evergreen tree, 301, 305, 306, 307, 336, 344, 362
 - perennial plant, 298
 - trees, 299–301
- Pliny the Elder, 4
- PnET model, 574
- polar front, 79
- pollen, 315, 434–436
- pore space. *See* porosity
- porosity, 144, 146, 147, 148, 149, 152
- potential energy, 42
- potential temperature, 202
- precipitation
 - convective, 155
 - diurnal cycle, 221
 - fires, 617
 - frontal convergence, 155

- precipitation (*cont.*)
 - lake effect, 98
 - orographic, 96, 155
 - soil moisture feedback, 222, 483–489
 - tropical rainforest, 536
 - urban influence, 643–645
- pressure gradient force, 75–76, 77, 98
- Priestley-Taylor equation, 161
- primary minerals, 358
- production efficiency model, 270, 428, 441, 567
- Project for Intercomparison of Land-surface Parameterization Schemes (PILPS), 465
- psychrometric constant, 161, 203
- radiant energy, 42
- radiative forcing
 - aerosols, 600, 609–611
 - BVOCs, 619, 621
 - fires, 404, 616
 - nitrogen, 599–602
 - representative concentration pathways, 133
 - twentieth century, 129–130
- radiative transfer, 265–269
- reflectivity, 43
- relative humidity, 52
- relay floristics, 388
- representative concentration pathway, 33–36, 133, 583, 602, 656, 659
- resistance. *See* conductance
- resource-ratio theory, 389
- respiration
 - autotrophic, 10, 291, 332, 333
 - ecosystem, 10
 - growth, 291
 - maintenance, 291, 305
 - mitochondrial, 245, 247
- return flow, 157
- Richards equation, 151
- riverflow, 185, 186, 464
- root profile, 429
- roughness length, 202, 212, 213, 214, 216, 279, 284
 - climate feedback, 9, 500, 526
- roughness sublayer, 218, 276
- r-selection, 301, 377
- Rubisco, 243, 244, 245, 247, 249, 252, 255, 271
- RuBP, 243, 244, 247, 249, 259
- ruderal plant, 302, 390
- runoff, 12, 157, 161–163, 173, 177–178
 - Budyko, 195
 - continental basins, 186
 - exponential precipitation, 179–181
 - infiltration-excess, 177
 - Rational method, 162
 - saturation-excess, 177, 181, 184
 - Soil Conservation Service, 162, 645
 - TOPMODEL, 183, 185
 - urban, 645–646
 - variable contributing area, 177
 - variable infiltration capacity model, 183
- safe-site, 377
- Sahara Desert, 436, 503, 507, 528, 612, 613
 - 6 kyr BP, 503–509
- Sahel, 485, 488, 507, 528–532
- sand
 - hydraulic properties, 149
 - infiltration capacity, 153
 - particle size, 143
 - Soil Conservation Service runoff, 163
 - soil texture class, 144
 - thermal conductivity, 146
- sapwood area, 299, 300
- savanna
 - biogeography, 422
 - carbon stocks, 426
 - climate influence, 525
 - climate zone, 90
- scalar, 211
- sea breeze, 98, 227
- sea ice, 27, 37
- secondary minerals, 358
- seed bank, 377
- seed rain, 377, 389
- self-thinning, 378–379
- sensible heat flux, 46, 194, 202, 211
- sesquiterpenes, 617, 619
- shade tolerance, 302, 309, 402, 618
- shaded leaf, 266, 267, 271, 273, 457
- shelterbelt, 99
- shifting mosaic steady state, 402
- similarity functions, 214, 215
- Simple Biosphere Model (SiB), 455, 458, 459
- size hierarchy, 378
- snow
 - Asian monsoon, 491
 - North American monsoon, 491
 - Northern Hemisphere extent, 27, 489
- soil
 - formation, 370–373
 - mineral, 143
 - orders, 29, 372–373
 - organic, 143, 144
 - pH, 367
 - profile, 368–370
 - solution, 367–368
 - structure, 144
- soil moisture retention curve, 149, 152
- soil temperature
 - albedo modification, 205
 - damping depth, 148
 - decomposition, 361
 - diffusivity, 148
 - diurnal cycle, 145, 147, 148
 - energy conservation, 145
 - heat capacity, 145, 146
 - heat flux, 144
 - mulch, 205
 - phase change, 148
 - profile, 144

- snow, 490
- thermal conductivity, 145, 146
- soil texture, 144
 - hydraulic properties, 149, 152
 - infiltration capacity, 153
 - Soil Conservation Service runoff, 163
 - thermal properties, 146
- soil water, 164–165
 - atmospheric boundary layer, 227, 485
 - decomposition, 361
 - evapotranspiration, 221–222
 - hydraulic conductivity, 152
 - hydraulic properties, 149
 - mesoscale circulation, 227
 - precipitation feedback, 222, 483–489
 - stomatal conductance, 254
 - thermal properties, 146, 147
- soil-plant-atmosphere continuum, 160, 300
- solar constant, 48, 64, 127
- solar radiation
 - annual amount, 68
 - daylength, 66
 - diurnal cycle, 65
 - horizontal surface, 64
 - Milankovitch cycle, 123
 - sloped surface, 68, 71, 72
 - top of the atmosphere, 64, 66
- solar variability, 127, 130
- Sonoran Desert, 199, 527
- Southern Oscillation Index, 106, 108
- specific humidity, 51, 203
- specific leaf area, 305
- St. Louis, Missouri, 104, 186, 631, 644
- Stefan-Boltzmann constant, 43
- Stefan-Boltzmann law, 43
- stemflow, 155, 157, 338
- stomata, 160, 250
 - CO₂ response, 238, 256–259, 514–515
 - density, 250, 256, 259
 - paleoclimate, 239
- stomatal conductance, 234, 235, 237, 250, 251, 252, 270
 - anatomical maximum, 256
 - Ball-Berry model, 253–254, 255, 259, 457, 461
 - Jarvis model, 251, 455
 - maximum rates, 252
 - soil moisture stress, 254
 - water-use efficiency, 252, 254, 259
- storm flow, 185
- stress tolerator plant, 302, 390
- succession, 13, 14, 388–392
 - allogenic, 380
 - autogenic, 380, 389, 390
 - boreal forest, 385–388
 - early successional. *See* plant functional type
 - Glacier Bay, Alaska, 380–382
 - Lake Michigan sand dunes, 380
 - late successional. *See* plant functional type
 - northern hardwood forest, 383–385
 - old field, 382–383, 392
 - primary, 379, 380
 - secondary, 380
- summer solstice, 63, 66
- sunlit leaf, 266, 267, 271, 273, 457
- sunspot, 127
- surface energy balance, 9, 194, 454
 - boreal forest, 196, 198
 - desert, 199, 527
 - effect of mulch, 205
 - grassland, 196, 198
 - model, 201–204
 - parking lot, 633
 - temperate forest, 196
 - tropical forest, 196, 198
 - tundra, 196
 - urban, 634, 640, 641
- surface temperature
 - aerodynamic, 279
 - model, 203
 - Penman-Monteith equation, 204
 - satellite, 551
- survivorship curve, 378
- temperate forest
 - biogeography, 423
 - carbon balance, 332
 - carbon stocks, 426
 - climate influence, 14, 524, 526, 660, 661
 - climate zone, 91–92
 - evapotranspiration, 158
 - microsuccession, 402
 - net ecosystem production, 347, 348–349
 - northern hardwood succession, 383–385
 - surface energy balance, 196
- temperature
 - boreal deforestation, 510, 526, 552
 - central England, 103
 - Earth surface, 48
 - EPICA Dome C ice core, 117
 - forest clearings, 98–99
 - land use, 546–548
 - leaf emergence, 493
 - mountains, 94
 - snow cover, 490
 - tropical deforestation, 526, 536, 552
 - twentieth century warming, 128
 - twenty-first century warming, 134
 - Vostok ice core, 117
- terrestrial biosphere model, 438–445, *See also* dynamic
 - global vegetation model
 - carbon cycle attribution studies, 574–575
- Terrestrial Ecosystem Model (TEM), 441
- Tethys Sea, 122
- Theophrastus, 1, 3
- thermal conductivity, 44, 203
 - air, 44, 147
 - ice, 148
 - organic material, 146, 148
 - quartz, 146

- thermal conductivity (*cont.*)
 - snow, 148, 490
 - soil. *See* soil temperature
 - water, 45, 147
- Thornthwaite, Charles, 160, 165, 424
- throughfall, 155, 157–158, 338
- Tibetan Plateau, 123
- time of emergence, 135
- TOPMODEL, 184
- trade winds, 78, 79, 80, 82, 85, 105, 106
- translocation, 341, 343
- transmissivity, 43
- transpiration, 156, 158, *See also* evapotranspiration
- triose phosphate, 243, 248, 249
- Tropic of Cancer, 63
- Tropic of Capricorn, 63
- tropical forest
 - biogeography, 422
 - carbon balance, 332
 - carbon stocks, 426
 - climate influence, 13, 524, 526, 535–540, 551, 655, 660, 661
 - climate zone, 89
 - evaporative fraction, 539
 - evapotranspiration, 158, 536, 538, 540
 - global carbon cycle, 569
 - net ecosystem production, 347
 - surface energy balance, 196, 198, 539
- tundra
 - biogeography, 423
 - carbon stocks, 426
 - climate zone, 92
 - evapotranspiration, 158
 - net ecosystem production, 346
 - surface energy balance, 196, 512
- turbulence, 209–211
- turbulent fluxes, 211
- universal gas constant, 45
- urban
 - canyon, 634–637, 640, 643
 - energy balance model, 642–643
 - greenspace, 628, 638, 639–642
 - H/W ratio, 635, 637, 640, 641, 643
 - heat island, 630–632, 636, 637, 639, 665
 - land-use zones, 628
 - nighttime lights, 30
 - phenology, 632
 - precipitation, 643–645
 - runoff, 645–646
 - surface energy balance, 634, 640, 641
 - urban planning, 664, 665–666, 676
 - runoff, 162
- Vancouver, British Columbia, 634, 639
- vapor pressure, 51
 - saturation, 51, 161, 202, 204
- vapor pressure deficit, 52, 161, 203, 204, 237, 251
- variable infiltration capacity (VIC) model, 183
- V_{cmax} , 247, 249, 256, 273, 457, 550
- vegetation continuous fields, 460
- view factor
 - forest clearing, 99
 - slope, 71
 - urban canyon, 635, 637, 638
- visible waveband, 43, 266
- Volney, Constantin-François, 5
- volumetric water content, 148
- von Humboldt, Alexander, 2, 5
- Vostok ice core, 123
- Walker Branch, 175, 341, 343, 442
- Walker circulation, 105, 106, 108
- Wangara experiment, 212, 219
- watershed, 173
 - continental basins, 186
 - Coweeta, 175, 176
 - Hubbard Brook, 174, 176
 - Walker Branch, 174
- water-use efficiency, 238, 247, 252, 254, 255, 256, 282, 350, 571
- weathering
 - carbon cycle, 53, 360
 - chemical, 360, 371
 - physical, 358, 371
- Webster, Noah, 5
- white roof, 653, 664, 665
- Wien’s law, 43
- Williams, Samuel, 5
- Williamson, Hugh, 5
- wilting point, 149, 222
- windbreak, 99
- winter solstice, 62, 66
- winter wheat, 542, 544
- wood density, 309
- woody encroachment, 528
- Xinjiang runoff model, 181
- Yenisei River, 186
- Younger Dryas, 118, 127
- zenith angle, 61, 64, 66, 68, 201, 265, 269