

Index

- adaptive optics (AO), 43, 44, 55, 191, 202, 214, 244, 441, 442, 456
 aerosols, 13, 53, 130, 140, 292, 293, 298, 321, 322, 332, 333, 479
 AGB, *see* asymptotic giant branch
 aggregates, agglomerates, 63, 64, 69, 76, 119, 121, 136, 138, 296, 305, 309, 332, 334, 335, 340, 380, 389–92, 396, 427, 431, 446, 472
 airglow, 420
 albedo, 290, 297, 304, 315, 317, 324, 341, 389–91, 413–16
 Bond, 447
 equigonal, 305
 geometric, 62, 68, 341, 344, 350, 353, 360, 364, 371, 413, 427, 440, 444, 447–49, 452
 single scattering, 24, 25, 125, 330, 331
 alignment
 degree of, 89, 94
 gas drag, 388, 395
 mechanical, 82, 83, 96, 100, 211
 paramagnetic, 81, 86, 92, 94, 95, 100, 102, 105, 107
 radiative (RAT, RT), 84, 85, 89, 92, 97, 100, 105, 107, 152, 153
 aliphatic CH features, 97, 99, 103, 106, 153
 alkali, 446, 448
 ambipolar diffusion, 200, 206
 amino acids, 170, 395, 464–74
 AO, *see* adaptive optics
 Arago, Francois (1786–1853), 64, 380
 asteroids, 8, 63–76, 244, 246, 258, 307, 312, 324, 354, 380, 383, 413, 422, 446, 449
 Lutetia, 69, 76, 374
 Steins, 70, 364
 Vesta, 76, 114, 360, 374, 375
 asymmetric photolysis, 170, 466
 asymptotic giant branch (AGB), 210

 backscattering, 135, 139, 353, 414, 419, 422, 445, 449, 452, 456
 coherent, 32, 62, 67, 115, 118, 125, 305, 342, 361, 364, 368, 414, 416
 biosignature, 316, 463, 465, 468
 birefringence, 36, 38, 41, 147, 149, 168, 248
 circular, 464, 471, 472
 Blazhko effect, 237
 brown dwarfs, 457

 Centaurs
 1999 TD10, 407, 411, 412
 Chariklo, 412
 Chiron, 406, 407, 411, 414
 Pholus, 412, 414
 Chandrasekhar–Fermi technique, 95, 155, 204, 205
 chirality, 297, 395, 462, 465, 468, 471, 474
 chlorophyll, 456, 463, 464, 468, 472
 CMB, *see* cosmic microwave background
 comet
 coma(e), 63, 64, 71, 72, 76, 120, 246, 379, 380, 381, 385, 389, 392, 395, 397
 jets, 72, 379, 381, 386
 nucleus, 94, 379, 381–83, 389, 392–97, 415, 473
 tail, 64, 379, 392, 398
 comets, 81, 82, 92, 94, 107, 138, 244, 367, 422, 427, 431, 462, 473
 Churyumov–Gerasimenko, 387
 Elst–Pizarro, 367, 392
 Encke, 367, 383, 387, 392, 397, 415
 Grigg–Skjellerup, 381, 387
 Hale–Bopp, 74, 94, 389, 391, 395, 397
 Halley, 64, 72, 74, 137, 380, 381, 384, 388, 389, 390, 393, 425
 Hartley 2, 381, 387
 Holmes, 384, 387, 389
 Shoemaker–Levy 9, 322
 Tempel 1, 385, 387, 388, 395
 cosmic microwave background (CMB), 93, 101, 158, 419
 Cotton effect, 465, 470
 cross section
 absorption, 24, 25
 extinction, 21, 24, 25, 148
 scattering, 24, 25, 390, 425
 cross-talk, 36, 41, 44, 50, 52

 da Vinci, Leonardo (1452–1519), 455
 Davis–Greenstein mechanism, 91, 95, 101, 211
 DDA, *see* discrete dipole approximation
 detectors
 avalanche photodiodes, 39, 52
 CCD (charge coupled device), 15, 39, 42, 51, 66, 70, 184, 228, 268, 285, 363, 381, 387
 photoelectric, 14
 silicon photodiodes, 132, 326

- dichroic extinction, 97, 105, 166, 168, 169, 176, 201, 203, 443, 454, 467
- dichroism, 23, 147
circular, 464, 466, 470, 471
- differential speckle polarimetry, 250
- discrete dipole approximation (DDA), 32, 82, 118, 120, 148, 380, 390
- discrete random medium, 29
- disks
accretion, 81, 92, 107, 186, 191, 202, 216
circumstellar (envelopes), 162, 168, 171, 172, 178–80, 182, 185, 186, 187, 192–93, 202, 210, 212, 228, 237, 244, 246, 247, 249, 250, 253, 254, 255, 258
debris, 166, 167, 184, 432, 454
pre-transitional, 255
protoplanetary, 51, 163, 167, 168, 248, 395
- Dollfus, Audouin (1924–2010), 63, 296, 303
- Doppler
broadening, 227, 228, 232, 235
shift, 187, 230, 231, 269, 271
- dual-beam polarimeters, 42, 51, 53, 201, 245, 248, 252, 343, 363
- dust (grains)
alignment, 147, 152, 155, 157, 165, 168, 171, 184, 190, 192, 202, 203, 211, 216, 258, 388, 389, 395, 425, 430, 467
cometary, 65, 71, 120, 130, 138, 246, 252, 322, 367, 379, 425, 427, 430, 472, 474
helical, 82, 83, 88, 107
interplanetary, 62, 63–64, 65, 71–72, 75, 101, 120, 130, 132, 380, 390
interstellar, 5, 7, 43, 81, 82, 85, 90, 92, 94, 96, 101, 131, 147, 148, 168, 201, 390, 427, 431
thermal emission, 148, 165, 170, 210, 256, 258, 396, 419
wobbling, 84, 88, 89, 90
- dwarf planets, 405
Ceres, 114, 361, 375
Eris, 409
Haumea, 409
Makemake, 409
Orcus, 410
Pluto, 405, 407, 408, 412
Quaoar, 410
- Earthshine, 316, 463
- effective medium theory, 148
- enantiomeric excess, 170, 395, 466, 472
- exoplanets, 13, 39, 50, 255, 258, 462, 467, 471, 475
- exosphere, 292
- exozodiacal, 454
- extinction curve, 99, 101, 103, 104
- Faraday rotation, 99, 226
- far-field, 18, 24, 115, 119, 122, 126
- finite-difference time-domain method, 32
- forward scattering, 135, 139, 251, 252, 332, 334, 379, 395
- Foster prism, 45, 47, 50
- Fresnel reflection, 362
- Galilean satellites, 114, 341–42, 414, 447
- gegenschein, 419–22, 431
- Gehrels, Tom (1925–2011), i, 3, 325, 360, 379
glint, 449, 463
glory, 295
- GIIPS (Galactic Plane Infrared Polarization Survey), 81, 155, 157
- Green's function, 18
- habitable zone, 462
- Halon, 66
- Hanle effect, 228, 269, 274, 276, 280
- Hapke model, 33
- harmonic oscillator
 π and σ components, 225, 230, 269, 276
- Hertzsprung–Russell (HR) diagram, 183, 210, 224, 234
- homochirality, 169, 203, 430, 462–75
- Huygens, Christiaan (1629–1695), 439
- ices
ammonia, 132, 321, 328, 331, 336, 447
ammonium hydrosulfide, 328
carbon dioxide, 379, 468
carbon monoxide, 102, 154, 379, 414
dirty, 252, 389, 467
ethane, 410
methane, 335, 407, 410, 414, 415
methanol, 412, 415
nitrogen, 408, 414
water, 152, 154, 298, 328, 348, 351, 353, 379, 407–16
- instrumental polarization, 36, 42, 44, 50, 53, 66, 165, 250, 314, 343, 344, 350, 406, 454
- instruments
ACS (Advanced Camera for Surveys), 52, 249
CanariCam, 45, 50, 201
CIAO (Coronagraphic Imager for Adaptive Optics), 166, 248, 251
CODAG (Cosmic Dust Aggregation), 70, 76
DIRS (Huygens descent imager/spectro-radiometer), 324
ESPaDONs (Echelle Polarimetric Device for the Observation of Stars), 41, 50, 228, 236
ExPo (Extreme Polarimeter), 214, 249
FORS (Focal Reducer and Spectrograph), 44, 45, 228, 229, 235, 351, 364, 405, 407, 413, 456, 475
GPI (Gemini Planet Imager), 51, 249, 253
HARPS and HARPSpol (High Accuracy Radial velocity Planet Searcher), 46, 50, 228
HiCIAO (High Contrast Instrument for Adaptive Optics), 47, 248, 252, 254
HiVIS (High Resolution Visible and Infrared Spectrograph), 42, 46, 51
HOPE (Halley Optical Probe Experiment), 386
ICAPS (Cosmic and Atmospheric Particles System), 76
IPP (Pioneer 10 and 11 Imaging Photopolarimeter), 8, 72, 326, 349
IRCAL (Infrared Camera for Adaptive Optics at Lick), 47, 248
IRDIS (Infrared Differential Imager/Spectrograph), 47, 250
IRIM (Infrared Imaging Magnetograph), 48, 165
LRIS (Low Resolution Imaging Spectrograph), 44
Lyot Project coronagraph and polarimeter, 252, 253
MMT-POL (MMT Polarimeter), 45

484 Index

- instruments (*cont.*)
- MSPI (Multi-angle SpectroPolarimeter Imager), 54, 55
 - NaCO (Nasmyth Adaptive Optics System (NAOS) - CONICA at VLT), 214, 248, 254
 - Narval, 47, 50, 228, 236
 - NICMOS (Near-Infrared Camera and Multi-Object Spectrometer), 52, 214, 249, 252, 254
 - OCP (Orbiter Cloud Photopolarimeter), 293
 - PlanetPol, 43, 48, 452, 454
 - Polariscope, 5, 8
 - PolCor (Polarimeter Coronagraph), 47, 213, 252
 - POLDER (Polarization and Directionality of the Earth's Reflectances), 53, 54
 - POLISH and POLISH2 (Polarimeter for Inclination Studies of High-mass X-ray Binaries), 48, 249, 452
 - PolKa (Polarimeter für Bolometer Kameras), 171
 - PPR (Photopolarimeter/Radiometer), 349
 - PPS (Photopolarimeter Subsystem), 324
 - PROGRA2 (Propriétés des Grains Astronomiques et Atmosphériques), 65, 70, 73
 - SCUBA (SCU-POL, SCUBA2Pol) (Submillimeter Common User Bolometer Array), 81, 171, 201, 216
 - SHARP (Polarimeter for the Submillimeter High Angular Resolution Camera), 205
 - SIRPOL (Survey Infrared Polarimeter), 46, 164, 169
 - SPEX (Spectropolarimeter for Planetary Exploration), 54, 55
 - SPHERE (Spectropolarimetric High Contrast Exoplanet Research), 249, 253
 - SPICAV-IR (Spectroscopy for Investigation of Characteristics of the Atmosphere of Venus – Infrared), 54, 295
 - TurPol (Turku Photopolarimeter), 48, 452, 453, 454
 - WFC (Wide Field Camera), 48, 249, 257
 - WFPC2 (Wide Field and Planetary Camera 2), 249
 - WUPPE (Wisconsin Ultraviolet Photopolarimeter Experiment), 297, 312
 - ZIMPOL (Zurich Imaging Polarimeter), 39, 42, 47, 51, 250, 268, 274, 279, 285
- interstellar
- extinction, 147, 151
 - medium, 81, 107, 147, 162, 168, 211, 443, 454
 - polarization, 81, 83, 96, 104, 177, 178, 180, 183, 443, 454
 - turbulence, 148, 154, 157
- inverse problem, 259
- inversion angle, 69, 71, 73, 75, 289, 292, 293, 297, 304, 305, 312, 316, 340, 343, 353, 354, 362, 364, 367, 369, 374, 382, 392, 411, 422, 429
- J attractor, 85, 86–93
- Jones formalism, 35
- KBO, *see* Kuiper Belt Objects
- Kolmogorov test, 180
- Kuiper Airborne Observatory (KAO), 165, 171
- Kuiper Belt, 257, 385, 412, 431
- Kuiper Belt Objects (KBO), 244, 258, 462, *see also* TNO
- Kuiper, Gerard (1905–1973), 7, 8
- ladder approximation, 31
- Lambertian
- disk, 365
 - sphere, 440, 447, 451
 - surface, 341
- Landé factor, 226, 271
- Larmor frequency, 225
- Larmor precession, 84, 86, 105, 276, 280
- Larson law, 200
- least-square deconvolution (LSD), 230
- level-crossing phenomena, 280
- limb darkening, 230, 274, 275, 278, 449
- LSD, *see* least-square deconvolution
- lunar samples, 63, 65, 67, 115, 290, 304, 309, 312, 364
- Lyman series, 273
- Lyot filter, 49, 52
- Lyot, Bernard (1897–1952), 50, 63, 114
- magnetic
- accretion, 188, 233, 236
 - dipole, 233
 - Doppler imaging (MDI), 231
 - mean longitudinal field, 229, 230, 231, 234
 - spots, 180, 181, 230
- magnetic fields, 81, 87, 92–97, 103, 107, 164, 211, 467
- dipole, 216, 228
 - exoplanets, 447
 - galactic, 147, 155, 156, 443
 - helical, 203
 - interplanetary, 93, 395, 430
 - poloidal, 218, 233
 - radial, 218, 219
 - random, 150, 155
 - strength, 88, 95, 155, 156, 171, 200, 204, 211, 216, 218–20, 226, 228, 230, 232–33, 235, 269, 271, 277, 279, 283
 - Sun, 267–84
 - supercritical, 200
 - toroidal, 216, 218, 233
 - weak-field regime, 226, 228, 229, 230
- magnetograms, 52, 270, 272, 281, 282
- Mars, 75, 76, 289, 413, 449, 462
- clouds, 296, 298
 - dust, 130, 298
 - dust analog (palagonite), 130, 135
 - surface, 296, 474
- masers, 211, 217, 218
- mass-loss rates, 210, 212
- matrix
- 2x2 cross spectral density, 35
 - amplitude scattering, 19, 22, 24, 119
 - extinction, 23, 28
 - Mueller, 36, 43, 119, 121, 480
 - phase, 23, 24, 28, 331
 - scattering, 25, 65, 120, 440
- Maxwell's (equations, electromagnetics), 13, 17, 25, 29, 32, 119, 125, 305, 390
- Mercury, 76, 125, 446, 468
- meteorites, 63, 65, 70, 72, 138, 170, 367, 368, 374, 395, 430, 465, 467, 474
- microgravity measurements, 64, 65, 73, 380, 397
- microwave analogue measurements, 25, 63, 131, 380, 428
- Mie theory, 32, 130, 134, 135, 148, 151, 178, 251, 292, 321, 328, 331, 428, 443, 466
- Milne–Eddington atmosphere, 226, 273
- modulation
- electro-optic, 268

- spatial, 40, 42, 52, 55
 spectral, 40, 55
 temporal, 40, 42, 52, 446
- modulators
 electro-optic, 132, 285
 ferroelectric liquid crystals (FLC), 47, 249, 250
 liquid crystal, 38, 39, 42, 51, 55
 photo-elastic, 39, 55, 249
 Pockels cell, 212
 polychromatic, 39
- molecular clouds, 107, 162
 lifetimes, 199
 turbulence, 200, 204
 turbulent angular dispersion, 204, 205
 velocity dispersion, 200, 204
- monomers, 121, 136, 332, 334, 342, 380, 390, 392, 395, 396, 428, 446
- Moon, 7, 63, 65, 74, 76, 114, 125, 289, 349, 354, 365, 446, 454
- Mueller formalism, 35
- multiple scattering, 63, 69, 72, 73, 75, 168, 177, 178, 184, 186, 190, 191, 202, 292, 305, 310, 316, 321, 324, 334, 342, 361, 384, 387, 395, 430, 441, 451, 463, 468, 472
- NASA Planetary Data System (PDS), 341, 361
- near-Earth objects (NEO), 362, 364, 366, 367, 371, 374
- near-field, 28, 32, 119, 342
- NEO, *see* near-Earth objects
- nephelometer, 32
- non-redundant aperture masking (NRM), 250
- oblique rotator model, 234, 235
- occultation
 by comets, 94, 379
 of exoplanets, 444, 452
 stellar, 180, 371, 412
- Oort cloud, 385, 405, 411
- Oort, Jan (1900–1992), 6
- opposition (effect, phenomena, surge), 7, 8, 32, 64, 68, 114, 117, 118, 305, 341, 348, 353, 354, 371, 373, 410, 414
- optical theorem, 21, 23
- optical thickness, 13, 124, 293, 294, 295, 297, 329, 330, 395
- optically active material, 121, 324, 395, 430, 464, 471, 474
- organics, 321, 336, 351, 367, 379, 385, 391, 395, 428, 430, 466, 468, 471
- packing density (*see also* porosity), 13, 28, 29, 33, 68, 115, 121, 340, 342, 415
- PAH, *see* polycyclic aromatic hydrocarbon
- particles
 cluster of, 25, 26, 305
 ellipsoids, 83, 107, 178, 321
 fluffy, 246, 251, 390, 427, 431
 fractal, 251, 258, 428, 446
 irregular, 62, 63, 65, 69, 75, 82, 83, 90, 92, 94, 107, 130, 132, 133, 290, 296, 299, 305, 310, 364, 390, 428, 430
 non-spherical, 115, 118, 130, 139, 150, 168, 210, 216, 251, 321, 387, 389, 390, 428, 446, 454
 optically anisotropic, 148
 spherical, 13, 32, 389
 spheroidal, 466
 stochastic, 27, 29, 65
- Paschen–Back effect, 228, 269, 280
- PCA, *see* principal component analysis
- phase function, 66, 70, 116, 120, 121, 131, 133, 135, 168, 191, 246, 329, 331, 428, 440
 Henyey–Greenstein, 120, 331
 Hilton, 447
 Lambertian, 447, 448
- photosynthesis, 471, 474
- planetesimals, 244, 251, 258
- plutinos, 405, 410
- point spread function (PSF), 35, 212, 245, 249, 441
- polarimetric
 accuracy, 36, 41, 53, 201, 268
 color, 139, 313, 384, 387, 389, 391, 397, 424, 428, 431
 efficiency, 36, 39, 41, 43, 50, 53, 102, 103, 150, 153
 sensitivity, 36, 40, 52, 53, 55, 249, 268
 slope, 307, 362, 365, 369, 370, 372, 374, 382
- polarimetry
 coronagraphic, 247, 249, 250, 252, 255, 257, 420
 differential imaging, 191, 245, 248, 252
 integral field, 250
- polarizability factor, 273, 280
- polarization
 centro-symmetric patterns, 190, 201, 212
 circular, 92, 93, 99, 106, 120, 147, 176, 211, 217, 226, 230, 269, 297, 303, 379, 462, 468
 disks, 190, 191, 192, 202
 elliptical, 226, 269, 379, 479
 negative, 62, 64, 66, 71, 73, 75, 114–21, 289, 292, 294, 296–300, 304–08, 315–16, 317, 322, 331, 332, 333, 340, 342, 347–51, 354, 360, 362, 368, 373, 379, 380, 382, 387, 389, 390, 391, 392, 409–16, 422, 426, 441, 449, 456, 480
 null, 190, 192, 202, 372
 quadrupolar (butterfly) pattern, 202
 reversal, 177, 192, 269, 322
 sky, 343, 363, 446, 454
 Sun, 440, 449
- polarizers
 dichroic, 36, 53
 Polaroid sheet, 211
 wire-grid, 36, 55, 200, 211, 248, 249
- polycyclic aromatic hydrocarbon (PAH), 82, 95, 108, 191, 210, 216, 428
- porosity (*see also* packing density), 62, 246, 254, 390, 392, 428, 463, 472
- Poynting–Robertson effect, 426, 429
- principal component analysis (PCA), 231, 246, 366
- protoplanets, 244, 255
- protosolar nebula, 391, 467
- protostar, 163, 168, 171, 201
- PSF, *see* point spread function
- Purcell’s torques (alignment), 102
- pyroxenes, 312, 428
- radiation pressure, 210, 217
- radiative
 levitation, 234
 torques, 211, 395, 430, 467
 transfer, 31, 32, 76, 102, 193, 231, 247, 280, 292

486 Index

- radiometer, 65, 326
 panoramic, 15
 well-collimated, 14
- rainbows, 292, 329, 336, 463
- RAT, RT, *see* alignment, radiative
- ray-tracing modeling, 35, 43, 305, 310
- red edge, 456, 468, 470, 471
- reflection nebula, 100, 130, 162, 167, 169, 192, 201
- refractive index, 18, 24, 25, 26, 62, 73, 74, 121, 125, 130, 135, 137, 147, 168, 292, 293, 294, 296, 310, 321, 328, 331, 334, 342, 368, 373, 379, 388, 390, 391, 428, 463, 467, 472
- regolith, 13, 63, 64, 68, 75, 117, 125, 246, 289, 290, 305, 306, 308, 309, 316, 324, 340, 341, 342, 344, 354, 355, 360, 364, 374, 414, 415, 441, 456
- relaxation
 Barnett, 86, 89, 107
 internal, 84, 86, 87, 89, 90, 91, 108
 paramagnetic, 82, 83, 90, 91, 95, 108, 153, 211
- resonance fluorescence, 380, 396
- retarders
 Fresnel rhomb, 39, 46, 50, 54, 55, 228
 half-wave, 37, 44, 50, 51, 52, 53, 131, 200, 201, 248, 250, 326, 363
 multiple-order, 40
 quarter-wave, 38, 40, 43, 50, 52, 55, 133, 201
- Rochon prisms, 249
- Saturn
 clouds, 130, 132
 rings, 114, 115, 125, 246, 341, 343, 451
- Savart plate, 37, 363
- scattering
 dipole, 273
 fluorescent, 273
 plane, 25, 66, 119, 131, 134, 303, 317, 320, 326, 327, 335, 340, 343, 361, 362, 380, 387, 406, 409, 419, 422, 440, 443, 449, 450, 480
 Raman, 273, 452
 Rayleigh, 43, 118, 188, 249, 251, 269, 273, 293, 294, 299, 316, 320, 321, 323, 329, 334, 362, 379, 384, 391, 416, 441, 443, 446, 449, 451, 453, 456, 457
 resonance, 273, 292
 Thomson, 185, 189, 190, 273, 379, 424
- Second Solar Spectrum, 269, 274, 279, 281, 285
- SED, *see* spectral energy distribution
- Serkowski relation (law), 43, 93, 95, 151, 152
- shadow-hiding mechanism, 7, 305, 342, 353
- silicates, 71, 74, 95, 107, 152, 246, 252, 289, 366, 379, 391, 428, 430, 431
 dirty, 389
- simple line addition technique (SLA), 230
- single beam polarimeters, 200, 202
- SLA, *see* simple line addition technique
- solar
 eclipse, 424
 occultation, 424
 wind, 94, 369, 430
- space missions
 Akatsuki, 420, 432
 Apollo [11, 12], 63, 68
 Apollo-17, 309
 Cassini, 48, 53, 324, 328, 332, 333, 336, 351, 352, 446
 COBE (Cosmic Background Explorer), 431
 D2A satellite, 421
 Dawn, 375
 Deep Impact, 387, 388, 395
 EXCEDE (Exoplanetary Circumstellar Environments and Disk Explorer), 257
 Eye-Sat, 432
 Gaia, 367, 373
 Galileo, 53, 54, 324, 329, 344, 346, 349, 370
 Giotto, 381, 391, 425
 Glory, 54
 Helios, 420, 421, 422
 Hinode, 49, 52, 269
 Huygens, 54, 73, 327, 335, 446
 Intercosmos satellite 16, 278
 Kepler, 439, 446, 447, 457
 Luna [16, 17, 20, 21, 24], 63, 304, 309
 Pioneer [10, 11, 12], 5, 8, 53, 54, 72, 324, 329, 332, 334, 349, 420, 446
 Pioneer Venus, 293
 Planck, 81, 94, 96, 101, 419
 Rosetta, 364, 374, 387
 SDO (Solar Dynamics Observatory), 49, 52
 SOHO (Solar Heliospheric Observatory), 52, 381, 424
 Stardust, 121, 138, 391, 397, 428
 Vega, 391
 Venera [8,11], 296
 Venus Express, 293
 Voyager, 8, 54, 72, 324, 327, 332, 335
- speckles, 245, 248, 249
- spectral energy distribution (SED), 163, 183, 186, 191, 210, 256, 258
- spectro-polarimetry, 40, 44, 158, 166, 176, 178, 184, 190, 193, 216, 219, 233, 237, 245, 267, 268, 285, 303, 316, 351, 456, 463, 468, 471, 475
- standing wave, 119
- star-forming regions, 156, 158, 171, 189, 467
- starspots, 455
- stellar
 jets, outflows, 162, 165, 166, 169, 178, 184, 186, 189, 202, 210, 215–20, 238
 winds, 168, 217, 224, 232, 235, 244
- Stokes
 formalism, 35
 inversion, 270, 273
 parameters (vector), 15, 22, 23, 27, 36, 39, 40, 44, 50, 52, 55, 63, 76, 117, 120, 131, 148, 149, 171, 185, 189, 200, 227, 229, 231, 245, 268, 269, 270, 275, 276, 279, 282, 283, 289, 299, 303, 320, 324, 325, 326, 343, 363, 380, 398, 406, 420, 440, 444, 463, 469, 471, 479
 profile, 224, 226, 230, 231, 270
- Strehl ratio, 254
- sub-mm polarization, 97, 101, 154, 158
- sulfuric acid, 13, 62, 130, 293, 294, 295, 445
- Sun, 229, 232–33, 312, 419, 425, 431, 449, 463
- sunspots, 232

- supernova, 51, 467
- superparamagnetic
grains, 89
inclusions, 152
- suprathermal rotation, 152, 211
- telescopes
- 1.25-m telescope of the Crimean Astrophysical Observatory, 363
 - 1.8-m Astrophysical Observatory of Asiago, 363
 - 2.1-m telescope of the Complejo Astronómico El Leoncito (CASLEO), 363
 - 2.6-m telescope of the Crimean Astrophysical Observatory, 350
 - 3-m Shane Telescope, 166
 - 6-m Telescope of the Special Astrophysical Observatory of the Russian Academy of Sciences, 344, 353
 - AAT (Anglo–Australian Telescope), 201, 454
 - ALMA (Atacama Large Millimeter/submillimeter Array), 158, 171, 206, 219, 247
 - ATCA (Australia Telescope Compact Array), 219
 - Bernard Lyot of the Observatoire du Pic-du-Midi, 228
 - CFHT (Canada–France–Hawaii Telescope), 228, 248
 - CSO (Caltech Submillimeter Observatory), 171, 205
 - HST (Hubble Space Telescope), 48, 163, 210, 212, 244, 245, 247, 251, 253, 298, 322, 442, 449, 452
 - IRAS (Infrared Astronomical Satellite), 166, 247, 370, 431
 - IRSF (Infrared Survey Facility), 46, 164, 169
 - ISO (Infrared Space Observatory), 214
 - JCMT (James Clerk Maxwell Telescope), 171, 201, 216
 - Keck Interferometer, 257
 - Kitt Peak McMath–Pierce facility, 270, 284
 - LBTI (Large Binocular Telescope Interferometer), 257
 - MERLIN (Multi-Element Radio-Linked Interferometer), 218
 - NOT (Nordic Optical Telescope), 213, 252, 363, 452
 - Palomar, 6, 9, 249, 452, 454
 - SMA (Submillimeter Array), 158, 172, 206, 217
 - SOFIA (Stratospheric Observatory for Infrared Astronomy), 171
 - Spitzer Space Telescope, 164, 421, 454
 - Subaru, 45, 47, 166, 202, 214, 248, 250
 - THEMIS, 49, 285
 - UKIRT (United Kingdom Infrared Telescope), 165, 201, 212, 253
 - VLBA (Very Long Baseline Array), 218
 - VLT (ESO Very Large Telescope), 44, 51, 192, 214, 228, 248, 253, 254, 351, 364, 368, 370, 405, 413, 456, 475
 - WHT (William Herschel Telescope), 45, 51, 214, 452
 - WISE (Wide-field Infrared Survey Explorer), 371, 372, 375
- tidal coupling, 232
- Titan, 475
- aerosols, 65, 445, 446
 - haze, 53, 328, 335, 446
- T-matrix, 29, 32, 115–20, 148, 353, 380, 390, 397, 472
- TNO, *see* transneptunian objects
- transneptunian objects (TNO), 354, 362, *see also* KBO
- 1999 DE9, 354, 411
 - Huya, 354, 410, 413, 414
 - Ixion, 354, 405, 406, 407, 410
 - Varuna, 354, 410
- Twersky approximation, 31
- ultraviolet, *see* UV
- Umov effect, 62, 68, 73, 290, 304, 305, 308, 310–17, 350, 427, 441
- Unno–Rachkovsky solution, 226, 273
- UV
- extinction, 95, 96
 - polarization, 8, 94, 96, 298, 466, 467
 - polarization excess, 94–106
 - wind lines, 235
- Venus, 7, 8, 289, 299, 445, 447
- atmosphere, 13, 130
 - clouds, 13, 62, 445, 447
 - polarization of, 463
- volcanic ash, 63, 65, 73, 75, 130
- volume integral methods, 17, 119
- water droplets, 16, 133
- weak localization of photons, 118
- Wilking law, 151
- Wollaston prism, 36, 45, 48–50, 51, 54–55, 201, 228, 248, 249, 250, 252, 325, 326, 343, 363, 364, 406
- young stellar objects (YSO), 100, 103, 191, 202, 206
- Class 0, 162, 166
 - Class I, 162, 163, 166
 - Class II, 163, 166
 - Class III, 163
- YSO, *see* young stellar objects
- ZDI, *see* Zeeman Doppler Imaging
- Zeeman Doppler Imaging (ZDI), 231, 235
- Zeeman effect, 44, 95, 204, 218, 219, 230, 233, 236, 275, 277–82, 286, 455
- Zeeman effect (transverse, anomalous), 269, 275–84
- zodiacal
- dust, 93, 244, 246, 251, 257, 380, 383
 - light, 132, 257, 419, 432