

Index

- aardvark 25, 53
- Abalosia* 146
- Abrocoma* 141, 386
- Abrocomidae 29, 141, 283, 483
- Abudhabia* 195
- Acarechimys* 146
- Acaremyidae 406
- Acaremys* 146
- Acomys* 188–91, 193, 203, 391
- Acomys cahirinus* 203
- Acomys chrysophilus* 203
- Acomys coppensi* 192
- Acomys ineptus* 203
- Acomys kaiseri* 203
- Acomys lavocati* 203
- Acomys spinosissimus* 190–1
- Acomys subspinosus* 190
- Aconaemys porteri* 144
- Aconaemys sagei* 144
- acouchis 29
- acoustic impedance 394
- acoustic stiffness 394
- Actenomys* 148
- Actenomys priscus* 144, 150
- adaptive radiation 55–6, 100, 202, 277, 539
 - Palaeogene Asian radiation 98
 - placental 56
- adelomyine 393
- Adelphomys* 145
- Adu Asa (fossil site) 199
- Aeretes* 223
- Aeromys thomasi* 338–9
- Aethomys* 198–9, 203
- Aethomys deheinznelini* 199
- Aethomys lavocati* 199
- African brush-tailed porcupine 515
- African mole-rat 430, 515
- Afrotheria 25
- agoutis 29, 87
- Akodon* 390
- Akodontini 54
- Aksyr (fossil site) 77
- Alagomyidae 74–5
- Alagomyidea 75, 81
- Alagomys* 73–5
 - dentition 75
- Alagomys inopinatus* 74
- Alagomys oriensis* 74
- Alagomys russelli* 74
- Allactaga* 388, 397
- Allactaginae 43, 388
- allometry 235, 285, 287, 311, 314, 533
 - and molars 315
- Allophaiomys* 495, 498
- Allotheria 324
- Alphagaulus* 431
- Anagalida 5–6
- anagenesis 140, 150, 154–6
- Andinomys* 466
- annular ligament 382, 389
- anoles 57
- Anomaluridae 26, 43, 81, 387–8, 435, 483
- Anomaluroidea 21, 71, 378, 383, 387, 393
 - middle ear 387
 - origin and dispersal 100
 - ossicles 392
- Anomaluomorpha 26–8, 43, 290–1, 426, 483
- Anomalurus* 26, 388
- anteaters 25, 53
- Antemus* 51, 193, 195
- Antemus chinjiensis* 192–3, 196
- Antemus mancharensis* 51, 192–3
- Anthropoidea 101, 328
- Apatemyidae 3
- Aplodontia* 236, 330, 385
- Aplodontia rufa* 21, 224, 281, 333, 351
- Aplodontia rufa olympia* 338–9
- Aplodontidae 26, 71, 227, 383
 - middle ear of 385
- Aplodontidea 77, 223, 426
 - split with sciurids 229
- Aplodontiidae 42, 483
- Aplodontoidea 21, 431
- Apodecter stromeri* 98

- Apodemini 44, 201
- Apodemus* 390, 416, 494–5
- Apodemus flavicollis* 210, 303, 381
- Apodemus sylvaticus* 210, 301, 303, 313, 318, 406
- Apodemyini 196
- Aramis (fossil site) 192, 195, 197, 199–200
- Arazamys* 173, 510
- arboreal. See locomotor mode
- Archeoceta xiii
- Archetypomyidae 75
- Archetypomys* 75
- Archetypomys erlianensis* 75, 91
- Archonta 6
- Arctomys* 222
- armadillo 25, 533
- Armintomys* 77, 80
 - dentition 80
- Armintomys tullbergi*
 - dentition 79
- Arrisdrift (fossil site) 88, 93
- Arshanto (fossil site) 75, 80, 92
- Artiodactyla 324, 352
 - Anthrotheriidea 100
- Arvicanthini 44, 196–200, 202–3, 211
 - stephanodont 199
- Arvicanthis* 198–9
- Arvicanthis musisii* 199
- Arvicanthis primaevus* 199
- Arvicola* 390, 409, 482, 488
- Arvicola richardsoni* 409
- Arvicolinae 44, 56, 390, 429, 436, 450, 452, 455–6, 461–2, 464, 466–7, 469, 472, 483–4, 494
 - Holarctic 44
- Arvicolina 390, 408, 482, 490, 494–5, 497
- As-Sarrar (fossil site) 88
- astragalus 544, 549–50, 554, 556–8, 562, 564–5, 567, 570, 577, 585
- Atavocricetodon* 436
- Atavocricetodon huberi* 436
- Atherurus* 102
- Atherurus africanus* 96, 515
- Atlantic bamboo rat 514
- Atlantoxerus getulus* 222
- auditory bulla 141, 149, 174–5, 225, 356, 375, 385, 387–8, 390–2
- auditory ossicles 375, 379–82, 385, 387, 391
 - anatomical axis 382–3, 394
 - ancestral 392–3
 - and frequency 394
 - caviomorph type 386
 - Ctenohystrica type 383, 386, 396
 - freely mobile 381–4, 386–97
 - generalised 391
 - interossicular joints 374
 - microtype 383, 388, 390–2, 394, 397
 - microtype and frequency 393
 - mobile type, convergent evolution 393
 - rotatory axis 374
 - specialised 391
 - subtypes 383
 - transitional 383
 - types 382
- Auliscomys formosus* 54
- Auvergne 542, 560, 567
- aye-aye 485
- Baiomys musculus* 406
- Baluchimyinae 89–90, 94–6, 98, 100–1, 104, 437
 - Asian 96
- Baluchimys* 96
- Baluchimys krabiense* 94, 98
- bamboo rats 43, 139, 145, 152, 389
- Bandaomys* 73
- bank voles 488
- Baringo (fossil site) 88
- Bathyergidae 28, 52, 89–91, 95–6, 98, 101, 103–4, 283, 385–6, 395, 426, 428, 433, 441, 483, 515
- Bathyerginae 98
- Bathyergoidea 21, 406
- Bathyergoides neotertiarius* 98, 406
- Bathyergus* 430, 441
- Bathyergus suillus* 515
- bats 6, 25, 352, 512
- beavers 181, 378, 386–7, 427
- Belgarric 1 (fossil site) 541–3, 566–7
- Beni Mellal (fossil site) 88
- biochronology 541–2
- Bir El Ater (fossil site) 88, 92
- birch mouse 388, 484
- Biswamoyopterus* 223
- Black Crow (fossil site) 88
- Blainvillimys* 543, 558, 579, 586
- Blainvillimys langei* 550, 554–5, 557–8, 570, 578, 582, 584
 - anatomical description 554
- blesmoles 89
- blind mole-rats 43
- bobak 246, 253

- body mass 177–81, 231, 239, 251–2, 254–5, 262, 264, 267, 510, 513–14, 516, 523, 533
- estimate 178, 251
- extinct rodents 176
- fossil 178
- Marmota 255
- maximum in extant rodents 164
- variation in rodents 164, 176
- body size 181, 510, 533
- Bolivar marine barrier 54
- Boltimys broomi* 201
- bone conduction 395–6
 - adaptations to 396
- Boreoeutherians 25
- Bou Hanifia (fossil site) 196
- brachydonty 75, 485
 - occurrence 483
- Brachylagus idahoensis* 338–9
- brachyodont 452–4, 461, 465–8, 480, 484, 488–9, 541
- Brachyuromys* 56
- Brazilian agouti 514
- Brazilian porcupine 514
- Brazilian tuco-tuco 514
- Bridgerian taxa 77
- broad-headed spiny rat 514
- brown rat 358
- brush-tailed rats 145
- Bugti Hills (fossil site) 88–9, 92
- Bugtimys* 96, 100
- Bugtimys zafarullahi* 94
- Bukwa (fossil site) 88
- bunodont 198, 424, 436, 452–4, 467, 541
- buno-selenodont 452–4
- Cachiyacuy* 90
- Cachiyacuy kummeli* 96
- Cainozoic 90
- calcaneum 549, 577–8
- calcaneus 544, 549–50, 553, 556, 558, 562, 564, 566–71, 577–9, 585
- Callosciurinae 229, 237
- Callosciurini 42
- Callosciurus pygerythrus* 338–9
- Callosciurus pygerythrus lokroides* 340
- Callospermophilus* 253
- Calomyscidae 43, 55, 392, 450, 465, 483
- Calomyscus* 392
- Calomyscus mystax* 380–1
- camelids 326
- Canaanimys* 90
- Canaanimys macuiensis* 96
- cane rats 28, 87, 89
- canine 6, 326, 441, 479, 482
- Canis latrans* 257
- Canonical Variates Analysis 523, 526–7, 533
- Cape dune mole-rat 515
- Cape mole-rat 433, 447, 515
- Capromyidae 29, 42, 283, 433, 483
- Capromyinae 42
- capybara 14, 29, 87, 164, 357, 429, 495, 510, 515, 533
- Cardiocraniinae 43, 388
- carnassials 330
- Carnivora 6, 25, 330, 350, 513
 - bite force 180, 350
 - colonisation 56
- carpal 572
- Carpolestidae 3
- Carterodon* 145, 149
- Castor* 543
- Castor canadensis* 330
- Castor fiber* 406, 570
- Castoridae 26, 43, 71, 386, 406, 427, 483, 491
- Castorimorpha 26–7, 43, 71, 383, 393, 395, 426, 483
 - enamel 435
 - middle ear 386
 - ossicles 392
- Castoroidea 539
- caudal chordafortsatz 378, 384, 390
- Cavia* 45–6, 141, 366, 385, 543, 578
- Cavia aperea* 543
- Cavia porcellus* 358, 373, 488, 514, 528–9
- cavies 139
- Caviidae 29, 283, 285, 288–9, 352, 357, 367, 431, 433, 483, 514
- Caviocricetus* 146
- Cavioidea 28–9, 139, 141, 285–90, 484
- Caviomorpha 28, 53–4, 87, 90, 95–7, 103–4, 147, 164, 176, 181, 323, 393, 436, 440–1, 510, 512–14, 516, 524, 532–4, 539
 - arrival in South America 100
 - dispersal 54
 - diversity 164
 - fossil 164, 513
 - mandibular morphology 235
 - New World 96, 103
 - origins 103, 282
 - primitive 100, 103
- Cayenne spiny rat 514

- cementum 430, 487
- Cenozoic 53, 140, 152, 156, 260, 484, 510
 - late 140, 248
- centroid size 285, 287, 289
- Céreste (fossil site) 542–3, 561, 571, 574–5, 579
- Cerro Azul Formation 150
- cervical loop 482, 485, 487–90, 502
 - labial 485, 487
 - lingual 485, 487
- Cetartiodactyla 25, 45
- Ch'orora (fossil site) 88, 191, 197, 199
- Chaetocauda* 42
- Chaetomyinae 29
- Chaetomys* 29
- Chaetomys subspinosus* 514, 530
- Chaibulakomys angos* 73
- Chapattimyidae 89, 91, 98
- Chasichimys* 146, 151
- Chasichimys scagliai* 151
- Chasicomys* 146
- Chibchanomys trichotis* 390
- Chinchilla* 87, 141, 373, 385, 393–4, 514, 529, 543
- Chinchilla lanigera* 373, 514, 529
- chinchilla rats 29
- Chinchillidae 29, 166, 169, 172, 283, 285, 289, 483, 514
- Chinchilloidea 28–9, 139, 141, 170
- Chinchillula* 466
- chipmunk 235
- Chiropodomys* 44
- chorda tympani 378, 380, 384–5, 387, 391
- chordafortsatz 385
- Clarkforkian 74–5
- classification
 - Brandt 281
 - De Blainville (1816) 20
 - McKenna and Bell (1997) 23
 - Nowak (1999) 24
 - Simpson (1945) 22, 70, 280
 - Waterhouse 280–2
 - Wilson and Reeder (2005) 30
 - Wood 280–1
- climate envelope 259, 261, 265
 - estimate 250
 - size 251, 256–7
- clinal variation 315, 318
- Clyomys* 42, 145, 149
- Clyomys laticeps* 514, 529
- cochlea 373, 375, 394
 - coils 375
- fossula 377
 - promontory 375, 377, 379, 383–6
- Cocomys* 73
- Cocomys lingchaensis* 91
- Coendou* 29, 578
- Coendou insidiosus* 543
- Coendou prehensilis* 513–14, 530, 543
- Coendou vilosus* 543
- Colomys* 197
- colonisation event 53–6
- colugos 6
- common ancestor 4, 6
- common yellow-toothed cavy 514
- communication 395
- condyle 285, 289, 326, 328–9, 331, 350, 353, 357, 359–60, 362, 365–6
- Conilurini 426, 429
- conservation 9, 12–13
- constraint 4, 11, 292, 470, 472, 533
 - dental 491–2
 - developmental 405
 - functional 20, 317, 471
 - masticatory function 280
 - molar 491
 - phylogenetic 294
- convergence 4, 10, 19, 21, 51–2, 57, 103, 202, 223, 237, 292–3, 341, 448, 470, 472, 478, 495
 - dental 202, 491
 - developmental 202
 - dietary and masticatory 479
 - evolutionary 3–4, 51, 280, 466
 - hypocone 495
 - locomotor repertoire 19
 - morphological 196, 203, 210
- coronoid process 291, 350, 356
- coruros 140
- Cournon (fossil site) 542–3, 550, 559–60, 563, 566
- coypu 29, 140
- craniomandibular joint 326, 328–9, 335, 342
 - examples in five species 329
- cranium 285, 288–9
- crested porcupine 515
- Cretaceous 392
- Cricetidae 43–4, 55–6, 77, 80, 189, 388, 406, 409, 431, 450, 465–6, 483
 - Asian middle Eocene 80
 - extra cusps 409
 - middle ear 390–1
 - molars 497
 - supernumerary teeth 406

- Cricetinae 53, 56, 390
 - Palaeartic 44
- cricetine dental plan 189, 202, 425, 450, 452–4, 465
- Cricetodon* 438, 453, 459, 465–6
- Cricetodon (Pseudorusinomys) schaubi* 456
- Cricetodontinae 194, 455–7, 461–2, 465–8
- Cricetodontini 465–6
- Cricetomyinae 466
- Cricetomys* 392
- Cricetus* 435, 450, 543
- Crocota crocuta* 251
- crown 454–5, 457, 459, 467–9, 488, 499
 - diversification 448, 472
 - elevation 448, 450, 460, 464, 466
 - heights in Theridomyidae 541
 - inclination 455, 458, 461
 - morphological change 449, 472
 - morphology 448, 461, 472
 - planation 455, 466–7, 469–70
 - prismatic 448, 452–4, 466–7, 495
 - size 493–4, 499, 501
 - size, related to cusp number 499
 - surface 449, 457, 459, 465, 470
 - topography 454, 457, 460, 469, 472
 - wear 460
- crura of the stapes 377, 382, 387
- Cryptomys* 432
- Cryptomys hottentotus* 529
- Ctenodactylidae 26–7, 81, 89, 91, 95, 98, 282–3, 288, 385, 426, 430, 432–3, 483, 510, 515–16, 524
 - middle ear 386
- Ctenodactyloidea xiii, 75, 89, 91, 98, 393
- Ctenodactylomorphi 515
- Ctenodactylus* 386, 543
- Ctenodactylus vali* 529
- Ctenohystrica xiii, 26–8, 71, 89, 91, 186, 231–2, 238, 279, 282–3, 285–7, 290–1, 374, 381–3, 385, 388, 393–5, 426, 435, 441, 483, 510–11, 513, 516, 524–5, 527–8, 530–1, 533–4
 - middle ear 386, 394
 - ossicles 392
- Ctenomyidae 29, 52, 150, 283, 285, 288, 441, 483, 514
- Ctenomyinae 139, 142, 144–50, 152, 154–6
 - modern fossil 144
- Ctenomys* 57, 140, 146, 149–50, 386, 395
- Ctenomys brasiliensis* 514
- Ctenomys leucodon* 144
- Ctenomys lewisi* 144
- Ctenomys magellanicus* 144
- Ctenomys mendocinus* 144
- Ctenomys talarum* 144
- cuboid 548–50, 558, 564, 566, 579, 585
- cuneiform 549, 572
- Cuniculidae 29, 283, 288, 483, 514
- Cuniculus* 141
- Cuniculus paca* 514, 528–9
- Cuscomys* 141
- cusp 205, 411, 499, 501
 - accessory 411, 414–15, 417, 495
 - development 497–9, 501
 - evolution 495–6, 498, 501
 - homology 497, 501
 - lingual accessory 414
 - nomenclature 188, 497
 - number 495, 497–501
 - pattern 501
 - primitive arrangement 450
 - size 500
 - supernumerary 411
 - supplementary 405, 411
- Cylindrodontidae 73, 75
- Cyncephalus volans* 325, 329
- Cynomys* 43, 253, 257–8
- Cynomys ludovicianus* 543
- Dabbenaea* 170
- Dactylomyinae 42
 - monophyly 145
- Dactylomys* 145, 155
- Dactylomys dactylinus* 144
- Dakkamyoides* 194
- Dakkamys* 194
- dassie rats 28, 87, 89
- Dasymys* 198–9
- Dasyprocta* 141, 338–9, 578
- Dasyprocta azarae* 512
- Dasyprocta leporina* 514, 529, 531
- Dasyproctidae 29, 283, 288, 483, 514
- Daubentonia* 324
- Daubentoniidae 3
- degus 29, 140, 336, 381, 515
- Democricetodon* 189, 409, 456, 461, 465, 467
- Dendromurinae 189, 193, 195, 450, 452, 468
- dendromurine dental plan 453, 468
- dentine 358, 418, 430, 437–8, 460–1, 471–2, 482, 485, 487–8
- dentition 5, 326, 426, 490
 - anomaly 405, 419
 - atavistic 407
 - cusp number 411
 - grooves 409, 419

- dentition (cont.)
 - pathologic 407
 - shape 409
 - tooth number 405–6
 - complexity
 - and diet 495
 - continuous replacement 426, 428–9
 - dental rasp 51
 - development 405, 478–80, 493, 498, 501
 - developmental constraint 411
 - diagnostic characters in cladistic analysis 97
 - diet 425, 449
 - enlargement 429, 431
 - evolution 407, 480, 501
 - function 440, 442
 - general rodent 3–4, 70
 - grooves 411
 - incisor. See incisor
 - molar. See molar
 - morphology 449–50, 541
 - occlusion 113, 324, 326–8, 331, 335–6, 351, 449, 451, 455, 470, 472, 479, 482–3
 - pathology 405
 - premolar. See premolar
 - reduced dental formula 490
 - supernumerary teeth 405, 407–8, 432, 442
 - molars 419
 - tooth number 442, 498, 501
 - tooth number reduction 426
 - tooth size 493, 499, 501
 - tooth size and elongation 490
- Deomyinae 43–4, 51, 56, 187–96, 202–3, 211, 440, 468, 470
- African 188
- Deomys* 189–90, 192–3, 195, 429, 453
- Dephomy* 198
- Dermoptera 25, 328
- Deseadomys* 145
- desert dormouse 385
- Desmodillus* 195
- Desmomys* 198
- Dhofar (fossil site) 88
- Diamantomyidae 89–90, 96, 101, 103–4
- Diamantomys* 89
- Diamantomys luederitzi* 96
- diastema 3, 6, 70, 172, 180–1, 285, 324, 326, 341, 351, 360, 365, 424, 429–30, 441–2, 490, 493
- functional role 326
- Diatomyidae 26–7, 89, 98, 282–3, 289, 385–6, 433, 483, 510
- Diatomys* 81
- Dicolpomys* 145
- Dicrostonyx* 488
- Dicrostonyx groenlandicus* 406, 408
- Didelphis* 329, 334
- dietary adaptations 449, 472
- digging 441, 532
- Dinomyidae 9, 29, 164–5, 168–71, 173–4, 176, 181, 283, 483, 514
- biomechanic analysis 182
- body size 178
- cranial anatomy 175
- diagnostic characters 171
- diversity 164
- fossil 164–5, 169, 178–9, 182
- paracondyles 173
- size variation 164
- skull 173
- systematics 171, 176
- Dinomyinae 169–71, 173, 175–6
- Dinomyini 170, 173
- Dinomys* 169–71, 173, 175–8
- Dinomys branickii* 164, 167, 174, 176, 181, 514, 529
- distribution 165
- Dipodidae 26, 43, 71, 80, 290–1, 388, 406, 431, 433, 435, 483, 494, 585
- middle ear 388
- Dipodinae 43, 388
- Dipodoidea 21, 26, 43, 72, 80, 407, 426, 429, 469, 491
- Dipodomyinae 387, 393
- Dipodomys* 46, 387
- diprotodont 292
- Diprotodontia 3, 324
- diprotodonty 4, 277
- distal drift 433
- Dolichotis* 141, 532, 570, 578
- Dolichotis patagonum* 514, 529, 543
- Dolosimus* 80
- domestic mice 307
- dormice 42, 221, 376, 380–1, 383, 385, 387–8
- Douglassciurus jeffersonni* 543
- drift 314, 316–17
- Drytomomys* 173
- Dune mole-rat 430
- Duplicidentata 5, 7
- Dur At-Talah (fossil site) 88, 92
- ear evolution 373
- ear function 373

- Eastern grey squirrel 358
Echimyidae 29, 42, 52, 57, 139–40, 144–54, 156, 283,
288, 406, 483, 514
diversification 155
fossil 152
response to environmental change 152
split from Octodontidae 146
Echimyinae 42
Echimys 145
Echimys chrysurus 144
Echinoprocta 29
ectocuneiform 562, 564, 566
ectotympanic 383, 385–6, 391, 396
ectotympanic bone 374–5, 378
ectotympanic crura 374
Edentata 6
Elderberry Canyon (fossil site) 70, 80
electromyography 352, 356
elephant 12, 25, 430, 485
elephant-shrews 5–6, 25
Elfomys 571
Elfomys medius 571
Eliomys 385, 543
Elisabethfeld (fossil site) 88, 93
Ellesmere Island fauna 73
Ellobius 56
Elmerimys woodi 98
Elymys 80
Elymys complexus
dentition 79
enamel 333, 413, 418, 430, 435, 437–8, 441, 449, 460,
471, 482, 484–5, 487–8, 493, 502, 556
calcium 433
epithelium
inner 485, 487, 489
outer 485, 487
iron enrichment 433
knot 417, 480, 493–4, 499–501
microstructure 433–4, 436–8, 440, 442
microstructure and ecological adaptation 436
mineralisation of 434
multiserial 427, 435
pauciserial 435, 437
pigmentation 433
radial 435
uniserial 427, 435
endangered 12–13
IUCN classification 13
entocuneiform 558–9, 564, 566
Entodacrya 27
EOBc. See Eocene–Oligocene Boundary cooling
Eocene 55–6, 71–4, 80–1, 87, 96, 100–3, 152, 231, 393,
441, 491, 542
Bartonian 100
Bumbanian 74
early 73–5, 80
Ergilian 77
late 72, 77, 80, 87, 89, 97–8, 100, 102–3, 541–2,
585
late middle 87, 100, 103
Lutetian 100
middle 73, 76–7, 80, 88, 100, 103–4
Eocene–Oligocene Boundary 101, 484
cooling 99–100, 104
Eocene–Oligocene Boundary cooling 104
Eoincamys 103
Eomyidae 77
dentition 77
masticatory musculature 77
Eomys quercyi 77
Eospalax 389
Epiphiomys coryndoni 98
epithelial cell rests of Malassez 487–8
Epitheria 5
epitympanic recess 176, 374–5, 378–9, 384, 387–9,
391
Erethizon 141, 385, 578
Erethizon dorsatum 406, 514, 530, 543
Erethizontidae 283, 406, 483, 514, 579
Erethizontinae 29
Erethizontoidea 28, 139, 141
Erlianomys combinatus 80
Eropeplus 44
Eselsberg 549
Esthonychidae 3
Euarchonta 6
Euarchontoglires 6, 21, 25, 45, 328
Eucelophorus 148–9, 151
Eucelophorus chapalmalensis 144, 150
Euchoreutinae 43, 388
Eucricetodon 436, 438
Eucricetodon asiaticus 436, 438–9
Eucricetodon bagus 436, 438–9
Eucricetodon huerzeleri 436
Eucricetodon jilantaiensis 436, 438–9
euhypsodont 148
Eulipotyphla 25
Eumegaminae
ectotympanic fossa 176
Eumegamyidae 169–71

- Eumegamyinae 164, 169–73, 175–6, 178
 - diagnostic characters 175
 - osteological characteristics 171
 - pretympenic fossa 175
- Eumegamyini 170, 173, 178
- Eumegamys* 169, 173
- Eumegamysops* 173, 175
- Eumegamysops praependens* 174, 177
- Eumuroida 43, 55, 450, 452, 455, 461–2, 465–6, 469–72
 - radiation 462
- Eumyarion* 438
- Eumysops* 145
- Eumysopyinae 42
- Eupetaurus cinereus* 238
- Eurygomatomys* 42
- Eurymylidae 3, 7
- Eurymylus* 71
- Euryotomys* 194, 200
- Euryotomys pelomyoides* 201
- Euryzygomatomys* 145, 149
- Eusigmomys* 170
- Eustachian tube 172, 175, 375, 377, 379
- Eutheria 4, 6–7
 - dental formula 408
- Euungulata 512
- Evo-Devo 210, 478
- evolution 425, 479, 483, 491, 498
- evolutionary history 294
- Exilisciurus* 224, 226
- Exmus* 393
- external auditory meatus 375, 377, 379
- extinction 148, 152, 154, 229, 241, 246
 - climate change 227
 - Hystricognathi 102
 - lag 229
 - rodent vulnerability to 12
- Fallomus* 81
- Fayum (fossil site) 88, 92
- FEA. See Finite Element Analysis
- feeding behaviours 539
- femur 511–13, 516, 519, 524, 526, 528, 530–4, 543, 545, 548–9, 553–4, 556, 560–2, 567, 571, 579–80
 - adaptations 512
 - femoral indices 516, 519, 521, 523–8, 533
 - morphological features 512
 - morphology 515–16, 532
 - variation 510–11
- fenestra cochleae 377
- fenestra ovalis 375
- fibula 548–9, 554, 556, 560, 562, 564, 566, 571, 573, 578–9, 584
- field mouse 381, 484
- finches 57
- Finite Element Analysis 11, 293, 352, 356, 367–8, 398, 425
- flying lemurs 6, 25
- flying squirrels 42, 221, 225, 229, 235–6, 239–40, 384, 396
 - evolutionary history 229
 - life-history constraints 239–40
 - limb proportions 239
 - litter size 240
 - North American 230
 - origin 225, 229
- fossil record 4, 10, 46–7, 51, 55, 277, 294, 450, 479, 533, 539, 541
 - bias 540
 - Palaeogene and early Neogene 88
 - postcranial diversity 585
 - teeth 424
- fossorial. See locomotor mode
- founder effect 301, 316
- Franimorpha 282
- Funambulini 42
- Funambulus* 224
- functional index 511, 516, 523, 544
 - measurements used to compute 516
- Galea musteloides* 514, 529
- Gaudeamuridae 89–90, 95–6, 102–4
 - African 96
- Gaudeamus* 91, 103
- Gaudeamus aslius* 96
- Gaudeamus hylaeus* 96
- GenBank xiv, 141
- geometric morphometrics 277, 282–3, 291, 294, 300, 318, 510, 585
- Geomorpha 77
- Geomyidae 26, 43, 52, 77, 386–7, 396, 435, 483, 585
 - middle ear 387
- Geomyoidea 28, 43, 71, 386
- Geomys* 434
- Geomys bursarius* 543
- Georychus* 386, 430
- Georychus capensis* 98, 515, 529
- Gerbillidae 57
- Gerbillinae 43, 56, 189–90, 193–5, 202, 211, 391, 450, 452, 455–6, 461–2, 464, 466–8, 472

- Gerbilliscus* 194–5
- Gerbilliscus inclusus* 195
- Gerbilliscus gentryi* 195
- Gerbilliscus leucogaster* 195
- Gerbilliscus satimani* 195
- Gerbilliscus winkleri* 195
- Gerbillus* 195, 391
- Gerbillus campestris* 406
- gerbils 43, 373, 388, 391, 393–4, 396–7, 448, 472
 - Africa 44
- Geringia* 438
- giant panda 12
- giraffids 264
- Gladysvale (fossil site) 197, 203
- Glaucomys* 235, 384, 396
- gliding. See locomotor mode
- Glires 3–5, 7, 21, 25, 71, 281, 324, 326, 328, 330, 340–2, 426
 - common ancestor 340
 - evidence for monophyly 5
 - Glires concept xii, xiii, 7
 - incisor 335
 - monophyly xiii
 - phylogeny 341
- Gliridae 26, 42–3, 71, 73, 291, 378, 383, 426, 429, 435, 483, 491
 - middle ear of 385
- gliriform 81
- Glirinae 42
- Glis* 385
- Glis glis* 376, 380–1, 385
- gnawing 277, 293, 323–4, 326, 343, 351, 353, 355–8, 360, 396, 440
 - definition 324
 - hard items 438
 - sharpened incisors 343
 - sharpness of incisors and effectiveness of 333
- golden hamster 488
- golden moles 25
- golden-mantled ground squirrels 253
- Golunda* 44, 198
- gomphothere 264
- Gondolin (fossil site) 197, 203
- gophers 395
- grade 293
- grade (evolutionary) 277, 280–1, 291, 323
 - Grade I 280
 - Grade II 281, 293
 - Grade III 281
- Grammomys* 198–9
- Grande Coupure 72–3, 81
- Graphiurinae 26, 42
- Graphiurus* 291, 385
- Great Interchange 54
- greater cane rat 515
- green acouchi 514
- Grillental (fossil site) 94
- Grillental and Langental (fossil site) 88
- ground squirrels 229–30, 236, 239, 335
 - dispersal 226
- Guanajuatomys* 81
- guinea pig 24, 27, 29, 70, 87, 290, 354, 356–68, 373, 385–6, 405, 479, 484, 488–9, 514, See *Cavia porcellus*
 - guinea pig controversy 20, 24
- guinea pig-like clade 45
- guinea pig-related clade 27, 48
- gundis 98, 385–6, 395, 430
- Gyriabrinæ 169–71, 176
- Haagstat (fossil site) 203
- Hadar (fossil site) 192, 195, 197–9, 201
- Haeromys* 44
- hamsters 44, 70, 352, 357–8, 383, 388, 390, 448, 472
- Hapalemur griseus* 329
- Hapalomys* 44, 391, 416
- Harasib (fossil site) 190, 199
- hares 5, 280
- harvest mice 44
- Hedi (fossil site) 92
- Heimyscus* 197, 205
- Heliophobius* 428–9, 432, 441
- Hengdong (fossil site) 92
- Heptaxodontidae 173
- Hertwig’s epithelial root sheath 487, 489–90
- Heterocephalus* 386, 428–9
- Heterocephalus glaber* 426, 429, 510
- Heterocephalus glaber phillipsi* 429
- heterochrony 11, 480, 482, 501–2
- heterodonty 479
- Heteromyidae 26, 43, 77, 386–7, 393–4, 435, 585
- Heteromyinae 387
- Heteroxerus grivensis* 409
- Hipparion* 196
- hippopotamuses 353
- Hodsahibia* 96, 100
- Hodsahibia azrae* 94
- Hodsahibia gracilis* 94
- Holocene 145, 266
- Holochilus* 466

- Homo sapiens* 329, 334
- homology 501
- homoplasy 20, 292, 480, 497, 501
- Hoplomys* 42
- horses 264
- house mouse 488
- humerus 543, 547, 549, 551–4, 559–60, 563, 566, 568, 571, 575
- hutias 29
- hyaenids 264
- Hybomys* 198
- Hydrochaeridae 515
- Hydrochoeridae* 172–3, 528
- Hydrochoerus* 141, 429, 431, 495, 533
- Hydrochoerus hydrochaeris* 164, 167, 177, 510, 515, 530
- Hydromyini 44, 408
- Hydromys* 426, 429
- Hylomyscus* 197, 205
- Hyperacrius* 56
- Hypnomys* 543
- Hypogeomys* 56
- hypsodont 480–3, 487–90
- hypsodonty 482–3, 485, 502
 - occurrence 483
- hypsodont 147, 281, 290, 426, 430, 433, 452–4, 464–9, 471, 482–4, 487–90, 502, 541, 565–6, 569
- hypsodonty 75, 103, 151, 280, 448, 453, 464–6, 469–70, 472, 480, 482–4, 501–2, 571, 579
 - and environment 484
 - climate change and 502
 - definition 480
 - euhyposodont 480
 - evolution and development 480
 - evolution of 484
 - hypsodont 480
 - occurrence 483
 - protohypsodont 480
 - subhypsodont 480
- Hyracoidea 324
- hyraxes 3, 25
- Hystricidae 28, 89–91, 96, 101–4, 283, 406, 483, 515
 - fossil record 102
 - origin 102
 - phylogenetic position 102
- Hystricidae–Gaudeamuridae clade 96
- Hystricina 280
- Hystricine 280
- Hystricognathi xiii, 21, 26–7, 54, 87, 89–91, 94–6, 98, 100–4, 112, 164, 178, 281–3, 289–90, 295, 353, 385–6, 510, 570, 578
 - African and South Asian 101
 - diversification 103
 - early radiation 100, 103
 - evolutionary history 104
 - fossil 164
 - fossil record 104
 - location of origin 89
 - middle ear of 385–6
 - monophyly 282, 290
 - Old World 100, 102
 - Old World, phylogeny 99
 - radiation 101
 - South American 103, 282
- hystricognathous 87–90, 94–6, 100–1, 104, 278–9, 282–3, 285, 289–91, 431, 440
 - radiations 103
- hystricognathy 282, 285, 289–90, 294, 427, 440
- Hystricoidea 21
- hystricomorph (morphotypes) 21
- Hystricomorpha 21, 139, 156, 280, 290, 292, 295, 323, 355
 - masticatory muscles 351
 - New World 139
 - South American 139
- hystricomorphous 279, 281, 283, 287, 290–1
- hystricomorphs 139, 281, 351, 355
- hystricomorphy 80, 280–1, 290–1, 293–4, 323, 358, 427, 440
- hystricomorphy (morphotype) 278
- Hystrix* 102, 515, 530
- Hystrix cristata* 96, 406, 515, 530
- Hystrix indica* 406, 515, 530
- Hystrix leucura* 406
- Ichthyomyini 44, 54–5, 390
- Incamys* 103
- incisor 287, 324, 326, 328, 330, 332–9, 342, 351, 355–6, 360–2, 366, 408–9, 411, 424, 426, 433–8, 440–2, 479, 481–2, 484–5, 487–90, 493–5, 502
 - continuous eruption 335, 485
 - continuous growth 426
 - deformation under load 341
 - development 481, 493–4
 - enamel 333, 433
 - eruption 336
 - eruption rates 335
 - iron enrichment 442

- loading 337
- malocclusion 336
- mechanical properties 337
- methods of sharpening 333
- number 409
- procumbent 336
- sharpening 333, 335–6, 340, 343
- sharpness measurement 340
- incisura tympanica 374, 386, 388
- incus 374–5, 377–8, 380–4, 386–9, 391, 393
 - long process of 384–6, 389, 391
- Indian crested porcupine 515
- infraorbital foramen 279, 281, 283–5, 287–8, 291, 295, 353, 355
- inner ear 374–5, 379, 387, 395–6
 - generalised rodent 375
 - muscles 395
 - septa 386
- Insectivora 3, 6
 - Afrotherian 393
 - Laurasiatherian 393
- insular evolution 317
 - divergence 312, 315–16, 318
 - parallel 316
- intercrural foramen 377, 380, 382, 386, 389, 395
- Ischyromyidae 72–4, 77
- Ischyromyoidea 437
- Ischyrotomus horribilis* 543
- Ischyrotomus oweni* 543
- isometry 232–6, 305
- Isothrix* 42, 145
- Isothrix bistrata* 144
- isotopes 425
- Issiodoromyinae 289, 541, 543, 571
- Issiodoromys* 541, 543, 558, 563–7, 569–71, 575, 578–9, 582, 584–6
- Issiodoromys limognensis* 543, 545, 550, 561, 563–7, 569, 571, 578–9, 584
- Issiodoromys medius* 543–5, 561, 571, 574–5, 577–9, 582, 584–5
 - anatomical description 570
- Issiodoromys minor* 543, 550, 566–7, 570–1, 578–9, 584
- Issiodoromys pauffiensis* 543, 545, 550, 561, 563–7, 569, 571, 578–9, 584
- Issiodoromys pseudanaema* 543, 545, 550, 559, 561–4, 566, 571–2, 575, 578, 584
 - anatomical description 559
- Jaculus* 388–9, 397
- Jaculus jaculus* 389
- Jaculus orientalis* 376, 389, 406, 408
- Jebel el Qatrani (fossil site) 88, 93
- Jebel Zelten (fossil site) 88
- jerboas 43, 376, 388–9, 391, 393–4, 397, 411
- Josephoartigasia* 173, 176, 179, 510
- Josephoartigasia monesi* 166–7, 177–82
 - bite force 179–80
 - masticatory muscles 179
 - skull tomographics 175
- Juglandaceae 226
- jumping. See locomotor mode
- jumping mice 388
- Kahawamys* 89
- Kalodirr (fossil site) 88
- kangaroo rats 43, 386, 395
- Kannabateomys* 145, 155
- Kannabateomys amblyonyx* 514
- Karnimata* 197, 211
- Karnimata darwini* 197
- Karungu (fossil site) 88
- Kenyamidae 89–91, 95–6, 101, 103–4
- Kenyamys* 97
- Kenyamys mariae* 96
- kha-nyou 27, 98
- Kochalia geespei* 98, 102
- Koru (fossil site) 88
- Krabi (fossil site) 88
- Kromdraai (fossil site) 197
- Kuldana (fossil site) 92
- Laetoli (fossil site) 195, 197, 199, 204–6, 208–9
- Lagidium peruanum* 514
- Lagidium viscacia* 338–9
- Lagomorpha xii, 3, 5–7, 25, 45, 280, 324, 326, 328, 330, 335–6, 338–40, 342, 351–2, 493
 - craniomandibular joint 328
 - dentition 5
 - incisor 330, 338
 - enamel 333
 - radius of curvature 337
 - sharpening 335–6
 - jaw posture 331
 - mandibular fossa 330
- Lagostomus* 172
- Lagostomus maximus* 174, 514, 529, 531, 543
- Lamottemys* 198
- landmark, anatomical 283–5, 288, 300
- Langebaanweg (fossil site) 199–200
- Langental (fossil site) 94

- Laonastes* 20, 81, 385–6
- Laonastes aenigmamus* 282
- Laonastidae 282
- Laotian rock rat 282, 356
- Laredomys* 80
- last glacial maximum 251, 261, 265–6
- Late Oligocene Warming 99, 104
- Laurasiatheria 25
- Leakeymys* 194
- Leakeymys ternania* 194
- Leggadina* 426
- Leidymys* 438
- Leilaomys zhidingi* 417
- Leimacomyinae 43, 195, 392
- Leimacomys* 195, 392
- Leimacomys buettneri* 194
- Leithiinae 42
- lemmings 44, 56, 390, 429, 466, 495
- Lemmus* 56
- Lemniscomys* 198–9, 413–14, 416
- Lemniscomys bellieri* 412, 414–15
- Lemniscomys griselda* 409
- Lemniscomys linulus* 412
- Lemniscomys rosalia* 412
- Lemniscomys striatus* 199, 411–12, 414–15
- Lemudong'o (fossil site) 197, 199
- Lenomys* 44
- Lenothrix* 44
- lenticular apophysis 382, 389
- Leporillus conditor* 391
- Leporina 280
- Leptictida 7
- Leptotomus parvus* 543
- Lepus* 5
- Lepus americanus mcfarlanei* 332
- Lepus americanus phaeonotus* 338–9
- Lepus capensis vernaqi* 338–9
- Lepus capensis zechi* 338–9
- Lepus europaeus connori* 338–9
- lesser cane rat 515
- Lindsaya* 96, 98
- Lindsaya derabugtiensis* 94
- line of least resistance to evolution 300–2, 314, 317–18
- Linnaeus 4, 221
- Liomys* 387
- lipotyphlan 6
- Lissafsa 201
- locomotion 512–13, 516
 - postural behaviour 540
- locomotor
 - adaptation 541
 - apparatus 542, 585
 - Theromyidae 542
 - behaviour 510, 541
 - group 516, 523, 526, 531–2
 - habit 511, 523, 528, 530, 533–4, 540, 549, 577, 584–5
 - mode 510, 513–14, 523, 526, 528, 531, 533, 541, 579–80, 582
 - arboreal 44, 51, 56, 139, 145, 177, 221–2, 226–7, 230–1, 235, 323, 513–14, 524, 526, 528, 530–2, 534, 540, 577, 580, 584
 - bipedal ricochet 579, 586
 - convergence 19
 - cursorial 511, 513–14, 524, 526, 528–34, 540, 553, 578–9, 583, 585–6
 - fossorial 29, 42, 51–2, 56, 70, 139–40, 149, 152, 180–1, 336, 429, 433, 438, 441, 484, 513–15, 524, 526, 528–33, 540, 577
 - gliding 51, 70, 77, 221, 225, 231, 235, 239–40, 540, 577
 - jumping 51–2, 540
 - ricochetal 541, 577, 580, 584–5
 - saltatorial, ricochet 540
 - scansorial 513–14, 524, 528–30, 533, 540, 579, 583, 586
 - repertoire 539, 577, 585
- Lokone (fossil site) 88–9
- Lonchothrix* 42, 145, 155
- long-tailed chinchilla 514
- Lophibaluchia* 96
- Lophibaluchia pilbeami* 96
- Lophiomyinae 43, 56, 189, 391
- Lophiomyini 202
- Lophiomyis* 189, 391, 433
- lopho-bunodont 453, 465–7
- lophodont 452–4, 468–9, 495, 541
- lophodonty 448
- Lophuromys* 189–90, 192, 195
- Losodok (fossil site) 88–9
- Lothagam 197, 199
- LOW. See Late Oligocene Warming
- Lukeinomyis* 200
- Maboko Island (fossil site) 88
- Macraucheniiidae 168
- Macroscelidea 5–6
- Macrotarsomys* 56
- Makalata* 145
- Makalata didelphoides* 144

- Makapansgat (fossil site) 199–200
- malabar squirrel 42
- Malacomyinae 201
- Malacomyini 44, 192, 196, 201–2, 211
- Malacomys* 198, 201
- Malacomys edwardsi* 201
- Malacomys longipes* 201
- Malacothrix* 392
- malleus 373–8, 380–4, 386–94
 - anterior process of 381, 393
 - lateral process of 385
 - long process of 382
 - manubrium of 374, 376–8, 380, 382–5, 387, 389, 391
 - microtype 391, 393
 - orbicular apophysis of 377
 - short process of 381
- Mammalia 448
 - omnivory 241
- mammoth 485
- manatee 429
- mandible 284–5, 287–91, 295, 314, 328, 330, 336, 350–1, 353–5, 357–61, 363–8, 408, 440
 - angular process 281
 - deformation pattern 360
 - hystricognathous 285
 - masseteric ridge 281
- mandibular fossa 328, 336
- mandibular symphysis 353, 357
- maned rat 43
- maras 139, 532
- Marfilomys* 81
- Margaretamys* 44
- Marmota* 9, 42–3, 221–2, 225, 232, 237, 246, 248, 251–4, 257, 259, 262–4, 267–8, 543
 - body mass estimation for fossil species 251
 - body size 259, 267
 - climate 259
 - climate as a limiting factor 250
 - climate envelope 260
 - date of split from squirrels 260
 - distribution 249, 265
 - ecomorphological specialization 268
 - environment 256
 - fossil 250, 253–4, 256, 263–4, 267
 - habitat 256–7, 259, 267
 - mandible shape 268
 - origin 249, 253, 255, 260, 262, 268
 - origin and radiation 251
 - phylogeny 248, 252–3, 259
 - radiation 248, 264
 - range 257, 259, 265
 - skull shape 268
 - skull variation 268
 - squirrel clade membership 253
- Marmota baibacina* 255–6, 260
- Marmota bobak* 246, 256–7, 259–60, 266
- Marmota broweri* 253, 255–6, 260–1, 265
- Marmota caligata* 253, 255–6, 259–61, 265–6
- Marmota camtschatica* 256, 259–60, 265
- Marmota caudata* 255–6, 259–60, 265
- Marmota flaviventris* 253–6, 259–61, 265–7
- Marmota himalayana* 255–7, 260
- Marmota korthi* 254–5, 263
- Marmota marmota* 255–7, 259–60, 265
- Marmota menzbieri* 255–7, 260
- Marmota minor* 250, 254–5, 263
- Marmota monax* 246, 253, 255–7, 259–61, 265–6, 351, 543
- Marmota monax canadensis* 261, 266
- Marmota olympus* 253, 255–7, 260, 266
- Marmota parva* 254–5, 264
- Marmota sibirica* 255–6, 260, 264–5
- Marmota tologoica* 254–5, 264
- Marmota vancouverensis* 253, 255–7, 260, 266
- Marmota vetus* 254–5, 260, 267
- Marmotini 42, 222, 229
- marsh rat 56
- Marsupialia 512
- Maruchito* 145
- Marymus* 81
- Mas-de-Got (fossil site) 550
- Mas-de-Pauffié (fossil site) 541–3, 550, 561, 563, 565–7, 569
- masseter 280–1, 291–2, 323, 350–1, 355, 362, 366
 - deep 354–7, 359, 366–8
 - deep, anterior 359–60
 - deep, conflation with zygomaticomandibularis 356
 - deep, posterior 359–60
 - lateral 281, 354–5
 - medial 281, 355
 - posterior 355
 - superficial 281, 353, 356, 359–60, 367
 - variation 351
- Massoutiera* 386, 432
- Massoutiera mzabi* 515, 529

- masticatory apparatus 277, 282, 290, 292, 294–5, 323, 342, 351, 425, 427, 430, 440, 442
 - constraints 290, 471
 - evolution 343
 - functional changes 449
 - plasticity of 442
- masticatory grade 449–52, 454–5, 461–6, 470–2
 - categorisation 450
 - dietary adaptations 471
 - distribution 461
 - Grade B 450, 452, 454–5, 461–71
 - Grade C 450, 452, 454–5, 462–7, 469–70
 - Grade D 450, 452, 454–5, 462–7, 469–71
 - Grade M 450, 453–5, 461–3, 465, 468–71
 - Grade O 450, 452, 454–5, 462–4, 467, 469–71
 - mosaic evolution of 462
- masticatory movements 449, 471–2
- masticatory muscles 21, 280, 323, 351–2, 356
- mastoid 379
- mastoid cavity 378–9, 389, 396
- mastoid region 391
- Mastomys* 187, 197, 204–8, 210–11
 - dental pattern 205
 - extinct 205
- Mastomys cinereus* 204–6, 208
- Mastomys coucha* 204–5, 207–8
- Mastomys erythroleucus* 204–5, 207–8, 210–11
- Mastomys huberti* 204–5, 207–8, 211
- Mastomys huberti-natalensis* 206
- Mastomys kollmanspergeri* 204
- Mastomys minor* 204–6, 208, 210
- Mastomys natalensis* 204–8, 210–11
- Mastomys pernanus* 205
- Mbeya (fossil site) 88–9
- MDA. See Multibody Dynamics Analysis
- MECO. See Mid-Eocene Climatic Optimum
- Megacricetodon* 189, 453, 461, 465, 467
- Megacricetodon aunayi* 456
- Megacricetodon gregarius* 409, 411
- Megacricetodon lappi* 409
- Megamys* 166, 168–9, 173
- Megamys burmeisteri* 168
- Megamys laurillardi* 168
- Megamys patagoniensis* 166, 168–9
- Meriones* 397, 464, 467
- Meriones crassus* 409
- Meriones* sp. 456
- Meriones unguiculatus* 373, 391, 397
- Mesembriomys* 426
- Mesembriomys gouldi* 406
- mesial drift 427, 430–3, 441–2
- Mesocricetus* 390
- Mesocricetus auratus* 488
- mesocuneiform 562, 564, 566
- mesodont 452–4, 464–8
- Mesomys* 42, 145, 155
- Mesomys hispidus* 144
- Meswa Bridge (fossil site) 88
- metacarpal 543, 545, 548, 572, 575
- Metaphiomys* 89, 96, 101
- Metaphiomys schaubi* 96
- metatarsal 544, 548–9, 553–4, 558, 562, 564, 566, 571, 574–5, 584
- Micelamys* 198
- mice 47, 70, 352, 388, 390, 405, 407, 442, 448, 468, 472, 480, 500
- Microcavia* 141
- Microdipodops* 387, 393
- Micromys* 44
- microparamyine 73
- Microsciurus* 225–6
- Microsyopidae 3
- Microtodon* 464, 467
- Microtodon longidens* 456
- Microtus* 56, 390, 409, 431, 495, 498
- Microtus agrestis* 406
- Microtus levis* 487
- Microtus longicaudus* 406, 409
- Microtus pinetorum* 409
- middle ear 373–4, 376–8, 382, 384, 386, 388–92, 395–8
 - ancestral morphology 398
 - and arid environment 395
 - and frequency 394
 - and low frequency 394
 - cavity 375, 378–9, 382–8, 390–6
 - and low frequency 394
 - enlargement 394
 - largest 393
 - common ancestor 392
 - evolution 397
 - function 374, 398
 - homoplasy 393
 - morphology 383
 - muscles 385, 388, 390–1
 - muscles, reduction or loss of 377
 - of a generalised rodent 375
 - septa 373, 384–9, 391–2, 396
- Mid-Eocene Climatic Optimum 99–101, 104
- Mikrotia* 490
- Millardia coppensi* 192

- Millardini 44
Mimomys 453, 464, 466–7, 482
Mimomys septimanus 456
Miocene 54–6, 73, 81, 89–90, 96, 146, 186, 194, 196,
248, 438, 461, 465–7, 491–2
early 73, 88, 98, 101, 104, 470
late 72, 101–2, 140, 142, 145–7, 152, 155–6, 170,
191–2, 195, 199, 251, 254, 260, 262–3, 267–8,
393, 452, 466–7, 513
late-middle 484
middle 101–2, 104, 140, 145–6, 152, 164, 170, 255,
432, 438, 468
middle late 194
mid-miocene-climatic optimum 246
Mioharimys 194
Mixodectidae 3, 6
model organism 3, 11, 277, 373, 398, 479, 539
auditory physiology 391
model species. See model organism
molar 301, 303, 307, 314, 316–17, 324, 350–1, 356, 358,
360–2, 366, 407–8, 411, 413, 415, 424, 426,
428–31, 433–5, 440–1, 449, 452, 454–5, 457,
463–5, 467–9, 479, 481–5, 487–92, 494–7,
499–501, 559, 571
continuous replacement 441
convergent evolution of 448
crown. See crown
development 408, 481, 492, 494
diet 429
dimorphism 303, 307
elongation 429, 441, 490–1, 493–4, 501
enlarged 429–30
eruption 430, 432
first upper 301–3
inhibitory cascade 490–2, 495, 502
loss 426
size 490–1, 493–4, 499
variation 302, 307, 311, 313, 317
mole-rats 27, 87, 89, 385, 395, 426, 441
molecular clock xiii, 45–7, 51, 190, 194, 198, 201–2,
223, 228, 230, 248, 250, 253, 264
Mongolian gerbil 391
monophyly 20–1, 24–5, 27, 70, 340
Moroto (fossil site) 88
Morphobank xiv
morphospace 308, 311
morphotype 277, 280, 282, 287, 289, 291–4
mountain beaver 21, 42, 281, 352, 355, 383
mouse 44, 373, 376, 479, 487–9, 491, 499, 501
as model organism 1
mouse-like hamsters 43
mouse-related clade 26–8, 43, 48, 186, 231, 383
MRI 10
Multibody Dynamics Analysis 11
multituberculates 3, 6, 292, 324, 441
Muridae 26, 43–4, 52, 55–6, 186–9, 192–3, 195, 202, 210–11,
222, 357, 388, 391, 396, 406–7, 409, 411, 431, 440,
450, 461, 465, 467–8, 483, 495, 539, 543, 585
divergence 211
diversification 202
microwear 188
middle ear 390
Muridae 9
primitive 194
Murina 280
Murinae 43–4, 51, 56–7, 187–90, 194, 196, 199–200,
202, 211, 301, 314–15, 317, 388, 390, 411, 414,
416, 425–6, 429, 440, 452–3, 455–6, 461–2,
464–6, 468–70, 472, 490, 494
African 187–8
ancestor 202
Indo-Pacific 44
middle ear 391
primitive 193
radiation 196, 210
murine dental plan 468
murines 51, 199, 390, 490
Murini 44, 196, 200, 202–3, 211
Muroidae 56
Muroidea 21, 26, 43, 53, 55–6, 71, 80, 231–2, 388, 407,
411, 426, 435–6, 438–9, 448–55, 458, 460–1,
465, 470, 472, 491
adaptive radiation 55
diversification 56
extinct 449
fossil record 448
origin 55
Mus 24, 45–6, 51, 189, 198, 200–1, 221–2, 390, 392,
413, 434
ear 375
Mus–Rattus split 51
origin 201
Mus (Nannomys) mattheyi 413
Mus (Nannomys) minutoides 413
Mus mattheyi 413
Mus minutoides 201, 203, 413
Mus musculoides 203
Mus musculus 57, 337, 341, 352, 373, 376–7, 406, 409,
487–8
Mus musculus domesticus 491

- Mus petteri* 201
- Muscardinus* 385, 429, 431
- Muscardinus avellanarius* 385
- muskrats 466
- Mus–Rattus* divergence 51
- Mus–Rattus* split 46
- Mylagaulidae 429, 433
- Mylomys* 198
- Myocastor* 42, 140, 145, 149, 543
- Myocastor coypus* 406, 515, 530–1, 543
- Myocastoridae 29, 169, 406, 483, 515
- Myocricetodon* 194, 467
- Myocricetodon ouedi* 456, 464, 467, 470
- Myocricetodon parvus* 461, 464, 467–8
- Myocricetodon parvus intermedius* 456
- Myocricetodon ultimus* 467
- Myocricetodontinae 194–6
- Myocricetodontini 456, 467–8
- Myodes* 390, 488
- Myodes glareolus* 376, 381, 488, 496
- Myodonta 26–8, 43, 71, 77, 80, 374, 381, 383, 388, 392–3, 395, 426, 435, 483
 - common ancestor 392
 - middle ear 388, 392
 - ossicles 392
- Myomimus* 385
- myomorph 355, 440
- myomorph (morphotypes) 21
- Myomorpha 21, 77, 280, 292, 295, 323, 351
- myomorphous 279, 440
- myomorphs 77, 281, 293, 351, 354–5
- myomorphy 280–1, 358, 427, 440
- myomorphy (morphotype) 278
- Myomys* 197
- Myomyscus* 197
- Myophiomyidae 89–91, 96, 98, 101, 103–4
 - phylogeny 98
- Myophiomyys arambourgi* 98
- Myoprocta pratti* 514, 529
- Myosciurus* 226
- Myospalacinae 43, 389
- Myotomys* 200
- Myoxus* 221–2
- Myosops* 74
- Mzab gundi 515
- naked mole-rat. See *Heterocephalus glaber*
- Namib (fossil site) 88
- Nannomys* 200, 413
- Nannosciurus* 226
- Napaeozapus* 388, 429, 431
- Napak (fossil site) 88
- Natron 199
- navicular 548–9, 558–9, 562, 564, 566–7, 570
- Nectomys* 453, 465–6
- Nectomys melanius* 456
- Neimengomys* 74
- neoenterostyle 411, 414–15, 418
- Neopiblemidae 169–70, 173, 178, 515
- Neofiber* 390
- Neogene 89–90, 94, 102, 112, 229, 277, 455, 466, 472, 495
 - early 88
- Neophanomys* 146
- Neophiomyys* 101
- Neophiomyys paraphiomyoides* 96, 98
- Neosciuromys africanus* 98
- Neotoma* 390
- Neotominae 44, 56, 390, 452, 466
 - North American 44
- Nesodon* 166
- Nesomyidae 43, 53, 55, 195, 392, 406, 450, 465, 483
 - middle ear 392
 - radiation 55
- Nesomyinae 56, 189, 440
 - ancestor 202
- Neusticomys venezuelae* 390
- Nonomys* 80
- North American beaver 332
- North American porcupine 514
- North American woodchuck 246
- northern mountain viscacha 514
- Notoparamys* 543
- Notoungulata 3, 324
- nutria 515
- Occitanomys* 202
- Ochotona rufescens rufescens* 338–9
- octodine 149
- Octodon* 144, 386, 515
- Octodon degus* 144, 336, 381, 513, 515
- Octodontidae 29, 52, 139–40, 144–50, 152–3, 156, 283, 288, 515
 - diversification 140
 - phylogeny 146
 - skull shape 156
 - split from Echimyidae 146
- Octodontinae 145–9, 152, 154–6
 - diversification 146
 - euhypsodont 146

- modern 146
- octodontine 149
- Octodontoidea 9, 28–9, 139, 141, 146, 148, 150, 152, 155–6, 285, 287, 289–90, 386
- anagenesis 154
- early 140, 147
- evolutionary history 140, 156
- fossil record 152
- monophyly 145
- Octodontomys* 146, 149
- Octomys* 149
- Odocoileus virginianus* 257
- Oenomys* 198–9
- Oenomys olduvaiensis* 199
- Oenomys tiercelini* 199
- Olduvai (fossil site) 195, 197, 199, 201, 204, 206, 208
- Olenopsis* 173, 393
- Oligocene 54, 56, 73, 77, 88, 91, 96, 100–4, 146, 152, 186, 431, 436, 438, 491, 541–2, 565, 569, 571, 585
- early 77, 87–9, 96–8, 101–2, 104, 146, 393, 543
- late 77, 89, 102–4, 140, 145–6, 156, 438–9, 541, 560, 563, 566, 585
- Lower 72
- mid 542
- Middle 72
- Omo (fossil site) 195, 197–9, 201, 204, 206
- Ondatra* 488
- ontogeny 11, 480, 482, 488, 502, 515
- cusp development 501
- orbicular apophysis 380, 383, 390–4, 398
- orbit 285, 289, 350
- Orientalomys cf similis* 417
- Oryctolagus cuniculus* 333, 338–9
- Oryzomyala* 44, 54
- Oryzomyini* 44, 54
- ossicles. See auditory ossicles
- ossicular rotatory axis 396
- Otomyinae 43, 196, 200
- middle ear 391
- Otomyini 44, 194, 196, 200–2, 211
- dental pattern 200
- Otomys* 198, 200, 391, 429, 453, 458, 464, 469
- Otomys gracilis* 201
- Otomys irroratus* 456
- Otonyctomys* 390
- Otospermophilus* 253
- Ototylomys* 390
- Ottomania* 96, 98
- Ottomania proavita* 94
- Oued Tabia (fossil site) 196
- Oued Zra (fossil site) 196
- oval window 375, 382, 386–7, 389
- Ovibos moschatus* 257
- paca 87
- pacarana 164, 176–7, 181, 514
- life history 177
- morphology 177
- Pachyuromys* 391, 393, 397
- Pacculus* 438
- Paenemarmota* 252, 254, 260, 267
- Paenemarmota barbouri* 254–5, 262, 267
- Paenemarmota nevadensis* 255
- Paenemarmota sawrockensis* 255, 260, 267
- Palaeogene/Paleogene 4, 71, 73, 81, 88–90, 94, 96, 100, 102–4, 112, 277, 484, 495, 542, 585
- early 71–2
- late 73
- Palaeosciurus* 570, 579
- Palaeosciurus goti* 543, 550
- Palasiomys* 428
- Paleocene 56, 71, 75, 186, 292, 495
- Clarkfordian 72–3
- late 70, 73–4, 81
- Paleocene–Eocene Thermal Maximum 72
- Paleocene Paradox 73
- Paleocene–Eocene boundary 72
- Pampamys* 145
- pangolins 25, 53
- Pantin marls 551
- Papio cynocephalus* 325, 334
- Pappocricetodon antiquus* 407
- Pappocricetodontinae 436
- Paradelphomys* 145
- Paraguay hairy dwarf porcupine 514
- Paramyidae 72, 81, 539, 543, 570, 579
- paramyine 425
- paramyines 73
- Paramys* 73, 543, 570
- Paramys adamus* 75
- Paramys copei* 543, 559
- Paramys delicatus* 543
- Paramys taurus* 543
- Parapaenemarmota* 252, 254
- Parapelomys* 199
- Paraphiomys pigotti* 98
- Paraulacodus indicus* 98, 102
- Paraulacodus johanesi* 98
- Paraxerus vexillarius* 338–9
- Parotomys* 200, 391

- pars flaccida* 374–6, 378, 384–95, 397
 - absence in low-frequency rodents 397
- pars tensa* 374–6, 378, 380, 385, 389, 397
- Partial Least Squares 285, 287–8
- Patagonian hare 514
- Paucidentomys* 53, 426, 441
- Pauromys* 77
- Pauromys perditus*
 - mandible 78
- Pauromys* sp.
 - dentition 78
- Pech-Desse (fossil site) 541–3, 550, 561, 563, 566–7, 569
- Pectinator spekei* 515, 529
- pectoral girdle 559
- Pedetes* 387–8, 394, 435
- Pedetes capensis* 356
- Pedetidae 26, 43, 387–8, 483
- Pelomys* 198–9
- Pelomys dietrichi* 199
- pelvis 543, 548, 552, 557, 559–61, 571
- periodontal ligament 487–8
- Perissodactyla 25
- Perognathinae 387
- Peromyscus* 412
- Peromyscus maniculatus* 390, 406, 411–12
- Peromyscus truei* 406, 412–13
- Petauristus* 221
- Petinomys* 384, 396
- Petromuridae 28, 89, 91, 101, 103–4, 283, 483
- Petromus* 91, 103
- petrosal bone 375, 378, 389
- Phalanger maculatus* 325
- phalanx 544–5, 548–9, 553, 564, 566, 571–3, 584
- Phiocricetomys* 97–8
- Phiomorpha 9, 27, 87–90, 95–6, 101–2, 104, 515–16, 524
 - fossil 89
 - Old World 96
 - radiation 101–2
- Phiomorpha–Caviomorpha split 96
- Phiomyidae 89–90, 94–6, 98, 100–1, 104
- Phiomyoides humilis* 98
- Phiomys* 96
- Phiomys andrewsi* 94
- Phiomys durattalahensis* 96
- Phiomys hammudai* 94
- Phloeomyini 44, 51
- Phoberomyinae 169–71
- Phoberomys* 170, 178–9, 510, 515, 529–30
- Phoberomys pattersoni* 533
- Pholidota 5–6
- Phyllomys* 145
- Phyllomys blainvilli* 144
- Phyllotini 54
- phylogeny 20, 45–6, 56, 87, 89, 98, 141, 144–6, 150, 210, 226, 228, 234–5, 239–40, 277, 279, 282–3, 285, 287, 289, 295, 448, 452, 479, 501
 - branch length 45–6
 - calibration 223
 - divergence time estimates 46
 - molecular 5–6, 21, 24, 53, 204, 383, 452
 - palaeontological calibration 46–7, 51
 - topology 45
- pikas 5
- pinna 375, 393
- Pipanacoctomys* 146, 148–9
- Pithecheir* 44, 391
- Pithecheirops* 44
- Placentalia 5, 19, 24–5, 45
 - anatomy 6
 - diversification 51
 - Great Interchange 54
 - placental tree 25
 - radiations xiii, 56
 - South American 53
 - tree 53, 56
- plains viscacha 514
- Platacanthomyidae 43, 55, 392, 483
- Platacanthomys* 392
- Platyrrhini 53–4
- Pleistocene 146, 192, 203, 469
 - late 145
 - middle 267
- Plesiadapidae 3
- Plesiadapiformes 6–7
- Pliocene 55, 72, 145–6, 155, 199–200, 254, 263, 267, 466–7, 492
 - early 170, 191–2, 200–1
 - late 142, 146, 170, 264
- Plio-Pleistocene boundary 484
- pocket gophers 43, 386–7, 395
- pocket mice 386
- Poelagus marjorita ownei* 338–9
- Pomonomys dubius* 96
- porcupines 280, 323
 - New World 29, 139
 - Old World 27, 87, 102–3
- positron emission tomography (PET) 11

- postcranial
 - anatomy 12, 539, 541, 579, 585
 - evolution of 539
 - bones 585
 - diversity 585
 - features 539
 - index 544
 - skeleton 510–11, 539
- Potamarchidae 169–70
- Potamarchinae 169–71, 173, 176
- Potwar Plateau (fossil site) 88
- Potwarmus* 193–5, 453, 461, 468, 470–1
- Potwarmus thailandicus* 192, 456
- Praomyini 44, 191, 196–7, 202–3, 211
 - fossil 197
- Praomys* 57, 191, 197–8, 203, 205, 414–16
- Praomys jacksoni* 413–16
- Preacomys* 190
- Preacomys griffini* 190
- Preacomys karsticus* 190
- Preacomys kikiae* 191
- premolar 250, 267, 324, 362, 407, 424, 426–7, 433, 441, 479, 481–2, 490–3, 571
 - absent 426, 433
 - development 407, 502
 - loss 491–2
 - murine 317
 - size 267
- Primates 6, 24–5, 57, 328, 352, 513
 - Anthropoidea 100
 - colonisation 56
- Primatomorpha 25
- Principal Components Analysis 306, 415, 523–5, 532
- Procavia capensis* 325
- Procaviidae 3
- Procrustes 284
- Procyonidae 54
- Proechimys* 42, 144–5, 151, 155
- Proechimys brevicauda* 144
- Proechimys guyannensis* 514, 528, 530
- Proechimys longicaudatus* 406
- Proechimys poliopus* 144
- Progonomys* 51, 196, 202, 211, 453, 461, 468–9
- Progonomys clauzoni* 411, 456
- Progonomys debruijnii* 196
- Progonomys woelferi* 197
- proportion index 544, 575, 577
- Protadelphomys* 146
- Protatera* 195
- Protatera algeriensis* 456, 464, 467, 470
- Protophiomys* 96, 98, 104
- Protophiomys aegyptiensis* 94
- Protophiomys algeriensis* 94
- Protophiomys durattalabensis* 94
- Protoptychus* 80
- Protosciurus* 393
- Protoxerini 42
- protrogomorph 281, 323
- Protrogomorpha 292, 295, 323
- protrogomorphous 279–80
- protrogomorphy 21, 76, 280, 427, 440
- protrogomorphy (morphotype) 278
- Proxolagus randensis* 338–9
- Pseudoltinomys* 543, 571
- Pseudoltinomys gaillardi* 558, 570–1, 573–5, 578, 584–5
 - anatomical description 572
- Pseudomys* 426
- Pseudoruscinomys* 453, 465–6
- Pseudoruscinomys schaubi* 459
- Pseudosciuridae 542, 549
- Pseudosciurus suevicus* 544, 549
- Pseudotomus robustus* 543
- Pteromyini 222–3, 229, 235
- Pteromys* 222
- Pteromys volans* 222
- pterygoid 350, 357, 359, 366
 - lateral 357–60
 - lateral, proportions 357
 - medial 350, 353, 357, 359–60, 362–3, 365–8
- pterygoid fossa 357
- punctuated equilibria model 154
- pygmy squirrels 235
- pygmy tree squirrel 236
- Quaternary 246
- Quercy (fossil site) 542, 566–9, 571, 585
- rabbits 5, 280, 335
- radius 543, 547–8, 551, 554, 556, 559, 571–2, 574
- Ramanagar (fossil site) 88
- ramus 287, 289, 350, 357, 360, 365
- rat 354, 358, 360–8, 405, 479, 499
- rats 47, 70, 352–3, 357–8, 360, 388, 390, 442, 448, 468, 472
- Rattini 44
- Rattus* 24, 44–6, 51, 57, 378, 390, 392–3, 543
 - Mus–Rattus* split 51
- Rattus exulans* 53, 406
- Rattus norvegicus* 57, 358, 391
- Rattus rattus* 543

- Rattus rattus norvegicus* 335
Ratufa 224, 227
Ratufa bicolor 543
Ratufa offinis sandkanensis 338–9
Ratufini 42
recessus meatus 375
Reithrodontini 54
Reithroparamys 543
Reithroparamys delicatissimus 91
Rhabdomys 198–9
Rhagamys 465, 469
Rhagamys orthodon 457, 459
Rheithrosciurus macrotis 419
rhinos 264
Rhinosciurus laticaudatus 238
Rhizomyinae 43, 389
Rhynchomys 53, 426
rice rats 44
robustness index 521, 531, 544–5, 575, 580, 584
rock rats 140
rock squirrels 253
rodentologist 3–4, 7–9, 12–13, 20, 22, 53
rodentology 2, 4, 7, 9, 12
Romerolagus diazi 338–9
Ronzon (fossil site) 554, 557–8, 573–5
rostrum 353, 355
Rotundomys 464, 467
Rotundomys montisrotundi 456, 458, 460, 464–5, 467
Rotundomys sabadellensis 456, 461, 467
round window 375, 377
Ruscinomys 465–6
Ruscinomys europaeus 457
Rusinga (fossil site) 93
Rusinga and Fort Ternan (fossil site) 88

Saccostomus hildae 406
Saharamys 199
Saidomys 199
Saint-Privat-des-Vieux (fossil site) 542–3, 563, 565, 567, 569
Sallamys 146
scalpriform incisors 324
scaly-tailed flying squirrels 20, 26, 387
Scandentia 25, 328
scansorial. See locomotor mode
scapula 543, 546–7, 551, 559–60
schmelzmuster 427, 435–6, 438, 441
Sciameys principalis 406
Sciuravidae 76, 435
Sciuravus? rarus 77
Sciuridae 9, 26, 42, 53, 221, 223, 225–9, 231–2, 234, 236–8, 241, 280, 378, 381, 383–5, 389, 396, 407, 409, 426, 483, 491, 539, 543, 553, 559, 570, 579
allometry 236
conservative morphology 231
divergence 240
diversification 223, 226, 229–30, 241
diversity 229
ear 384
mandibular variation 236
middle ear 384–5
morphological conservatism 231, 240
morphometrics 233
ontogenetic allometry 232
phylogeny 223, 240
split with Aplodontidea 229
taxonomy 240
Sciurillini 42
Sciurillus 224, 226–7
Sciurillus pusillus 54, 238
Sciurinae 237
Sciurini 42, 229–30, 236, 239
Sciurognathi 21, 281, 295
fossil record 71
sciurognathous 90, 278–9, 282–3, 289
sciurognaths 9, 71, 281
sciurognathy 76–7, 282, 427, 440
Sciuroidea 21, 26, 71
sciuiomorph 323
sciuiomorph (morphotypes) 21
Sciuiomorpha 21, 280, 292, 295, 323, 351
sciuiomorphous 279, 281, 293
sciuiomorphs 281, 330, 351–2, 354–5
sciuiomorphy 77, 238, 280–1, 358, 427, 440
sciuiomorphy (morphotype) 278
Sciurotamias 43
Sciurus 221–2, 225–6, 230–1, 384, 435, 543
Sciurus carolinensis 358, 384, 543
Sciurus cinereus 222
Sciurus flavus 222
Sciurus getulus 222
Sciurus niger 222, 257
Sciurus olsoni 230
Sciurus striatus 222
Sciurus volans 222
Sciurus vulgaris 222, 407
secodont 424
selenodont 198, 324, 541
selenodonty 77

- Selenomys* 453–4
- Selevinia* 42, 385
- semi-circular canal 375, 379–80, 391, 396
- Siberian flying squirrel 222
- Sicistinae 388
- Sidi Hakoma (fossil site) 197
- Sigmodon* 44, 390, 464, 466
- Sigmodon hispidus* 456
- Sigmodontinae 44, 52, 54–7, 390, 452, 455–6, 461–4, 466–7, 469
 - South American 44
- Sigmodontini 54–5
- silvery mole-rat 429–30
- Simimys* 80
- Simonimys genovefae* 91, 96
- Simplicidentata 7
- Sind (fossil site) 88
- Sirenia xiii, 25, 429
- Sivacanthion* 102
- Siwalik (fossil site) 51, 55, 93, 196–7, 199, 201
- skull 284–5, 289–90, 294, 314–15, 336, 352, 354, 358, 378–9, 381–2, 385, 387–8, 440, 442
 - characters 4
 - sound transmission in 395
- sloths 25
- Sminthinae 43
- Songhor (fossil site) 88, 93
- soricines 433
- South American pygmy squirrel 42
- South American spiny rats 29
- spalacid mole-rat 379, 389
- Spalacidae 43, 52, 55, 388–9, 392, 395–6, 438, 440, 469, 483, 585
- Spalacinae 43, 389
- Spalacopus* 140, 149, 395
- Spalax* 381, 389, 396
- Spaniomys* 141
- Speke’s pectinator 515
- Spermophilina 253
- Spermophilus* 43, 45, 222, 226, 253, 257
- Spermophilus columbianus* 543
- Spermophilus richardsonii* 407
- Sperrgebiet (fossil site) 104
- Sphiggurus* 29
- Sphiggurus spinosus* 514
- spiny rats 152
 - Atlantic 145
 - fossorial 145
- spiny tree-rats 139, 145
- spotted paca 514
- spring hares 20, 26, 352, 355–8, 387, 393
- Springvale Beds 513
- squirrel 181, 354, 358, 360–8, 384, 553
- squirrel-like clade 45
- squirrel-related clade 26–8, 42, 48, 186, 231, 374, 382–3, 483
 - enamel 435
 - middle ear 383
 - ossicles 392
- squirrels 42, 47, 221–2, 227, 231, 233, 353, 360, 383, 388, 393
 - mandibles and diet 238
 - masticatory configuration 241
 - specialised diets 238
- stapedial artery 377, 382, 384–95
- stapedial foramen 386
- stapedius 385
- stapedius muscle 377, 385–7, 389, 392–4
- stapedius tendon 377, 382
- stapes 374–5, 377–8, 380, 382–7, 389–92
- Steatomys* 195, 392
- Steiromys duplicatus* 543
- Stellar’s sea cow 429
- stellate reticulum 485, 487, 489
- stem cell 485, 489–90, 502
- Stenocephalemys* 197
- stephanodont 197–9, 468
- stephanodonty 198, 468–9, 495
- Stephanomys* 202, 461, 468–70
- Stephanomys donnezani* 457
- Sterkfontein (fossil site) 197
- Stichomys* 145
- Stochomys* 198
- St-Privat-des-Vieux (fossil site) 541, 550, 566–7
- Subeng (fossil site) 92
- Suevosciurus* 541–2, 546, 551, 579
- Suevosciurus ehingensis* 543–5, 549–50, 553, 575, 577–8, 582
 - anatomical description 544
- Suevosciurus suevicus* 543
- Süngülü (fossil site) 88, 92
- Swartkrans (fossil site) 203
- Sylvilagus aquaticus littoralis* 338–9
- Sylvilagus graysoni* 330
- symphysis 357, 360, 363, 365–8
- Symplokeomys zaysanicus* 77
- Tabby mouse 493
- Tachyoryctes* 389
- Tachyoryctes naivashae* 328

- Tachyoryctes splendens* 379
- Tachyoryctinae 55, 389
- taeniodonts 6
- taeniodonty 103
- Taishanomys* 73
- Talabphiomys* 96–8
- Talabphiomys lavocati* 94
- Talabphiomys libycus* 94
- Tamias* 43, 222, 224, 235
- Tamias sibiricus* 407
- Tamias striatus* 222
- Tamiasciurus* 230
- Tamiasciurus h. richardson* 338–9
- Tamquammyidae 89, 91, 98
- tarsal 549, 558, 564
- Tateomys* 53, 426
- Tatera* 195, 391, 397
- Taterillus* 391
- Tectonomys* 191
- Telicomys* 170–1, 173, 176
- temporal 356
- temporalis 291, 330, 350–1, 354, 356–7, 359–60
 - anterior 356
 - function 356
 - infraorbital 356
 - lateral 354, 356
 - medial 354, 356
 - posterior 356–7
 - proportion 356
- temporomandibular joint 328, 350, 362, 365
- Tenrec ecaudatus* 325
- tenrecs 25, 56
- tensor tympani 377–8, 380, 389–90
- Ternania* 194
- Tethyan dispersals 100
- Tethys xiii
- Tetrastylinae 169–71, 173, 175–6
- Tetrastylus* 169–71, 173, 175–6
- Tetrastylus intermedius* 176
- Tetrastylus montanus* 169
- Thallomys* 198
- Thallomys laetolilensis* 199
- Thallomys quadrilobatus* 199
- Thamnomys* 198
- Thamnomys rutilans* 417
- Theridomyidae 73, 495, 541–2, 544, 578, 582, 585
 - diagnostic features 542
 - diversity 585
 - locomotor apparatus 542
 - postcranial remains 541
- Theridomyinae 484, 543
- Theridomyoidea 545, 549–50, 579, 584–5
 - postcranial anatomy 579
- Theridomys* 541, 543, 578–9
- Theridomys aquatilis* 543, 554, 558, 570, 579
- Theridomys bonduelli* 543, 545, 550, 552, 558, 575, 578–9, 582, 586
 - anatomical description 551
- Theridomysops* 145
- thin-spined porcupine 514
- Thisbemys* 543
- Thomasomyini 54
- Thomasomys* 466
- Thomomys bulbivorus* 409
- Thrichomys* 42, 145, 149
- Thrichomys laurentius* 144
- Thryonomyidae 28, 89–91, 96, 98, 101, 103–4, 283, 483, 515
 - distribution 102
 - fossil record 101
- Thryonomyoidea 87, 96, 101–2, 104
- Thryonomys gregorianus* 530
- Thryonomys swinderianus* 98, 515, 530
- Thymiana (fossil site) 88
- tibia 543, 548–9, 553–4, 556, 558, 560, 562, 564, 566, 571–2, 574, 578–9, 584
- tillodonts 3, 6, 324
- tooth. See dentition
- Toromys* 145
- Toxodonta 3, 324
- transversal lamina 383
- Trechomys bonduelli* 551, 553
- tree rats 139, 145, 152
- tree squirrels 226–7, 229–30, 236
 - Asian 236
 - callosciurine 227
 - mandibular lever arms 234
 - New World 236
 - vicariance 230
- tree-shrews 6, 25, 328
- Tribosphenomys* 74–5
 - dentition 75
- Tribosphenomys minutus* 91
- Trinomys* 42, 145, 149, 151, 155
- Trinomys albispinus* 144
- Trinomys dimidiatus* 144
- Trinomys eliasi* 144
- Trinomys setosus* 144
- Trinomys yonenagae* 144
- Trogopterus* 224

- Tsaganomys altaicus* 431
- Tscherskia* 390
- Tubulidentata 6
- tuco-tucos 29, 140, 146
- Tugen Hills (fossil site) 199
- Tupaia* 328
- Tupaia glis demissa* 325, 329, 334
- Turgai Straits (fossil site) 71, 81
- Turkanamys* 89, 96
- Turkanamys hexalophus* 91, 94
- Tuscahomys* 73–5
- Tuscahomys major* 76
- Tuscahomys medius* 76
- Tuscahomys walsbi* 76
- Tylomyinae 390
- tympanic 389
 - annulus 378–9, 391, 396
 - bone 378
 - bulla 378, 391
 - cavity 375, 378–9, 384, 386, 388, 391
 - parts 378
 - membrane 374–5, 378, 380, 384–6, 394
 - middle ear 374
- Tympanoctomys* 146, 148–9
- ulna 543, 547–8, 551, 554, 556, 559, 561, 571–2, 574–5
- Unguiculata 6
- Uranomys* 189–93
- Urumaco 513
- Val’s gundi 515
- Vandeleuria* 44
- Vandeleuria oleracea* 409
- Vernaya* 44
- Viscaccidae 169, 171
- viscacha rats 140
- viscachas 139, 166, 168, 173
- voles 44, 376, 381, 383, 388, 390, 396, 405, 407, 429, 448, 466, 472, 479–80, 482, 484, 486–90, 494–6, 498–9, 501
- Vombatus* 324
- Vombatus ursinus* 325, 334
- Vulpes lagopus* 257
- Wadi Natrun (fossil site) 199
- Wai Lek (fossil site) 92
- Wasatch (fossil site) 92
- Waslamys* 96, 98
- Waslamys attiai* 94
- Willidevu* 146
- Willmus* 81
- Wind River (fossil site) 80
- Wistar rats 336
- Witenia yolua* 436, 438–9
- wood mouse 300–3, 306, 311, 314, 316–18
 - geographic variation in molar shape 309
 - latitudinal trend 315, 318
 - local variation 306
 - molar shape differences 308
 - sexual dimorphism 306
- woodchucks 221–2, 352
- woodrats 44
- Wutu fauna 74
- Xenarthra 5–6, 25, 54
- Xenodontomys* 151
- Xenodontomys ellipticus* 151
- Xenodontomys elongatus* 151
- Xenodontomys simpsoni* 151
- Xenohystrix* 102
- Xenungulates 54
- Xerinae 42, 229, 237
- Xerini 42, 222
- Xerus erythropus moestus* 338–9
- Xylechimys* 145
- Yahuarango (fossil site) 93
- Yuanomys* 73
- Yuanomys zhoui* 75
- Yuomyidae 89, 91, 98
- zalambdodont 326
- Zallah (fossil site) 88, 93
- Zapodidae 77, 80
 - geographic extent 80
- Zapodinae 43, 388
- Zapus* 388
- Zapus princeps* 406, 409, 419
- Zegdomyidae 26
- Zelomyidae 77
- Zelotomys* 197
- Zelotomys leakeyi* 197
- Zinda Pir Dome (fossil site) 88
- zokors 43
- zygomatic arch 280–1, 332, 350, 353–5
- zygomaticomandibularis 323, 354–6, 359
 - anterior 360
 - infraorbital 356, 359–60
 - infraorbital portion 355–6
 - posterior 359–60